

Hypertext marks in L^AT_EX

Sebastian Rahtz

Email: `sebastian.rahtz at oucs.ox.ac.uk`

Heiko Oberdiek (maintainer)

Email: `heiko.oberdiek at googlemail.com`

2012/07/26 v6.82t

1 Documentation overview for `hyperref`

The documentation for package `hyperref` consists of several files:

Manual The **USER MANUAL** (also available as HTML).

README The **README** file (also available as text file). Here information is collected that is not yet in the manual: new features, package compatibility, limitations, known problems, ...

ChangeLog This file records the version history (also available as text file).

Options This file provides a short option summary.

Bookmark talk, slides Slides for the talk “PDF information and navigation elements with hyperref, pdfTeX and thumbpdf” at EuroTeX 1999.

Bookmark talk, paper The paper version of the talk.

Source code documentation:

☞ **hyperref.dtx** This is the source code documentation for hyperref (this file).

backref.dtx “Back referencing from bibliographical citations”

nameref.dtx “Section name references in L^AT_EX”

2 Contents

1 Documentation overview for hyperref	1
2 Contents	2
3 File hycheck.tex	7
4 Package options and setup	11
4.1 Save catcodes	11
4.2 Version check	13
4.3 Checks with regular expressions	14
4.4 Compatibility with format dumps	15
4.5 Switches	15
5 Common help macros	17
5.1 Macros for recursions	17
5.2 Babel's protection of shorthand characters	17
5.3 Coordinate transformations	17
6 Dealing with PDF strings	19
6.1 Description of PDF strings	19
6.2 Definition of \pdfstringdef	19
6.2.1 Preprocessing	20
6.2.2 Expansion	25
6.2.3 Postprocessing	27
6.3 Encodings	31
6.3.1 Xe _T E _X	31
6.3.2 Workaround for package linguex	32
6.3.3 PD1 encoding	33
6.3.4 PU encoding	33
6.4 Additional user commands	33
6.4.1 \texorpdfstring	33
6.4.2 Hooks for \pdfstringdef	34
6.5 Help macros for expansion	35
6.5.1 \ignorespaces	35
6.5.2 Babel languages	35
6.5.3 CJK patch	40
6.5.4 CJK bookmarks	41
6.5.5 CJK unicode	42
6.5.6 \inmathwarn-Patch	47
6.5.7 Unexpandable spaces	48
6.5.8 Marker for commands	48
6.5.9 \hspace fix	48
6.5.10 Fix for AMS classes	49
6.5.11 Reference commands	49
6.5.12 Redefining the defining commands	51
6.5.13 \ifnextchar	52
6.5.14 \protected@testopt\ifnextchar	53
6.6 Help macros for postprocessing	53
6.6.1 Generic warning.	53
6.6.2 Protecting spaces	53
6.6.3 Remove grouping braces	54
6.6.4 Catcode check	55

6.6.5	Check for wrong glyphs	59
6.6.6	Replacing tokens	60
6.6.7	Support for package <code>xspace</code>	61
6.6.8	Converting to Unicode	61
6.6.9	Support for UTF-8 input encoding	63
6.6.10	Support for die faces (ifsym et. al.)	67
6.6.11	Support for moon phases of package <code>china2e</code>	68
6.6.12	Support for package <code>pifont</code>	68
7	Support of other packages	69
7.1	Class <code>memoir</code>	69
7.2	Package <code>subfigure</code>	70
7.3	Package <code>xr</code> and <code>xr-hyper</code>	70
8	Help macros for links	71
9	Options	73
9.1	Help macros	73
9.2	Defining the options	75
10	Options for different drivers	79
11	Options to add extra features	83
12	Language options	84
13	Options to change appearance of links	90
14	Bookmarking	91
15	PDF-specific options	93
15.1	Package <code>xspace</code> support	104
15.2	Option <code>draft</code>	105
15.3	PDF/A	105
15.4	Patch for <code>babel</code> 's <code>\texttilde</code>	106
15.4.1	Driver loading	108
15.4.2	Bookmarks	111
16	User hypertext macros	114
17	Underlying basic hypertext macros	120
18	Compatibility with the <i>LATEX2html</i> package	123
19	Forms creation	124
19.1	Field flags	124
19.1.1	Declarations of field flags	126
19.1.2	Set submit flags	128
19.1.3	Set annot flags in fields	129
19.1.4	PushButton field	129
19.1.5	Check box field	129
19.1.6	Radio button field	130
19.1.7	Text fields	130
19.1.8	Choice fields	131
19.2	Choice field	131

19.3 Forms	133
20 Setup	141
21 Low-level utility macros	142
22 Localized nullifying of package	143
23 Package nohyperref	143
24 The Mangling Of Aux and Toc Files	144
25 Title strings	146
26 Page numbers	147
27 Every page	147
27.1 PDF /PageLabels	148
27.1.1 pdfTeX and VTeX	151
27.1.2 xetex	153
27.1.3 pdfmarkbase, dvipdfm, xetex	153
28 Automated L ^A T _E X hypertext cross-references	155
29 Package lastpage support	160
30 Package ifthen support	161
31 Package titlesec and titletoc support	161
32 Package variorref support	162
33 Package longtable support	163
34 Equations	163
35 Footnotes	168
36 Float captions	173
37 Bibliographic references	175
37.1 Package harvard	179
37.2 Package chicago	180
38 Page numbers	181
39 Table of contents	183
40 New counters	184
41 AMSL^AT_EX compatibility	185
41.1 \c@addtoreset and \numberwithin patches	186
42 Included figures	187
43 hyperindex entries	187

44 Compatibility with foiltex	190
45 Compatibility with seminar slide package	190
46 Configuration files	198
46.1 PS/PDF strings	198
46.2 pdftex	200
46.2.1 Fix for problem with different nesting levels	213
46.3 hypertex	213
46.4 dviwindo	216
46.5 dvipdfm/xetex dvi to PDF converter	221
46.6 VTeX typesetting system	230
46.7 Fix for Adobe bug number 466320	243
46.8 Direct pdfmark support	244
46.9 Rokicki's dvips	257
46.10VTeX's vtexpdfmark driver	259
46.11Textures	261
46.12dvipsone	265
46.13TeX4ht	268
47 Driver-specific form support	271
47.1 pdfmarks	271
47.2 HyperTeX	278
47.3 TeX4ht	278
47.4 pdfTeX	281
47.5 dvipdfm, xetex	288
47.6 Common forms part	295
48 Bookmarks in the PDF file	302
48.1 Bookmarks	302
48.1.1 Rerun warning	305
48.1.2 Driver stuff	306
49 Compatibility with koma-script classes	312
50 Encoding definition files for encodings of PDF strings	312
50.1 PD1 encoding	312
50.2 PU encoding	320
50.2.1 NFSS2 accents	321
50.2.2 Basic Latin: U+0000 to U+007F	323
50.2.3 Latin-1 Supplement: U+0080 to U+00FF	324
50.2.4 Latin Extended-A: U+0080 to U+017F	328
50.2.5 Latin Extended-B: U+0180 to U+024F	333
50.2.6 IPA Extensions: U+0250 to U+02AF	337
50.2.7 Spacing Modifier Letters: U+02B0 to U+02FF	343
50.2.8 Combining Diacritical Marks: U+0300 to U+036F	344
50.2.9 Greek and Coptic: U+0370 to U+03FF	344
50.2.10 Cyrillic: U+0400 to U+04FF	347
50.2.11 Thai: U+0E00 to U+0E7F	358
50.2.12 Phonetic Extensions: U+1D00 to U+1D7F	358
50.2.13 Phonetic Extensions Supplement: U+1D80 to U+1DBF	358
50.2.14 Latin Extended Additional: U+1E00 to U+1EFF	359
50.2.15 General Punctuation: U+2000 to U+206F	364
50.2.16 Superscripts and Subscripts: U+2070 to U+209F	366

50.2.17	Currency Symbols: U+20A0 to U+20CF	367
50.2.18	Letterlike Symbols: U+2100 to U+214F	368
50.2.19	Number Forms: U+2150 to U+218F	369
50.2.20	Arrows: U+2190 to U+21FF	369
50.2.21	Mathematical Operators: U+2200 to U+22FF	372
50.2.22	Miscellaneous Technical: U+2300 to U+23FF	380
50.2.23	Control Pictures: U+2400 to U+243F	381
50.2.24	Optical Character Recognition: U+2440 to U+245F	382
50.2.25	Enclosed Alphanumerics: U+2460 to U+24FF	382
50.2.26	Geometric Shapes: U+25A0 to U+25FF	384
50.2.27	Miscellaneous Symbols: U+2600 to U+26FF	385
50.2.28	Dingbats: U+2700 to U+27BF	388
50.2.29	Miscellaneous Mathematical Symbols-A: U+27C0 to U+27EF	391
50.2.30	Supplemental Arrows-A: U+27F0 to U+27FF	392
50.2.31	Supplemental Arrows-B	392
50.2.32	Miscellaneous Mathematical Symbols-B: U+2980 to U+29FF	394
50.2.33	Supplemental Mathematical Operators: U+2A00 to U+2AFF	394
50.2.34	Latin Extended-C: U+2C60 to U+2C7F	397
50.2.35	Supplemental Punctuation: U+2E00 to U+2E7F	397
50.2.36	Modifier Tone Letters: U+A700 to U+A71F	397
50.2.37	Latin Extended-D: U+A720 to U+A7FF	397
50.2.38	Alphabetic Presentation Forms: U+FB00 to U+FB4F	397
50.2.39	Musical Symbols: U+1D100 to U+1D1FF	397
50.2.40	Miscellaneous Symbols and Pictographs: U+1F300 to U+1F5FF	398
50.2.41	Transport and Map Symbols: U+1F680 to U+1F6FF	398
50.2.42	Miscellaneous	398
50.2.43	Aliases	399
50.3	PU encoding, additions for VnTEX	399
50.4	PU encoding, additions for Arabi	401

51 End of file hycheck.tex **421**

52 Index **422**

3 File hycheck.tex

Many commands of L^AT_EX or other packages cannot be overloaded, but have to be redefined by hyperref directly. If these commands change in newer versions, these changes are not noticed by hyperref. With this test file this situation can be checked. It defines the command \checkcommand that is more powerful than L^AT_EX's \CheckCommand, because it takes \DeclareRobustCommand and optional parameters better into account.

```
1 /*check*/
2 \documentclass{article}
3 \makeatletter

\checklateX Optional argument: release date of LATEX.
4 \newcommand*\checklateX[1][]{%
5   \typeout{}%
6   \typeout{* Format: 'LaTeX2e' #1}%
7   \typeout{\space\space Loaded: '\fmtname' \fmtversion}%
8 }%

\checkpackage The argument of \checkpackage is the package name without extension optionally followed by a release date.
9 \newcommand*\checkpackage[1]{%
10  \def\HyC@package{\#1}%
11  \let\HyC@date\empty
12  \@ifnextchar[\HyC@getDate\HyC@checkPackage
13 }

\HyC@getDate The release date is scanned.
14 \def\HyC@getDate[#1]{%
15  \def\HyC@date{\#1}%
16  \HyC@checkPackage
17 }

\HyC@checkPackage
18 \def\HyC@checkPackage{%
19   \typeout{}%
20   \begingroup
21     \edef\x{\endgroup
22       \noexpand\RequirePackage{\HyC@package}%
23       \ifx\HyC@date\empty\relax\else[\HyC@date]\fi%
24   }%
25   \x
26   \typeout{}%
27   \typeout{%
28     * Package '\HyC@package'%
29     \ifx\HyC@date\empty
30     \else
31       \space\HyC@date
32     \fi
33   }%
34   \@ifundefined{ver@\HyC@package.sty}{%
35   }{%
36     \typeout{%
37       \space\space Loaded: '\HyC@package' %
38       \csname ver@\HyC@package.sty\endcsname
39   }%
```

```
40  }%
41 }
```

\checkcommand The macro \checkcommand parses the next tokens as a L^AT_EX definition and compares this definition with the current meaning of that command.

```
42 \newcommand*\checkcommand{\checkcommand}[1]{%
43   \begingroup
44   \ifx\long#1\relax
45     \expandafter\HyC@checklong
46   \else
47     \def\HyC@defcmd{#1}%
48     \expandafter\let\expandafter\HyC@next
49       \csname HyC@\expandafter\@gobble\string#1\endcsname
50     \expandafter\HyC@checkcommand
51   \fi
52 }
```

\HyC@checklong The definition command \def or \edef is read.

```
53 \def\HyC@checklong#1{%
54   \def\HyC@defcmd{\long#1}%
55   \expandafter\let\expandafter\HyC@next
56     \csname HyC@\expandafter\@gobble\string#1\endcsname
57   \HyC@checkcommand
58 }
```

\HyC@checkcommand The optional star of L^AT_EX's definitions is parsed.

```
59 \def\HyC@checkcommand{%
60   \ifx\HyC@next\relax
61     \PackageError{hycheck}{%
62       Unknown command `\\expandafter\\strip@prefix\\meaning\\HyC@cmd'%
63     }{\@ehd}
64   \expandafter\endinput
65 \fi
66 \@ifstar{%
67   \def\HyC@star{*}%
68   \HyC@check
69 }{%
70   \let\HyC@star\@empty
71   \HyC@check
72 }%
73 }
```

\HyC@check The macro \HyC@check reads the definition command.

```
74 \def\HyC@check#1{%
75   \def\HyC@cmd{#1}%
76   \let\HyC@org@cmd\HyC@cmd
77   \let#1\relax
78   \let\HyC@param\@empty
79   \HyC@Toks{}%
80   \let\HyC@org@optcmd\HyC@noValue
81   \let\HyC@org@robustcmd\HyC@noValue
82   \let\HyC@org@robustoptcmd\HyC@noValue
83   \HyC@next
84 }
```

\HyC@noValue

```
85 \def\HyC@noValue{NoValue}
```

\HyC@newcommand The code for \newcommand.

```

86 \def\HyC@newcommand{%
87   \let\HyC@@cmd\HyC@cmd
88   \@ifnextchar[\HyC@nc@opt\HyC@nc@noopt
89 }

```

\HyC@Toks A register for storing the default value of an optional argument.

```

90 \newtoks\HyC@Toks

```

\HyC@nc@noopt This macro \HyC@nc@noopt is called, if the parser has reached the definition text.

```

91 \long\def\HyC@nc@noopt#1{%
92   \edef\x{%
93     \expandafter\noexpand\HyC@defcmd
94     \HyC@star
95     \expandafter\noexpand\HyC@cmd
96     \HyC@param\the\HyC@Toks
97   }%
98   \x{#1}%
99   \HyC@doCheck
100 }

```

\HyC@nc@opt This macro scans the first optional argument of a L^AT_EX definition (number of arguments).

```

101 \def\HyC@nc@opt[#1]{%
102   \def\HyC@param{[{#1}]}%
103   \@ifnextchar[\HyC@nc@default\HyC@nc@noopt
104 }

```

\HyC@nc@default Macro \HyC@nc@default scans the default for an optional argument.

```

105 \def\HyC@nc@default[#1]{%
106   \HyC@Toks={[{#1}]}%
107   \edef\HyC@optcmd{%
108     \expandafter\noexpand
109     \csname\expandafter\string\HyC@cmd\endcsname
110   }%
111   \expandafter\let\expandafter\HyC@org@optcmd\HyC@optcmd
112   \HyC@nc@noopt
113 }

```

\HyC@DeclareRobustCommand \DeclareRobustCommand{\cmd} makes the command \cmd robust, that then calls \cmd_ with an space at the end of the command name, defined by \newcommand. Therefore the further parsing is done by \HyC@nc@opt or \HyC@nc@noopt of the \HyC@newcommand chain.

```

114 \def\HyC@DeclareRobustCommand{%
115   \edef\HyC@robustcmd{%
116     \expandafter\noexpand
117     \csname\expandafter\expandafter\expandafter\expandafter\@gobble
118       \expandafter\string\HyC@cmd\space\endcsname
119   }%
120   \expandafter\let\expandafter\HyC@org@robustcmd\HyC@robustcmd
121   \expandafter\let\HyC@robustcmd\relax
122   \let\HyC@cmd\HyC@robustcmd
123   \@ifnextchar[\HyC@nc@opt\HyC@nc@noopt
124 }

```

\HyC@def The parameter text of \def or \edef is stored in the token register \HyC@Toks.

```

\HyC@edef 125 \def\HyC@def#1#{%
126   \HyC@Toks={#1}%
127   \HyC@nc@noopt
128 }
129 \let\HyC@edef\HyC@def

```

\HyC@doCheck This command performs the checks and prints the result.

```

130 \def\HyC@doCheck{%
131   \typeout{* Checking '\HyC@string\HyC@cmd':}%
132   \HyC@checkItem{cmd}%
133   \HyC@checkItem{robustcmd}%
134   \HyC@checkItem{optcmd}%
135   \HyC@checkItem{robustoptcmd}%
136   \endgroup
137 }

```

\HyC@checkItem A single check.

```

138 \def\HyC@checkItem#1{%
139   \expandafter\ifx\csname HyC@org@#1\endcsname\HyC@noValue
140   \else
141     \expandafter\expandafter\expandafter\ifx
142     \csname HyC@#1\expandafter\endcsname
143     \csname HyC@org@#1\endcsname
144     \expandafter\HyC@checkOk\csname HyC@#1\endcsname
145   \else
146     \expandafter\HyC@checkFailed
147     \csname HyC@#1\expandafter\endcsname
148     \csname HyC@org@#1\endcsname
149   \fi
150 \fi
151 }

```

\HyC@string Some shorthands.

```

\HyC@meaning 152 \def\HyC@string#1{\expandafter\string#1}
153 \def\HyC@meaning#1{\expandafter\meaning#1}

```

\HyC@checkOk The result, if the check succeeds.

```

154 \def\HyC@checkOk#1{%
155   \typeout{\space\space'\HyC@string#1' ok.}%
156 }

```

\HyC@checkFailed The result, if the check fails.

```

157 \def\HyC@checkFailed#1#2{%
158   \typeout{\space\space'\HyC@string#1' failed.}%
159   \typeout{\space\space* original: \meaning#2}%
160   \typeout{\space\space* expected: \HyC@meaning#1}%
161 }

162 % ****
163 </check>
164 (*package)

```

4 Package options and setup

4.1 Save catcodes

There are many packages that change the standard catcodes.

First we save the original meaning of ‘ and = in the token register \toks@, because we need the two characters in the macros \Hy@SetCatcodes and \Hy@RestoreCatcodes.

```
165 \begingroup
166   \@makeother`%
167   \@makeother\=%
168   \edef\x{%
169     \edef\noexpand\x{%
170       \endgroup
171       \noexpand\toks@{%
172         \catcode 96=\noexpand\the\catcode`\noexpand`\\relax
173         \catcode 61=\noexpand\the\catcode`\noexpand\=\\relax
174       }%
175     }%
176     \noexpand\x
177   }%
178 \x
179 \@makeother`%
180 \@makeother\=
```

\Hy@SetCatcodes

```
181 \def\Hy@SetCatcodes{%
182   \@makeother`%
183   \@makeother\=%
184   \catcode`\$=3 %
185   \catcode`\&=4 %
186   \catcode`\^=7 %
187   \catcode`\_=8 %
188   \@makeother\|=%
189   \@makeother\::%
190   \@makeother\(%
191   \@makeother\)%
192   \@makeother\[%
193   \@makeother\]%
194   \@makeother\/%
195   \@makeother\!%
196   \@makeother\<%
197   \@makeother\>%
198   \@makeother\.%
199   \@makeother\;%
200   \@makeother\+%
201   \@makeother\-%
202   \@makeother\%"%
203   \@makeother\%'%
204 }
```

\Hy@RestoreCatcodes

```
205 \begingroup
206   \def\x{\catcode`\noexpand#1=\the\catcode`\#1\relax}%
207   \xdef\Hy@RestoreCatcodes{%
208     \the\toks@
209     \x\$%
```

```

210  \x\&%
211  \x\^%
212  \x\_%
213  \x\|%
214  \x\:%
215  \x\(%
216  \x\)%
217  \x\[%
218  \x\]%
219  \x\/%
220  \x\!%
221  \x\<%
222  \x\>%
223  \x\.%
224  \x\;%
225  \x\+%
226  \x\-%
227  \x\%"%
228  \x\.'%
229  }%
230 \endgroup

231 \Hy@SetCatcodes

```

It needs the December 95 release of L^AT_EX, because it uses `\protected@write`, and it defines commands in options; and the page setup internal code changed at that point. It'll probably break with the later releases!

Use package `hobsub-hyperref` for faster package loading.

```

232 \IfFileExists{hobsub-hyperref.sty}{%
233   \RequirePackage{hobsub-hyperref}[2011/01/30]%
234 }{%
235 \RequirePackage{ltxcmds}[2010/10/25]
236 \RequirePackage{ifpdf}[2006/02/20]
237 \RequirePackage{pdftexcmds}[2009/04/10]
238 \@ifpackagelater{pdftexcmds}{2010/11/04}{}{%
239   \ltx@ifUndefined{pdfdraftmode}{%
240     \let\pdf@ifdraftmode\ltx@secondoftwo
241   }{%
242     \ifpdf
243       \def\pdf@ifdraftmode{%
244         \ifnum\pdfdraftmode=\ltx@one
245           \expandafter\ltx@firstoftwo
246         \else
247           \expandafter\ltx@secondoftwo
248         \fi
249       }%
250     \else
251       \let\pdf@ifdraftmode\ltx@secondoftwo
252     \fi
253   }%
254 }%
255 \RequirePackage{infwarerr}[2010/04/08]
256 \RequirePackage{keyval}[1997/11/10]
257 \RequirePackage{kvsetkeys}[2007/09/29]
258 \RequirePackage{pdfescape}[2007/11/11]
259 \RequirePackage{ifvtex}
260 \RequirePackage{ifxetex}[2006/08/21]

```

```

261 \RequirePackage{hycolor}
262 \RequirePackage{letltxmacro}[2008/06/13]
263 \def\Hy@Error{\@PackageError{hyperref}}
264 \def\Hy@Warning{\@PackageWarning{hyperref}}
265 \def\Hy@WarningNoLine{\@PackageWarningNoLine{hyperref}}
266 \def\Hy@Info{\@PackageInfo{hyperref}}
267 \def\Hy@InfoNoLine{\@PackageInfoNoLine{hyperref}}
268 \def\Hy@Message#1{%
269   \GenericWarning{%
270     (hyperref)\@spaces\@spaces\@spaces\@spaces
271   }{%
272     Package hyperref Message: #1\ltx@gobble
273   }%
274 }

```

4.2 Version check

\Hy@VersionChecked

```
275 \chardef\Hy@VersionChecked=0 %
```

\Hy@VersionCheck

```

276 \def\Hy@VersionCheck#1{%
277   \begingroup
278   \ltx@ifundefined{ver@hyperref.sty}{%
279     \Hy@Error{%
280       This should not happen!\MessageBreak
281       Missing hyperref version%
282     }\@ehd
283   }{%
284     \ltx@ifundefined{ver@#1}{%
285       \Hy@Error{%
286         This should not happen!\MessageBreak
287         Missing version of '#1'%
288       }\@ehd
289     }{%
290       \def\x##1##2##3{%
291         \expandafter\expandafter\expandafter\Hy@VersionCheck
292         \expandafter\expandafter\expandafter##2%
293         \csname ver@##3\endcsname##1##1\@nil
294       }%
295       \x{ }\y{hyperref.sty}%
296       \x{ }\z{#1}%
297       \ifx\y\z
298       \else
299         \Hy@Error{%
300           Version mismatch!\MessageBreak
301           * \y: hyperref.sty\MessageBreak
302           * \z: #1%
303         }\@ehd
304       \fi
305     }%
306   }%
307   \endgroup
308   \chardef\Hy@VersionChecked=1 %
309 }

```

\Hy@@VersionCheck

```

310 \def\Hy@@VersionCheck #1#2 #3 #4\@nil{%
311   \def#1{#2 #3}%
312 }

```

4.3 Checks with regular expressions

```

313 \ltx@ifundefined{pdfmatch}{%
314   \let\Hy@Match\ltx@gobblefour
315 }{%
316   \def\Hy@Match#1#2{%
317     \begingroup
318     \edef~{\ltx@backslashchar$string^}%
319     \edef.\{\ltx@backslashchar.\}%
320     \edef[{\ltx@backslashchar[]}% ]
321     \edef${\ltx@backslashchar$}%
322     \edef(\{\ltx@backslashchar()%
323     \edef)\{\ltx@backslashchar)}%
324     \edef|\{\ltx@backslashchar|}%
325     \edef*{\ltx@backslashchar*}%
326     \edef+{\ltx@backslashchar+}%
327     \edef?{\ltx@backslashchar?}%
328     \edef{\ltx@backslashchar\ltx@leftbracechar}%
329     \edef}{\ltx@rightbracechar}%
330     \edef\\{\ltx@backslashchar\ltx@backslashchar}%
331     \let\ \ltx@space
332     \ifcase\pdfmatch{#2}{#1} %
333       \endgroup
334       \expandafter\ltx@secondoftwo
335     \or
336       \endgroup
337       \expandafter\ltx@firstoftwo
338     \else
339       \Hy@Warning{%
340         Internal error: Wrong pattern!\MessageBreak
341         --> #2 <--\MessageBreak
342         Pattern check ignored%
343       }%
344       \endgroup
345       \expandafter\ltx@firstoftwo
346     \fi
347   }%
348 \ltx@ifpackagelater{ltxcmds}{2010/09/11}{}{%
349   \begingroup
350     \lccode`0='`{\relax
351     \lowercase{\endgroup
352     \def\ltx@leftbracechar{0}}%
353   }%
354   \begingroup
355     \lccode`0='`\relax
356     \lowercase{\endgroup
357     \def\ltx@rightbracechar{0}}%
358   }%
359 }
360 }

```

4.4 Compatibility with format dumps

\AfterBeginDocument For use with pre-compiled formats, created using the `ldump` package, there needs to be 2 hooks for adding material delayed until `\begin{document}`. These are called `\AfterBeginDocument` and `\AtBeginDocument`. If `lDump` is not loaded, then a single hook suffices for normal L^AT_EX processing.

The default definition of `\AfterBeginDocument` cannot be done by `\let` because of problems with `xypic`.

```
361 \@ifundefined{AfterBeginDocument}{%
362   \def\AfterBeginDocument{\AtBeginDocument}%
363 }{}}
```

\Hy@AtBeginDocument For the case that package ‘hyperref’ is loaded using `\AtBeginDocument`, we have to wrap the calls of `\AtBeginDocument`/`\AfterBeginDocument` in `\AtEndOfPackage`. However, packages must be loaded in `\AtEndOfPackage` before package ‘kvoptions’ has to perform its option cleanup. Therefore we use a hook.

```
364 \def\Hy@AtBeginDocument{%
365   \ltx@LocalAppendToMacro\Hy@AtBeginDocumentHook
366 }
```

\Hy@AtEndOfPackage

```
367 \def\Hy@AtEndOfPackage{%
368   \ltx@LocalAppendToMacro\Hy@AtEndOfPackageHook
369 }
```

\Hy@AtBeginDocumentHook

```
370 \let\Hy@AtBeginDocumentHook\ltx@empty
```

\Hy@AtEndOfPackageHook

```
371 \let\Hy@AtEndOfPackageHook\ltx@empty
```

Install the hook, before package ‘kvoptions’ is loaded.

```
372 \AtEndOfPackage{%
373   \Hy@AtEndOfPackageHook
374   \let\Hy@AtEndOfPackageHook\@undefined
375   \AfterBeginDocument{%
376     \Hy@AtBeginDocumentHook{}%
377     \let\Hy@AtBeginDocumentHook\@undefined
378   }%
379 }
```

Package `kvoptions` is used for processing options that are given as key value pairs. The package provides `\ProcessKeyvalOptions`, formerly known as `\ProcessOptionsWithKV`.

```
380 \RequirePackage{kvoptions}[2009/07/21]
```

4.5 Switches

```
381 \newif\ifHy@stoppedearly
382 \newif\ifHy@typexml
383 \newif\ifHy@activeanchor
384 \newif\ifHy@backref
385 \newif\ifHy@bookmarks
386 \newif\ifHy@bookmarksnumbered
387 \newif\ifHy@bookmarksopen
388 \newif\ifHy@breaklinks
```

```

389 \newif\ifHy@pdfcenterwindow
390 \newif\ifHy@CJKbookmarks
391 \newif\ifHy@colorlinks
392 \newif\ifHy@draft
393 \let\Hy@finaltrue\Hy@draftfalse
394 \let\Hy@finalfalse\Hy@drafttrue
395 \newif\ifHy@pdfescapeform
396 \newif\ifHy@hyperfigures
397 \newif\ifHy@pdffitwindow
398 \newif\ifHy@frenchlinks
399 \newif\ifHy@hyperfootnotes
400 \newif\ifHy@hyperindex
401 \newif\ifHy@hypertexnames
402 \newif\ifHy@implicit
403 \newif\ifHy@linktocpage
404 \newif\ifHy@localanchorname
405 \newif\ifHy@pdfmenubar
406 \newif\ifHy@naturalnames
407 \newif\ifHy@nesting
408 \newif\ifHy@pdfnewwindowset
409 \newif\ifHy@pdfnewwindow
410 \newif\ifHy@ocgcolorlinks
411 \newif\ifHy@pageanchor
412 \newif\ifHy@pdfpagelabels
413 \newif\ifHy@pdfpagehidden
414 \newif\ifHy@pdfstring
415 \newif\ifHy@plainpages
416 \newif\ifHy@psize
417 \newif\ifHy@raiselinks
418 \newif\ifHy@seminarslides
419 \newif\ifHy@setpagesize
420 \newif\ifHy@texht
421 \newif\ifHy@psdextra
422 \newif\ifHy@pdftoolbar
423 \newif\ifHy@unicode
424 \newif\ifHy@pdfusetitle
425 \newif\ifHy@verbose
426 \let\Hy@debugtrue\Hy@verbosetrue
427 \let\Hy@debugfalse\Hy@verbosefalse
428 \newif\ifHy@pdfwindowui
429 \newif\ifHy@pdfdisplaydoctitle
430 \newif\ifHy@pdfa

```

Defaults for the switches are now set.

```

431 \Hy@backreffalse
432 \Hy@bookmarksnumberedfalse
433 \Hy@bookmarksopenfalse
434 \Hy@bookmarkstrue
435 \Hy@breaklinksfalse
436 \Hy@pdfcenterwindowfalse
437 \Hy@CJKbookmarksfalse
438 \Hy@pdfescapeformfalse
439 \Hy@hyperfiguresfalse
440 \Hy@pdffitwindowfalse
441 \Hy@hyperfootnotestrue
442 \Hy@hyperindextrue
443 \Hy@hypertexnamestrue
444 \Hy@implicittrue

```

```

445 \Hy@linktocpagefalse
446 \Hy@localanchornamefalse
447 \Hy@pdfmenubartrue
448 \Hy@naturalnamesfalse
449 \Hy@nestingfalse
450 \Hy@pdfnewwindowsetfalse
451 \Hy@pdfnewwindowfalse
452 \Hy@pageanchortrue
453 \Hy@pdfpagelabelstrue
454 \Hy@pdfpagehiddenfalse
455 \Hy@pdfstringfalse
456 \Hy@plainpagesfalse
457 \Hy@raiselinksfalse
458 \Hy@setpagesizetrue
459 \Hy@texhtfalse
460 \Hy@psdextrafalse
461 \Hy@pdftoolbartrue
462 \Hy@typxmlfalse
463 \Hy@unicodedefalse
464 \Hy@pdfusetitlefalse
465 \Hy@verbosefalse
466 \Hy@pdfwindowuitrue
467 \Hy@pdfdisplaydoctitlefalse
468 \Hy@pdafafalse

```

5 Common help macros

```

\Hy@StepCount
469 \def\Hy@StepCount#1{\advance#1 by 1 }%

\Hy@GlobalStepCount
470 \def\Hy@GlobalStepCount#1{\global\advance#1 by 1 }%

471 \newdimen\@linkdim
472 \let\Hy@driver\ltx@empty
473 \let\MaybeStopEarly\relax
474 \newcount\Hy@linkcounter
475 \newcount\Hy@pagecounter
476 \Hy@linkcounter0
477 \Hy@pagecounter0

```

5.1 Macros for recursions

```

478 \let\Hy@ReturnEnd@\empty
479 \long\def\Hy@ReturnAfterFiFiEnd#1\fi#2\Hy@ReturnEnd{\fi\fi#1}
480 \long\def\Hy@ReturnAfterElseFiFiEnd#1\else#2\Hy@ReturnEnd{\fi\fi#1}

```

5.2 Babel's protection of shorthand characters

\Hy@safe@activestrue Babel's switch setting commands cannot be used directly, because they can be undefined if babel is not loaded.

```

481 \def\Hy@safe@activestrue{\csname @safe@activestrue\endcsname}
482 \def\Hy@safe@activesfalse{\csname @safe@activesfalse\endcsname}

```

5.3 Coordinate transformations

At some places numbers in pdf units are expected (eg: FitBH, ...). The following macros perform the transformation from TeX units (pt) to PDF units (bp).

\hypercalcbp The user macro \hypercalcbp can be used, for example, inside option values:

```
pdfstartview={FitBH \hypercalcbp{\paperheight-\topmargin-1in}}
```

- It cannot be used inside \usepackage, because LaTeX expands the options before package hyperref is loaded and \hypercalcbp is defined.
- With e-TeX extensions an expandable implementation is very easy; \hypercalcbp can be used everywhere and is expanded at use.
- Without e-TeX's features \hypercalcbp cannot be implemented expandable (practically) and have to be supported by \hypercalcbpdef. Limitations:
 - Works only in options that use \hypercalcbpdef (currently only pdfstartview).
 - For calculations package calc has to be loaded.
 - The expansion of the argument is done at definition time.

Example (TeX):

```
\usepackage{calc}
\usepackage{...}{hyperref}
\hypersetup{
    pdfstartview={FitBH \hypercalcbp{\paperheight-\topmargin-1in
        -\headheight-\headsep}}
}

\hypercalcbp
483 \begingroup\expandafter\expandafter\expandafter\endgroup
484 \expandafter\ifx\csname dimexpr\endcsname\relax
485   \def\hypercalcbpdef#1#2{%
486     \begingroup
487       \toks@{}%
488       \HyCal@scan#2\hypercalcbp@nil
489     \endgroup
490     \expandafter\def\expandafter#1\expandafter{\the\toks@}%
491   }%
492 \def\HyCal@scan#1\hypercalcbp#2@nil{%
493   \toks@\expandafter{\the\toks@ #1}%
494   \ifx\\#2\\%
495   \else
496     \ltx@ReturnAfterFi{%
497       \HyCal@do#2@nil
498     }%
499   \fi
500 }%
501 \def\HyCal@do#1#2@nil{%
502   \@ifpackageloaded{calc}{}{%
503     \Hy@Warning{%
504       For calculations \string\hypercalcbp\space needs\MessageBreak
505       package calc or e-TeX%
506     }%
507   }%
508   \setlength{\dimen@}{#1}%
509   \setlength{\dimen@}{0.99626401\dimen@}%
510   \edef\x{%
511     \toks@{%
512       \the\toks@%
```

```

513     \strip@pt\dimen@
514     }%
515     }\x
516     \HyCal@scan#2@nil
517     }%
518 \else
519   \def\hypercalcbp#1{%
520     \strip@pt\dimexpr 0.99626401\dimexpr(#1)\relax\relax
521   }%
522   \def\hypercalcbpdef{\def}%
523 \fi

```

6 Dealing with PDF strings

The PDF string stuff done by Heiko Oberdiek.

Naming convention: All internal commands that are only needed by `\pdfstringdef` are prefixed with `\HyPsd@`.

6.1 Description of PDF strings

The PDF specification defines several places to hold text strings (bookmark names, document information, text annotations, etc.). The PDF strings have following properties:

- They are surrounded by parentheses. The hexadecimal form is not supported.
- Like PostScript language strings they use the same escaping mechanism:

<code>\\"</code>	the backslash itself
<code>\), \("</code>	unbalanced parentheses
<code>\n, \r, \t, \b, \f</code>	special white space escape sequences
<code>\ddd</code>	octal character code <code>ddd</code>
- Strings are stored either in PDFDocEncoding, which is a superset of ISO-Latin1 and is compatible with Unicode with character codes below 256, or in Unicode.

6.2 Definition of `\pdfstringdef`

The central macro for dealing with PDF strings is `\pdfstringdef`. It defines a command `#1` to be the result of the conversion from the string in `#2` to a legal PDFDocEncoded string. Currently the definition is global, but this can be changed in the future.

Important: In `TEX`'s view PDF strings are written to a file and are expanded only in its mouth. Stomach commands that cannot be expanded further aren't executed, they are written verbatim. But the PDF reader that reads such a string isn't a `TEX` interpreter!

The macro `\pdfstringdef` consists of three main parts:

1. Preprocessing. Here the expansion is prepared. The encoding is set and many commands are redefined, so that they work appropriate.
2. Expansion. The `TEX` string is expanded the first time to get a PDF string.
3. Postprocessing. The result of the expansion is checked and converted to the final form.

```
\pdfstringdef \pdfstringdef works on the tokens in #2 and converts them to a PDF string as far as possible:
```

- The result should obey the rules of the PDF specification for strings.
- The string can safely processed by \TeX , because the tokens have only catcodes 10 until 12.

The result is stored in the command token given in #1.

```
524 \def\pdfstringdef#1#2{%
```

Many redefinitions are needed, so all the work is done in a group.

```
525 \begingroup
```

6.2.1 Preprocessing

Octal escape sequences. To avoid problems with eight bit or non printable characters, the octal escape notation is supported. So most glyphs in the encoding definitions for PD1 and PU produce these octal escape sequences. All three octal digits have to be used:

- Wrong results are avoided, if digits follow that are not part of the octal sequence.
- Macros rely on the fact that the octal sequences always consist of three digits (vtex driver, Unicode support).

The escape sequences start with a backslash. By \backslash string it will be printed. Therefore it is ensured that the \TeX escape character indeed prints as a normal backslash. Eventually this line can be removed, because this is standard L^AT_EX behaviour.

```
526 \escapechar'\\%
```

From the view of \TeX a octal sequence consists of the command tokens $\backslash 0$ until $\backslash 3$ and two digits. For saving tokens $\backslash 0$, $\backslash 1$, $\backslash 2$, and $\backslash 3$ are directly used without a preceding \backslash string in the glyph definitions. This is done here locally by defining the $\backslash 0$ until $\backslash 3$ commands. So the user can use octal escape sequences directly, the disadvantage is that a previous definition of this short commands does not apply.

```
527 \edef\0{\string\0}%
528 \edef\1{\string\1}%
529 \edef\2{\string\2}%
530 \edef\3{\string\3}%
```

Setting font encoding. The unicode encoding uses $\backslash 8$ and $\backslash 9$ as marker for the higher byte. $\backslash 8$ is an abbreviation for the higher bytes 0 until 7 that can be expressed by one digit. $\backslash 8$ will be converted to $\backslash 00$. However $\backslash 9$ only marks the next three digits as higher byte and will be removed later.

The encoding is set by \backslash enc@update for optimizing reasons.

```
531 \ifHy@unicode
532   \edef\8{\string\8}%
533   \edef\9{\string\9}%
534   \fontencoding{PU}%
535   \HyPsd@UTFviii
536   \def\ifpdfstringunicode##1##2##1{%
537     \else
538       \fontencoding{PD1}%
539   }
```

```

539     \def\ifpdfstringunicode##1##2{##2}%
540     \fi
541     \let\utf@viii@undeferr\HyPsd@utf@viii@undeferr
542     \enc@update

```

Internal encoding commands. `\pdfstringdef` interpretes text strings which are not allowed to contain mathematical stuff. The text glyph commands will produce a warning, if called in math mode. But this warning disturbs while expanding. Therefore we check for math mode here, before `\@inmathwarn` will be disabled (see below).

```
543     \@inmathwarn\pdfstringdef
```

If a glyph is used, that isn't in the PD1/PU encoding there will be an infinite error loop, because the NFSS encoding stuff have to be expanded unprotected (`\edef`), so that the assigments of `\@changed@cmd` don't take place. To patch this behaviour I only found `\@inmathwarn` as a usable hook. While an `\edef` a warning message by `\@inmathwarn` or `\TextSymbolUnavailable` cannot be give out, so `\@inmathwarn` should be disabled. And with the help of it the assignments in `\@changed@cmd` can easily be caught (see below).

```
544     \let\@inmathwarn\HyPsd@\inmathwarn
```

Unknown composite characters are built with `\add@accent`, so it is redefined to provide a warning.

```
545     \let\add@accent\HyPsd@\add@accent
```

Commands that don't use NFSS directly. There are several commands that prints characters in the printable ASCII area that don't obey the NFSS, so they have to be redefined here.

```

546     \let\{\textbraceleft
547     \let\}\textbraceright
548     \let\\textbackslash
549     \let\#\textnumbersign
550     \let\$textdollar
551     \let\%textpercent
552     \let\&textampersand
553 %    \let\~textasciitilde
554     \let\_textunderscore
555     \let\P{textparagraph}
556     \let\ldots{textellipsis}
557     \let\dots{textellipsis}

```

Newline `\newline` or `\%` do not work in bookmarks, in text annotations they should expand to `\r`. In pdf strings `\%` stands for a backslash. Therefore the commands are disabled now. The user can redefine them for a result what he want:

backslash: `\pdfstringdefDisableCommands{\let\\textbackslash}`

new line: `\pdfstringdefDisableCommands{\let\\textCR}`

disabled: `\pdfstringdefDisableCommands{\let\\empty}`

At any case, however, the optional argument or the star cannot be scanned in a 100% sure manner.

```

558     \def\\{\pdfstringdefWarn\\}%
559     \def\newline{\pdfstringdefWarn\newline}%

```

Logos. Because the box shifting used in the TeX logo does not work while writing to a file, the standard TeX logos are redefined.

```

560  \def\TeX{\TeX}%
561  \def\LaTeX{\LaTeX}%
562  \def\LaTeXe{%
563    \LaTeX2%
564    \ifHy@unicode{textepsilon}\else e\fi
565  }%
566  \def\TeXe{%
567    \ifHy@unicode{textepsilon}\else e\fi
568    -\TeX%
569  }%
570  \def\SliTeX{\SliTeX}%
571  \def\MF{Metafont}%
572  \def\MP{Metapost}%

```

Standard font commands. Because font changes do not work, the standard font switching commands are disabled.

```

573  \let\fontencoding@gobble
574  \let\fontfamily@gobble
575  \let\fontseries@gobble
576  \let\fontshape@gobble
577  \let\fontsize@gobbletwo
578  \let\selectfont@empty
579  \let\usefont@gobblefour
580  \let\emph@firstofone
581  \let\textnormal@firstofone
582  \let\textrm@firstofone
583  \let\textsf@firstofone
584  \let\texttt@firstofone
585  \let\textbf@firstofone
586  \let\textmd@firstofone
587  \let\textit@firstofone
588  \let\textsc@firstofone
589  \let\textsl@firstofone
590  \let\textup@firstofone
591  \let\normalfont@empty
592  \let\rmfamily@empty
593  \let\sffamily@empty
594  \let\ttfamily@empty
595  \let\bfseries@empty
596  \let\mdseries@empty
597  \let\itshape@empty
598  \let\scshape@empty
599  \let\slshape@empty
600  \let\upshape@empty
601  \let\em@empty
602  \let\rm@empty
603  \let\Huge@empty
604  \let\LARGE@empty
605  \let\Large@empty
606  \let\footnotesize@empty
607  \let\huge@empty
608  \let\large@empty
609  \let\normalsize@empty
610  \let\scriptsize@empty

```

```

611  \let\small\@empty
612  \let\tiny\@empty
613  \let\mathversion\@gobble
614  \let\phantom\@gobble
615  \let\vphantom\@gobble
616  \let\hphantom\@gobble

```

Package pifont.

```

617  \let\ding\HyPsd@ding
618  \let\Cube\HyPsd@DieFace
619 %* \HyPsd@DieFace -> \epsdice (\epsdice)
620 %* \HyPsd@DieFace -> \fcdice (hhcount)

```

Environments.

```

621  \def\begin#1{\csname#1\endcsname}%
622  \def\end#1{\csname end#1\endcsname}%

```

Package color.

```

623  \def\textcolor##1##2{\@secondoftwo}%

```

Upper- and lowercase.

```

624  \def\MakeUppercase{\MakeUppercaseUnsupportedInPdfStrings}%
625  \def\MakeLowercase{\MakeLowercaseUnsupportedInPdfStrings}%

```

Support of math commands without prefix `text`. This is controlled by option “`psdextra`” and only activated with Unicode PDF strings.

```

626  \ifHy@psdextra
627    \ifHy@unicode
628      \csname psdmapshortnames\endcsname
629      \csname psdaliasnames\endcsname
630    \fi
631  \fi

```

Package babel. Wherever “`naturalnames`” is used, disable `\textlatin` (from Babel 3.6k). Thanks to Felix Neubauer (Email: Felix.Neubauer@gmx.net).

```

632  \let\foreignlanguage\@secondoftwo
633  \let\textlatin\@firstofone
634  \ltx@ifUndefined{language@group}{}{%
635    \csname HyPsd@babel@\language@group\endcsname
636  }%
637  \HyPsd@GreekPatch
638  \HyPsd@SpanishPatch
639  \HyPsd@RussianPatch
640  \HyPsd@BabelPatch
641  \let\@safe@activestrue\relax
642  \let\@safe@activesfalse\relax

```

Disable `\cyr`, used in `russianb.ldf`.

```

643  \let\cyr\relax

```

Redefine `\es@roman`, used in `spanish.ldf`.

```

644  \let\es@roman\@Roman

```

Package german.

```
645 \let\glqq\textglqq  
646 \let\grqq\textgrqq  
647 \let\glq\textglq  
648 \let\grq\textgrq  
649 \let\fllqq\textfllqq  
650 \let\frqq\textfrqq  
651 \let\fllq\textfllq  
652 \let\frq\textfrq
```

Package french. The support is deferred, because it needs \GenericError to be disabled (see below).

Package FrenchPro. This package uses:

```
\if@mid@expandable{not fully expandable code}{fully expandable  
code}  
653 \let\if@mid@expandable\@firstoftwo
```

AMS classes.

```
654 \HyPsd@AMSclassfix
```

Redefinition of \hspace \hspace don't work in bookmarks, the following fix tries to set a space if the argument is a positive length.

```
655 \let\hspace\HyPsd@hspace
```

Commands of referencing and indexing systems. Some L^AT_EX commands that are legal in \section commands have to be disabled here.

```
656 \let\label@gobble  
657 \let\index@gobble  
658 \let\glossary@gobble  
659 \let\href\HyPsd@href  
660 \let\@mkboth@gobbletwo
```

The \ref and \pageref is much more complicate because of their star form.

```
661 \let\ref\HyPsd@ref  
662 \let\pageref\HyPsd@pageref  
663 \let\nameref\HyPsd@nameref  
664 \let\autoref\HyPsd@autoref
```

Miscellaneous commands.

```
665 \let\leavevmode@\empty  
666 \let\mbox@\empty
```

\halign causes error messages because of the template character #.

```
667 \def\halign{\pdfstringdefWarn\halign@gobble} %  
668 \let\ignorespaces\HyPsd@ignorespaces  
669 \let\Hy@SectionAnchorHref@gobble  
670 \let\ensuremath@\firstofone
```

Patch for cjk bookmarks.

```
671 \HyPsd@CJKhook
```

User hook. The switch `\Hy@pdfstring` is turned on. So user commands can detect that they are processed not to be typesetted within \TeX 's stomach, but to be expanded by the mouth to give a PDF string. At this place before interpreting the string in #2 additional redefinitions can be added by the hook `\pdfstringdefPreHook`.

The position in the middle of the redefinitions is a compromise: The user should be able to provide his own (perhaps better) redefinitions, but some commands should have their original meaning, because they can be used in the hook (`\bgroup`, or `\@protected@testopt`, and `\@ifnextchar` for `\renewcommand`).

```
672  \Hy@pdfstringtrue
673  \pdfstringdefPreHook
```

Spaces. For checking the token of the string, spaces must be masked, because they cannot be caught by undelimited arguments.

```
674  \HyPsd@LetUnexpandableSpace\space
675  \HyPsd@LetUnexpandableSpace\ %
676  \HyPsd@LetUnexpandableSpace~%
677  \HyPsd@LetUnexpandableSpace\nobreakspace
```

Package `xspace`.

```
678  \ltx@IfUndefined{@xspace}{%
679    \let\xspace\HyPsd@ITALCORR
680  }{%
681    \let\xspace\HyPsd@XSPACE
682  }%
683  \let\/\HyPsd@ITALCORR
684  \let\bgroup\%
685  \let\egroup\%
```

Redefinitions of miscellaneous commands. Hyphenation does not make sense.

```
686  \let\discretionary@\gobbletwo
\@ifstar is defined in  $\text{\TeX}$  as follows:
```

```
\def\@ifstar#1{@\ifnextchar *{\@firstoftwo{#1}}{}}
```

`\@ifnextchar` doesn't work, because it uses stomach commands like `\let` and `\futurelet`. But it doesn't break. Whereas `\@firstoftwo{#1}` gives an error message because `\@firstoftwo` misses its second argument.

A mimicry of `\@ifnextchar` only with expandible commands would be very extensive and the result would be only an approximation. So here a cheaper solution follows in order to get rid of the error message at least:

```
687  \def\@ifnextchar{\HyPsd@ifnextchar\@ifnextchar}%
688  \def\kernel@ifnextchar{\HyPsd@ifnextchar\kernel@ifnextchar}%
689  \def\new@ifnextchar{\HyPsd@ifnextchar\new@ifnextchar}%
690  \let\@protected@testopt\HyPsd@protected@testopt
```

Support for package 'xargs':

```
691  \let\@protected@testopt@xargs\HyPsd@protected@testopt
```

6.2.2 Expansion

There are several possibilities to expand tokens within \TeX :

\protected@edef: The weakest form isn't usable, because it does not expand the font encoding commands. They are made robust and protect themselves.

\csname: First the string is expanded within a \csname and \endcsname. Then the command name is converted to characters with catcode 12 by \string and the first escape character removed by \gobble. This method has the great *advantage* that stomach tokens that aren't allowed in PDF strings are detected by TeX and reported as errors in order to force the user to write correct things. So he gets no wrong results by forgetting the proofreading of his text. But the *disadvantage* is that old wrong code cannot be processed without errors. Mainly the error message is very cryptic and for the normal user hard to understand. TeX provides no way to catch the error caused by \csname or allows to support the user with a descriptive error message. Therefore the experienced user had to enable this behaviour by an option exactdef in previous versions less or equal 6.50.

\edef This version uses this standard form for expansion. It is stronger than L^AT_EX's \protected@edef. So the font encoding mechanism works and the glyph commands are converted to the correct tokens for PDF strings within the definitions of the PD1 encoding. Because the protecting mechanism of L^AT_EX doesn't work within an \edef, there are situations thinkable where code can break. For example, assignments and definitions aren't performed and so undefined command errors or argument parsing errors can occur. But this is only a compatibility problem with old texts. Now there are possibilities to write code that gives correct PDF strings (see \texorpdfstring). In the most cases unexpandable commands and tokens (math shift, grouping characters) remains. They don't cause an error like with \csname. However a PDF reader isn't TeX, so these tokens are viewed verbatim. So this version detects them now, and removes them with a descriptive warning for the user. As additional features xspace support is possible and grouping characters can be used without problems, because they are removed silently.

Generic messages. While expanding via \xdef the \Generic... messages don't work and causes problems (error messages, invalid .out file). So they are disabled while expanding and removed silently, because a user warning would be too expensive (memory and runtime, \pdfstringdef is slow enough).

```
692  \begingroup
693  \let\GenericError\@gobblefour
694  \let\GenericWarning\@gobbletwo
695  \let\GenericInfo\@gobbletwo
```

Package french. This fix only works, if \GenericError is disabled.

```
696  \ifx\nofrenchguillemets\@undefined
697  \else
698  \nofrenchguillemets
699  \fi
```

Definition commands and expansion. Redefining the defining commands (see sec. 6.5.12). The original meaning of \xdef is saved in \Hy@temp.

```
700  \let\Hy@temp\xdef
701  \let\def\HyPsd@DefCommand
702  \let\gdef\HyPsd@DefCommand
703  \let\edef\HyPsd@DefCommand
```

```

704     \let\xdef\HyPsd@DefCommand
705     \let\futurelet\HyPsd@LetCommand
706     \let\let\HyPsd@LetCommand
707     \Hy@temp#1{#2}%
708     \endgroup

```

6.2.3 Postprocessing

If the string is empty time can be saved by omitting the postprocessing process.

```

709     \ifx#1\empty
710     \else

```

Protecting spaces and removing grouping characters. In order to check the tokens we must separate them. This will be done with \TeX 's argument parsing. With this method we must the following item takes into account, that makes things a little more complicate:

- \TeX does not accept a space as an undelimited argument, it cancels space tokens while looking for an undelimited argument. Therefore we must protect the spaces now.
- An argument can be a single token or a group of many tokens. And within curly braces tokens aren't find by \TeX 's argument scanning process. Third curly braces as grouping characters cannot be expanded further, so they don't vanish by the string expansion above. So these characters with catcode 1 and 2 are removed in the following and replaced by an marker for the xspace support.
- \TeX silently removes the outmost pair of braces of an argument. To prevent this on unwanted places, in the following the character $|$ is appended to the string to make an outer brace to an inner one.

First the top level spaces are protected by replacing. Then the string is scanned to detect token groups. Each token group will now be space protected and again scanned for another token groups.

```

711     \HyPsd@ProtectSpaces#1%
712     \let\HyPsd@String\empty
713     \expandafter\HyPsd@RemoveBraces\expandafter{#1|}%
714     \global\let#1\HyPsd@String

```

Check tokens. After removing the spaces and the grouping characters the string now should only consists of the following tokens/catcodes:

- 0 command names with start with an escape character.
- 3 math shift
- 4 alignment tabs
- 6 parameter, but this is unlikely.
- 7 superscript
- 8 subscript
- 11 letter
- 12 other
- 13 commands that are active characters.

After $\text{\HyPsd@CheckCatcodes}$ the command \HyPsd@RemoveMask is reused to remove the group protection character $|$. This character is needed to ensure that the string at least consists of one token if $\text{\HyPsd@CheckCatcodes}$ is called.

Because of internal local assignments and tabulars group braces are used.

```

715      \let\HyPsd@SPACEOPTI\relax
716      {%
717          \let\HyPsd@String\@empty
718          \expandafter\HyPsd@CheckCatcodes#1\HyPsd@End
719          \global\let#1\HyPsd@String
720      }%
721      \expandafter\HyPsd@RemoveMask\expandafter
722          |\expandafter\@empty#1\HyPsd@End#1%

```

\HyPsd@CheckCatcodes should no have removed the tokens with catcode 3, 4, 7, and 8. Because a parameter token (6) would cause to many errors before, there should now be only tokens with catcodes 11 or 12. So I think there is no need for a safety step like:

```
\xdef#1{\expandafter\strip@prefix\meaning#1}%
```

Looking for wrong glyphs. The case that glyphs aren't defined in the PD1 encoding is caught above in such a way, that the glyph name and a marker is inserted into the string. Now we can safely scan the string for this marker and provide a descriptive warning.

```

723      \expandafter
724      \HyPsd@Subst\expandafter{\HyPsd@GLYPHERR}{\relax}#1%
725      \let\HyPsd@String\@empty
726      \expandafter\HyPsd@GlyphProcess#1\relax\@empty
727      \global\let#1\HyPsd@String

```

Backslash. The double backslash disturbs parsing octal sequenzes, for example in an string like abc\\051 the sequence \\051 is detected although the second \\ belongs to the first backslash.

```
728      \HyPsd@StringSubst{\\"}{\textbackslash}#1%
```

Spaces. All spaces have already the form \\040. The last postprocessing step will be an optimizing of the spaces, so we already introduce already the necessary command \HyPsd@SPACEOPTI. But first it is defined to be \relax in order to prevent a too early expansion by an \edef. Secondly a \relax serves as a marker for a token that is detected by \xspace.

The code of frenchb.ldf can produce an additional space before \guillemotright, because \lastskip and \unskip do not work. Therefore it is removed here.

```

729      \ifHy@unicode
730          \expandafter\HyPsd@StringSubst\csname 80\040\endcsname
731              \HyPsd@SPACEOPTI#1%
732      \edef\Hy@temp@A{\HyPsd@SPACEOPTI\HyPsd@SPACEOPTI\80\273}%
733      \expandafter\HyPsd@Subst\expandafter{\Hy@temp@A}%
734          {\HyPsd@SPACEOPTI\80\273}#1%
735      \else
736          \HyPsd@StringSubst{\040}\HyPsd@SPACEOPTI#1%
737          \expandafter\HyPsd@Subst\expandafter{%
738              \expandafter\HyPsd@SPACEOPTI\expandafter\HyPsd@SPACEOPTI
739                  \string\273}{\HyPsd@SPACEOPTI\273}#1%
740      \fi

```

Right parenthesis. Also \xspace detects a right parenthesis. For the \xspace support and the following parenthesis check the different parenthesis notations), \), and \051 are converted to one type \) and before \HyPsd@empty with the meaning of \relax is introduced for \xspace. By redefining to \empty \HyPsd@empty can easily removed later.

```

741   \ifHy@unicode
742     \HyPsd@StringSubst{\}{\80\051}#1%
743     \HyPsd@Subst{\80\051}#1%
744     \let\HyPsd@empty\relax
745     \expandafter\HyPsd@StringSubst\csname 80\051\endcsname
746     {\HyPsd@empty\80\051}#1%
747   \else
748     \HyPsd@StringSubst{\}{\051}#1%
749     \HyPsd@Subst{\051}#1%
750     \let\HyPsd@empty\relax
751     \HyPsd@StringSubst{\051}{\HyPsd@empty\string\}}#1%
752   \fi

```

Support for package `xspace`. \xspace looks for the next token and decides if it expands to a space or not. Following tokens prevent its transformation to a space: Beginning and end of group, handled above by replacing by an italic correction, several punctuation marks, a closing parentheses, and several spaces.

Without package `xspace` there are tokens with catcode 11 and 12, \HyPsd@empty and \HyPsd@SPACEOPTI. With package `xspace` marker for the italic correction \/ and \xspace come with. In the package `xspace` case the two markers are replaced by commands and an \edef performs the \xspace processing.

In the opposite of the original \xspace \HyPsd@xspace uses an argument instead of a \futurelet, so we have to provide such an argument, if \HyPsd@xspace comes last. Because \HyPsd@Subst with several equal tokens (--) needs a safe last token, in both cases the string gets an additional \HyPsd@empty.

```

753   \expandafter\HyPsd@Subst\expandafter{/\}\HyPsd@empty#1%
754   \ltx@IfUndefined{@xspace}{%
755   }{%
756     \let\HyPsd@xspace\relax
757     \expandafter\HyPsd@Subst\expandafter
758     {\HyPsd@XSPACE}\HyPsd@xspace#1%
759     \let\HyPsd@xspace\HyPsd@doxspace
760   }%
761   \xdef##1{\HyPsd@empty}%

```

Ligatures. TeX forms ligatures in its stomach, but the PDF strings are treated only by TeX's mouth. The PDFDocEncoding contains some ligatures, but the current version 3 of the AcrobatReader lacks the fi and fl glyphs, and the Linux version lacks the emdash and endash glyphs. So the necessary code is provided here, but currently disabled, hoping that version 4 of the AcrobatReader is better. To break the ligatures the user can use an empty group, because it leads to an insertion of an \HyPsd@empty. If this ligature code will be enabled some day, then the italic correction should also break the ligatures. Currently this occurs only, if package `xspace` is loaded.

Since newer AcrobatReader versions now show the en- and emdash in a correct way (AR7/Linux, AR8/Linux), the substitution code for them is enabled starting with version 6.781.

```

762   \HyPsd@Subst{---}\textemdash#1%
763   \HyPsd@Subst{--}\textendash#1%

```

```

764 %     \HyPsd@Subst{fi}\textfi#1%
765 %     \HyPsd@Subst{fl}\textfl#1%
766     \HyPsd@Subst{!'}\textexclamdown#1%
767     \HyPsd@Subst{?'}\textquestiondown#1%

```

With the next \edef we get rid of the token \HyPsd@empty.

```
768     \let\HyPsd@empty\@empty
```

Left parentheses. Left parentheses are now converted to safe forms to avoid problems with unmatched ones (\(with PDFDocEncoding, the octal sequence with Unicode.

An optimization is possible. Matched parentheses can replaced by a () pair. But this code is removed to save T_EX memory and time.

```

769     \ifHy@unicode
770     \HyPsd@StringSubst{(\textparenleft#1%
771     \HyPsd@Subst{\textparenleft#1%
772     \else
773     \HyPsd@StringSubst{(\050)#1%
774     \HyPsd@Subst{(\050)#1%
775     \HyPsd@StringSubst{\050}{\string\()#1%
776     \fi

```

Optimizing spaces. Spaces are often used, but they have a very long form \040. They are converted back to real spaces, but not all, so that no space follows after another. In the bookmark case several spaces are written to the .out file, but if the entries are read back, several spaces are merged to a single one.

With Unicode the spaces are replaced by their octal sequences.

```

777     \ifHy@unicode
778     \edef\HyPsd@SPACEOPTI{\80\040}%
779     \else
780     \let\HyPsd@SPACEOPTI\HyPsd@spaceopti
781     \fi
782     \xdef#1{\#1\@empty}%
783     \fi

```

Converting to Unicode. At last the eight bit letters have to be converted to Unicode, the masks \8 and \9 are removed and the Unicode marker is added.

```

784 \endgroup
785 \begingroup
786 \ifHy@unicode
787     \HyPsd@ConvertToUnicode#1%

```

Try conversion back to PDFDocEncoding.

```

788 \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
789 \ltx@ifUndefined{StringEncodingConvertTest}{%
790 }{%
791     \EdefUnescapeString\HyPsd@temp#1%
792     \ifxetex
793         \let\HyPsd@UnescapedString\HyPsd@temp
794         \StringEncodingConvertTest\HyPsd@temp\HyPsd@temp
795             \utf16be\{ascii-print}\%
796         \EdefEscapeString\HyPsd@temp\HyPsd@temp
797         \global\let#1\HyPsd@temp
798         \HyPsd@EscapeTeX#1%
799         \Hy@unicodedefalse

```

```

800      }{%
801          \HyPsd@ToBigChars#1%
802      }%
803      \else
804          \StringEncodingConvertTest\HyPsd@temp\HyPsd@temp
805              {utf16be}{pdfdoc}{%
806                  \EdefEscapeString\HyPsd@temp\HyPsd@temp
807                      \global\let#1\HyPsd@temp
808                      \HyPsd@EscapeTeX#1%
809                      \Hy@unicodefalse
810                  }{}%
811          \fi
812      }%
813      \fi
814      \fi
815      \HyPsd@XeTeXBigCharsfalse

```

User hook. The hook `\pdfstringdefPostHook` can be used for the purpose to postprocess the string further.

```

816      \pdfstringdefPostHook#1%
817  \endgroup
818 }

```

```

\Hy@pdfstringdef
819 \def\Hy@pdfstringdef#1#2{%
820   \pdfstringdef\Hy@gtemp{#2}%
821   \let#1\Hy@gtemp
822 }

```

6.3 Encodings

6.3.1 XeTeX

```

823 \edef\Hy@temp{\catcode0=\the\catcode0\relax}
824 \catcode`z@=12 %
825 \ifxetex
826   \expandafter\@firstofone
827 \else
828   \let\HyPsd@XeTeXBigCharstrue\empty
829   \let\HyPsd@XeTeXBigCharsfalse\empty
830   \expandafter\@gobble
831 \fi
832 {%
833   \newif\ifHyPsd@XeTeXBigChars
834   \def\HyPsd@XeTeXBigCharsfalse{%
835     \global\let\ifHyPsd@XeTeXBigChars\iffalse
836   }%
837   \def\HyPsd@XeTeXBigCharstrue{%
838     \global\let\ifHyPsd@XeTeXBigChars\iftrue
839   }%
840   \def\HyPsd@ToBigChars#1{%
841     \ifHyPsd@XeTeXBigChars
842       \EdefEscapeHex\HyPsd@UnescapedString{%
843           \expandafter\@gobbletwo\HyPsd@UnescapedString
844       }%
845     \begingroup
846       \toks@{}%

```

```

847      \escapechar=92\relax
848      \let\x\HyPsd@ToBigChar
849      \expandafter\HyPsd@ToBigChar\HyPsd@UnescapedString
850      \relax\relax\relax\relax\relax\relax\relax
851      \edef\x{%
852          \endgroup
853          \gdef\noexpand#1{\the\toks@}%
854      }%
855      \x
856      \fi
857  }%
858 \def\HyPsd@ToBigChar#1#2#3#4{%
859   \ifx\relax#1\relax
860     \let\x\relax
861   \else
862     \count@="#1#2#3#4\relax
863     \let\y\empty
864     \lccode\z@=\count@
865     \ifnum\count@=40 % (
866       \let\y\backslashchar
867     \else
868       \ifnum\count@=41 % )
869         \let\y\backslashchar
870     \else
871       \ifnum\count@=92 % backslash
872         \let\y\backslashchar
873       \else
874         \ifnum\count@=10 % newline
875           \edef\y{\string\n}%
876         \else
877           \ifnum\count@=13 % carriage return
878             \edef\y{\string\r}%
879           \fi
880         \fi
881       \fi
882     \fi
883   \fi
884   \lowercase{%
885     \toks@\expandafter{%
886       \the\expandafter\toks@
887       \y
888       ^\O%
889     }%
890   }%
891   \fi
892   \x
893 }%
894 }
895 \Hy@temp

```

6.3.2 Workaround for package linguex

```

896 \@ifpackageloaded{linguex}{%
897   \let\HyLinguex@OrgB\b
898   \let\HyLinguex@OrgC\c
899   \let\HyLinguex@OrgD\d
900   \def\HyLinguex@Restore{%
901     \let\b\HyLinguex@OrgB

```

```

902   \let\c\HyLinguex@OrgC
903   \let\d\HyLinguex@OrgD
904 }%
905 \Hy@AtEndOfPackage{%
906   \pdfstringdefDisableCommands{%
907     \ltx@ifundefined{\oldb}{}{\let\b\oldb}%
908     \ltx@ifundefined{\oldc}{}{\let\c\oldc}%
909     \ltx@ifundefined{\oldd}{}{\let\d\oldd}%
910   }%
911 }%
912 }{%
913 \let\HyLinguex@Restore\relax
914 }%

```

6.3.3 PD1 encoding

The PD1 encoding implements the PDFDocEncoding for use with L^AT_EX 2 _{ε} 's NFSS. Because the informational strings are not set by T_EX's typesetting mechanism but for interpreting by the PDF reader, the glyphs of the PD1 encoding are implemented to be safely written to a file (PDF output file, .out file).

The PD1 encoding can be specified as an option of the 'fontenc' package or loaded here. It does not matter what font family is selected, as T_EX does not process it anyway. So use CM.

```

915 \@ifundefined{T@PD1}{%
916   \input{pd1enc.def}%
917   \HyLinguex@Restore
918 }{%
919 \DeclareFontFamily{PD1}{pdf}{}%
920 \DeclareFontShape{PD1}{pdf}{m}{n}{<->cmr10}{}%
921 \DeclareFontSubstitution{PD1}{pdf}{m}{n}%

```

6.3.4 PU encoding

The PU encoding implements the Unicode encoding for use with L^AT_EX's NFSS. Because of large memory requirements the encoding file for Unicode support is only loaded, if option `unicode` is specified as package option.

\HyPsd@LoadUnicode Because the file `puenc.def` takes a lot of memory, the loading is defined in the macro `\HyPsd@LoadUnicode` called by the package option `unicode`.

```

922 \def\HyPsd@LoadUnicode{%
923   \@ifundefined{T@PU}{%
924     \input{puenc.def}%
925     \HyLinguex@Restore
926   }{%
927     \DeclareFontFamily{PU}{pdf}{}%
928     \DeclareFontShape{PU}{pdf}{m}{n}{<->cmr10}{}%
929     \DeclareFontSubstitution{PU}{pdf}{m}{n}%
930     \input{psdextra.def}%
931     \let\HyPsd@LoadUnicode\relax
932   }%

```

6.4 Additional user commands

6.4.1 \texorpdfstring

\texorpdfstring While expanding the string in `\pdfstringdef` the switch `\ifHy@pdfstring` is set. This is used by the full expandible macro `\texorpdfstring`. It expects two ar-

guments, the first contains the string that will be set and processed by T_EX's stomach, the second contains the replacement for PDF strings.

```
933 \def\texorpdfstring{%
934   \ifHy@pdfstring
935     \expandafter\@secondoftwo
936   \else
937     \expandafter\@firstoftwo
938   \fi
939 }
```

6.4.2 Hooks for \pdfstringdef

\pdfstringdefPreHook Default definition of the hooks for \pdfstringdef. The construct \c@ifundefined with \let is a little bit faster than \providecommand.

```
940 \@ifundefined{\pdfstringdefPreHook}{%
941   \let\pdfstringdefPreHook\@empty
942 }{}%
943 \@ifundefined{\pdfstringdefPostHook}{%
944   \let\pdfstringdefPostHook\@gobble
945 }{}
```

\pdfstringdefDisableCommands In \pdfstringdefPreHook the user can add code that is executed before the string, that have to be converted by \pdfstringdef, is expanded. So replacements for problematic macros can be given. The code in \pdfstringdefPreHook should not be replaced perhaps by an \renewcommand, because a previous meaning gets lost.

Macro \pdfstringdefDisableCommands avoids this, because it reuses the old meaning of the hook and appends the new code to \pdfstringdefPreHook, e.g.:

```
\pdfstringdefDisableCommands{%
  \let~\textasciitilde
  \def\url{\pdfstringdefWarn\url}%
  \let\textcolor\@gobble
}%
```

In the argument of \pdfstringdefDisableCommands the character @ can be used in command names. So it is easy to use useful L^AT_EX commands like \c@gobble or \c@firstofone.

```
946 \def\pdfstringdefDisableCommands{%
947   \begingroup
948   \makeatletter
949   \HyPsd@DisableCommands
950 }
```

\HyPsd@DisableCommands

```
951 \long\def\HyPsd@DisableCommands#1{%
952   \ltx@GlobalAppendToMacro\pdfstringdefPreHook{#1}%
953 }
```

\pdfstringdefWarn The purpose of \pdfstringdefWarn is to produce a warning message, so the user can see, that something can go wrong with the conversion to PDF strings.

The prefix \<>- is added to the token. \noexpand protects the probably undefined one during the first expansion step. Then \HyPsd@CheckCatcodes can detect the not allowed token, \HyPsd@CatcodeWarning prints a warning message, after \HyPsd@RemovePrefix has removed the prefix.

\pdfstringdefWarn is intended for document authors or package writers, examples for use can be seen in the definition of \HyPsd@ifnextchar or \HyPsd@protected@testopt.

```
955 \def\pdfstringdefWarn#1{%
956   \expandafter\noexpand\csname<->\string#1\endcsname
957 }
```

6.5 Help macros for expansion

6.5.1 \ignorespaces

\HyPsd@ignorespaces With the help of a trick using \romannumeral the effect of \ignorespaces can be simulated a little. In a special case using an alphabetic constant \romannumeral eats an optional space. If the constant is zero, then the \romannumeral expression vanishes. The following macro uses this trick twice, thus \HyPsd@ignorespaces eats up to two following spaces.

```
958 \begingroup
959   \catcode0=12 %
960   \def\x{\endgroup
961   \def\HyPsd@ignorespaces{%
962     \romannumeral\expandafter\expandafter^^@%
963     \romannumeral^^@%
964   }%
965 }%
966 \x
```

6.5.2 Babel languages

Since version 2008/03/16 v3.8j babel uses inside \AtBeginDocument:

```
\pdfstringdefDisableCommands{%
  \languageshorthands{system}%
}
```

As consequence the shorthands are shown in the bookmarks, not its result. Therefore \languageshorthands is disabled before the user hook. If there is a need to use the command, then \HyOrg@languageshorthands can be used inside \pdfstringdefDisableCommands.

```
967 \def\HyPsd@BabelPatch{%
968   \let\HyOrg@languageshorthands\languageshorthands
969   \let\languageshorthands\HyPsd@LanguageShorthands
970 }
971 \begingroup\expandafter\expandafter\expandafter\endgroup
972 \expandafter\ifx\csname pdfstrcmp\endcsname\relax
973 \let\HyPsd@langshort@system\empty
974 \def\HyPsd@LanguageShorthands#1{%
975   \expandafter\ifx\csname HyPsd@langshort@#1\endcsname
976   \HyPsd@langshort@system
977   \expandafter\@gobble
978 \else
979   \expandafter\@firstofone
980 \fi
981 }%
982 \HyOrg@languageshorthands{#1}%
983 }%
984 }%
985 \else
```

```

986 \def\HyPsd@LanguageShorthands#1{%
987   \ifnum\pdfstrcmp{\#1}{system}=1\z@
988     \expandafter\@gobble
989   \else
990     \expandafter\@firstofone
991   \fi
992 }%
993   \HyOrg@languageshorthands{\#1}%
994 }%
995 }%
996 \fi
997 \def\Hy@temp{%
998   \@ifpackageloaded{babel}{%
999     \@ifpackagelater{babel}{2008/03/16}{%
1000       \let\Hy@temp\@empty
1001     }{%
1002       \def\HyPsd@BabelPatch{%
1003         \let\HyOrg@languageshorthands\languageshorthands
1004       }%
1005     }%
1006   }{}%
1007 }
1008 \Hy@temp
1009 \expandafter\Hy@AtBeginDocument\expandafter{\Hy@temp}
1010 \newif\ifHy@next

      Nothing to do for english.

1011 \ltx@ifundefined{danish@sh@"}{%
1012   \def\HyPsd@babel@danhish{%
1013     \declare@shorthand{danish}{"|"}{%
1014       \declare@shorthand{danish}{"~"}{-}%
1015     }%
1016   }
1017 \ltx@ifundefined{dutch@sh@"}{%
1018   \def\HyPsd@babel@dutch{%
1019     \declare@shorthand{dutch}{"|"}{%
1020       \declare@shorthand{dutch}{"~"}{-}%
1021     }%
1022   }
1023 \ltx@ifundefined{finnish@sh@"}{%
1024   \def\HyPsd@babel@finnish{%
1025     \declare@shorthand{finnish}{"|"}{%
1026   }%
1027   }
1028 \ltx@ifundefined{french@sh@":}{%
1029   \def\HyPsd@babel@frenchb{%
1030     \def\guill@spacing{ }%
1031   }%
1032   }
1033 \ltx@ifundefined{german@sh@"}{%
1034   \def\HyPsd@babel@german{%
1035     \declare@shorthand{german}{"f"}{f}%
1036     \declare@shorthand{german}{"|"}{%
1037       \declare@shorthand{german}{"~"}{-}%
1038     }%
1039   }
1040 \ltx@ifundefined{macedonian@sh@"}{%

```

```

1041 \def\HyPsd@babel@macedonian{%
1042   \declare@shorthand{macedonian}{"|"}{}%
1043   \declare@shorthand{macedonian}{"~}{-}%
1044 }%
1045 }%
1046 \ltx@ifundefined{ngerman@sh@”@sel}{}{%
1047   \def\HyPsd@babel@ngerman{%
1048     \declare@shorthand{ngerman}{"|"}{}%
1049     \declare@shorthand{ngerman}{"~}{-}%
1050   }%
1051 }%
1052 \ltx@ifundefined{portuges@sh@”@sel}{}{%
1053   \def\HyPsd@babel@portuges{%
1054     \declare@shorthand{portuges}{"|"}{}%
1055   }%
1056 }%
1057 \ltx@ifundefined{russian@sh@”@sel}{}{%
1058   \def\HyPsd@babel@russian{%
1059     \declare@shorthand{russian}{"|"}{}%
1060     \declare@shorthand{russian}{"~}{-}%
1061   }%
1062 }%
1063 \ltx@ifundefined{slovene@sh@”@sel}{}{%
1064   \def\HyPsd@babel@slovene{%
1065     \declare@shorthand{slovene}{"|"}{}%
1066   }%
1067 }%
Nested quoting environments are not supported (<<, >>).
1068 \ltx@ifundefined{spanish@sh@>@sel}{}{%
1069   \def\HyPsd@babel@spanish{%
1070     \declare@shorthand{spanish}{{<<}}{\guillemotleft}%
1071     \declare@shorthand{spanish}{{>>}}{\guillemotright}%
1072     \declare@shorthand{spanish}{"="}{-}%
1073     \declare@shorthand{spanish}{"~}{-}%
1074     \declare@shorthand{spanish}{"!"}{\textexclamdown}%
1075     \declare@shorthand{spanish} {"?}{\textquestiondown}%
1076   }%
1077 }%
1078 \ltx@ifundefined{swedish@sh@”@sel}{}{%
1079   \def\HyPsd@babel@swedish{%
1080     \declare@shorthand{swedish}{"|"}{}%
1081     \declare@shorthand{swedish} {"~}{-}%
1082   }%
1083 }%
1084 \ltx@ifundefined{ukrainian@sh@”@sel}{}{%
1085   \def\HyPsd@babel@ukrainian{%
1086     \declare@shorthand{ukrainian} {"|"}{}%
1087     \declare@shorthand{ukrainian} {"~}{-}%
1088   }%
1089 }%
1090 \ltx@ifundefined{usorbian@sh@”@sel}{}{%
1091   \def\HyPsd@babel@usorbian{%
1092     \declare@shorthand{usorbian} {"f"}{f}%
1093     \declare@shorthand{usorbian} {"|"}{}%
1094   }%
1095 }%
1096 \ltx@ifundefined{greek@sh@\string~@sel}{}{%

```

```

1097 \let\HyPsd@GreekPatch\@empty
1098 }{%
1099 \def\HyPsd@GreekPatch{%
1100 \let\greeknumeral\HyPsd@greeknumeral
1101 \let\Greeknumeral\HyPsd@Greeknumeral
1102 }%
1103 }
1104 \def\HyPsd@greeknumeral#1{%
1105 \HyPsd@GreekNum\@firstoftwo{\#1}%
1106 }
1107 \def\HyPsd@Greeknumeral#1{%
1108 \HyPsd@GreekNum\@secondoftwo{\#1}%
1109 }
1110 \def\HyPsd@GreekNum#1#2{%
1111 \ifHy@unicode
1112 \ifnum#2<\@ne
1113 \@arabic{\#2}%
1114 \else
1115 \ifnum#2<1000000 %
1116 \HyPsd@@GreekNum#1{\#2}%
1117 \else
1118 \@arabic{\#2}%
1119 \fi
1120 \fi
1121 \else
1122 \@arabic{\#2}%
1123 \fi
1124 }
1125 \def\HyPsd@@GreekNum#1#2{%
1126 \ifnum#2<\@m
1127 \ifnum#2<10 %
1128 \expandafter\HyPsd@GreekNumI
1129 \expandafter\@gobble\expandafter#1\number#2%
1130 \else
1131 \ifnum#2<100 %
1132 \expandafter\HyPsd@GreekNumII
1133 \expandafter\@gobble\expandafter#1\number#2%
1134 \else
1135 \expandafter\HyPsd@GreekNumIII
1136 \expandafter\@gobble\expandafter#1\number#2%
1137 \fi
1138 \fi
1139 \ifnum#2>\z@
1140 \textnumeralsigngreek
1141 \fi
1142 \else
1143 \ifnum#2<\@M
1144 \expandafter\HyPsd@GreekNumIV\expandafter#1\number#2%
1145 \else
1146 \ifnum#2<100000 %
1147 \expandafter\HyPsd@GreekNumV\expandafter#1\number#2%
1148 \else
1149 \expandafter\HyPsd@GreekNumVI\expandafter#1\number#2%
1150 \fi
1151 \fi
1152 \fi
1153 }

```

```

1154 \def\HyPsd@GreekNumI#1#2#3{%
1155   #1{%
1156     \ifnum#3>\z@
1157       \textnumeralsignlowergreek
1158     \fi
1159   }%
1160   \expandafter#2%
1161   \ifcase#3 %
1162     {}{}}%
1163   \or\textalpha\textAlpha
1164   \or\textbeta\textBeta
1165   \or\textgamma\textGamma
1166   \or\textdelta\textDelta
1167   \or\textepsilon\textEpsilon
1168   \or\textstigmagreek\textStigmagreek
1169   \or\textzeta\textZeta
1170   \or\texteta\textEta
1171   \or\texttheta\textTheta
1172   \else
1173     {}{}}%
1174   \fi
1175 }
1176 \def\HyPsd@GreekNumII#1#2#3#4{%
1177   #1{%
1178     \ifnum#3>\z@
1179       \textnumeralsignlowergreek
1180     \fi
1181   }%
1182   \expandafter#2%
1183   \ifcase#3 %
1184     {}{}}%
1185   \or\textiota\textIota
1186   \or\textkappa\textKappa
1187   \or\textlambda\textLambda
1188   \or\textmu\textMu
1189   \or\textnu\textNu
1190   \or\textxi\textXi
1191   \or\textomicron\textOmicron
1192   \or\textpi\textPi
1193   \or\textkoppagreek\textKoppagreek
1194   \else
1195     {}{}}%
1196   \fi
1197   \HyPsd@GreekNumI#1#2#4%
1198 }
1199 \def\HyPsd@GreekNumIII#1#2#3#4#5{%
1200   #1{%
1201     \ifnum#3>\z@
1202       \textnumeralsignlowergreek
1203     \fi
1204   }%
1205   \expandafter#2%
1206   \ifcase#3 %
1207     {}{}}%
1208   \or\textrho\textRho
1209   \or\textsigma\textSigma
1210   \or\texttau\textTau

```

```

1211 \or\textupsilon\textUpsilon
1212 \or\textphi\textPhi
1213 \or\textchi\textChi
1214 \or\textpsi\textPsi
1215 \or\textomega\textOmega
1216 \or\textsampigreek\textSampigreek
1217 \else
1218 {}{}%
1219 \fi
1220 \HyPsd@GreekNumII#1#2#4#5%
1221 }
1222 \def\HyPsd@GreekNumIV#1#2#3#4#5{%
1223 \HyPsd@GreekNumI\@firstofone#1#2%
1224 \HyPsd@@GreekNum#1{#3#4#5}%
1225 }
1226 \def\HyPsd@GreekNumV#1#2#3#4#5#6{%
1227 \HyPsd@GreekNumII\@firstofone#1#2#3%
1228 \HyPsd@@GreekNum#1{#4#5#6}%
1229 }
1230 \def\HyPsd@GreekNumVI#1#2#3#4#5#6#7{%
1231 \HyPsd@GreekNumIII\@firstofone#1#2#3#4%
1232 \HyPsd@@GreekNum#1{#5#6#7}%
1233 }
1234 \def\HyPsd@SpanishPatch{%
1235 \ltx@ifundefined{es@save@dot}{%
1236 }{}%
1237 \let.\.es@save@dot
1238 }%
1239 }

```

Shorthand “-” of ‘russianb.ldf’ is not expandable, therefore it is disabled and replaced by -.

```

1240 \def\HyPsd@RussianPatch{%
1241 \ltx@ifundefined{russian@sh@”@-@}{%
1242 }{}%
1243 \namedef{russian@sh@”@-@}{-}%
1244 }%
1245 }

```

6.5.3 CJK patch

```
1246 \RequirePackage[intcalc][2007/09/27]
```

\HyPsd@CJKhook

```

1247 \def\HyPsd@CJKhook{%
1248 \ltx@ifpackageloaded{CJK}{%
1249 \let\CJK@kern\relax
1250 \let\CJKkern\relax
1251 \let\CJK@CJK\relax
1252 \ifHy@CJKbookmarks
1253 \HyPsd@CJKhook@bookmarks
1254 \fi
1255 \HyPsd@CJKhook@unicode
1256 }{}%
1257 }

```

6.5.4 CJK bookmarks

\HyPsd@CJKhook Some internal commands of package cjk are redefined to avoid error messages. For a rudimental support of CJK bookmarks the active characters are redefined so that they print themselves.

After preprocessing of Big5 encoded data the following string for a double-byte character is emitted:

```
^^7f<arg1>^^7f<arg2>^^7f
```

<arg1> is the first byte in the range (always > 0x80); <arg2> is the second byte in decimal notation ($\geq 0x40$).

```
1258 \begingroup
1259   \catcode"7F=\active
1260   \toks@{%
1261     \let\CJK@ignorespaces\empty
1262     \def\CJK@char#1{\@gobbletwo}%
1263     \let\CJK@charx\@gobblefour
1264     \let\CJK@punctchar\@gobblefour
1265     \def\CJK@punctcharx#1{\@gobblefour}%
1266     \catcode"7F=\active
1267     \def^^7f#1^^7f#2^^7f{%
1268       \string #1\HyPsd@DecimalToOctal{#2}%
1269     }%
1270     \% ... ?
1271     \ifHy@unicode
1272       \def\Hy@cjkpu{\80}%
1273     \else
1274       \let\Hy@cjkpu\empty
1275     \fi
1276     \HyPsd@CJKActiveChars
1277   }%
1278   \count@=127 %
1279   \@whilenum\count@<255 \do{%
1280     \advance\count@ by 1 %
1281     \lccode`~=\count@
1282     \lowercase{%
1283       \toks@\expandafter{\the\toks@ ~}%
1284     }%
1285   }%
1286   \toks@\expandafter{\the\toks@ !}%
1287   \xdef\HyPsd@CJKhook@bookmarks{%
1288     \the\toks@
1289   }%
1290 \endgroup
```

\HyPsd@CJKActiveChars The macro \HyPsd@CJKActiveChars is only defined to limit the memory consumption of \HyPsd@CJKhook.

```
1291 \def\HyPsd@CJKActiveChars#1{%
1292   \ifx#1!%
1293     \let\HyPsd@CJKActiveChars\relax
1294   \else
1295     \edef#1{\noexpand\Hy@cjkpu\string#1}%
1296   \fi
1297   \HyPsd@CJKActiveChars
1298 }
```

\HyPsd@DecimalToOctal A character, given by the decimal number is converted to a PDF character.

```

1299 \def\HyPsd@DecimalToOctal#1{%
1300   \ifcase #1 %
1301     \000\or \001\or \002\or \003\or \004\or \005\or \006\or \007%
1302   \or \010\or \011\or \012\or \013\or \014\or \015\or \016\or \017%
1303   \or \020\or \021\or \022\or \023\or \024\or \025\or \026\or \027%
1304   \or \030\or \031\or \032\or \033\or \034\or \035\or \036\or \037%
1305   \or \040\or \041\or \042\or \043\or \044\or \045\or \046\or \047%
1306   \or \050\or \051\or \052\or \053\or \054\or \055\or \056\or \057%
1307   \or 0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1308   \or 8\or 9\or \072\or \073\or \074\or \075\or \076\or \077%
1309   \or @\or A\or B\or C\or D\or E\or F\or G%
1310   \or H\or I\or J\or K\or L\or M\or N\or O%
1311   \or P\or Q\or R\or S\or T\or U\or V\or W%
1312   \or X\or Y\or Z\or \133\or \134\or \135\or \136\or \137%
1313   \or \140\or a\or b\or c\or d\or e\or f\or g%
1314   \or h\or i\or j\or k\or l\or m\or n\or o%
1315   \or p\or q\or r\or s\or t\or u\or v\or w%
1316   \or x\or y\or z\or \173\or \174\or \175\or \176\or \177%
1317   \or \200\or \201\or \202\or \203\or \204\or \205\or \206\or \207%
1318   \or \210\or \211\or \212\or \213\or \214\or \215\or \216\or \217%
1319   \or \220\or \221\or \222\or \223\or \224\or \225\or \226\or \227%
1320   \or \230\or \231\or \232\or \233\or \234\or \235\or \236\or \237%
1321   \or \240\or \241\or \242\or \243\or \244\or \245\or \246\or \247%
1322   \or \250\or \251\or \252\or \253\or \254\or \255\or \256\or \257%
1323   \or \260\or \261\or \262\or \263\or \264\or \265\or \266\or \267%
1324   \or \270\or \271\or \272\or \273\or \274\or \275\or \276\or \277%
1325   \or \300\or \301\or \302\or \303\or \304\or \305\or \306\or \307%
1326   \or \310\or \311\or \312\or \313\or \314\or \315\or \316\or \317%
1327   \or \320\or \321\or \322\or \323\or \324\or \325\or \326\or \327%
1328   \or \330\or \331\or \332\or \333\or \334\or \335\or \336\or \337%
1329   \or \340\or \341\or \342\or \343\or \344\or \345\or \346\or \347%
1330   \or \350\or \351\or \352\or \353\or \354\or \355\or \356\or \357%
1331   \or \360\or \361\or \362\or \363\or \364\or \365\or \366\or \367%
1332   \or \370\or \371\or \372\or \373\or \374\or \375\or \376\or \377%
1333   \fi
1334 }

```

6.5.5 CJK unicode

\HyPsd@CJKhook@unicode

```

1335 \def\HyPsd@CJKhook@unicode{%
1336   \let\Unicode\HyPsd@CJK@Unicode
1337   \let\CJKnumber\HyPsd@CJKnumber
1338   \let\CJKdigits\HyPsd@CJKdigits
1339 }

```

\HyPsd@CJK@Unicode

```

1340 \def\HyPsd@CJK@Unicode#1#2{%
1341   \ifnum#1<256 %
1342   \HyPsd@DecimalToOctalFirst{#1}%
1343   \HyPsd@DecimalToOctalSecond{#2}%
1344   \else
1345   \933%
1346   \expandafter\expandafter\expandafter\HyPsd@HighA
1347   \intcalcDiv{#1}{4}!%
1348   \933%
1349   \ifcase\intcalcMod{#1}{4} %

```

```

1350     4\or 5\or 6\or 7%
1351   \fi
1352   \HyPsd@DecimalToOctalSecond{\#2}%
1353 \fi
1354 }

1355 \def\HyPsd@HighA#1{%
1356   \expandafter\expandafter\expandafter\HyPsd@HighB
1357   \IntCalcDiv#1!64!%
1358   \expandafter\expandafter\expandafter\HyPsd@HighD
1359   \IntCalcMod#1!64!!%
1360 }
1361 \def\HyPsd@HighB#1{%
1362   \expandafter\expandafter\expandafter\HyPsd@HighC
1363   \IntCalcDec#1!!%
1364 }
1365 \def\HyPsd@HighC#1{%
1366   \IntCalcDiv#1!4!%
1367   \@backslashchar
1368   \IntCalcMod#1!4!%
1369 }
1370 \def\HyPsd@HighD#1{%
1371   \ifcase\IntCalcDiv#1!8! %
1372   0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1373 \fi
1374 \ifcase\IntCalcMod#1!8! %
1375 0\or 1\or 2\or 3\or 4\or 5\or 6\or 7%
1376 \fi
1377 }
1378 \def\HyPsd@DecimalToOctalFirst#1{%
1379   \ifcase#1 %
1380     000\or 001\or 002\or 003\or 004\or 005\or 006\or 007%
1381     \or 010\or 011\or 012\or 013\or 014\or 015\or 016\or 017%
1382     \or 020\or 021\or 022\or 023\or 024\or 025\or 026\or 027%
1383     \or 030\or 031\or 032\or 033\or 034\or 035\or 036\or 037%
1384     \or 040\or 041\or 042\or 043\or 044\or 045\or 046\or 047%
1385     \or 050\or 051\or 052\or 053\or 054\or 055\or 056\or 057%
1386     \or 060\or 061\or 062\or 063\or 064\or 065\or 066\or 067%
1387     \or 070\or 071\or 072\or 073\or 074\or 075\or 076\or 077%
1388     \or 100\or 101\or 102\or 103\or 104\or 105\or 106\or 107%
1389     \or 120\or 111\or 112\or 113\or 114\or 115\or 116\or 117%
1390     \or 120\or 121\or 122\or 123\or 124\or 125\or 126\or 127%
1391     \or 130\or 131\or 132\or 133\or 134\or 135\or 136\or 137%
1392     \or 140\or 141\or 142\or 143\or 144\or 145\or 146\or 147%
1393     \or 150\or 151\or 152\or 153\or 154\or 155\or 156\or 157%
1394     \or 160\or 161\or 162\or 163\or 164\or 165\or 166\or 167%
1395     \or 170\or 171\or 172\or 173\or 174\or 175\or 176\or 177%
1396     \or 200\or 201\or 202\or 203\or 204\or 205\or 206\or 207%
1397     \or 210\or 211\or 212\or 213\or 214\or 215\or 216\or 217%
1398     \or 220\or 221\or 222\or 223\or 224\or 225\or 226\or 227%
1399     \or 230\or 231\or 232\or 233\or 234\or 235\or 236\or 237%
1400     \or 240\or 241\or 242\or 243\or 244\or 245\or 246\or 247%
1401     \or 250\or 251\or 252\or 253\or 254\or 255\or 256\or 257%
1402     \or 260\or 261\or 262\or 263\or 264\or 265\or 266\or 267%
1403     \or 270\or 271\or 272\or 273\or 274\or 275\or 276\or 277%
1404     \or 300\or 301\or 302\or 303\or 304\or 305\or 306\or 307%
1405     \or 310\or 311\or 312\or 313\or 314\or 315\or 316\or 317%

```

```

1407   \or 320\or 321\or 322\or 323\or 324\or 325\or 326\or 327%
1408   \or 330\or 331\or 332\or 333\or 334\or 335\or 336\or 337%
1409   \or 340\or 341\or 342\or 343\or 344\or 345\or 346\or 347%
1410   \or 350\or 351\or 352\or 353\or 354\or 355\or 356\or 357%
1411   \or 360\or 361\or 362\or 363\or 364\or 365\or 366\or 367%
1412   \or 370\or 371\or 372\or 373\or 374\or 375\or 376\or 377%
1413   \fi
1414 }
1415 \def\HyPsd@DecimalToOctalSecond#1{%
1416   \ifcase #1 %
1417     \000\or \001\or \002\or \003\or \004\or \005\or \006\or \007%
1418     \or \010\or \011\or \012\or \013\or \014\or \015\or \016\or \017%
1419     \or \020\or \021\or \022\or \023\or \024\or \025\or \026\or \027%
1420     \or \030\or \031\or \032\or \033\or \034\or \035\or \036\or \037%
1421     \or \040\or \041\or \042\or \043\or \044\or \045\or \046\or \047%
1422     \or \050\or \051\or \052\or \053\or \054\or \055\or \056\or \057%
1423     \or \060\or \061\or \062\or \063\or \064\or \065\or \066\or \067%
1424     \or \070\or \071\or \072\or \073\or \074\or \075\or \076\or \077%
1425     \or \100\or \101\or \102\or \103\or \104\or \105\or \106\or \107%
1426     \or \110\or \111\or \112\or \113\or \114\or \115\or \116\or \117%
1427     \or \120\or \121\or \122\or \123\or \124\or \125\or \126\or \127%
1428     \or \130\or \131\or \132\or \133\or \134\or \135\or \136\or \137%
1429     \or \140\or \141\or \142\or \143\or \144\or \145\or \146\or \147%
1430     \or \150\or \151\or \152\or \153\or \154\or \155\or \156\or \157%
1431     \or \160\or \161\or \162\or \163\or \164\or \165\or \166\or \167%
1432     \or \170\or \171\or \172\or \173\or \174\or \175\or \176\or \177%
1433     \or \200\or \201\or \202\or \203\or \204\or \205\or \206\or \207%
1434     \or \210\or \211\or \212\or \213\or \214\or \215\or \216\or \217%
1435     \or \220\or \221\or \222\or \223\or \224\or \225\or \226\or \227%
1436     \or \230\or \231\or \232\or \233\or \234\or \235\or \236\or \237%
1437     \or \240\or \241\or \242\or \243\or \244\or \245\or \246\or \247%
1438     \or \250\or \251\or \252\or \253\or \254\or \255\or \256\or \257%
1439     \or \260\or \261\or \262\or \263\or \264\or \265\or \266\or \267%
1440     \or \270\or \271\or \272\or \273\or \274\or \275\or \276\or \277%
1441     \or \300\or \301\or \302\or \303\or \304\or \305\or \306\or \307%
1442     \or \310\or \311\or \312\or \313\or \314\or \315\or \316\or \317%
1443     \or \320\or \321\or \322\or \323\or \324\or \325\or \326\or \327%
1444     \or \330\or \331\or \332\or \333\or \334\or \335\or \336\or \337%
1445     \or \340\or \341\or \342\or \343\or \344\or \345\or \346\or \347%
1446     \or \350\or \351\or \352\or \353\or \354\or \355\or \356\or \357%
1447     \or \360\or \361\or \362\or \363\or \364\or \365\or \366\or \367%
1448     \or \370\or \371\or \372\or \373\or \374\or \375\or \376\or \377%
1449   \fi
1450 }
1451 \def\HyPsd@CJKnumber#1{%
1452   \ifnum#1<\z@
1453     \CJK@minus
1454     \expandafter\HyPsd@@CJKnumber\expandafter{\number-\number#1}%
1455   \else
1456     \expandafter\HyPsd@@@CJKnumber\expandafter{\number#1}%
1457   \fi
1458 }
1459 \def\HyPsd@@@CJKnumber#1{%
1460   \ifcase#1 %
1461     \CJK@zero\or \CJK@one\or \CJK@two\or \CJK@three\or \CJK@four\or
1462     \CJK@five\or \CJK@six\or \CJK@seven\or \CJK@eight\or \CJK@nine\or
1463     \CJK@ten\or \CJK@ten\JKC@one\or \CJK@ten\JKC@two\or

```

```

1464   \CJK@ten\CJK@three\or\CJK@ten\CJK@four\or\CJK@ten\CJK@five\or
1465   \CJK@ten\CJK@six\or\CJK@ten\CJK@seven\or\CJK@ten\CJK@eight\or
1466   \CJK@ten\CJK@nine
1467   \else
1468   \ifnum#1<10000 %
1469     \HyPsd@CJKnumberFour#1!\empty{20}%
1470     \empty
1471   \else
1472   \ifnum#1<100000000 %
1473     \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1474     \IntCalcDiv#1!10000!%
1475     !{}{20}%
1476     \CJK@tenthsousand
1477     \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1478     \IntCalcMod#1!10000!%
1479     !\CJK@zero{10}%
1480     \empty
1481   \else
1482     \expandafter\HyPsd@CJKnumberLarge
1483     \number\IntCalcDiv#1!100000000!\expandafter!%
1484     \number\IntCalcMod#1!100000000!!%
1485   \fi
1486   \fi
1487   \fi
1488 }
1489 \def\HyPsd@CJKnumberLarge#1#!#2!{%
1490   \HyPsd@CJKnumberFour#1!{}{20}%
1491   \CJK@hundredmillion
1492   \ifnum#2=\z@
1493   \else
1494     \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1495     \IntCalcDiv#2!10000!%
1496     !\CJK@zero{10}%
1497     \CJK@tenthsousand
1498     \expandafter\expandafter\expandafter\HyPsd@CJKnumberFour
1499     \IntCalcMod#2!10000!%
1500     !\CJK@zero{10}%
1501     \empty
1502   \fi
1503 }
1504 \def\HyPsd@CJKnumberFour#1#!#2#!#3!{%
1505   \ifnum#1=\z@
1506     \expandafter\@gobble
1507   \else
1508     \ifnum#1<1000 %
1509       #2%
1510       \HyPsd@CJKnumberThree#1!{}{#3}%
1511     \else
1512       \HyPsd@CJKnumber{\IntCalcDiv#1!1000!}%
1513       \CJK@thousand
1514       \expandafter\expandafter\expandafter\HyPsd@CJKnumberThree
1515       \IntCalcMod#1!1000!%
1516       !\CJK@zero{10}%
1517     \fi
1518   \fi
1519 }
1520 \def\HyPsd@CJKnumberThree#1#!#2#!#3!{%

```

```

1521 \ifnum#1=\z@
1522 \else
1523   \ifnum#1<100 %
1524     #2%
1525   \HyPsd@CJKnumberTwo#1!{}{#3}%
1526 \else
1527   \HyPsd@@CJKnumber{\IntCalcDiv#1!100!}%
1528   \CJK@hundred
1529   \expandafter\expandafter\expandafter\HyPsd@CJKnumberTwo
1530   \IntCalcMod#1!100!%
1531   !\CJK@zero{10}%
1532 \fi
1533 \fi
1534 }
1535 \def\HyPsd@CJKnumberTwo#1!#2#3{%
1536   \ifnum#1=\z@
1537   \else
1538     \ifnum#1<#3 %
1539       #2%
1540     \HyPsd@@CJKnumber{#1}%
1541   \else
1542     \HyPsd@@CJKnumber{\IntCalcDiv#1!10!}%
1543     \CJK@ten
1544     \ifnum\IntCalcMod#1!10!=\z@
1545     \else
1546       \HyPsd@@CJKnumber{\IntCalcMod#1!10!}%
1547     \fi
1548   \fi
1549 \fi
1550 }

1551 \def\HyPsd@CJKdigits#1{%
1552   \ifx*#1\relax
1553   \expandafter\HyPsd@@CJKdigits\expandafter\JKC@zero
1554   \else
1555   \HyPsd@@CJKdigits\JKC@null{#1}%
1556   \fi
1557 }
1558 \def\HyPsd@@CJKdigits#1#2{%
1559   \ifx\\#2\\%
1560   \else
1561   \HyPsd@@@CJKdigits#1#2@nil
1562   \fi
1563 }%
1564 \def\HyPsd@@@CJKdigits#1#2#3@nil{%
1565   \HyPsd@CJKdigit#1{#2}%
1566   \ifx\\#3\\%
1567   \expandafter\@gobble
1568   \else
1569   \expandafter\@firstofone
1570   \fi
1571 {%
1572   \HyPsd@@@CJKdigits#1#3@nil
1573 }%
1574 }
1575 \def\HyPsd@CJKdigit#1#2{%
1576   \ifcase#2 %
1577     #1\or

```

```

1578   \CJK@one\or\CJK@two\or\CJK@three\or\CJK@four\or
1579   \CJK@five\or\CJK@six\or\CJK@seven\or\CJK@eight\or\CJK@nine
1580   \fi
1581 }

```

6.5.6 \@inmathwarn-Patch

\HyPsd@\inmathwarn The patch of \@inmathwarn is needed to get rid of the infinite error loop with glyphs of other encodings (see the explanation above). Potentially the patch is dangerous, if the code in `ltoutenc.dtx` changes. Checked with L^AT_EX 2 _{ε} versions [1998/06/01] and [1998/12/01]. I expect that versions below [1995/12/01] don't work.

To understand the patch easier, the original code of \@current@cmd and \@changed@cmd follows (L^AT_EX 2 _{ε} release [1998/12/01]). In the normal case \pdfstringdef is executed in a context where \protect has the meaning of \@typeset-protect (= \relax).

```

\def\@current@cmd#1{%
  \ifx\protect\@typeset@protect
    \@inmathwarn#1%
  \else
    \noexpand#1\expandafter\@gobble
  \fi}
\def\@changed@cmd#1#2{%
  \ifx\protect\@typeset@protect
    \@inmathwarn#1%
    \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
      \expandafter\ifx\csname ?\string#1\endcsname\relax
        \expandafter\def\csname ?\string#1\endcsname{%
          \TextSymbolUnavailable#1%
        }%
      \fi
      \global\expandafter\let
        \csname\cf@encoding\string#1\expandafter\endcsname
        \csname ?\string#1\endcsname
    \fi
    \csname\cf@encoding\string#1%
      \expandafter\endcsname
  \else
    \noexpand#1%
  \fi}
\gdef\TextSymbolUnavailable#1{%
  \@latex@error{%
    Command \protect#1 unavailable in encoding \cf@encoding%
  }\@eha}
\def\@inmathwarn#1{%
  \ifmmode
    \@latex@warning{Command \protect#1 invalid in math mode}%
  \fi}
1582 \def\HyPsd@inmathwarn#1#2{%
1583   \ifx#2\expandafter
1584     \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
1585       \HyPsd@GLYPHERR
1586       \expandafter\@gobble\string#1%
1587       >%
1588       \expandafter\expandafter\expandafter\HyPsd@EndWithElse
1589     \else

```

```

1590     \expandafter\expandafter\expandafter\HyPsd@GobbleFiFi
1591     \fi
1592 \else
1593     \expandafter#2%
1594 \fi
1595 }
1596 \def\HyPsd@GobbleFiFi#1\fi#2\fi{%
1597 \def\HyPsd@EndWithElse#1\else{\else}

```

\HyPsd@add@accent

```

1598 \def\HyPsd@add@accent#1#2{%
1599   \HyPsd@GLYPHERR\expandafter\@gobble\string#1+\string#2>%
1600   #2%
1601 }%

```

6.5.7 Unexpandable spaces

\HyPsd@LetUnexpandableSpace In \HyPsd@@ProtectSpaces the space tokens are replaced by not expandable commands, that work like spaces:

- So they can caught by undelimited arguments.
- And they work in number, dimen, and skip assignments.

These properties are used in \HyPsd@CheckCatcodes.

```

1602 \def\HyPsd@LetUnexpandableSpace#1{%
1603   \expandafter\futurelet\expandafter#1\expandafter\@gobble\space\relax
1604 }%

```

\HyPsd@UnexpandableSpace \HyPsd@UnexpandableSpace is used in \HyPsd@@ProtectSpaces. In \yPsd@@ProtectSpaces the space tokens are replaced by unexpandable commands \HyPsd@UnexpandableSpace, but that have the effect of spaces.

```
1605 \HyPsd@LetUnexpandableSpace\HyPsd@UnexpandableSpace
```

6.5.8 Marker for commands

\HyPsd@XSPACE Some commands and informations cannot be utilized before the string expansion
 \HyPsd@ITALCORR and the checking process. Command names are filtered out, so we need another
 \HyPsd@GLYPHERR way to transport the information: An unusual # with catcode 12 marks the beginning of the extra information.

```

1606 \edef\HyPsd@XSPACE{\string#\string X}
1607 \edef\HyPsd@ITALCORR{\string#\string I}
1608 \edef\HyPsd@GLYPHERR{\string#\string G}

```

6.5.9 \hspace fix

\HyPsd@hspace

```
1609 \def\HyPsd@hspace#1{\HyPsd@@hspace#1*\END}
```

\HyPsd@@hspace \HyPsd@@hspace checks whether \hspace is called in its star form.

```

1610 \def\HyPsd@@hspace#1#2\END{%
1611   \ifx\\#2\\%
1612     \HyPsd@hspacetest{#1}%
1613   \else
1614     \expandafter\HyPsd@hspacetest
1615   \fi
1616 }%

```

\HyPsd@hspacetest \HyPsd@hspacetest replaces the \hspace by a space, if the length is greater than zero.

```
1617 \def\HyPsd@hspacetest#1{\ifdim#1>\z@\space\fi}
```

6.5.10 Fix for AMS classes

```
1618 \ltx@IfUndefined{tocsection}{%
1619   \let\HyPsd@AMSclassfix\relax
1620 }{%
1621   \def\HyPsd@AMSclassfix{%
1622     \let\tocpart\HyPsd@tocsection
1623     \let\tocchapter\HyPsd@tocsection
1624     \let\tocappendix\HyPsd@tocsection
1625     \let\tocsection\HyPsd@tocsection
1626     \let\tocsubsection\HyPsd@tocsection
1627     \let\tocsubsubsection\HyPsd@tocsection
1628     \let\tocparagraph\HyPsd@tocsection
1629   }%
1630   \def\HyPsd@tocsection#1#2#3{%
1631     \if @#2@ \else \if @#1@ \else #1 \fi #2. \fi
1632     #3%
1633   }%
1634 }
```

6.5.11 Reference commands

\HyPsd@href

```
1635 \def\HyPsd@href#1#{\@secondoftwo}
```

\HyPsd@ref Macro \HyPsd@ref calls the macro \HyPsd@@ref for star checking. The same methods like in \HyPsd@hspace is used.

```
1636 \def\HyPsd@ref#1{\HyPsd@@ref#1*\END}%
```

\HyPsd@@ref Macro \HyPsd@@ref checks if a star is present.

```
1637 \def\HyPsd@@ref#1*#2\END{%
1638   \ifx\\#2\\%
1639   \HyPsd@@ref{#1}%
1640   \else
1641   \expandafter\HyPsd@@ref
1642   \fi
1643 }%
```

\HyPsd@@@ref \HyPsd@@@ref does the work and extracts the first argument.

```
1644 \def\HyPsd@@@ref#1{%
1645   \expandafter\ifx\csname r@#1\endcsname\relax
1646   ??%
1647   \else
1648   \expandafter\expandafter\expandafter
1649   \car\csname r@#1\endcsname\@nil
1650   \fi
1651 }
```

\HyPsd@pageref Macro \HyPsd@pageref calls the macro \HyPsd@pageref for star checking. The same methods like in \HyPsd@hspace is used.

```
1652 \def\HyPsd@pageref#1{\HyPsd@@pageref#1*\END}
```

\HyPsd@@pageref Macro \HyPsd@@pageref checks if a star is present.

```

1653 \def\HyPsd@@pageref#1*#2\END{%
1654   \ifx\\#2\\%
1655     \HyPsd@@pageref{#1}%
1656   \else
1657     \expandafter\HyPsd@@pageref
1658   \fi
1659 }

```

\HyPsd@@@pageref \HyPsd@@@pageref does the work and extracts the second argument.

```

1660 \def\HyPsd@@@pageref#1{%
1661   \expandafter\ifx\csname r@#1\endcsname\relax
1662     ??%
1663   \else
1664     \expandafter\expandafter\expandafter\expandafter
1665     \expandafter\expandafter\expandafter\@car
1666     \expandafter\expandafter\expandafter\@gobble
1667     \csname r@#1\endcsname{}@\nil
1668   \fi
1669 }

```

\HyPsd@nameref Macro \HyPsd@nameref calls the macro \HyPsd@nameref for star checking. The same methods like in \HyPsd@hspace is used.

```

1670 \def\HyPsd@nameref#1{\HyPsd@nameref#1*\END}

```

\HyPsd@@nameref Macro \HyPsd@@nameref checks if a star is present.

```

1671 \def\HyPsd@@nameref#1*#2\END{%
1672   \ifx\\#2\\%
1673     \HyPsd@@nameref{#1}%
1674   \else
1675     \expandafter\HyPsd@@nameref
1676   \fi
1677 }

```

\HyPsd@@@nameref \HyPsd@@@nameref does the work and extracts the third argument.

```

1678 \def\HyPsd@@@nameref#1{%
1679   \expandafter\ifx\csname r@#1\endcsname\relax
1680     ??%
1681   \else
1682     \expandafter\expandafter\expandafter\expandafter
1683     \expandafter\expandafter\expandafter\@car
1684     \expandafter\expandafter\expandafter\@gobbletwo
1685     \csname r@#1\endcsname{}{}@\nil
1686   \fi
1687 }

```

\HyPsd@autoref Macro \HyPsd@autoref calls the macro \HyPsd@autoref for star checking. The same methods like in \HyPsd@hspace is used.

```

1688 \def\HyPsd@autoref#1{\HyPsd@autoref#1*\END}

```

\HyPsd@@autoref Macro \HyPsd@@autoref checks if a star is present.

```

1689 \def\HyPsd@@autoref#1*#2\END{%
1690   \ifx\\#2\\%
1691     \HyPsd@@autoref{#1}%
1692   \else
1693     \expandafter\HyPsd@@autoref
1694   \fi
1695 }

```

```

\HyPsd@@@autoref \HyPsd@@@autoref does the work and extracts the second argument.
1696 \def\HyPsd@@@autoref#1{%
1697   \expandafter\ifx\csname r@#1\endcsname\relax
1698   ??%
1699   \else
1700     \expandafter\expandafter\expandafter\HyPsd@autorefname
1701       \csname r@#1\endcsname{}{}{}{}\@nil
1702     \expandafter\expandafter\expandafter
1703     \car\csname r@#1\endcsname\@nil
1704   \fi
1705 }

\HyPsd@autorefname At least a basic definition for getting the \autoref name.
1706 \def\HyPsd@autorefname#1#2#3#4#5\@nil{%
1707   \ifx\\#4\\%
1708   \else
1709     \HyPsd@autorefname#4.\@nil
1710   \fi
1711 }

\HyPsd@autorefname
1712 \def\HyPsd@autorefname#1.#2\@nil{%
1713   \ltx@ifundefined{#1autorefname}{%
1714     \ltx@ifundefined{#1name}{%
1715       }{%
1716         \csname#1name\endcsname\space
1717       }%
1718     }{%
1719       \csname#1autorefname\endcsname\space
1720     }%
1721 }

```

6.5.12 Redefining the defining commands

Definitions aren't allowed, because they aren't executed in an only expanding context. So the command to be defined isn't defined and can perhaps be undefined. This would cause TeX to stop with an error message. With a deep trick it is possible to define commands in such a context: `\csname` does the job, it defines the command to be `\relax`, if it has no meaning.

Active characters cannot be defined with this trick. It is possible to define all undefined active characters (perhaps that they have the meaning of `\relax`). To avoid side effects this should be done in `\pdfstringdef` shortly before the `\xdef` job. But checking and defining all possible active characters of the full range (0 until 255) would take a while. `\pdfstringdef` is slow enough, so this isn't done.

`\HyPsd@DefCommand` and `\HyPsd@LetCommand` expands to the commands `\<def>-command` and `\<let>-command` with the meaning of `\def` and `\let`. So it is detected by `\HyPsd@CheckCatcodes` and the command name `\<def>-command` or `\<let>-command` should indicate a forbidden definition command.

The command to be defined is converted to a string and back to a command name with the help of `\csname`. If the command is already defined, `\noexpand` prevents a further expansion, even though the command would expand to legal stuff. If the command don't have the meaning of `\relax`, `\HyPsd@CheckCatcodes` will produce a warning. (The command itself can be legal, but the warning is legitimate because of the position after a defining command.)

The difference between `\HyPsd@DefCommand` and `\HyPsdLetCommand` is that the first one also cancels this arguments, the parameter and definition text. The right side of the `\let` commands cannot be canceled with an undelimited parameter because of a possible space token after `\futurelet`.

To avoid unmachted `\if...` tokens, the cases `\let\if...\iftrue` and `\let\if...\iffalse` are checked and ignored.

```
\HyPsd@DefCommand
\HyPsd@LetCommand
1722 \begingroup
1723   \def\x#1#2{%
1724     \endgroup
1725     \let#1\def
1726     \def\HyPsd@DefCommand##1##2##3{%
1727       #1%
1728       \expandafter\noexpand
1729         \csname\expandafter\@gobble\string##1\@empty\endcsname
1730         \@gobble
1731     }%
1732     \let#2\let
1733     \def\HyPsd@@LetCommand##1{%
1734       \expandafter\ifx\csname##1\expandafter\endcsname
1735         \csname iftrue\endcsname
1736         \pdfstringdefWarn\let
1737         \expandafter\@gobble
1738     \else
1739       \expandafter\ifx\csname##1\expandafter\endcsname
1740         \csname ifffalse\endcsname
1741         \pdfstringdefWarn\let
1742         \expandafter\expandafter\expandafter\@gobble
1743     \else
1744       #2%
1745       \expandafter\noexpand
1746         \csname##1\expandafter\expandafter\expandafter\endcsname
1747       \fi
1748     \fi
1749   }%
1750 }%
1751 \expandafter\x\csname <def>-command\expandafter\endcsname
1752   \csname <let>-command\endcsname
1753 \def\HyPsd@LetCommand#1{%
1754   \expandafter\expandafter\expandafter\HyPsd@@LetCommand
1755   \expandafter\expandafter\expandafter{%
1756     \expandafter\@gobble\string#1\@empty
1757   }%
1758 }
```

6.5.13 `\ifnextchar`

`\HyPsd@ifnextchar` In `\pdfstringdef\@ifnextchar` is disabled via a `\let` command to save time. First a warning message is given, then the three arguments are canceled. `\@ifnextchar` cannot work in a correct manner, because it uses `\futurelet`, but this is a stomach feature, that doesn't work in an expanding context. There are several variants of `\@ifnextchar`:

- `\@ifnextchar`
- `\kernel@ifnextchar`

- `\new@ifnextchar` from package `amsgen.sty` (bug report `latex/3662`).

```
1759 \def\HyPsd@ifnextchar#1{%
1760   \pdfstringdefWarn#1%
1761   \expandafter\gobbletwo\gobble
1762 }
```

6.5.14 `\@protected@testopt@ifnextchar`

`\HyPsd@protected@testopt` Macros with optional arguments doesn't work properly, because they call `\@ifnextchar` to detect the optional argument (see the explanation of `\HyPsd@ifnextchar`). But a warning, that `\ifnextchar` doesn't work, doesn't help the user very much. Therefore `\@protected@testopt` is also disabled, because its first argument is the problematic macro with the optional argument and it is called before `\@ifnextchar`.

```
1763 \def\HyPsd@protected@testopt#1{%
1764   \pdfstringdefWarn#1%
1765   \@gobbletwo
1766 }
```

6.6 Help macros for postprocessing

6.6.1 Generic warning.

`\HyPsd@Warning` For several reasons `\space` is masked and does not have its normal meaning. But it is used in warning messages, so it is redefined locally:

```
1767 \def\HyPsd@Warning#1{%
1768   \begingroup
1769   \let\space\ltx@space
1770   \Hy@Warning{#1}%
1771   \endgroup
1772 }
```

6.6.2 Protecting spaces

```
1773 \RequirePackage{etexcmds}[2007/09/09]
1774 \ifetex@unexpanded
1775   \expandafter\@secondoftwo
1776 \else
1777   \expandafter\@firstoftwo
1778 \fi
1779 {%
```

`\HyPsd@ProtectSpaces` `\HyPsd@ProtectSpaces` calls with the expanded string `\HyPsd@@ProtectSpacesFi`. The expanded string is protected by `|` at the beginning and end of the expanded string. Because of this there can be no group at the beginning or end of the string and grouping characters are not removed by the call of `\HyPsd@@ProtectSpacesFi`.

```
1780 \def\HyPsd@ProtectSpaces#1{%
1781   \iftrue
1782     \expandafter\HyPsd@@ProtectSpacesFi
1783     \expandafter|\expandafter\@empty#1| \HyPsd@End#1%
1784   \fi
1785 }
```

`\HyPsd@@ProtectSpacesFi` The string can contain command tokens, so it is better to use an `\def` instead of an `\edef`.

```

1786 \def\HyPsd@@ProtectSpacesFi#1 #2\HyPsd@End#3\fi{%
1787   \fi
1788   \ifx\scrollmode#2\scrollmode
1789     \HyPsd@RemoveMask#1\HyPsd@End#3%
1790   \else
1791     \gdef#3{\#1\HyPsd@UnexpandableSpace#2}%
1792     \expandafter\HyPsd@@ProtectSpacesFi#3\HyPsd@End#3%
1793   \fi
1794 }%

```

Remove mask.

\HyPsd@RemoveMask \HyPsd@RemoveMask removes the protecting |. It is used by \HyPsd@@ProtectSpacesFi and by the code in \pdfstringdef that removes the grouping characters.

```

1795 \def\HyPsd@RemoveMask|#1|\HyPsd@End#2{%
1796   \toks@\expandafter{\#1}%
1797   \xdef#2{\the\toks@}%
1798 }%
1799 }{%
1800   \let\HyPsd@fi\fi
1801   \def\HyPsd@ProtectSpaces#1{%
1802     \xdef#1{%
1803       \iftrue
1804         \expandafter\HyPsd@@ProtectSpacesFi
1805         \expandafter|\expandafter\@empty#1| %
1806       \HyPsd@fi
1807     }%
1808     \expandafter\HyPsd@RemoveMask#1\HyPsd@End#1%
1809   }%
1810   \def\HyPsd@@ProtectSpacesFi#1 #2\HyPsd@fi{%
1811     \fi
1812     \etex@unexpanded{\#1}%
1813     \ifx\scrollmode#2\scrollmode
1814     \else
1815       \HyPsd@@ProtectSpacesFi\HyPsd@UnexpandableSpace#2%
1816     \HyPsd@fi
1817   }%
1818   \def\HyPsd@RemoveMask|#1|\HyPsd@End#2{%
1819     \xdef#2{\etex@unexpanded\expandafter{\#1}}%
1820   }%
1821 }

```

6.6.3 Remove grouping braces

\HyPsd@RemoveBraces #1 contains the expanded string, the result will be locally written in command \HyPsd@String.

```

1822 \def\HyPsd@RemoveBraces#1{%
1823   \ifx\scrollmode#1\scrollmode
1824   \else
1825     \HyPsd@@RemoveBracesFi#1\HyPsd@End{\#1}%
1826   \fi
1827 }

```

\HyPsd@@RemoveBraces \HyPsd@@RemoveBraces is called with the expanded string, the end marked by \HyPsd@End, the expanded string again, but enclosed in braces and the string

command. The first expanded string is scanned by the parameter text `#1#2`. By a comparison with the original form in `#3` we can decide whether `#1` is a single token or a group. To avoid the case that `#2` is a group, the string is extended by a `|` before.

While removing the grouping braces an italic correction marker is inserted for supporting package `xspace` and letting ligatures broken.

Because the string is already expanded, the `\if` commands should disappeared. So we can move some parts out of the argument of `\ltx@ReturnAfterFi`.

```

1828 \def\HyPsd@@RemoveBracesFi#1#2\HyPsd@End#3\fi{%
1829   \fi
1830   \def\Hy@temp@A{#1#2}%
1831   \def\Hy@temp@B{#3}%
1832   \ifx\Hy@temp@A\Hy@temp@B
1833     \expandafter\def\expandafter\HyPsd@String\expandafter{%
1834       \HyPsd@String#1%
1835     }%
1836     \ifx\scrollmode#2\scrollmode
1837     \else
1838       \Hy@ReturnAfterFiFiEnd{%
1839         \HyPsd@RemoveBraces{#2}%
1840       }%
1841     \fi
1842   \else
1843     \def\Hy@temp@A{#1}%
1844     \HyPsd@AppendItalcorr\HyPsd@String
1845     \ifx\Hy@temp@A\@empty
1846       \Hy@ReturnAfterElseFiFiEnd{%
1847         \HyPsd@RemoveBraces{#2}%
1848       }%
1849     \else
1850       \HyPsd@ProtectSpaces\Hy@temp@A
1851       \HyPsd@AppendItalcorr\Hy@temp@A
1852       \Hy@ReturnAfterFiFiEnd{%
1853         \expandafter\HyPsd@RemoveBraces\expandafter
1854           {\Hy@temp@A#2}%
1855       }%
1856     \fi
1857   \fi
1858 \Hy@ReturnEnd
1859 }
```

`\HyPsd@AppendItalcorr` The string can contain commands yet, so it is better to use `\def` instead of a shorter `\edef`. The two help macros limit the count of `\expandafter`.

```

1860 \def\HyPsd@AppendItalcorr#1{%
1861   \expandafter\HyPsd@@AppendItalcorr\expandafter{\}/#1%
1862 }
1863 \def\HyPsd@@AppendItalcorr#1#2{%
1864   \expandafter\def\expandafter#2\expandafter{#2#1}%
1865 }
```

6.6.4 Catcode check

Check catcodes.

`\HyPsd@CheckCatcodes` Because `\ifcat` expands its arguments, this is prevented by `\noexpand`. In case of command tokens and active characters `\ifcat` now sees a `\relax`. After protecting

spaces and removing braces #1 should be a single token, no group of several tokens, nor an empty group. (So the `\expandafter\relax` between `\ifcat` and `\noexpand` is only for safety and it should be possible to remove it.)

\protect and \relax should be removed silently. But it is too dangerous and breaks some code giving them the meaning of \emptyset. So commands with the meaning of \protect are removed here. (\protect should have the meaning of \typeset@protect that is equal to \relax).

```

1866 \def\HyPsd@CheckCatcodes#1#2\HyPsd@End{%
1867   \global\let\HyPsd@Rest\relax
1868   \ifcat\relax\noexpand#1\relax
1869     \ifx#1\protect
1870   \else
1871     \ifx#1\penalty
1872       \setbox\z@=\hbox{%
1873         \afterassignment\HyPsd@AfterCountRemove
1874         \count@=#2\HyPsd@End
1875       }%
1876   \else
1877     \ifx#1\kern
1878       \setbox\z@=\hbox{%
1879         \afterassignment\HyPsd@AfterDimenRemove
1880         \dimen@=#2\HyPsd@End
1881       }%
1882   \else
1883     \ifx#1\hskip
1884       \setbox\z@=\hbox{%
1885         \afterassignment\HyPsd@AfterSkipRemove
1886         \skip@=#2\HyPsd@End
1887       }%
1888   \else
1889     \HyPsd@CatcodeWarning{#1}%
1890   \fi
1891 \fi
1892 \fi
1893 \fi
1894 \else
1895   \ifcat#1A% letter
1896     \expandafter\def\expandafter\HyPsd@String\expandafter{%
1897       \HyPsd@String#1%
1898     }%
1899   \else
1900     \ifcat#1 % SPACE
1901       \expandafter\def\expandafter\HyPsd@String\expandafter{%
1902         \HyPsd@String\HyPsd@SPACEOPTI
1903       }%
1904   \else
1905     \ifcat$#1%
1906       \HyPsd@CatcodeWarning{math shift}%
1907     \else
1908       \ifcat&#1%
1909         \HyPsd@CatcodeWarning{alignment tab}%
1910       \else
1911         \ifcat^#1%
1912           \HyPsd@CatcodeWarning{superscript}%
1913         \else
1914           \ifcat_#1%
1915             \HyPsd@CatcodeWarning{subscript}%

```

```

1916     \else
1917         \expandafter\def\expandafter\HyPsd@String\expandafter{%
1918             \HyPsd@String#1%
1919         }%
1920         \fi
1921         \fi
1922         \fi
1923         \fi
1924         \fi
1925         \fi
1926         \fi
1927         \ifx\HyPsd@Rest\relax
1928             \ifx\scrollmode#2\scrollmode
1929             \else
1930                 \Hy@ReturnAfterFiFiEnd{%
1931                     \HyPsd@CheckCatcodes#2\HyPsd@End
1932                 }%
1933                 \fi
1934             \else
1935                 \ifx\HyPsd@Rest\@empty
1936                 \else
1937                     \Hy@ReturnAfterFiFiEnd{%
1938                         \expandafter\HyPsd@CheckCatcodes\HyPsd@Rest\HyPsd@End
1939                     }%
1940                     \fi
1941                     \fi
1942                 \Hy@ReturnEnd
1943 }

```

Remove counts, dimens, skips.

\HyPsd@AfterCountRemove	Counts like \penalty are removed silently.
	<pre> 1944 \def\HyPsd@AfterCountRemove#1\HyPsd@End{% 1945 \gdef\HyPsd@Rest{\#1}% 1946 } </pre>
\HyPsd@AfterDimenRemove	If the value of the dimen (\kern) is zero, it can be removed silently. All other values are difficult to interpret. Negative values do not work in bookmarks. Should positive values be removed or should they be replaced by space(s)? The following code replaces positive values greater than 1ex with a space and removes them else.
	<pre> 1947 \def\HyPsd@AfterDimenRemove#1\HyPsd@End{% 1948 \ifdim\ifx\HyPsd@String\@empty\z@\else\dimen@\fi>1ex % 1949 \HyPsd@ReplaceSpaceWarning{\string\kern\space\the\dimen@}% 1950 \gdef\HyPsd@Rest{\HyPsd@UnexpandableSpace \#1}% 1951 \else 1952 \ifdim\dimen@=\z@ 1953 \else 1954 \HyPsd@RemoveSpaceWarning{\string\kern\space\the\dimen@}% 1955 \fi 1956 \gdef\HyPsd@Rest{\#1}% 1957 \fi 1958 } </pre>

\HyPsd@AfterSkipRemove The glue part of skips do not work in PDF strings and are ignored. Skips (\hskip), that are not zero, have the same interpreting problems like dimens (see above).

```

1959 \def\HyPsd@AfterSkipRemove#1\HyPsd@End{%
1960   \ifdim\ifx\HyPsd@String\@empty\z@\else\skip@\fi>1ex %

```

```

1961   \HyPsd@ReplaceSpaceWarning{\string\hskip\space\the\skip@}%
1962   \gdef\HyPsd@Rest{\HyPsd@UnexpandableSpace #1}%
1963 \else
1964   \ifdim\skip@=\z@
1965   \else
1966     \HyPsd@RemoveSpaceWarning{\string\kern\space\the\skip@}%
1967   \fi
1968   \gdef\HyPsd@Rest{#1}%
1969 \fi
1970 }

```

Catcode warnings.

\HyPsd@CatcodeWarning \HyPsd@CatcodeWarning produces a warning for the user.

```

1971 \def\HyPsd@CatcodeWarning#1{%
1972   \HyPsd@Warning{%
1973     Token not allowed in a PDF string (%
1974     \ifHy@unicode
1975       Unicode%
1976     \else
1977       PDFDocEncoding%
1978     \fi
1979   ):%
1980   \MessageBreak removing '\HyPsd@RemoveCmdPrefix#1'%
1981 }%
1982 }
1983 \begingroup
1984 \catcode`\|=0 %
1985 \catcode`\|=12 %
1986 \gdef\HyPsd@RemoveCmdPrefix#1{%
1987   |expandafter|HyPsd@@RemoveCmdPrefix
1988   |string#1|@empty\<-|@empty|@empty
1989 }%
1990 \gdef\HyPsd@@RemoveCmdPrefix#1\<-#2|@empty#3|@empty{#1#2}%
1991 \endgroup

```

\HyPsd@RemoveSpaceWarning

```

1992 \def\HyPsd@RemoveSpaceWarning#1{%
1993   \HyPsd@Warning{%
1994     Token not allowed in a PDF string (%
1995     \ifHy@unicode
1996       Unicode%
1997     \else
1998       PDFDocEncoding%
1999     \fi
2000   ):%
2001   \MessageBreak #1\MessageBreak
2002   removed%
2003 }%
2004 }

```

\HyPsd@ReplaceSpaceWarning

```

2005 \def\HyPsd@ReplaceSpaceWarning#1{%
2006   \HyPsd@Warning{%
2007     Token not allowed in a PDF string (%
2008     \ifHy@unicode
2009       Unicode%

```

```

2010 \else
2011   PDFDocEncoding%
2012 \fi
2013 ):%
2014 \MessageBreak #1\MessageBreak
2015 replaced by space%
2016 }%
2017 }

```

6.6.5 Check for wrong glyphs

A wrong glyph is marked with `\relax`, the glyph name follows, delimited by `>`. `\@empty` ends the string.

```

2018 \def\HyPsd@GlyphProcess#1\relax#2\@empty{%
2019   \expandafter\def\expandafter\HyPsd@String\expandafter{%
2020     \HyPsd@String#1%
2021   }%
2022   \ifx\\#2\\%
2023   \else
2024     \ltx@ReturnAfterFi{%
2025       \HyPsd@GlyphProcessWarning#2\@empty
2026     }%
2027   \fi
2028 }
2029 \def\HyPsd@GlyphProcessWarning#1>#2\@empty{%
2030   \HyPsd@@GlyphProcessWarning#1++>%
2031   \HyPsd@GlyphProcess#2\@empty
2032 }
2033 \def\HyPsd@@GlyphProcessWarning#1+##2+##3>{%
2034   \ifx\\#2\\%
2035     \HyPsd@Warning{%
2036       Glyph not defined in %
2037       P\ifHy@unicode U\else D1\fi\space encoding,\MessageBreak
2038       removing '\@backslashchar#1'%
2039     }%
2040   \else
2041     \HyPsd@Warning{%
2042       Composite letter '\@backslashchar#1+##2'\MessageBreak
2043       not defined in P\ifHy@unicode U\else D1\fi\space encoding,%
2044       \MessageBreak
2045       removing '\@backslashchar#1'%
2046     }%
2047   \fi
2048 }

```

Spaces.

`\HyPsd@spaceopti` In the string the spaces are represented by `\HyPsd@spaceopti` tokens. Within an `\edef` it prints itself as a simple space and looks for its next argument. If another space follows, so it replaces the next `\HyPsd@spaceopti` by an protected space `\040`.

```

2049 \def\HyPsd@spaceopti#1{ % first space
2050   \ifx\HyPsd@spaceopti#1%
2051     \040%
2052   \else
2053     #1%

```

```
2054 \fi  
2055 }%
```

6.6.6 Replacing tokens

\HyPsd@Subst To save tokens \HyPsd@StringSubst is an wrapper for the command \HyPsd@Subst that does all the work: In string stored in command #3 it replaces the tokens #1 with #2.
#1 Exact the tokens that should be replaced.
#2 The replacement (don't need to be expanded).
#3 Command with the string.

```
2056 \def\HyPsd@Subst#1#2#3{  
2057   \def\HyPsd@@ReplaceFi##1##2\END\fi{  
2058     \fi  
2059     ##1%  
2060     \ifx\scrollmode##2\scrollmode  
2061     \else  
2062     ##2%  
2063     \HyPsd@@ReplaceFi##2\END  
2064   \fi  
2065 }%  
2066 \xdef#3{  
2067   \iftrue  
2068     \expandafter\HyPsd@@ReplaceFi##1\END  
2069   \fi  
2070 }%  
2071 }
```

\HyPsd@StringSubst To save tokens in \pdfstringdef \HyPsd@StringSubst is a wrapper, that expands argument #1 before calling \HyPsd@Subst.

```
2072 \def\HyPsd@StringSubst#1{  
2073   \expandafter\HyPsd@Subst\expandafter{\string#1}  
2074 }
```

\HyPsd@EscapeTeX

```
2075 \begingroup  
2076   \lccode`!=`\%  
2077   \lccode`\|=`\%\  
2078   \lccode`\(`=\`{  
2079   \lccode`\)=`\}  
2080   \lccode`0=\ltx@zero  
2081   \lccode`1=\ltx@zero  
2082   \lccode`3=\ltx@zero  
2083   \lccode`4=\ltx@zero  
2084   \lccode`5=\ltx@zero  
2085   \lccode`7=\ltx@zero  
2086 \lowercase{\endgroup  
2087 \def\HyPsd@EscapeTeX#1{  
2088   \HyPsd@Subst{|045}#1%  
2089   \HyPsd@Subst({|173}#1%  
2090   \HyPsd@Subst{|175}#1%  
2091 }%  
2092 }
```

6.6.7 Support for package `xspace`

\HyPsd@doxspace \xspace does not work, because it uses a \futurelet that cannot be executed in T_EX's mouth. So this implementation uses an argument to examine the next token. In a previous version I reused \@xspace, but this version is shorter and easier to understand.

```
2093 \def\HyPsd@doxspace#1{%
2094   \ifx#1\relax\else
2095     \ifx#1.\else
2096       \ifx#1:\else
2097         \ifx#1,\else
2098           \ifx#1;\else
2099             \ifx#1!\else
2100               \ifx#1?\else
2101                 \ifx#1/\else
2102                   \ifx#1-\else
2103                     \ifx#1'\else
2104                       \HyPsd@SPACEOPTI
2105                         \fi
2106                           \fi
2107                             \fi
2108                               \fi
2109                                 \fi
2110                                   \fi
2111                                     \fi
2112                                       \fi
2113                                         \fi
2114                                           \fi
2115                                             #1%
2116 }%
```

6.6.8 Converting to Unicode

Eight bit characters are converted to the sixteen bit ones, \8 is replaced by \00, and \9 is removed. The result should be a valid Unicode PDF string without the Unicode marker at the beginning.

```
2117 \begingroup
2118   \catcode`|=0 %
2119   \catcode`\|=12 %
```

```
\HyPsd@ConvertToUnicode
2120   \gdef\HyPsd@ConvertToUnicode#1{%
2121     \xdef#1{%
2122       \expandafter\HyPsd@DoConvert#1\empty\empty\empty
2123     }%
2124     \ifx#1\empty
2125       \else
2126         \xdef#1{%
2127           \376\377%
2128         }%
2129       \fi
2130     }%
2131   }%
\HyPsd@DoConvert
2132   \gdef\HyPsd@DoConvert#1{%
2133     \ifx#1\empty
```

```

2134     |else
2135         |ltx@ReturnAfterFi{%
2136             |ifx#1\%
2137                 \%
2138                     |expandafter|HyPsd@DoEscape
2139             |else
2140                 |HyPsd@Char{#1}%
2141                     |expandafter|HyPsd@DoConvert
2142             |fi
2143         }%
2144     |fi
2145 }%


\HyPsd@DoEscape
2146 |gdef|HyPsd@DoEscape#1{%
2147     |ifx#19%
2148         |expandafter|HyPsd@GetTwoBytes
2149     |else
2150         |ltx@ReturnAfterFi{%
2151             |ifx#18%
2152                 00%
2153                     |expandafter|HyPsd@GetTwoBytes
2154     |else
2155         #1%
2156             |expandafter|HyPsd@GetOneByte
2157         |fi
2158     }%
2159     |fi
2160 }%


\HyPsd@GetTwoBytes
2161 |gdef|HyPsd@GetTwoBytes#1\#2#3#4{%
2162     #1\#2#3#4%
2163     |HyPsd@DoConvert
2164 }%


\HyPsd@GetOneByte
2165 |gdef|HyPsd@GetOneByte#1#2{%
2166     #1#2%
2167     |HyPsd@DoConvert
2168 }%
2169 |endgroup


\HyPsd@@GetNextTwoTokens T\EX does only allow nine parameters, so we need another macro to get more arguments.
2170 \def\HyPsd@GetNextTwoTokens#1#2#3\END#4{%
2171   \xdef#4{\#4#1#2}%
2172   \HyPsd@@ConvertToUnicode#3\END#4%
2173 }

\HyPsd@Char
2174 \begingroup
2175   \catcode0=9 %
2176   \catcode`\^=7 %
2177   \catcode`\^^^=12 %
2178   \def\x{^^^0000}%
2179 \expandafter\endgroup

```

```

2180 \ifx\x\@empty
2181   \def\HyPsd@Char#1{%
2182     \ifnum`#1<128 %
2183       \@backslashchar 000#1%
2184     \else
2185       \ifnum`#1<65536 %
2186         \expandafter\HyPsd@CharTwoByte\number`#1!%
2187       \else
2188         \expandafter\expandafter\expandafter\HyPsd@CharSurrogate
2189         \intcalcSub`#1-{65536}!%
2190       \fi
2191     \fi
2192   }%
2193 \def\HyPsd@CharTwoByte#1!{%
2194   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2195   \IntCalcDiv`#1!256!%
2196   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2197   \IntCalcMod`#1!256!%
2198 }%
2199 \def\HyPsd@CharOctByte#1!{%
2200   \@backslashchar
2201   \IntCalcDiv`#1!64!%
2202   \intcalcDiv`{\IntCalcMod`#1!64!}{8}%
2203   \IntCalcMod`#1!8!%
2204 }%
2205 \def\HyPsd@CharSurrogate#1!{%
2206   \@backslashchar 33%
2207   \IntCalcDiv`#1!262144!%
2208   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2209   \intcalcDiv`{\IntCalcMod`#1!262144!}{1024}!%
2210   \@backslashchar 33%
2211   \expandafter\expandafter\expandafter\IntCalcAdd
2212   \intcalcDiv`{\IntCalcMod`#1!1024!}{256}!4!%
2213   \expandafter\expandafter\expandafter\HyPsd@CharOctByte
2214   \IntCalcMod`#1!256!%
2215 }%
2216 \else
2217   \def\HyPsd@Char#1{%
2218     \@backslashchar 000#1%
2219   }%
2220 \fi

```

6.6.9 Support for UTF-8 input encoding

After `\usepackage[utf8]{inputenc}` there are macros that expect the UTF-8 octets as arguments. Therefore we can calculate the PDF octal sequences directly. Because the PDF format is limited to UCS-2, conversion macros are needed for UTF-8 sequences with two and three octets only.

This calculation must be done in an expandable context, so we use `eTeXhere` for performance reasons. Unhappily the results of divisions are rounded. Thus a circumvention via `\dimexpr` is used, e.g.:

```

\numexpr 123/4\relax is replaced by
\number\dimexpr.25\dimexpr 123sp\relax\relax

2221 \begingroup\expandafter\expandafter\expandafter\endgroup
2222 \expandafter\ifx\csname numexpr\endcsname\relax

```

```

2223 \let\HyPsd@UTFviii\relax
2224 \else
2225 \begingroup
2226 \lccode`~-`^f4\relax
2227 \lowercase{\endgroup
2228 \def\HyPsd@UTFviii{%
2229 \let\UTFviii@two@octets\HyPsd@UTFviii@two
2230 \let\UTFviii@three@octets\HyPsd@UTFviii@three
2231 \let\UTFviii@four@octets\HyPsd@UTFviii@four
2232 \ifx-\HyPsd@UTFviii@ccxliv@undef
2233 \let-\HyPsd@UTFviii@ccxliv@def
2234 \fi
2235 \let\unichar\HyPsd@unichar
2236 }%
2237 }%
2238 \def\HyPsd@UTFviii@ccxliv@undef{\@inenc@undefined@{utf8}}%
2239 \edef\HyPsd@UTFviii@ccxliv@def{%
2240 \noexpand\UTFviii@four@octets\string ~^f4}%
2241 }%

```

The two octet form of UTF-8 110aaabb (A) and 10ccccdd (B) must be converted into octal numbers 00a and bcd. The result is \8a\bcd (with a, b, c, d as octal numbers). The conversion equations.

$$a := A/4 - 48 \quad (1)$$

$$b := A - 4 * (A/4) \quad (2)$$

$$c := B/8 - 8 * ((8 * (B/8))/8) \quad (3)$$

$$d := B - 8 * (B/8) \quad (4)$$

$$d := B - 8 * (B/8) \quad (5)$$

```

2242 \def\HyPsd@UTFviii@two#1#2{%
2243 \expandafter\HyPsd@UTFviii@two
2244 \number\dimexpr.25\dimexpr#1sp\expandafter\relax\expandafter|%
2245 \number'#1\expandafter|%
2246 \number\dimexpr.125\dimexpr#2sp\expandafter\relax\expandafter|%
2247 \number'#2 \@nil
2248 }%
2249 \def\HyPsd@UTFviii@two#1|#2|#3|#4@\nil{%
2250 \expandafter|8%
2251 \number\numexpr #1-48\expandafter\relax
2252 \csname\number\numexpr #2-4*#1\relax\expandafter\endcsname
2253 \number\numexpr #3-8*%
2254 \number\dimexpr.125\dimexpr#3sp\relax\relax\expandafter\relax
2255 \number\numexpr #4-8*#3\relax
2256 }%

```

Three octet form: 1110aabb (A), 10bcccd (B), and 10eeeeff (C). The result is \9abc\def (with a, ..., f as octal numbers). The conversion equations:

$$a := A/4 - 56 \quad (6)$$

$$b := 2 * (A - 4 * (A/4)) + ((B - 128 < 32)?0:1) \quad (7)$$

$$c := B/4 - 32 - ((B - 128 < 32)?0:8) \quad (8)$$

$$d := B - 4 * (B/4) \quad (9)$$

$$e := C/8 - 16 \quad (10)$$

$$f := C - 8 * (C/8) \quad (11)$$

$$f := C - 8 * (C/8) \quad (12)$$

```

2257 \def\HyPsd@UTFviii@three#1#2#3{%
2258   \expandafter\HyPsd@UTFviii@@three
2259   \number\dimexpr.25\dimexpr'#1sp\expandafter\relax\expandafter|%
2260   \number'#1\expandafter|%
2261   \number\ifnum\numexpr#2-128\relax <32 0\else 1\fi\expandafter|%
2262   \number\dimexpr.25\dimexpr'#2sp\expandafter\relax\expandafter|%
2263   \number'#2\expandafter|%
2264   \number\dimexpr.125\dimexpr'#3sp\expandafter\relax\expandafter|%
2265   \number'#3 \@nil
2266 }%
2267 \def\HyPsd@UTFviii@@three#1|#2|#3|#4|#5|#6|#7|@nil{%
2268   \expandafter\9%
2269   \number\numexpr #1-56\expandafter\relax
2270   \number\numexpr 2*(#2-4*#1)+#3\expandafter\relax
2271   \number\numexpr #4 - 32 -\ifcase#3 0\else 8\fi\expandafter\relax
2272   \csname\number\numexpr #5-4*#4\relax\expandafter\endcsname
2273   \number\numexpr #6-16\expandafter\relax
2274   \number\numexpr #7-8*#6\relax
2275 }%

```

Surrogates: 4 octets in UTF-8, a surrogate pair in UTF-16. High surrogate range: U+D800–U+DBFF, low surrogate range: U+DC00–U+DFFF.

UTF-8:	11110uuu	10uuzzzz	10yyyyyy	10xxxxxx
www =	uuuuu - 1			
UTF-16:	110110ww	wwzzzzyy	110111yy	yyxxxxxxxx
	octal:	011 011 0ww	0ww zzz zyy	011 011 1yy
		0yy	xxx	xxx

```

2276 \def\HyPsd@UTFviii@four#1#2{%
2277   \expandafter\HyPsd@@UTFviii@four\number
2278   \numexpr-1+('#1-240)*4+\dimexpr.0625\dimexpr'#2sp-128sp%
2279   \expandafter|\number
2280   \numexpr'#2-16*\dimexpr.0625\dimexpr'#2sp|%
2281 }%
2282 \def\HyPsd@@UTFviii@four#1|#2|#3{%
2283   \933\number\dimexpr.25\dimexpr'1sp\relax\relax
2284   \csname\number\numexpr#1-4*\dimexpr.25\dimexpr'1sp\endcsname
2285   \ifodd#2 %
2286     \number\numexpr(#2-1)/2\relax
2287   \else
2288     \number\numexpr#2/2\relax
2289   \fi
2290   \number\numexpr\ifodd#2 4+\fi
2291   \dimexpr.0625\dimexpr'#3sp-128sp\relax\relax\relax
2292   \933%
2293   \expandafter\HyPsd@@@UTFviii@four\number
2294   \numexpr'#3-16*\dimexpr.0625\dimexpr'#3sp|%
2295 }%
2296 \def\HyPsd@@@UTFviii@four#1|#2{%
2297   \number\numexpr4+\dimexpr.25\dimexpr'1sp\relax\relax\relax
2298   \csname\number\numexpr#1-4*\dimexpr.25\dimexpr'1sp\endcsname
2299   \number\dimexpr.125\dimexpr'#2sp-128sp\relax\relax
2300   \number\numexpr'#2-8*\dimexpr.125\dimexpr'#2sp\relax\relax\relax
2301 }%

```

Input encoding utf8x of package ucs uses macro \unichar. Values greater than "FFFF" are not supported.

```

2302 \def\HyPsd@unichar#1{%
2303   \ifHy@unicode

```

```

2304     \ifnum#1>"10FFFF %
2305         \HyPsd@UnicodeReplacementCharacter % illegal
2306     \else
2307         \ifnum#1>"FFFF %
High-surrogate code point. ("D800 = 55296, \p@ = 1pt = 65536sp)
2308         \expandafter\HyPsd@unichar\expandafter{%
2309             \number\numexpr 55296+%
2310                 \dimexpr.0009765625\dimexpr\number#1sp-\p@
2311                     \relax\relax\relax
2312             }%
Low-surrogate code point. ("DC00 = 56320, "DC00 - 65536 = -9216)
2313         \expandafter\HyPsd@unichar\expandafter{%
2314             \number\numexpr#1-9216%
2315                 -1024*\dimexpr.0009765625\dimexpr\number#1sp-\p@
2316                     \relax\relax\relax
2317             }%
2318     \else
2319         \ifnum#1>"7FF %
2320             \%
2321             \expandafter\HyPsd@unichar@first@byte\expandafter{%
2322                 \number
2323                     \dimexpr.00390625\dimexpr\number#1sp\relax\relax
2324             }%
2325     \else
2326         \%
2327             \number\dimexpr.00390625\dimexpr\number#1sp\relax\relax
2328         \fi
2329         \expandafter\HyPsd@unichar@second@byte\expandafter{%
2330             \number
2331                 \numexpr#1-256*\number
2332                     \dimexpr.00390625\dimexpr\number#1sp\relax\relax\relax
2333             }%
2334         \fi
2335     \fi
2336 \else
2337     .% unsupported (Unicode -> PDF Doc Encoding)
2338 \fi
2339 }%
2340 \def\HyPsd@UnicodeReplacementCharacter{\9377\375}%
2341 \def\HyPsd@unichar@first@byte#1{%
2342     \number\dimexpr.015625\dimexpr#1sp\relax\relax
2343     \expandafter\HyPsd@unichar@octtwo\expandafter{%
2344         \number
2345             \numexpr#1-64*\number\dimexpr.015625\dimexpr#1sp%
2346                 \relax\relax\relax
2347             }%
2348 }%
2349 \def\HyPsd@unichar@second@byte#1{%
2350     \csname\number\dimexpr.015625\dimexpr#1sp\relax\relax\endcsname
2351     \expandafter\HyPsd@unichar@octtwo\expandafter{%
2352         \number
2353             \numexpr#1-64*\number\dimexpr.015625\dimexpr#1sp%
2354                 \relax\relax\relax
2355             }%
2356 }%
2357 \def\HyPsd@unichar@octtwo#1{%

```

```

2358   \number\dimexpr.125\dimexpr#1sp\relax\relax
2359   \number\numexpr#1-8*\number\dimexpr.125\dimexpr#1sp%
2360   \relax\relax\relax
2361 }%
2362 \fi
\HyPsd@utf@viii@undeferr \utf@viii@undeferr comes from file utf8x.def from package ucs.
2363 \def\HyPsd@utf@viii@undeferr#1#2#3#4#5#6{%
2364   \ifx\@gobble#1%
2365   \else
2366     [Please insert \textbackslash PrerenderUnicode%
2367     \textbraceleft#1\textbraceright\space
2368     into preamble]%
2369   \fi
2370 }%

```

6.6.10 Support for die faces (ifsym et. al.)

\HyPsd@DieFace Die faces are provided by

Package	Macro
ifsym	\Cube
epsdice	\epsdice
hhcount	\fcdice

\Cube and \epsdice restrict the range to the numbers one to six. \fcdice generates for larger numbers several dice faces with the sum matching the number. The implementation for the PDF strings follows \fcdice.

```

2371 \def\HyPsd@DieFace#1{%
2372   \ifHy@unicode
2373     \ifnum#1<1 %
2374       \HyPsd@UnicodeReplacementCharacter
2375     \else
2376       \ifnum#1>6 %
2377         \9046\205%
2378         \expandafter\expandafter\expandafter
2379         \HyPsd@DieFaceLarge\intcalcSub{#1}{6}!%
2380       \else
2381         \9046\20\intcalcDec{#1}%
2382       \fi
2383     \fi
2384   \else
2385     .% Die faces are not part of PDFDocEncoding
2386   \fi
2387 }

```

\HyPsd@DieFaceLarge

```

2388 \def\HyPsd@DieFaceLarge#1!{%
2389   \ifnum#1>6 %
2390     \expandafter\ltx@firstoftwo
2391   \else
2392     \expandafter\ltx@secondoftwo
2393   \fi
2394   {%
2395     \9046\205%
2396     \expandafter\expandafter\expandafter

```

```

2397   \HyPsd@DieFaceLarge\IntCalcSub#1!6!!%
2398 }{%
2399   \9046\20\IntCalcDec#1!%
2400 }%
2401 }

```

6.6.11 Support for moon phases of package china2e

```

2402 \def\HyPsd@MoonPha#1{%
2403   \ifcase\intcalcNum{#1} %
2404     \HyPsd@UnicodeReplacementCharacter
2405   \or % 1
2406   % U+1F31A NEW MOON WITH FACE; \MoonPha{1} (china2e)
2407   \9330\074\9337\032%
2408   \or % 2
2409   \HyPsd@UnicodeReplacementCharacter
2410   \or % 3
2411   % U+1F31D FULL MOON WITH FACE; \MoonPha{3} (china2e)
2412   \9330\074\9337\035%
2413   \or % 4
2414   % U+1F31C LAST QUARTER MOON WITH FACE; \MoonPha{4} (china2e)
2415   \9330\074\9337\034%
2416   \else
2417     \HyPsd@UnicodeReplacementCharacter
2418   \fi
2419 }
2420 %* \HyPsd@MoonPha -> \MoonPha

```

6.6.12 Support for package pifont

```

\HyPsd@ding
2421 \def\HyPsd@ding#1{%
2422   \ifHy@unicode
2423   \ifnum#1<32 %
2424     \HyPsd@UnicodeReplacementCharacter
2425   \else
2426     \ifnum#1>254 %
2427     \HyPsd@UnicodeReplacementCharacter
2428   \else
2429     \ifnum#1<127 %
2430       \expandafter\expandafter\expandafter
2431       \HyPsd@ding\intcalcNum{#1}!%
2432     \else
2433       \ifnum#1>160 %
2434         \expandafter\expandafter\expandafter
2435         \HyPsd@@ding\intcalcNum{#1}!%
2436     \else
2437       \HyPsd@UnicodeReplacementCharacter
2438     \fi
2439   \fi
2440   \fi
2441   \fi
2442 \else
2443   .% Dingbats are not part of PDFDocEncoding
2444   \fi
2445 }

```

\HyPsd@@ding

```

2446 \def\HyPsd@@ding#1!{%
2447   \ltx@ifundefined{HyPsd@ding@#1}{%
2448     \ifnum#1<127 %
2449       \9047%
2450       \HyPsd@DecimalToOctalSecond{\IntCalcSub#1!32!}%
2451     \else
2452       \ifnum#1<168 %
2453         \9047\14\IntCalcSub#1!160!%
2454       \else
2455         \ifnum#1>181 %
2456           \9047\HyPsd@DecimalToOctalSecond{\IntCalcSub#1!64!}%
2457         \else
2458           % 172..181 -> U+2460..U+2469
2459           \9044\HyPsd@DecimalToOctalSecond{\IntCalcSub#1!76!}%
2460         \fi
2461       \fi
2462     \fi
2463   }{%
2464     \csname HyPsd@ding@#1\endcsname
2465   }%
2466 }

2467 \@namedef{HyPsd@ding@32}{\space}
2468 % U+260E BLACK TELEPHONE
2469 \@namedef{HyPsd@ding@37}{\9046\016} % U+260E
2470 % U+261B BLACK RIGHT POINTING INDEX
2471 \@namedef{HyPsd@ding@42}{\9046\033} % U+261B
2472 % U+261E WHITE RIGHT POINTING INDEX
2473 \@namedef{HyPsd@ding@43}{\9046\036} % U+261E
2474 % U+2605 BLACK STAR
2475 \@namedef{HyPsd@ding@72}{\9046\005} % U+2605
2476 % U+25CF BLACK CIRCLE
2477 \@namedef{HyPsd@ding@108}{\9045\317} % U+25CF
2478 % U+25A0 BLACK SQUARE
2479 \@namedef{HyPsd@ding@110}{\9045\240} % U+25A0
2480 % U+25B2 BLACK UP-POINTING TRIANGLE
2481 \@namedef{HyPsd@ding@115}{\9045\262} % U+25B2
2482 % U+25BC BLACK DOWN-POINTING TRIANGLE
2483 \@namedef{HyPsd@ding@116}{\9045\274} % U+25BC
2484 % U+25C6 BLACK DIAMOND
2485 \@namedef{HyPsd@ding@117}{\9045\306} % U+25C6
2486 % U+25D7 RIGHT HALF BLACK CIRCLE
2487 \@namedef{HyPsd@ding@119}{\9045\327} % U+25D7
2488 \@namedef{HyPsd@ding@168}{\textclubsuitblack}%
2489 \@namedef{HyPsd@ding@169}{\textdiamondsuitblack}%
2490 \@namedef{HyPsd@ding@170}{\textheartsuitblack}%
2491 \@namedef{HyPsd@ding@171}{\textspadesuitblack}%
2492 \@namedef{HyPsd@ding@213}{\textrightarrow}%
2493 \@namedef{HyPsd@ding@214}{\textleftrightarrow}%
2494 \@namedef{HyPsd@ding@215}{\textupdownarrow}%
2495 \@namedef{HyPsd@ding@240}{\HyPsd@UnicodeReplacementCharacter}

```

7 Support of other packages

7.1 Class memoir

```
2496 \@ifclassloaded{memoir}{%
```

```

2497 \Hy@AtEndOfPackage{\RequirePackage{memhfixc}}%
2498 }{}%
```

7.2 Package subfigure

Added fix for version 2.1. Here `\sub@label` is defined.

```

2499 \@ifpackageloaded{subfigure}{%
2500   \ltx@ifUndefined{\sub@label}{%
2501     \Hy@hypertexnamesfalse
2502   }{%
2503     \renewcommand*{\sub@label}[1]{%
2504       \@bsphack
2505       \subfig@oldlabel{\#1}%
2506       \if@filesw
2507         \begingroup
2508           \edef\@currentlabstr{%
2509             \expandafter\strip@prefix\meaning\@currentlabelname
2510           }%
2511           \protected@write\@auxout{}{%
2512             \string\newlabel{\sub@#1}{%
2513               \nameuse{\@thesub\@capttype}%
2514               \thepage%
2515             }%
2516             \expandafter\strip@period\@currentlabstr
2517             \relax.\relax\@C@%
2518           }%
2519           \{@currentHref}%
2520         }%
2521       }%
2522     }%
2523     \endgroup
2524   \fi
2525   \@esphack
2526 }%
2527 \@ifpackagelater{subfigure}{2002/03/26}{%
2528   \videocommand*{\toclevel@subfigure}{1}%
2529   \videocommand*{\toclevel@subtable}{1}%
2530 }%
2531 }%
2532 }{}%
```

7.3 Package xr and xr-hyper

The beta version of xr that supports `\XR@addURL` is called **xr-hyper**. Therefore we test for the macro itself and not for the package name:

```

2533 \ltx@ifUndefined{\XR@addURL}{%
2534 }{%
```

If reading external aux files check whether they have a non zero fourth field in `\newlabel` and if so, add the URL as the fifth field.

```

2535 \def\XR@addURL#1{\XR@c@dURL#1{}{}{}{}\\}%
2536 \def\XR@c@dURL#1#2#3#4#5\{%
2537   {#1}{#2}%
2538   \if!#4%
2539   \else
2540     {#3}{#4}{\XR@URL}%
2541   \fi
2542 }%
```

```

2543 }
2544 \def\Hy@true{true}
2545 \def\Hy@false{false}
    Providing dummy definitions.
2546 \let\literalps@out\@gobble
2547 \newcommand\pdfbookmark[3][]{}
2548 \def\Acrobatmenu#1#2{\leavevmode#2}
2549 \def\Hy@writebookmark#1#2#3#4#5{}%

```

8 Help macros for links

Anchors get created on the baseline of where they occur. If an XYZ PDF view is set, this means that the link places the top of the screen *on the baseline* of the target. If this is an equation, for instance, it means that you cannot see anything. Some links, of course, are created at the start of environments, and so it works. To allow for this, anchors are raised, where possible, by some small amount. This defaults to `\baselineskip`, but users can set it to something else in two ways (thanks to Heiko Oberdiek for suggesting this):

1. Redefine `\HyperRaiseLinkDefault` to be eg the height of a `\strut`
2. Redefine `\HyperRaiseLinkHook` to do something complicated; it must give a value to `\HyperRaiseLinkLength`, which is what actually gets used

```

2550 \let\HyperRaiseLinkHook\@empty
2551 \def\HyperRaiseLinkDefault{\baselineskip}

\HyperRaiseLinkHook allows the user to reassign \HyperRaiseLinkLength.
2552 \newcount\Hy@SavedSpaceFactor
2553 \def\Hy@SaveSpaceFactor{%
2554   \global\Hy@SavedSpaceFactor=\ifhmode\spacefactor\else\z@\fi
2555 }
2556 \def\Hy@RestoreSpaceFactor{%
2557   \relax
2558   \ifhmode
2559     \ifnum\Hy@SavedSpaceFactor>\z@
2560       \spacefactor=\Hy@SavedSpaceFactor
2561     \fi
2562   \fi
2563 }
2564 \def\Hy@SaveSavedSpaceFactor{%
2565   \edef\Hy@RestoreSavedSpaceFactor{%
2566     \global\Hy@SavedSpaceFactor=\the\Hy@SavedSpaceFactor\relax
2567   }%
2568 }
2569 \def\Hy@raisedlink#1{%
2570   \ifvmode
2571     #1%
2572   \else
2573     \Hy@SaveSpaceFactor
2574     \penalty\@M
2575     \smash{%
2576       \begingroup
2577         \let\HyperRaiseLinkLength\@tempdima
2578         \setlength\HyperRaiseLinkLength\HyperRaiseLinkDefault
2579       \HyperRaiseLinkHook

```

```

2580     \expandafter\endgroup
2581     \expandafter\raise\the\HyperRaiseLinkLength\hbox{%
2582         \Hy@RestoreSpaceFactor
2583         #1%
2584         \Hy@SaveSpaceFactor
2585     }%
2586 }%
2587 \Hy@RestoreSpaceFactor
2588 \fi
2589 }

```

\Hy@SaveLastskip Inserting a \special command to set a destination destroys the \lastskip value.
\Hy@RestoreLastskip

```

2590 \def\Hy@SaveLastskip{%
2591   \let\Hy@RestoreLastskip\relax
2592   \ifvmode
2593     \ifdim\lastskip=\z@
2594       \let\Hy@RestoreLastskip\nobreak
2595     \else
2596       \begingroup
2597         \skip@=-\lastskip
2598         \edef\x{%
2599             \endgroup
2600             \def\noexpand\Hy@RestoreLastskip{%
2601                 \noexpand\ifvmode
2602                   \noexpand\nobreak
2603                   \vskip\the\skip@
2604                   \vskip\the\lastskip\relax
2605                 \noexpand\fi
2606             }%
2607         }%
2608       \x
2609     \fi
2610   \else
2611     \ifhmode
2612       \ifdim\lastskip=\z@
2613         \let\Hy@RestoreLastskip\nobreak
2614       \else
2615         \begingroup
2616           \skip@=-\lastskip
2617           \edef\x{%
2618             \endgroup
2619             \def\noexpand\Hy@RestoreLastskip{%
2620                 \noexpand\ifhmode
2621                   \noexpand\nobreak
2622                   \hskip\the\skip@
2623                   \hskip\the\lastskip\relax
2624                 \noexpand\fi
2625             }%
2626         }%
2627       \x
2628     \fi
2629   \fi
2630 \fi
2631 }%

```

9 Options

```
2632 \SetupKeyvalOptions{%
2633   family=Hyp,%
2634   prefix=HyOpt%
2635 }

9.1 Help macros

\IfHyperBooleanExists
2636 \def\IfHyperBooleanExists#1{%
2637   \ltx@ifundefined{Hy@#1false}\ltx@secondoftwo{%
2638     \ltx@ifundefined{KV@Hyp@#1@default}\ltx@secondoftwo\ltx@firstoftwo
2639   }%
2640 }

2641 \cnamedef{KV@Hyp@stoppedearly@default}{}

\IfHyperBoolean
2642 \def\IfHyperBoolean#1{%
2643   \IfHyperBooleanExists{#1}{%
2644     \csname ifHy@#1\endcsname
2645     \expandafter\ltx@firstoftwo
2646   \else
2647     \expandafter\ltx@secondoftwo
2648   \fi
2649 }\ltx@secondoftwo
2650 }

\Hy@boolkey
2651 \def\Hy@boolkey#1#2{%
2652   \edef\Hy@tempa{#2}%
2653   \lowercase\expandafter{%
2654     \expandafter\def\expandafter\Hy@tempa\expandafter{\Hy@tempa}%
2655   }%
2656   \ifx\Hy@tempa\empty
2657     \let\Hy@tempa\Hy@true
2658   \fi
2659   \ifx\Hy@tempa\Hy@true
2660     \else
2661       \ifx\Hy@tempa\Hy@false
2662         \else
2663           \let\Hy@tempa\relax
2664         \fi
2665       \fi
2666       \ifx\Hy@tempa\relax
2667         \Hy@WarnOptionValue{#2}{#1}{‘true’ or ‘false’}%
2668       \else
2669         \Hy@Info{Option ‘#1’ set ‘\Hy@tempa’}%
2670       \csname Hy@#1\Hy@tempa\endcsname
2671     \fi
2672   }

\Hy@WarnOptionValue
2673 \def\Hy@WarnOptionValue#1#2#3{%
2674   \Hy@Warning{%
2675     Unexpected value ‘#1’\MessageBreak
2676     of option ‘#2’ instead of\MessageBreak
2677   }
```

```

2677    #3%
2678  }%
2679 }

\Hy@DisableOption
2680 \def\Hy@DisableOption#1{%
2681   \ltx@ifundefined{KV@Hyp@#1@default}{%
2682     \define@key{Hyp}{#1}%
2683   }{%
2684     \define@key{Hyp}{#1}[]%
2685   }%
2686   {\Hy@WarnOptionDisabled{#1}}%
2687 }

\Hy@WarnOptionDisabled
2688 \def\Hy@WarnOptionDisabled#1{%
2689   \Hy@Warning{%
2690     Option '#1' has already been used,\MessageBreak
2691     setting the option has no effect%
2692   }%
2693 }

\Hy@CheckOptionValue Some options take a string value out of a limited set of values. Macro \Hy@Check-
OptionValue checks whether the given value #1 for option #2 is a member of
the value list #3.
2694 \def\Hy@CheckOptionValue#1##2##3{%
2695   \begingroup
2696   \edef\x{##1}%
2697   \onelevel@sanitize\x
2698   \let\y=\y%
2699   \def\do##1##2{%
2700     \def\z{##1}%
2701     \onelevel@sanitize\z
2702     \ifx\x\z
2703       \let\y=n%
2704       \let\do\@gobbletwo
2705     \fi
2706   }%
2707   #3%
2708   \ifx\y y%
2709     \def\do##1##2{%
2710       * ##1%
2711       \ifx\\##2\\ \else\space(##2)\fi
2712       \MessageBreak
2713     }%
2714     \Hy@Warning{%
2715       Values of option '#2':\MessageBreak
2716       #3%
2717       * An empty value disables the option.\MessageBreak
2718       Unknown value '\x'%
2719     }%
2720   \fi
2721   \endgroup
2722 }

\Hy@DefNameKey #1: option name
               #2: \do list with known values, first argument of \do is value, second argument
is a comment.

```

```

2723 \def\Hy@@DefNameKey#1{%
2724   \expandafter\Hy@@DefNameKey\csname @#1\endcsname{#1}%
2725 }

\Hy@@DefNameKey #1: macro for value storage
#2: option name
#3: \do list with known values.

2726 \def\Hy@@DefNameKey#1#2#3{%
2727   \define@key{Hyp}{#2}{%
2728     \edef#1{\#1}%
2729     \ifx#1\empty
2730     \else
2731       \Hy@CheckOptionValue{\#1}{#2}{#3}%
2732     \fi
2733   }%
2734   \let#1\empty
2735 }

```

```

\Hy@UseNameKey

2736 \def\Hy@UseNameKey#1#2{%
2737   \ifx#2\empty
2738   \else
2739     /#1/#2%
2740   \fi
2741 }

```

9.2 Defining the options

```

2742 \define@key{Hyp}{implicit}[true]{%
2743   \Hy@boolkey{implicit}{#1}%
2744 }
2745 \define@key{Hyp}{draft}[true]{%
2746   \Hy@boolkey{draft}{#1}%
2747 }
2748 \define@key{Hyp}{final}[true]{%
2749   \Hy@boolkey{final}{#1}%
2750 }
2751 \let\KV@Hyp@nolinks\KV@Hyp@draft

2752 \def\Hy@ObsoletePaperOption#1{%
2753   \Hy@WarningNoLine{%
2754     Option '#1' is no longer used%
2755   }%
2756   \define@key{Hyp}{#1}[true]{}
2757 }
2758 \def\Hy@temp#1{%
2759   \define@key{Hyp}{#1}[true]{%
2760     \Hy@ObsoletePaperOption{#1}%
2761   }%
2762 }
2763 \Hy@temp{a4paper}
2764 \Hy@temp{a5paper}
2765 \Hy@temp{b5paper}
2766 \Hy@temp{letterpaper}
2767 \Hy@temp{legalpaper}
2768 \Hy@temp{executivepaper}

2769 \define@key{Hyp}{setpagesize}[true]{%

```

```

2770 \Hy@boolkey{setpagesize}{#1}%
2771 }
2772 \define@key{Hyp}{debug}[true]{%
2773 \Hy@boolkey{debug}{#1}%
2774 }
2775 \define@key{Hyp}{linktocpage}[true]{%
2776 \Hy@boolkey{linktocpage}{#1}%
2777 \ifHy@linktocpage
2778 \let\Hy@linktoc\Hy@linktoc@page
2779 \else
2780 \let\Hy@linktoc\Hy@linktoc@section
2781 \fi
2782 }
2783 \chardef\Hy@linktoc@none=0 %
2784 \chardef\Hy@linktoc@section=1 %
2785 \chardef\Hy@linktoc@page=2 %
2786 \chardef\Hy@linktoc@all=3 %
2787 \ifHy@linktocpage
2788 \let\Hy@linktoc\Hy@linktoc@page
2789 \else
2790 \let\Hy@linktoc\Hy@linktoc@section
2791 \fi
2792 \define@key{Hyp}{linktoc}{%
2793 \@ifundefined{Hy@linktoc@#1}{%
2794 \Hy@Warning{%
2795 Unexpected value '#1' of\MessageBreak
2796 option 'linktoc' instead of 'none',\MessageBreak
2797 'section', 'page' or 'all'%}
2798 }%
2799 }{%
2800 \expandafter\let\expandafter\Hy@linktoc
2801 \csname Hy@linktoc@#1\endcsname
2802 }%
2803 }
2804 \define@key{Hyp}{extension}{\def\XR@ext{#1}}
2805 \let\XR@ext\relax
2806 \define@key{Hyp}{verbose}[true]{%
2807 \Hy@boolkey{verbose}{#1}%
2808 }
2809 \define@key{Hyp}{typexml}[true]{%
2810 \Hy@boolkey{typexml}{#1}%
2811 }

```

If we are going to PDF via HyperTeX \special commands, the dvips (-z option) processor does not know the *height* of a link, as it works solely on the position of the closing \special. If we use this option, the \special is raised up by the right amount, to fool the dvi processor.

```

2812 \define@key{Hyp}{raiselinks}[true]{%
2813 \Hy@boolkey{raiselinks}{#1}%
2814 }

```

Most PDF-creating drivers do not allow links to be broken

```

2815 \def\Hy@setbreaklinks#1{%
2816 \csname breaklinks#1\endcsname
2817 }
2818 \def\Hy@breaklinks@unsupported{%
2819 \ifx\Hy@setbreaklinks\@gobble
2820 \ifHy@breaklinks

```

```

2821     \Hy@WarningNoLine{%
2822         You have enabled option 'breaklinks'.\MessageBreak
2823         But driver '\Hy@driver.def' does not support this.\MessageBreak
2824         Expect trouble with the link areas of broken links%
2825     }%
2826     \fi
2827     \fi
2828 }

2829 \define@key{Hyp}{breaklinks}[true]{%
2830   \Hy@boolkey{breaklinks}{#1}%
2831   \let\Hy@setbreaklinks\@gobble
2832 }

2833 \define@key{Hyp}{localanchorname}[true]{%
2834   \Hy@boolkey{localanchorname}{#1}%
2835 }

Determines whether an automatic anchor is put on each page
2836 \define@key{Hyp}{pageanchor}[true]{%
2837   \Hy@boolkey{pageanchor}{#1}%
2838 }

Are the page links done as plain arabic numbers, or do they follow the formatting
of the package? The latter loses if you put in typesetting like \textbf or the like.
2839 \define@key{Hyp}{plainpages}[true]{%
2840   \Hy@boolkey{plainpages}{#1}%
2841 }

Are the names for anchors made as per the HyperTeX system, or do they simply
use what LATEX provides?
2842 \define@key{Hyp}{naturalnames}[true]{%
2843   \Hy@boolkey{naturalnames}{#1}%
2844 }

Completely ignore the names as per the HyperTeX system, and use unique coun-
ters.
2845 \define@key{Hyp}{hypertexnames}[true]{%
2846   \Hy@boolkey{hypertexnames}{#1}%
2847 }

Currently, dvips doesn't allow anchors nested within targets, so this option tries
to stop that happening. Other processors may be able to cope.
2848 \define@key{Hyp}{nesting}[true]{%
2849   \Hy@boolkey{nesting}{#1}%
2850 }

2851 \define@key{Hyp}{unicode}[true]{%
2852   \Hy@boolkey{unicode}{#1}%
2853   \ifHy@unicode
2854     \def\HyPsd@pdfencoding{unicode}%
2855     \HyPsd@LoadUnicode
2856   \else
2857     \def\HyPsd@pdfencoding{pdfdoc}%
2858   \fi
2859 }
2860 \Hy@AtBeginDocument{%
2861   \ifx\HyPsd@LoadUnicode\relax
2862   \else
2863     \def\HyPsd@LoadUnicode{%
2864       \Hy@Error{%
2865         Unicode support for bookmarks is not available.\MessageBreak

```

```

2866     Activate unicode support by using one of the options\MessageBreak
2867     'unicode', 'pdfencoding=unicode', 'pdfencoding=auto'\MessageBreak
2868     in the preamble%
2869     }@\ehc
2870     \global\let\HyPsd@LoadUnicode\relax
2871     \global\Hy@unicodedefalse
2872     \global\let\Hy@unicodetrue\Hy@unicodedefalse
2873   }%
2874   \fi
2875 }

2876 \define@key{Hyp}{pdfencoding}{%
2877   \edef\HyPsd@temp{#1}%
2878   \ifx\HyPsd@temp\HyPsd@pdfencoding@pdfdoc
2879     \let\HyPsd@pdfencoding\HyPsd@temp
2880     \Hy@unicodedefalse
2881   \else
2882     \ifcase\ifx\HyPsd@temp\HyPsd@pdfencoding@unicode
2883       \z@
2884     \else
2885       \ifx\HyPsd@temp\HyPsd@pdfencoding@auto
2886         \z@
2887       \else
2888         \z@ne
2889       \fi
2890     \fi
2891   \let\HyPsd@pdfencoding\HyPsd@temp
2892   \hypersetup{unicode}%
2893   \ifHy@unicode
2894     \def\HyPsd@pdfencoding{#1}%
2895     \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
2896       \HyPsd@LoadStringEnc
2897     \fi
2898   \else
2899     \Hy@Warning{Cannot switch to unicode bookmarks}%
2900     \let\HyPsd@pdfencoding\HyPsd@pdfencoding@pdfdoc
2901   \fi
2902 \else
2903   \z@onelevel@sanitize\HyPsd@temp
2904   \Hy@Warning{%
2905     Values of option 'pdfencoding':\MessageBreak
2906     'pdfdoc', 'unicode', 'auto'\MessageBreak
2907     Ignoring unknown value '\HyPsd@temp'%
2908   }%
2909   \fi
2910 \fi
2911 }

2912 \def\HyPsd@pdfencoding@auto{auto}
2913 \def\HyPsd@pdfencoding@pdfdoc{pdfdoc}
2914 \def\HyPsd@pdfencoding@unicode{unicode}
2915 \let\HyPsd@pdfencoding\Hy@pdfencoding@pdfdoc
2916 \def\HyPsd@LoadStringEnc{%
2917   \RequirePackage{stringenc}[2009/12/15]%
2918   \let\HyPsd@LoadStringEnc\relax
2919 }
2920 \Hy@AtBeginDocument{%
2921   \@ifpackageloaded{stringenc}{%
2922     \let\HyPsd@LoadStringEnc\relax

```

```

2923  }{%
2924   \def\HyPsd@LoadStringEnc{%
2925     \Hy@WarningNoLine{%
2926       Missing package 'stringenc'. Use 'pdfencoding=auto'\MessageBreak
2927       in the preamble or load the package there%
2928     }%
2929   }%
2930 }%
2931 }

2932 \define@key{Hyp}{psdextra}[true]{%
2933   \Hy@boolkey{psdextra}{#1}%
2934 }

2935 \def\hypersetup{\kvsetkeys{Hyp}{}

2936 \newif\ifHy@setpdfversion
2937 \define@key{Hyp}{pdfversion}{%
2938   \@ifundefined{Hy@pdfversion@#1}{%
2939     \PackageWarning{hyperref}{%
2940       Unsupported PDF version '#1'.\MessageBreak
2941       Valid values: 1.2 until 1.9%
2942     }%
2943   }{%
2944     \Hy@setpdfversiontrue
2945     \edef\Hy@pdfversion{\@nameuse{Hy@pdfversion@#1}}%
2946   }%
2947 }
2948 \cnamedef{Hy@pdfversion@1.2}{2}%
2949 \cnamedef{Hy@pdfversion@1.3}{3}%
2950 \cnamedef{Hy@pdfversion@1.4}{4}%
2951 \cnamedef{Hy@pdfversion@1.5}{5}%
2952 \cnamedef{Hy@pdfversion@1.6}{6}%
2953 \cnamedef{Hy@pdfversion@1.7}{7}%
2954 \cnamedef{Hy@pdfversion@1.8}{8}%
2955 \cnamedef{Hy@pdfversion@1.9}{9}%
2956 \def\Hy@pdfversion{2}

```

10 Options for different drivers

```

2957 \newif\ifHy@DviMode
2958 \let\Hy@DviErrMsg\ltx@empty
2959 \ifpdf
2960   \def\Hy@DviErrMsg{pdfTeX or LuaTeX is running in PDF mode}%
2961 \else
2962   \ifxetex
2963     \def\Hy@DviErrMsg{XeTeX is running}%
2964   \else
2965     \ifvtex
2966       \ifvtexdvi
2967         \Hy@DviModetrue
2968       \else
2969         \def\Hy@DviErrMsg{VTeX is running, but not in DVI mode}%
2970       \fi
2971     \else
2972       \Hy@DviModetrue
2973     \fi
2974   \fi
2975 \fi

```

```

2976 \def\HyOpt@CheckDvi#1{%
2977   \ifHy@DviMode
2978     \expandafter\ltx@firstofone
2979   \else
2980     \Hy@Error{%
2981       Wrong DVI mode driver option '#1',\MessageBreak
2982       because \Hy@DviErrMsg
2983     }@\ehc
2984     \expandafter\ltx@gobble
2985   \fi
2986 }

2987 \DeclareVoidOption{tex4ht}{%
2988   \Hy@texhttrue
2989   \kvsetkeys{Hyp}{colorlinks=true}%
2990   \def\BeforeTeXIVht{\RequirePackage{color}}%
2991   \def\Hy@driver{htex4ht}%
2992   \def\MaybeStopEarly{%
2993     \Hy@Message{Stopped early}%
2994     \Hy@AtBeginDocument{%
2995       \PDF@FinishDoc
2996       \gdef\PDF@FinishDoc{}%
2997     }%
2998     \endinput
2999   }%
3000 }

3001 \DeclareVoidOption{pdftex}{%
3002   \ifpdf
3003     \def\Hy@driver{hpdftex}%
3004   \else
3005     \Hy@Error{%
3006       Wrong driver option 'pdftex',\MessageBreak
3007       because pdfTeX in PDF mode is not detected%
3008     }@\ehc
3009   \fi
3010 }

3011 \DeclareVoidOption{nativepdf}{%
3012   \HyOpt@CheckDvi{nativepdf}{%
3013     \def\Hy@driver{hdvips}%
3014   }%
3015 }

3016 \DeclareVoidOption{dvipdfm}{%
3017   \HyOpt@CheckDvi{dvipdfm}{%
3018     \def\Hy@driver{hdvipdfm}%
3019   }%
3020 }

3021 \DeclareVoidOption{dvipdfmx}{%
3022   \HyOpt@CheckDvi{dvipdfmx}{%
3023     \def\Hy@driver{hdvipdfm}%
3024   }%
3025 }

3026 \define@key{Hyp}{dvipdfmx-outline-open}[true]{%
3027   \expandafter\ifx\csname if#1\expandafter\endcsname
3028     \csname iftrue\endcsname
3029     \chardef\SpecialDvipdfmxOutlineOpen\@ne
3030   \else
3031     \chardef\SpecialDvipdfmxOutlineOpen\z@
3032   \fi

```

```

3033 }
3034 \DeclareVoidOption{xetex}{%
3035   \ifxetex
3036     \def\Hy@driver{hxtex}%
3037   \else
3038     \Hy@Error{%
3039       Wrong driver option ‘xetex’,\MessageBreak
3040       because XeTeX is not detected%
3041     }@\ehc
3042   \fi
3043 }
3044 \DeclareVoidOption{pdfmark}{%
3045   \HyOpt@CheckDvi{pdfmark}{%
3046     \def\Hy@driver{hdvips}%
3047   }%
3048 }
3049 \DeclareVoidOption{dvips}{%
3050   \HyOpt@CheckDvi{dvips}{%
3051     \def\Hy@driver{hdvips}%
3052   }%
3053 }
3054 \DeclareVoidOption{hypertex}{%
3055   \HyOpt@CheckDvi{hypertex}{%
3056     \def\Hy@driver{hypertex}%
3057   }%
3058 }
3059 \let\Hy@MaybeStopNow\relax
3060 \DeclareVoidOption{vtx}{%
3061   \ifvtx
3062     \ifnum 0\ifnum\OpMode<1 1\fi \ifnum\OpMode>3 1\fi =0 %
3063       \def\Hy@driver{hvtx}%
3064     \else
3065       \ifnum\OpMode=10\relax
3066         \def\Hy@driver{hvtexhtm}%
3067         \def\MaybeStopEarly{%
3068           \Hy@Message{Stopped early}%
3069           \Hy@AtBeginDocument{%
3070             \PDF@FinishDoc
3071             \gdef\PDF@FinishDoc{}%
3072           }%
3073           \endinput
3074         }%
3075       \else
3076         \Hy@Error{%
3077           Wrong driver option ‘vtx’,\MessageBreak
3078           because of wrong OpMode (\the\OpMode)%
3079         }@\ehc
3080       \fi
3081     \fi
3082   \else
3083     \Hy@Error{%
3084       Wrong driver option ‘vtx’,\MessageBreak
3085       because VTeX is not running%
3086     }@\ehc
3087   \fi
3088 }
3089 \DeclareVoidOption{vtexpdfmark}{%

```

```

3090 \ifvtex
3091   \ifnum 0\ifnum\OpMode<1 1\fi \ifnum\OpMode>3 1\fi =0 %
3092     \def\Hy@driver{hvtexmrk}%
3093   \else
3094     \Hy@Error{%
3095       Wrong driver option ‘vtexpdfmark’,\MessageBreak
3096       because of wrong OpMode (\the\OpMode)%
3097     }\@ehc
3098   \fi
3099 \else
3100   \Hy@Error{%
3101     Wrong driver option ‘vtexpdfmark’,\MessageBreak
3102     because VTeX is not running%
3103   }\@ehc
3104 \fi
3105 }
3106 \DeclareVoidOption{dviwindo}{%
3107   \HyOpt@CheckDvi{dviwindo}{%
3108     \def\Hy@driver{hdviwind}%
3109     \kvsetkeys{Hyp}{colorlinks}%
3110     \PassOptionsToPackage{dviwindo}{color}%
3111   }%
3112 }
3113 \DeclareVoidOption{dvipsone}{%
3114   \HyOpt@CheckDvi{dvipsone}{%
3115     \def\Hy@driver{hdvipson}%
3116   }%
3117 }
3118 \DeclareVoidOption{textures}{%
3119   \HyOpt@CheckDvi{textures}{%
3120     \def\Hy@driver{htexture}%
3121   }%
3122 }
3123 \DeclareVoidOption{latex2html}{%
3124   \HyOpt@CheckDvi{latex2html}{%
3125     \Hy@AtBeginDocument{\@latextohtmlX}%
3126   }%
3127 }

No more special treatment for ps2pdf. Let it sink or swim.

3128 \DeclareVoidOption{ps2pdf}{%
3129   \HyOpt@CheckDvi{ps2pdf}{%
3130     \def\Hy@driver{hdvips}%
3131   }%
3132 }

3133 \let\HyOpt@DriverFallback\ltx@empty
3134 \define@key{Hyp}{driverfallback}{%
3135   \ifHy@DviMode
3136     \def\HyOpt@DriverFallback{\#1}%
3137     \Hy@Match\HyOpt@DriverFallback{%
3138       ^(|dvipdfm|dvipdfmx|dvips|dvipsone|dviwindo|hypertex|ps2pdf|%
3139       latex2html|tex4ht)$}%
3140   }{}{%
3141     \let\HyOpt@DriverFallback\ltx@empty
3142   }%
3143 \fi
3144 }

```

11 Options to add extra features

Make included figures (assuming they use the standard graphics package) be hypertext links. Off by default. Needs more work.

```
3145 \define@key{Hyp}{hyperfigures}[true]{%
3146   \Hy@boolkey{hyperfigures}{#1}%
3147 }
```

The automatic footnote linking can be disabled by option hyperfootnotes.

```
3148 \define@key{Hyp}{hyperfootnotes}[true]{%
3149   \Hy@boolkey{hyperfootnotes}{#1}%
3150 }
```

Set up back-referencing to be hyper links, by page, slide or section number,

```
3151 \def\back@none{none}
3152 \def\back@section[section]
3153 \def\back@page[page]
3154 \def\back@slide[slide]
3155 \define@key{Hyp}{backref}[section]{%
3156   \lowercase{\def\Hy@tempa{#1}}%
3157   \ifx\Hy@tempa\empty
3158     \let\Hy@tempa\back@section
3159   \fi
3160   \ifx\Hy@tempa\Hy@false
3161     \let\Hy@tempa\back@none
3162   \fi
3163   \ifx\Hy@tempa\back@slide
3164     \let\Hy@tempa\back@section
3165   \fi
3166   \ifx\Hy@tempa\back@page
3167     \PassOptionsToPackage{hyperpageref}{backref}%
3168     \Hy@backreftrue
3169   \else
3170     \ifx\Hy@tempa\back@section
3171       \PassOptionsToPackage{hyperref}{backref}%
3172       \Hy@backreftrue
3173     \else
3174       \ifx\Hy@tempa\back@none
3175         \Hy@backreffalse
3176       \else
3177         \Hy@WarnOptionValue{#1}{backref}%
3178         'section', 'slide', 'page', 'none', \MessageBreak
3179         or 'false'}%
3180       \fi
3181     \fi
3182   \fi
3183 }
3184 \define@key{Hyp}{pagebackref}[true]{%
3185   \edef\Hy@tempa{#1}%
3186   \lowercase\expandafter{%
3187     \expandafter\def\expandafter\Hy@tempa\expandafter{\Hy@tempa}%
3188   }%
3189   \ifx\Hy@tempa\empty
3190     \let\Hy@tempa\Hy@true
3191   \fi
3192   \ifx\Hy@tempa\Hy@true
3193     \PassOptionsToPackage{hyperpageref}{backref}%
3194     \Hy@backreftrue
3195   \fi
3196 }
```

```

3195 \else
3196   \ifx\Hy@tempa\Hy@false
3197     \Hy@backreffalse
3198   \else
3199     \Hy@WarnOptionValue{\#1}{pagebackref}{‘true’ or ‘false’}%
3200   \fi
3201 \fi
3202 }

```

Make index entries be links back to the relevant pages. By default this is turned on, but may be stopped.

```

3203 \define@key{Hyp}{hyperindex}[true]{%
3204   \Hy@boolkey{hyperindex}{\#1}%
3205 }

```

Configuration of encap char.

```

3206 \define@key{Hyp}{encap}{\|}{%
3207   \def\HyInd@EncapChar{\#1}%
3208 }

```

12 Language options

The \autoref feature depends on the language.

```

3209 \def\HyLang@afrikaans{%
3210   \def\equationautorefname{Vergelyking}%
3211   \def\footnoteautorefname{Voetnota}%
3212   \def\itemautorefname{Item}%
3213   \def\figureautorefname{Figuur}%
3214   \def\tableautorefname{Tabel}%
3215   \def\partautorefname{Deel}%
3216   \def\appendixautorefname{Bylae}%
3217   \def\chapterautorefname{Hoofstuk}%
3218   \def\sectionautorefname{Afdeling}%
3219   \def\subsectionautorefname{Subafdeling}%
3220   \def\subsubsectionautorefname{Subsubafdeling}%
3221   \def\paragraphautorefname{Paragraaf}%
3222   \def\ subparagraphautorefname{Subparagraaf}%
3223   \def\FancyVerbLineautorefname{Lyn}%
3224   \def\theoremautorefname{Teorema}%
3225   \def\pageautorefname{Bladsy}%
3226 }
3227 \def\HyLang@english{%
3228   \def\equationautorefname{Equation}%
3229   \def\footnoteautorefname{footnote}%
3230   \def\itemautorefname{item}%
3231   \def\figureautorefname{Figure}%
3232   \def\tableautorefname{Table}%
3233   \def\partautorefname{Part}%
3234   \def\appendixautorefname{Appendix}%
3235   \def\chapterautorefname{chapter}%
3236   \def\sectionautorefname{section}%
3237   \def\subsectionautorefname{subsection}%
3238   \def\subsubsectionautorefname{subsubsection}%
3239   \def\paragraphautorefname{paragraph}%
3240   \def\ subparagraphautorefname{subparagraph}%
3241   \def\FancyVerbLineautorefname{line}%
3242   \def\theoremautorefname{Theorem}%

```

```

3243 \def\pageautorefname{page}%
3244 }
3245 \def\HyLang@french{%
3246 \def\equationautorefname{`Equation}%
3247 \def\footnoteautorefname{note}%
3248 \def\itemautorefname{item}%
3249 \def\figureautorefname{Figure}%
3250 \def\tableautorefname{Tableau}%
3251 \def\partautorefname{Partie}%
3252 \def\appendixautorefname{Appendice}%
3253 \def\chapterautorefname{chapitre}%
3254 \def\sectionautorefname{section}%
3255 \def\subsectionautorefname{sous-section}%
3256 \def\subsubsectionautorefname{sous-sous-section}%
3257 \def\paragraphautorefname{paragraphe}%
3258 \def\ subparagraphautorefname{sous-paragraphe}%
3259 \def\FancyVerbLineautorefname{ligne}%
3260 \def\theoremautorefname{Th\'eor\`eme}%
3261 \def\pageautorefname{page}%
3262 }
3263 \def\HyLang@german{%
3264 \def\equationautorefname{Gleichung}%
3265 \def\footnoteautorefname{Fu\ss note}%
3266 \def\itemautorefname{Punkt}%
3267 \def\figureautorefname{Abbildung}%
3268 \def\tableautorefname{Tabelle}%
3269 \def\partautorefname{Teil}%
3270 \def\appendixautorefname{Anhang}%
3271 \def\chapterautorefname{Kapitel}%
3272 \def\sectionautorefname{Abschnitt}%
3273 \def\subsectionautorefname{Unterabschnitt}%
3274 \def\subsubsectionautorefname{Unterunterabschnitt}%
3275 \def\paragraphautorefname{Absatz}%
3276 \def\ subparagraphautorefname{Unterabsatz}%
3277 \def\FancyVerbLineautorefname{Zeile}%
3278 \def\theoremautorefname{Theorem}%
3279 \def\pageautorefname{Seite}%
3280 }
3281 \def\HyLang@italian{%
3282 \def\equationautorefname{Equazione}%
3283 \def\footnoteautorefname{nota}%
3284 \def\itemautorefname{punto}%
3285 \def\figureautorefname{Figura}%
3286 \def\tableautorefname{Tabella}%
3287 \def\partautorefname{Parte}%
3288 \def\appendixautorefname{Appendice}%
3289 \def\chapterautorefname{Capitolo}%
3290 \def\sectionautorefname{sezione}%
3291 \def\subsectionautorefname{sottosezione}%
3292 \def\subsubsectionautorefname{sottosottosezione}%
3293 \def\paragraphautorefname{paragrafo}%
3294 \def\ subparagraphautorefname{sottoparagrafo}%
3295 \def\FancyVerbLineautorefname{linea}%
3296 \def\theoremautorefname{Teorema}%
3297 \def\pageautorefname{Pag.\C}%
3298 }
3299 \def\HyLang@magyarl{%

```

```

3300 \def\equationautorefname{Egyenlet}%
3301 \def\footnoteautorefname{l\'abjegyzet}%
3302 \def\itemautorefname{Elem}%
3303 \def\figureautorefname{\'Abra}%
3304 \def\tableautorefname{T\'abl\'azat}%
3305 \def\partautorefname{R\'esz}%
3306 \def\appendixautorefname{F\"uggel\'ek}%
3307 \def\chapterautorefname{fejezet}%
3308 \def\sectionautorefname{szakasz}%
3309 \def\subsectionautorefname{alszakasz}%
3310 \def\subsubsectionautorefname{alalszakasz}%
3311 \def\paragraphautorefname{bekezd\'es}%
3312 \def\ subparagraphautorefname{albekezd\'es}%
3313 \def\FancyVerbLineautorefname{sor}%
3314 \def\theoremautorefname{T\'etel}%
3315 \def\pageautorefname{oldal}%
3316 }
3317 \def\HyLang@portuges{%
3318 \def\equationautorefname{Equa\c c \~ao}%
3319 \def\footnoteautorefname{Nota de rodap\'e}%
3320 \def\itemautorefname{Item}%
3321 \def\figureautorefname{Figura}%
3322 \def\tableautorefname{Tabela}%
3323 \def\partautorefname{Parte}%
3324 \def\appendixautorefname{Ap\'endice}%
3325 \def\chapterautorefname{Cap\'itulo}%
3326 \def\sectionautorefname{Se\c c \~ao}%
3327 \def\subsectionautorefname{Subse\c c \~ao}%
3328 \def\subsubsectionautorefname{Subsubse\c c \~ao}%
3329 \def\paragraphautorefname{par\'agrafo}%
3330 \def\ subparagraphautorefname{subpar\'agrafo}%
3331 \def\FancyVerbLineautorefname{linha}%
3332 \def\theoremautorefname{Teorema}%
3333 \def\pageautorefname{P\'agina}%
3334 }

```

Next commented section for Russian is provided by Olga Lapko.

Next follow the checked reference names with commented variants and explanations. All they are abbreviated and they won't create a grammatical problems in the *middle* of sentences.

The most weak points in these abbreviations are the `\equationautorefname`, `\theoremautorefname` and the `\FancyVerbLineautorefname`. But those three, and also the `\footnoteautorefname` are not *too* often referenced. Another rather weak point is the `\appendixautorefname`.

```
3335 \def\HyLang@russian{%
```

The abbreviated reference to the equation: it is not for “the good face of the book”, but maybe it will be better to get the company for the `\theoremautorefname`?

```
3336 \def\equationautorefname{\cyr\cyrv\cyrery\cyrr.}%
```

The name of the equation reference has common form for both nominative and accusative but changes in other forms, like “of `\autoref{auto}`” etc. The full name must follow full name of the `\theoremautorefname`.

```
3337 % \def\equationautorefname{%
3338 %   \cyr\cyrv\cyrery\cyrr\cyra\cyrzh\cyre\cyrn\ciri\cyre
3339 % }%
```

The variant of footnote has abbreviation form of the synonym of the word “footnote”. This variant of abbreviated synonym has alternative status (maybe

obsolete?).

```
3340 \def\footnoteautorefname{%
3341   \cyr\cyrp\cyro\cyrd\cyrs\cyrt\cyrr.\ \cyrp\cyrr\cyri\cyrm.%%
3342 }%
```

Commented form of the full synonym for “footnote”. It has common form for both nominative and accusative but changes in other forms, like “of `\autoref{auto}`”

```
3343 % \def\footnoteautorefname{%
3344 %   \cyr\cyrp\cyro\cyrd\cyrs\cyrt\cyrr\cyro\cyrch\cyrn\cyro\cyre\ %
3345 %   \cyrp\cyrr\cyri\cyrm\cyre\cyrch\cyra\cyrn\cyri\cyre
3346 % }%
```

Commented forms of the “footnote”: have different forms, the same is for the nominative and accusative. (The others needed?)

```
3347 % \def\Nomfootnoteautorefname{\cyr\cyrs\cyrn\cyro\cyrs\cyrk\cyra}%
3348 % \def\Accfootnoteautorefname{\cyr\cyrs\cyrn\cyro\cyrs\cyrk\cyru}%
```

Name of the list item, can be confused with the paragraph reference name, but reader could understand meaning from context(?). Commented variant has common form for both nominative and accusative but changes in other forms, like “of `\autoref{auto}`” etc.

```
3349 \def\itemautorefname{\cyr\cyrp.}%
3350 % \def\itemautorefname{\cyr\cyrp\cyru\cyrn\cyrk\cyrt}%
```

Names of the figure and table have stable (standard) abbreviation forms. No problem in the middle of sentence.

```
3351 \def\figureautorefname{\cyr\cyrr\cyri\cyrs.}%
3352 \def\tableautorefname{\cyr\cyrt\cyra\cyrb\cyrl.}%
```

Names of the part, chapter, section(s) have stable (standard) abbreviation forms. No problem in the middle of sentence.

```
3353 \def\partautorefname{\cyr\cyrch.}%
3354 \def\chapterautorefname{\cyr\cyrg\cyrl.}%
3355 \def\sectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
```

Name of the appendix can use this abbreviation, but it is not standard for books, i.e, not for “the good face of the book”. Commented variant has common form for both nominative and accusative but changes in other forms, like “of `\autoref{auto}`” etc.

```
3356 \def\appendixautorefname{\cyr\cyrp\cyrr\cyri\cyrl.}%
3357 % \def\appendixautorefname{%
3358 %   \cyr\cyrp\cyrr\cyri\cyrl\cyro\cyrzh\cyre\cyrn\cyri\cyre
3359 % }%
```

The sectioning command have stable (almost standard) and common abbreviation form for all levels (the meaning of these references visible from the section number). No problem.

```
3360 \def\subsectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
3361 \def\subsubsectionautorefname{\cyr\cyrr\cyra\cyrz\cyrd.}%
```

The names of references to paragraphs also have stable (almost standard) and common abbreviation form for all levels (the meaning of these references is visible from the section number). No problem in the middle of sentence.

```
3362 \def\paragraphautorefname{\cyr\cyrp.}%
3363 \def\ subparagraphautorefname{\cyr\cyrp.}%
```

Commented variant can be used in books but since it has common form for both nominative and accusative but it changes in other forms, like “of `\autoref{auto}`” etc.

```

3364 % \def\paragraphautorefname{\cyr\cyrp\cyru\cyrn\cyrk\cyrt}%
3365 % \def\subparagraphautorefname{\cyr\cyrp\cyru\cyrn\cyrk\cyrt}%

```

The name of verbatim line. Here could be a standard of the abbreviation (used very rare). But the author preprint publications (which have not any editor or corrector) can use this abbreviation for the page reference. So the meaning of the line reference can be read as reference to the page.

```
3366 \def\FancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr.}%
```

Commented names of the “verbatim line”: have different forms, also the nominative and accusative.

```

3367 % \def\NomFancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyro\cyrk\cyra}%
3368 % \def\AccFancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyro\cyrk\cyru}%

```

The alternative, ve-e-e-ery professional abbreviation, was used in typography markup for typesetters.

```
3369 % \def\FancyVerbLineautorefname{\cyr\cyrs\cyrt\cyrr\cyrk.}%
```

The names of theorem: if we want have “the good face of the book”, so the theorem reference must have the full name (like equation reference). But ...

```
3370 \def\theoremautorefname{\cyr\cyrt\cyre\cyro\cyrr.}%
```

Commented forms of the “theorem”: have different forms, also the nominative and accusative.

```

3371 % \def\Nomtheoremautorefname{\cyr\cyrt\cyre\cyro\cyrr\cyre\cyrm\cyra}%
3372 % \def\Acctheoremautorefname{\cyr\cyrt\cyre\cyro\cyrr\cyre\cyrm\cyru}%

```

Name of the page stable (standard) abbreviation form. No problem.

```

3373 \def\pageautorefname{\cyr\cyrs.}%
3374 }

```

```

3375 \def\HyLang@spanish{%
3376   \def\equationautorefname{Ecuaci\'on}%
3377   \def\footnoteautorefname{Nota a pie de p\'agina}%
3378   \def\itemautorefname{Elemento}%
3379   \def\figureautorefname{Figura}%
3380   \def\tableautorefname{Tabla}%
3381   \def\partautorefname{Parte}%
3382   \def\appendixautorefname{Ap\'endice}%
3383   \def\chapterautorefname{Cap\'itulo}%
3384   \def\sectionautorefname{Secci\'on}%
3385   \def\subsectionautorefname{Subsecci\'on}%
3386   \def\subsubsectionautorefname{Subsubsecci\'on}%
3387   \def\paragraphautorefname{P\'arrafo}%
3388   \def\subparagraphautorefname{Subp\'arrafo}%
3389   \def\FancyVerbLineautorefname{L\'inea}%
3390   \def\theoremautorefname{Teorema}%
3391   \def\pageautorefname{P\'agina}%
3392 }
3393 \def\HyLang@vietnamese{%
3394   \def\equationautorefname{Ph\uuhorn{} \ohorn{} ng tr\inh}%
3395   \def\footnoteautorefname{Ch\u thich}%
3396   \def\itemautorefname{m\du{c}}%
3397   \def\figureautorefname{H\inh}%
3398   \def\tableautorefname{B\h{a}ng}%
3399   \def\partautorefname{Ph\`acircumflex{n}}%
3400   \def\appendixautorefname{Ph\d{u} l\d{u}c}%
3401   \def\chapterautorefname{ch\uuhorn{} \ohorn{} ng}%
3402   \def\sectionautorefname{m\du{c}}%
3403   \def\subsectionautorefname{m\du{c}}%
}

```

```

3404 \def\subsubsectionautorefname{m\du{c}}%
3405 \def\paragraphautorefname{\dj{o}\da{n}}%
3406 \def\ subparagraphautorefname{\dj{o}\da{n}}%
3407 \def\FancyVerbLineautorefname{d\ong}%
3408 \def\theoremautorefname{\DJ{i}\d{i}nh l'y}%
3409 \def\pageautorefname{Trang}%
3410 }

```

Instead of package babel's definition of `\addto` the implementation of package `variorom` is used. Additionally argument `#1` is checked for `\relax`.

```

3411 \def\HyLang@addto#1#2{%
3412   #2%
3413   @temptokena{#2}%
3414   \ifx#1\relax
3415     \let#1\empty
3416   \fi
3417   \ifx#1\undefined
3418     \edef#1{\the\@temptokena}%
3419   \else
3420     \toks@\expandafter{#1}%
3421     \edef#1{\the\toks@\the\@temptokena}%
3422   \fi
3423   @temptokena{} \toks@\@temptokena
3424 }

3425 \def\HyLang@DeclareLang#1#2#3{%
3426   @ifpackagewith{babel}{#1}{%
3427     \expandafter\HyLang@addto
3428       \csname extras#1\expandafter\endcsname
3429       \csname HyLang@#2\endcsname
3430     \begingroup
3431       \edef\x{\endgroup
3432         #3%
3433     }%
3434   \x
3435   @namedef{HyLang@#1@done}{}%
3436 }{}%
3437 \begingroup
3438   \edef\x##1##2{%
3439     \noexpand\ifx##2\relax
3440       \errmessage{No definitions for language #2' found!}%
3441     \noexpand\fi
3442     \endgroup
3443     \noexpand\define@key{Hyp}{#1}[]{%
3444       \noexpand\@ifundefined{HyLang@#1@done}{}{%
3445         \noexpand\HyLang@addto{\noexpand##1}{\noexpand##2}%
3446         #3%
3447         \noexpand\@namedef{HyLang@#1@done}{}%
3448       }{}%
3449     }%
3450   }%
3451   \expandafter\x\csname extras#1\expandafter\endcsname
3452     \csname HyLang@#2\endcsname
3453 }
3454 \HyLang@DeclareLang{english}{english}{}%
3455 \HyLang@DeclareLang{UKenglish}{english}{}%
3456 \HyLang@DeclareLang{british}{english}{}%
3457 \HyLang@DeclareLang{USenglish}{english}{}%

```

```

3458 \HyLang@DeclareLang{american}{english}={}
3459 \HyLang@DeclareLang{german}{german}={}
3460 \HyLang@DeclareLang{austrian}{german}={}
3461 \HyLang@DeclareLang{ngerman}{german}={}
3462 \HyLang@DeclareLang{naustrian}{german}={}
3463 \HyLang@DeclareLang{russian}{russian}{\noexpand\hypersetup{unicode}}
3464 \HyLang@DeclareLang{brazil}{portuges}={}
3465 \HyLang@DeclareLang{brazilian}{portuges}={}
3466 \HyLang@DeclareLang{portuguese}{portuges}={}
3467 \HyLang@DeclareLang{spanish}{spanish}={}
3468 \HyLang@DeclareLang{afrikaans}{afrikaans}={}
3469 \HyLang@DeclareLang{french}{french}={}
3470 \HyLang@DeclareLang{frenchb}{french}={}
3471 \HyLang@DeclareLang{francais}{french}={}
3472 \HyLang@DeclareLang{acadian}{french}={}
3473 \HyLang@DeclareLang{canadien}{french}={}
3474 \HyLang@DeclareLang{italian}{italian}={}
3475 \HyLang@DeclareLang{magyar}{magyar}={}
3476 \HyLang@DeclareLang{hungarian}{magyar}={}

```

More work is needed in case of options vietnamese and vietnam.

```

3477 \DeclareVoidOption{vietnamese}{%
3478   \HyLang@addto\extrasvietnamese\HyLang@vietnamese
3479   \Hy@AtEndOfPackage{%
3480     \@ifundefined{T@PU}{}{%
3481       \input{puvnenc.def}%
3482     }%
3483   }%
3484 }
3485 \DeclareVoidOption{vietnam}{%
3486   \HyLang@addto\extrasvietnam\HyLang@vietnamese
3487   \Hy@AtEndOfPackage{%
3488     \@ifundefined{T@PU}{}{%
3489       \input{puvnenc.def}%
3490     }%
3491   }%
3492 }

```

Similar for option arabic that just loads the additions to PU encoding for Arabi.

```

3493 \DeclareVoidOption{arabic}{%
3494   \Hy@AtEndOfPackage{%
3495     \@ifundefined{T@PU}{}{%
3496       \input{puarenc.def}%
3497     }%
3498   }%
3499 }

```

13 Options to change appearance of links

Colouring links at the L^AT_EX level is useful for debugging, perhaps.

```

3500 \define@key{Hyp}{colorlinks}[true]{%
3501   \Hy@boolkey{colorlinks}{#1}%
3502 }
3503 \DeclareVoidOption{hidelinks}{%
3504   \Hy@colorlinksfalse
3505   \Hy@ocgcolorlinksfalse
3506   \Hy@frenchlinksfalse

```

```

3507 \def\Hy@colorlink##1{\begingroup}%
3508 \def\Hy@endcolorlink{\endgroup}%
3509 \def\@pdfborder{0 0 0}%
3510 \let\@pdfborderstyle\ltx@empty
3511 }
3512 \define@key{Hyp}{ocgcolorlinks}[true]{%
3513 \Hy@boolkey{ocgcolorlinks}{#1}%
3514 }
3515 \Hy@AtBeginDocument{%
3516 \begingroup
3517 \@ifundefined{OBJ@OCG@view}{%
3518 \ifHy@ocgcolorlinks
3519 \Hy@Warning{%
3520 Driver does not support 'ocgcolorlinks',\MessageBreak
3521 using 'colorlinks' instead%
3522 }%
3523 \fi
3524 }{}%
3525 \endgroup
3526 }
3527 \define@key{Hyp}{frenchlinks}[true]{%
3528 \Hy@boolkey{frenchlinks}{#1}%
3529 }

```

14 Bookmarking

```

3530 \begingroup\expandafter\expandafter\expandafter\endgroup
3531 \expandafter\ifx\csname chapter\endcsname\relax
3532 \def\toclevel@part{0}%
3533 \else
3534 \def\toclevel@part{-1}%
3535 \fi
3536 \def\toclevel@chapter{0}
3537 \def\toclevel@section{1}
3538 \def\toclevel@subsection{2}
3539 \def\toclevel@subsubsection{3}
3540 \def\toclevel@paragraph{4}
3541 \def\toclevel@subparagraph{5}
3542 \def\toclevel@figure{0}
3543 \def\toclevel@table{0}
3544 \@ifpackageloaded{listings}{%
3545 \providecommand*\theHlstlisting{\thelstlisting}%
3546 \providecommand*\toclevel@lstlisting{0}%
3547 }{}%
3548 \@ifpackageloaded{listing}{%
3549 \providecommand*\theHlisting{\thelisting}%
3550 \providecommand*\toclevel@listing{0}%
3551 }{}%
3552 \define@key{Hyp}{bookmarks}[true]{%
3553 \Hy@boolkey{bookmarks}{#1}%
3554 }
3555 \define@key{Hyp}{bookmarksopen}[true]{%
3556 \Hy@boolkey{bookmarksopen}{#1}%
3557 }

```

The depth of the outlines is controlled by option `bookmarksdepth`. The option acts globally and distinguishes three cases:

- `bookmarksdepth`: Without value hyperref uses counter `tocdepth` (compatible behaviour and default).
- `bookmarksdepth=<number>`: the depth is set to `<number>`.
- `bookmarksdepth=<name>`: The `<name>` must not start with a number or minus sign. It is a document division name (part, chapter, section, ...). Internally the value of macro `\toclevel@<name>` is used.

```

3558 \let\Hy@bookmarksdepth\c@tocdepth
3559 \define@key{Hyp}{bookmarksdepth}[]{%
3560   \begingroup
3561     \edef\x{\#1}%
3562     \ifx\x\empty
3563       \global\let\Hy@bookmarksdepth\c@tocdepth
3564     \else
3565       \@ifundefined{toclevel@\x}{%
3566         \onelevel@sanitize\x
3567         \edef\y{\expandafter\@car\x\@nil}%
3568         \ifcase 0\expandafter\ifx\y-1\fi
3569           \expandafter\ifnum\expandafter`y>47 %
3570             \expandafter\ifnum\expandafter`y<58 1\fi\fi\relax
3571           \Hy@Warning{Unknown document division name (\x)}%
3572         \else
3573           \setbox\z@=\hbox{%
3574             \count@=\x
3575             \xdef\Hy@bookmarksdepth{\the\count@}%
3576           }%
3577         \fi
3578       }%
3579       \setbox\z@=\hbox{%
3580         \count@=\csname toclevel@\x\endcsname
3581         \xdef\Hy@bookmarksdepth{\the\count@}%
3582       }%
3583     }%
3584   \fi
3585 \endgroup
3586 }

```

‘bookmarksopenlevel’ to specify the open level. From Heiko Oberdiek.

```

3587 \define@key{Hyp}{bookmarksopenlevel}{%
3588   \def\@bookmarksopenlevel{\#1}%
3589 }
3590 \def\@bookmarksopenlevel{\maxdimen}
3591 % ‘bookmarkstype’ to specify which ‘toc’ file to mimic
3592 \define@key{Hyp}{bookmarkstype}{%
3593   \def\Hy@bookmarkstype{\#1}%
3594 }
3595 \def\Hy@bookmarkstype{toc}

```

Richard Curnow <richard@curnow.demon.co.uk> suggested this functionality. It adds section numbers etc to bookmarks.

```

3596 \define@key{Hyp}{bookmarksnumbered}[true]{%
3597   \Hy@boolkey{bookmarksnumbered}{\#1}%
3598 }

```

Option CJKbookmarks enables the patch for CJK bookmarks.

```
3599 \define@key{Hyp}{CJKbookmarks}[true]{%
3600   \Hy@boolkey{CJKbookmarks}{#1}%
3601 }
3602 \def\Hy@temp#1{%
3603   \expandafter\Hy@temp\csname @#1color\endcsname{#1}%
3604 }
3605 \def\Hy@temp#1#2#3{%
3606   \define@key{Hyp}{#2color}{%
3607     \HyColor@HyperrefColor{##1}#1%
3608   }%
3609   \def#1{#3}%
3610 }
3611 \Hy@temp{link}{red}
3612 \Hy@temp{anchor}{black}
3613 \Hy@temp{cite}{green}
3614 \Hy@temp{file}{cyan}
3615 \Hy@temp{url}{magenta}
3616 \Hy@temp{menu}{red}
3617 \Hy@temp{run}{\@filecolor}
3618 \define@key{Hyp}{pagecolor}{%
3619   \Hy@WarningPageColor
3620 }
3621 \def\Hy@WarningPageColor{%
3622   \Hy@WarningNoLine{Option ‘pagecolor’ is not available anymore}%
3623   \global\let\Hy@WarningPageColor\relax
3624 }
3625 \define@key{Hyp}{allcolors}{%
3626   \HyColor@HyperrefColor{#1}\@linkcolor
3627   \HyColor@HyperrefColor{#1}\@anchorcolor
3628   \HyColor@HyperrefColor{#1}\@citecolor
3629   \HyColor@HyperrefColor{#1}\@filecolor
3630   \HyColor@HyperrefColor{#1}\@urlcolor
3631   \HyColor@HyperrefColor{#1}\@menucolor
3632   \HyColor@HyperrefColor{#1}\@runcolor
3633 }
3634 \def\hyperbaseurl#1{\def\@baseurl{#1}}
3635 \define@key{Hyp}{baseurl}{\hyperbaseurl{#1}}
3636 \let\@baseurl\@empty
3637 \def\hyperlinkfileprefix#1{\def\Hy@linkfileprefix{#1}}
3638 \define@key{Hyp}{linkfileprefix}{\hyperlinkfileprefix{#1}}
3639 \hyperlinkfileprefix{file:}
```

15 PDF-specific options

\@pdfpagetransition The value of option pdfpagetransition is stored in \@pdfpagetransition. Its initial value is set to \relax in order to be able to differentiate between a not used option and an option with an empty value.

```
3640 \let\@pdfpagetransition\relax
3641 \define@key{Hyp}{pdfpagetransition}{%
3642   \def\@pdfpagetransition{#1}%
3643 }
```

\@pdfpageduration The value of option pdfpageduration is stored in \@pdfpageduration. Its initial value is set to \relax in order to be able to differentiate between a not used option

and an option with an empty value.

```
3644 \let\@pdfpageduration\relax
3645 \define@key{Hyp}{pdfpageduration}{%
3646   \def\@pdfpageduration{\#1}%
3647   \Hy@Match\@pdfpageduration{%
3648     ^([0-9]+\.?[0-9]*|[0-9]*\.[0-9]+)$%
3649   }{}{%
3650     \Hy@Warning{%
3651       Invalid value '\@pdfpageduration'\MessageBreak
3652       of option 'pdfpageduration'\MessageBreak
3653       is replaced by an empty value%
3654     }%
3655     \let\@pdfpageduration\ltx@empty
3656   }%
3657 }
```

The entry for the /Hid key in the page object is only necessary, if it is used and set to true for at least one time. If it is always false, then the /Hid key is not written to the pdf page object in order not to enlarge the pdf file.

```
3658 \newif\ifHy@useHidKey
3659 \Hy@useHidKeyfalse
3660 \define@key{Hyp}{pdfpagehidden}[true]{%
3661   \Hy@boolkey{pdfpagehidden}{\#1}%
3662   \ifHy@pdfpagehidden
3663     \global\Hy@useHidKeytrue
3664   \fi
3665 }
```

The value of the bordercolor options are not processed by the color package. Therefore the value consists of space separated rgb numbers in the range 0 until 1.

Package **xcolor** provides \XC@bordercolor since version 1.1. If the two spaces in the color specification are missing, then the value is processed as color specification from package **xcolor** by using \XC@bordercolor (since xcolor 2004/05/09 v1.11, versions 2005/03/24 v2.02 until 2006/11/28 v2.10 do not work because of a bug that is fixed in 2007/01/21 v2.11).

```
3666 \def\Hy@ColorList{cite,file,link,menu,run,url}
3667 \@for\Hy@temp:=\Hy@ColorList\do{%
3668   \edef\Hy@temp{%
3669     \noexpand\define@key{Hyp}{\Hy@temp bordercolor}{%
3670       \noexpand\HyColor@HyperrefBorderColor
3671         \#\#1}%
3672       \expandafter\noexpand\csname @\Hy@temp bordercolor\endcsname
3673       {hyperref}%
3674       {\Hy@temp bordercolor}%
3675     }%
3676   }%
3677   \Hy@temp
3678 }
3679 \define@key{Hyp}{pagebordercolor}{%
3680   \Hy@WarningPageBorderColor
3681 }
3682 \def\Hy@WarningPageBorderColor{%
3683   \Hy@WarningNoLine{Option 'pagebordercolor' is not available anymore}%
3684   \global\let\Hy@WarningPageBorderColor\relax
3685 }
3686 \define@key{Hyp}{allbordercolors}{%
```

```

3687 \def\Hy@temp##1##2{%
3688   \HyColor@HyperrefBorderColor{#1}##1{hyperref}{##2bordercolor}%
3689 }%
3690 \Hy@temp\@citebordercolor{cite}%
3691 \Hy@temp\@filebordercolor{file}%
3692 \Hy@temp\@linkbordercolor{link}%
3693 \Hy@temp\@menubordercolor{menu}%
3694 \Hy@temp\@runbordercolor{run}%
3695 \Hy@temp\@urlbordercolor{url}%
3696 }

3697 \define@key{Hyp}{pdfhighlight}{\def\@pdfhighlight{#1}}
3698 \Hy@DefNameKey{pdfhighlight}{%
3699   \do{/I}{Invert}%
3700   \do{/N}{None}%
3701   \do{/O}{Outline}%
3702   \do{/P}{Push}%
3703 }
3704 \define@key{Hyp}{pdfborder}{%
3705   \let\Hy@temp\@pdfborder
3706   \def\@pdfborder{#1}%
3707   \Hy@Match\@pdfborder{%
3708     ^\HyPat@NonNegativeReal/ %
3709     \HyPat@NonNegativeReal/ %
3710     \HyPat@NonNegativeReal/%
3711     ( ?\[\HyPat@NonNegativeReal/( \HyPat@NonNegativeReal/)*)]?%}
3712 }{}{%
3713   \Hy@Warning{%
3714     Invalid value '\@pdfborder'\MessageBreak
3715     for option 'pdfborder'.\MessageBreak
3716     Option setting is ignored%
3717   }%
3718   \let\@pdfborder\Hy@temp
3719 }%
3720 }
3721 \define@key{Hyp}{pdfborderstyle}{%
3722   \let\Hy@temp\@pdfborderstyle
3723   \def\@pdfborderstyle{#1}%
3724   \Hy@Match\@pdfborderstyle{%
3725     ^%
3726     ( */Type */Border%
3727     | */W +\HyPat@NonNegativeReal/%
3728     | */S *[SDBIU]%
3729     | */D *[ *(\HyPat@NonNegativeReal/( \HyPat@NonNegativeReal/?)?]*%}
3730   )* $$%
3731 }{}{%
3732   \Hy@Warning{%
3733     Invalid value '\@pdfborderstyle'\MessageBreak
3734     for option 'pdfborderstyle'.\MessageBreak
3735     Option setting is ignored%
3736   }%
3737   \let\@pdfborderstyle\Hy@temp
3738 }%
3739 }
3740 \def\Hy@setpdfborder{%
3741   \ifx\@pdfborder\@empty
3742   \else
3743     /Border[\@pdfborder]%

```

```

3744 \fi
3745 \ifx\@pdfborderstyle\@empty
3746 \else
3747 /BS<<\@pdfborderstyle>>%
3748 \fi
3749 }
3750 \Hy@DefNameKey{pdfpagemode}{%
3751 \do{UseNone}{}%
3752 \do{UseOutlines}{}%
3753 \do{UseThumbs}{}%
3754 \do{FullScreen}{}%
3755 \do{UseOC}{PDF 1.5}%
3756 \do{UseAttachments}{PDF 1.6}%
3757 }
3758 \Hy@DefNameKey{pdfnonfullscreenpagemode}{%
3759 \do{UseNone}{}%
3760 \do{UseOutlines}{}%
3761 \do{UseThumbs}{}%
3762 \do{FullScreen}{}%
3763 \do{UseOC}{PDF 1.5}%
3764 \do{UseAttachments}{PDF 1.6}%
3765 }
3766 \Hy@DefNameKey{pdfdirection}{%
3767 \do{L2R}{Left to right}%
3768 \do{R2L}{Right to left}%
3769 }
3770 \Hy@DefNameKey{pdfviewarea}{%
3771 \do{MediaBox}{}%
3772 \do{CropBox}{}%
3773 \do{BleedBox}{}%
3774 \do{TrimBox}{}%
3775 \do{ArtBox}{}%
3776 }
3777 \Hy@DefNameKey{pdfviewclip}{%
3778 \do{MediaBox}{}%
3779 \do{CropBox}{}%
3780 \do{BleedBox}{}%
3781 \do{TrimBox}{}%
3782 \do{ArtBox}{}%
3783 }
3784 \Hy@DefNameKey{pdfprintarea}{%
3785 \do{MediaBox}{}%
3786 \do{CropBox}{}%
3787 \do{BleedBox}{}%
3788 \do{TrimBox}{}%
3789 \do{ArtBox}{}%
3790 }
3791 \Hy@DefNameKey{pdfprintclip}{%
3792 \do{MediaBox}{}%
3793 \do{CropBox}{}%
3794 \do{BleedBox}{}%
3795 \do{TrimBox}{}%
3796 \do{ArtBox}{}%
3797 }
3798 \Hy@DefNameKey{pdfprintscaling}{%
3799 \do{AppDefault}{}%
3800 \do{None}{}%

```

```

3801 }
3802 \Hy@DefNameKey{pdfduplex}{%
3803   \do{Simplex}{}%
3804   \do{DuplexFlipShortEdge}{}%
3805   \do{DuplexFlipLongEdge}{}%
3806 }
3807 \Hy@DefNameKey{pdfpicktraybypdfsize}{%
3808   \do{true}{}%
3809   \do{false}{}%
3810 }
3811 \define@key{Hyp}{pdfprintpagerange}{%
3812   \def\@pdfprintpagerange{\#1}%
3813 }
3814 \Hy@DefNameKey{pdfnumcopies}{%
3815   \do{2}{two copies}%
3816   \do{3}{three copies}%
3817   \do{4}{four copies}%
3818   \do{5}{five copies}%
3819 }
3820 \define@key{Hyp}{pdfusetitle}[true]{%
3821   \Hy@boolkey{pdfusetitle}{\#1}%
3822 }
3823 \def\HyXeTeX@CheckUnicode{%
3824   \ifxetex
3825     \ifHy@unicode
3826     \else
3827       \Hy@WarningNoLine{%
3828         XeTeX driver only supports unicode.\MessageBreak
3829         Enabling option ‘unicode’}%
3830     }%
3831     \kvsetkeys{Hyp}{unicode}%
3832   \fi
3833 \else
3834   \let\HyXeTeX@CheckUnicode\relax
3835 \fi
3836 }
3837 \def\HyPsd@PrerenderUnicode#1{%
3838   \begingroup
3839   \expandafter\ifx\csname PrerenderUnicode\endcsname\relax
3840   \else
3841     \sbox0{%
3842       \let\GenericInfo\gobbletwo
3843       \let\GenericWarning\gobbletwo
3844       \let\GenericError\gobblefour
3845       \PrerenderUnicode{\#1}%
3846     }%
3847   \fi
3848   \endgroup
3849 }
3850 \define@key{Hyp}{pdftitle}{%
3851   \HyXeTeX@CheckUnicode
3852   \HyPsd@XeTeXBigCharstrue
3853   \HyPsd@PrerenderUnicode{\#1}%
3854   \pdfstringdef\pdftitle{\#1}%
3855 }
3856 \define@key{Hyp}{pdfauthor}{%
3857   \HyXeTeX@CheckUnicode

```

```

3858 \HyPsd@XeTeXBigChartrue
3859 \HyPsd@PrerenderUnicode{#1}%
3860 \pdfstringdef\@pdfauthor{#1}%
3861 }
3862 \define@key{Hyp}{pdfproducer}{%
3863 \HyXeTeX@CheckUnicode
3864 \HyPsd@XeTeXBigChartrue
3865 \HyPsd@PrerenderUnicode{#1}%
3866 \pdfstringdef\@pdfproducer{#1}%
3867 \ifxetex
3868 \Hy@Warning{%
3869 pdfproducer: %
3870 xdvipdfmx will use its own setting\MessageBreak
3871 instead of the value given%
3872 }%
3873 \else
3874 \def\Hy@temp{hdvipdfm}%
3875 \ifx\Hy@driver\Hy@temp
3876 \Hy@Warning{%
3877 pdfproducer: %
3878 dvipdfm(x) will use its own setting\MessageBreak
3879 instead of the value given%
3880 }%
3881 \fi
3882 \fi
3883 }
3884 \define@key{Hyp}{pdfcreator}{%
3885 \HyXeTeX@CheckUnicode
3886 \HyPsd@XeTeXBigChartrue
3887 \HyPsd@PrerenderUnicode{#1}%
3888 \pdfstringdef\@pdfcreator{#1}%
3889 }
3890 \define@key{Hyp}{pdfcreationdate}{%
3891 \begingroup
3892 \Hy@unicodedefalse
3893 \pdfstringdef\@pdfcreationdate{#1}%
3894 \endgroup
3895 }
3896 \define@key{Hyp}{pdfmoddate}{%
3897 \begingroup
3898 \Hy@unicodedefalse
3899 \pdfstringdef\@pdfmoddate{#1}%
3900 \endgroup
3901 }
3902 \define@key{Hyp}{pdfsubject}{%
3903 \HyXeTeX@CheckUnicode
3904 \HyPsd@XeTeXBigChartrue
3905 \HyPsd@PrerenderUnicode{#1}%
3906 \pdfstringdef\@pdfsubject{#1}%
3907 }
3908 \define@key{Hyp}{pdfkeywords}{%
3909 \HyXeTeX@CheckUnicode
3910 \HyPsd@XeTeXBigChartrue
3911 \HyPsd@PrerenderUnicode{#1}%
3912 \pdfstringdef\@pdfkeywords{#1}%
3913 }
3914 \define@key{Hyp}{pdftrapped}{%

```

```

3915 \lowercase{\edef\Hy@temp{\#1}}%
3916 \ifx\Hy@temp\HyInfo@trapped@true
3917   \def\@pdftrapped{True}%
3918 \else
3919   \ifx\Hy@temp\HyInfo@trapped@false
3920     \def\@pdftrapped{False}%
3921 \else
3922   \ifx\Hy@temp\HyInfo@trapped@unknown
3923     \def\@pdftrapped{Unknown}%
3924 \else
3925   \ifx\Hy@temp\@empty
3926     \else
3927       \Hy@Warning{%
3928         Unsupported value '#1'\MessageBreak
3929         for option 'pdftrapped'%
3930       }%
3931     \fi
3932   \def\@pdftrapped{}%
3933   \fi
3934 \fi
3935 \fi
3936 }
3937 \def\HyInfo@trapped@true{true}
3938 \def\HyInfo@trapped@false{false}
3939 \def\HyInfo@trapped@unknown{unknown}
3940 \def\HyInfo@TrappedUnsupported{%
3941   \ifx\@pdftrapped\@empty
3942   \else
3943     \Hy@WarningNoLine{'pdftrapped' is not supported by this driver}%
3944   \gdef\HyInfo@TrappedUnsupported{}%
3945   \fi
3946 }
3947 \define@key{Hyp}{pdffinfo}{%
3948   \kvsetkeys{pdffinfo}{\#1}%
3949 }
3950 \def\Hy@temp#1{%
3951   \lowercase{\Hy@temp@A{\#1}\{\#1}\%}
3952 }
3953 \def\Hy@temp@A#1#2{%
3954   \define@key{pdffinfo}{\#2}{%
3955     \hypersetup{pdf#1={##1}}%
3956   }%
3957 }
3958 \Hy@temp{Title}
3959 \Hy@temp{Author}
3960 \Hy@temp{Keywords}
3961 \Hy@temp{Subject}
3962 \Hy@temp{Creator}
3963 \Hy@temp{Producer}
3964 \Hy@temp{CreationDate}
3965 \Hy@temp{ModDate}
3966 \Hy@temp{Trapped}
3967 \newif\ifHyInfo@AddonUnsupported
3968 \kv@set@family@handler{pdffinfo}{%
3969   \HyInfo@AddonHandler{\#1}{\#2}\%
3970 }
3971 \let\HyInfo@do\relax

```

```

3972 \def\HyInfo@AddonHandler#1#2{%
3973   \ifx\kv@value\relax
3974     \Hy@Warning{%
3975       Option ‘pdfinfo’: ignoring key ‘\kv@key’ without value%
3976     }%
3977   \else
3978     \EdefEscapeName\HyInfo@KeyEscaped{\kv@key}%
3979     \EdefUnescapeName\HyInfo@Key{\HyInfo@KeyEscaped}%
3980     \expandafter\ifx\csname KV@pdfinfo@\HyInfo@Key\endcsname\relax
3981       \ifHyInfo@AddonUnsupported
3982         \Hy@Warning{%
3983           This driver does not support additional\MessageBreak
3984           information entries, therefore\MessageBreak
3985           ‘\kv@key’ is ignored%
3986         }%
3987       \else
3988         \define@key{pdfinfo}{\HyInfo@Key}{%
3989           \HyXeTeX@CheckUnicode
3990           \HyPsd@XeTeXBigChartrue
3991           \HyPsd@PrerenderUnicode{##1}%
3992           \pdfstringdef\HyInfo@Value{##1}%
3993           \expandafter\let\csname HyInfo@Value@\HyInfo@Key\endcsname
3994             \HyInfo@Value
3995         }%
3996       \edef\HyInfo@AddonList{%
3997         \HyInfo@AddonList
3998         \HyInfo@do{\HyInfo@Key}%
3999       }%
4000       \kv@parse@normalized{%
4001         \HyInfo@Key={##2}%
4002       }{%
4003         \kv@processor@default{pdfinfo}%
4004       }%
4005     \fi
4006   \else
4007     \kv@parse@normalized{%
4008       \HyInfo@Key={##2}%
4009     }{%
4010       \kv@processor@default{pdfinfo}%
4011     }%
4012   \fi
4013 \fi
4014 }
4015 \def\HyInfo@GenerateAddons{%
4016   \ifHyInfo@AddonUnsupported
4017     \def\HyInfo@Addons{}%
4018   \else
4019     \begingroup
4020       \toks@{}%
4021       \def\HyInfo@do##1{%
4022         \EdefEscapeName\HyInfo@Key{##1}%
4023         \edef\x{%
4024           \toks@{%
4025             \the\toks@
4026             \HyInfo@Key(\csname HyInfo@Value@##1\endcsname)%
4027           }%
4028         }%

```

```

4029      \x
4030    }%
4031    \HyInfo@AddonList
4032    \edef\x{\endgroup
4033    \def\noexpand\HyInfo@Addons{\the\toks}%
4034  }%
4035  \x
4036  \fi
4037 }
4038 \let\HyInfo@AddonList\ltx@empty
4039 \define@key{Hyp}{pdfview}{\calculate@pdfview#1 \\}
4040 \define@key{Hyp}{pdflinkmargin}{\setpdflinkmargin{#1}}
4041 \let\setpdflinkmargin\gobble
4042 \def\calculate@pdfview#1 #2\\{%
4043   \def@pdfview{#1}%
4044   \ifx\\#2\\%
4045     \def@pdfviewparams{-32768}%
4046   \else
4047     \def@pdfviewparams{#2}%
4048   \fi
4049 }
4050 \begingroup\expandafter\expandafter\expandafter\endgroup
4051 \expandafter\ifx\csname numexpr\endcsname\relax
4052   \def\Hy@number#1{%
4053     \expandafter\@firstofone\expandafter{\number#1}%
4054   }%
4055 \else
4056   \def\Hy@number#1{%
4057     \the\numexpr#1\relax
4058   }%
4059 \fi
4060 \define@key{Hyp}{pdfstartpage}{%
4061   \ifx\\#1\\%
4062     \let\@pdfstartpage\ltx@empty
4063   \else
4064     \edef\@pdfstartpage{\Hy@number{#1}}%
4065   \fi
4066 }%
4067 \define@key{Hyp}{pdfstartview}{%
4068   \ifx\\#1\\%
4069     \let\@pdfstartview\ltx@empty
4070   \else
4071     \hypercalcbpdef\@pdfstartview{/#1}%
4072   \fi
4073 }
4074 \def\HyPat@NonNegativeReal/{%
4075   *([0-9]+\.?[0-9]*|[0-9]*\.[0-9]+) *%
4076 }
4077 \define@key{Hyp}{pd fremotestartview}{%
4078   \ifx\\#1\\%
4079     \def\@pd fremotestartview{/Fit}%
4080   \else
4081     \hypercalcbpdef\@pd fremotestartview{#1}%
4082     \edef\@pd fremotestartview{@pd fremotestartview}%
4083     \Hy@Match\@pd fremotestartview{%
4084       ^XYZ -?(null|\HyPat@NonNegativeReal/) %
4085         -?(null|\HyPat@NonNegativeReal/) %

```

```

4086      (null|\HyPat@NonNegativeReal/)|%
4087      Fit(|B|%
4088      (H|V|BH|BV) (null|\HyPat@NonNegativeReal/)|%
4089      R \HyPat@NonNegativeReal/ \HyPat@NonNegativeReal/ %
4090      \HyPat@NonNegativeReal/ \HyPat@NonNegativeReal/%
4091      ))$%
4092  }{}{%
4093  \Hy@Warning{%
4094    Invalid value '@pdfremotestartview'\MessageBreak
4095    of 'pdfremotestartview'\MessageBreak
4096    is replaced by 'Fit'%
4097  }%
4098  \let\@pdfremotestartview\@empty
4099 }%
4100 \ifx\@pdfremotestartview\@empty
4101   \def\@pdfremotestartview{/Fit}%
4102 \else
4103   \edef\@pdfremotestartview{/@\pdfremotestartview}%
4104 \fi
4105 \fi
4106 }
4107 \define@key{Hyp}{pdffpagescrop}{\edef\@pdffpagescrop{\#1}}
4108 \define@key{Hyp}{pdftoolbar}[true]{%
4109   \Hy@boolkey{pdftoolbar}{\#1}%
4110 }
4111 \define@key{Hyp}{pdfmenubar}[true]{%
4112   \Hy@boolkey{pdfmenubar}{\#1}%
4113 }
4114 \define@key{Hyp}{pdfwindowui}[true]{%
4115   \Hy@boolkey{pdfwindowui}{\#1}%
4116 }
4117 \define@key{Hyp}{pdffitwindow}[true]{%
4118   \Hy@boolkey{pdffitwindow}{\#1}%
4119 }
4120 \define@key{Hyp}{pdfcenterwindow}[true]{%
4121   \Hy@boolkey{pdfcenterwindow}{\#1}%
4122 }
4123 \define@key{Hyp}{pdfdisplaydoctitle}[true]{%
4124   \Hy@boolkey{pdfdisplaydoctitle}{\#1}%
4125 }
4126 \define@key{Hyp}{pdfa}[true]{%
4127   \Hy@boolkey{pdfa}{\#1}%
4128 }
4129 \define@key{Hyp}{pdfnewwindow}[true]{%
4130   \def\Hy@temp{\#1}%
4131   \ifx\Hy@temp\@empty
4132     \Hy@pdfnewwindowsetfalse
4133   \else
4134     \Hy@pdfnewwindowsettrue
4135     \Hy@boolkey{pdfnewwindow}{\#1}%
4136   \fi
4137 }
4138 \def\Hy@SetNewWindow{%
4139   \ifHy@pdfnewwindowset
4140     /NewWindow %
4141     \ifHy@pdfnewwindow true\else false\fi
4142   \fi

```

```

4143 }
4144 \Hy@DefNameKey{pdfpagelayout}{%
4145   \do{SinglePage}{\relax}%
4146   \do{OneColumn}{\relax}%
4147   \do{TwoColumnLeft}{\relax}%
4148   \do{TwoColumnRight}{\relax}%
4149   \do{TwoPageLeft}{PDF 1.5}%
4150   \do{TwoPageRight}{PDF 1.5}%
4151 }
4152 \define@key{Hyp}{pdflang}{%
4153   \def\@pdflang{\#1}%
4154 }
4155 \define@key{Hyp}{pdfpagelabels}[true]{%
4156   \Hy@boolkey{pdfpagelabels}{\#1}%
4157 }
4158 \define@key{Hyp}{pdfescapeform}[true]{%
4159   \Hy@boolkey{pdfescapeform}{\#1}%
4160 }

```

Default values:

```

4161 \def\@linkbordercolor{1 0 0}
4162 \def\@urlbordercolor{0 1 1}
4163 \def\@menubordercolor{1 0 0}
4164 \def\@filebordercolor{0 .5 .5}
4165 \def\@runbordercolor{0 .7 .7}
4166 \def\@citebordercolor{0 1 0}
4167 \def\@pdfhighlight{/I}
4168 \let\@pdftitle\ltx@empty
4169 \let\@pdfauthor\ltx@empty
4170 \let\@pdfproducer\relax
4171 \def\@pdfcreator{LaTeX with hyperref package}
4172 \let\@pdfcreationdate\ltx@empty
4173 \let\@pdfmoddate\ltx@empty
4174 \let\@pdfsubject\ltx@empty
4175 \let\@pdfkeywords\ltx@empty
4176 \let\@pdftrapped\ltx@empty
4177 \let\@pdfpagescrop\ltx@empty
4178 \def\@pdfstartview{/Fit}
4179 \def\@pdfremotestartview{/Fit}
4180 \def\@pdfstartpage{1}
4181 \let\@pdfprintpagerange\ltx@empty
4182 \let\@pdflang\ltx@empty
4183 \let\PDF@SetupDoc\@empty
4184 \let\PDF@FinishDoc\@empty
4185 \let\phantomsection\@empty
4186 \let\special@paper\@empty
4187 \def\HyperDestNameFilter{\#1{\#1}}
4188 \Hy@AtBeginDocument{%
4189   \begingroup
4190     \edef\x{\@ifundefined{stockheight}\paperheight\stockheight}%
4191     \dimen@=\x\relax
4192     \ifdim\dimen@>\z@%
4193     \else
4194       \dimen@=11in\relax
4195       \Hy@WarningNoLine{%
4196         Height of page (\expandafter\string\x) %
4197         is invalid (\the\x),\MessageBreak
4198         using 11in%

```

```

4199      }%
4200      \fi
4201      \dimen@=0.99626401\dimen@
4202      \xdef\Hy@pageheight{\strip@pt\dimen@}%
4203      \endgroup
4204 }
4205 \def\HyInd@EncapChar{\|}
```

Allow the user to use `\ExecuteOptions` in the cfg file even though this package does not use the normal option mechanism. Use `\hyper@normalise` as a scratch macro, since it is going to be defined in a couple of lines anyway.

```

4206 \let\hyper@normalise\ExecuteOptions
4207 \let\ExecuteOptions\hypersetup
4208 \Hy@RestoreCatcodes
4209 \InputIfFileExists{hyperref.cfg}{}{%
4210 \Hy@SetCatcodes
4211 \let\ExecuteOptions\hyper@normalise
4212 \ifx\Hy@MaybeStopNow\relax
4213 \else
4214 \Hy@stoppedearlytrue
4215 \expandafter\Hy@MaybeStopNow
4216 \fi
4217 \Hy@stoppedearlyfalse}
```

To add flexibility, we will not use the ordinary processing of package options, but put them through the *keyval* package. This section was written by David Carlisle.

```

4218 \SetupKeyvalOptions{family=Hyp}
4219 \DeclareLocalOptions{%
4220   a4paper,a5paper,b5paper,letterpaper,legalpaper,executivepaper%
4221 }}
```

Add option `tex4ht` if package `tex4ht` is loaded.

```

4222 \@ifpackageloaded{tex4ht}{%
4223   \@ifpackagewith{hyperref}{tex4ht}{}{%
4224     \PassOptionsToPackage{tex4ht}{hyperref}%
4225   }%
4226 }{%
4227 \let\ReadBookmarks\relax
4228 \ProcessKeyvalOptions{Hyp}}
```

After processing options.

15.1 Package `xspace` support

```

4229 \def\Hy@xspace@end{%
4230 \ltx@ifundefined{xspaceaddexceptions}{%
4231   \Hy@AtBeginDocument{%
4232     \ltx@ifundefined{xspaceaddexceptions}{%
4233       }{%
4234         \def\Hy@xspace@end{%
4235           \ltx@gobble{end for xspace}%
4236         }%
4237         \xspaceaddexceptions{%
4238           \Hy@xspace@end,\hyper@linkend,\hyper@anchorend
4239         }%
4240       }%
4241     }%
4242 }%
```

```

4243 \def\Hy@xspace@end{%
4244   \ltx@gobble{end for xspace}%
4245 }%
4246 \xspaceaddexceptions{\Hy@xspace@end,\hyper@linkend,\hyper@anchorend}%
4247 }

```

15.2 Option draft

```

4248 \Hy@AtBeginDocument{%
4249   \ifHy@draft
4250     \let\hyper@anchor@\gobble
4251     \gdef\hyper@link#1#2#3{#3\Hy@xspace@end}%
4252     \def\hyper@anchorstart#1#2{#2\Hy@xspace@end}%
4253     \def\hyper@anchorend{\Hy@xspace@end}%
4254     \let\hyper@linkstart\gobbletwo
4255     \def\hyper@linkend{\Hy@xspace@end}%
4256     \def\hyper@linkurl#1#2{#1\Hy@xspace@end}%
4257     \def\hyper@linkfile#1#2#3{#1\Hy@xspace@end}%
4258     \def\hyper@link@[#1]#2#3#4{#4\Hy@xspace@end}%
4259     \def\Acrobatmenu#1#2{\leavevmode#2\Hy@xspace@end}%
4260     \let\PDF@SetupDoc\empty
4261     \let\PDF@FinishDoc\empty
4262     \let\@fifthoffive\@secondoftwo
4263     \let\@secondoffive\@secondoftwo
4264     \let\ReadBookmarks\relax
4265     \let\WriteBookmarks\relax
4266     \Hy@WarningNoLine{Draft mode on}%
4267   \fi
4268   \Hy@DisableOption{draft}%
4269   \Hy@DisableOption{nolinks}%
4270   \Hy@DisableOption{final}%
4271 }

```

15.3 PDF/A

```

4272 \Hy@DisableOption{pdfa}
4273 \ifHy@pdfa
4274   \kvsetkeys{Hyp}{pdfversion=1.4}%
4275   \def\Hy@Acrobatmenu#1#2{%
4276     \leavevmode
4277     \begingroup
4278       \edef\x{#1}%
4279       \onelevel@sanitize\x
4280       \ifx\x\Hy@NextPage
4281         \let\y=Y%
4282       \else
4283         \ifx\x\Hy@PrevPage
4284           \let\y=Y%
4285         \else
4286           \ifx\x\Hy@FirstPage
4287             \let\y=Y%
4288           \else
4289             \ifx\x\Hy@LastPage
4290               \let\y=Y%
4291             \else
4292               \let\y=N%
4293             \fi
4294           \fi
4295         \fi

```

```

4296     \fi
4297     \expandafter\endgroup
4298     \ifx\y Y%
4299     \else
4300         \Hy@Error{%
4301             PDF/A: Named action '#1' is not permitted%
4302         } \ehc
4303         {#2}%
4304         \expandafter\@gobble
4305     \fi
4306 }
4307 \def\Hy@temp#1{%
4308     \expandafter\def\csname Hy@#1\endcsname{#1}%
4309     \expandafter\@onelvel@sanitize\csname Hy@#1\endcsname
4310 }
4311 \Hy@temp{NextPage}%
4312 \Hy@temp{PrevPage}%
4313 \Hy@temp{FirstPage}%
4314 \Hy@temp{LastPage}%
4315 \else
4316 \def\Hy@Acrobatmenu#1#2{\leavevmode}%
4317 \fi

```

15.4 Patch for babel's \texttilde

Babel does not define \texttilde in NFSS2 manner, so the NFSS2 definitions of PD1 or PU encoding is not compatible. To fix this, \texttilde is defined in babel manner.

```

4318 \Hy@nextfalse
4319 \ltx@ifundefined{spanish@sh@"}@sel{}{\Hy@nexttrue}
4320 \ltx@ifundefined{galician@sh@"}@sel{}{\Hy@nexttrue}
4321 \ltx@ifundefined{estonian@sh@"}@sel{}{\Hy@nexttrue}
4322 \ifHy@next
4323     \let\texttilde\-
4324 \fi
4325 \def\Hy@wrapper@babel#1#2{%
4326     \begingroup
4327         \Hy@safec@tivestrue
4328         \set@display@protect
4329         \edef\x{#2}%
4330         \onelvel@sanitize\x
4331         \toks@{#1}%
4332         \edef\x{\endgroup\the\toks@\{x\}}%
4333     \x
4334 }
4335 \def\Hy@WrapperDef#1{%
4336     \begingroup
4337         \escapechar=\m@ne
4338         \xdef\Hy@gtemp{%
4339             \expandafter\noexpand\csname HyWrap@\string#1\endcsname
4340         }%
4341     \endgroup
4342     \edef#1{%
4343         \noexpand\Hy@wrapper@babel
4344         \expandafter\noexpand\Hy@gtemp
4345     }%
4346     \expandafter\def\Hy@gtemp

```

```

4347 }

4348 \ifHy@hyperfigures
4349   \Hy@Info{Hyper figures ON}%
4350 \else
4351   \Hy@Info{Hyper figures OFF}%
4352 \fi
4353 \ifHy@nesting
4354   \Hy@Info{Link nesting ON}%
4355 \else
4356   \Hy@Info{Link nesting OFF}%
4357 \fi
4358 \ifHy@hyperindex
4359   \Hy@Info{Hyper index ON}%
4360 \else
4361   \Hy@Info{Hyper index OFF}%
4362 \fi
4363 \ifHy@plainpages
4364   \Hy@Info{Plain pages ON}%
4365 \else
4366   \Hy@Info{Plain pages OFF}%
4367 \fi
4368 \ifHy@backref
4369   \Hy@Info{Backreferencing ON}%
4370 \else
4371   \Hy@Info{Backreferencing OFF}%
4372 \fi
4373 \ifHy@typxml
4374   \Hy@AtEndOfPackage{%
4375     \RequirePackage{color}%
4376     \RequirePackage{nameref}%
4377   }%
4378 \fi
4379 \Hy@DisableOption{typxml}
4380 \ifHy@implicit
4381   \Hy@InfoNoLine{Implicit mode ON; LaTeX internals redefined}%
4382 \else
4383   \Hy@InfoNoLine{Implicit mode OFF; no redefinition of LaTeX internals}%
4384   \def\MaybeStopEarly{%
4385     \Hy@Message{Stopped early}%
4386     \Hy@AtBeginDocument{%
4387       \PDF@FinishDoc
4388       \gdef\PDF@FinishDoc{}%
4389     }%
4390     \endinput
4391   }%
4392 \Hy@AtBeginDocument{%
4393   \let\autoref\ref
4394   \let\autpageref\pageref
4395   \ifx\@pdfpagemode\@empty
4396     \gdef\@pdfpagemode{UseNone}%
4397   \fi
4398   \global\Hy@backreffalse
4399 }%
4400 \Hy@AtEndOfPackage{%
4401   \global\let\ReadBookmarks\relax
4402   \global\let\WriteBookmarks\relax
4403 }%

```

```

4404 \fi
4405 \Hy@DisableOption{implicit}
```

15.4.1 Driver loading

```

4406 \Hy@AtEndOfPackage{%
4407   \@ifpackageloaded{tex4ht}{%
4408     \def\Hy@driver{htex4ht}%
4409     \Hy@texhttrue
4410   }{}%
```

Some drivers can be detected. Check for these drivers, whether the given driver option is ok. Otherwise force the right driver or use the default driver.

```

4411 \ifx\Hy@driver\@empty
4412 \else
4413   \def\Hy@temp{hpdfTeX}%
4414   \ifpdf
4415     \ifx\Hy@driver\Hy@temp
4416     \else
4417       \Hy@WarningNoLine{%
4418         Wrong driver '\Hy@driver.def';\MessageBreak
4419         pdfTeX is running in PDF mode.\MessageBreak
4420         Forcing driver '\Hy@temp.def'%
4421       }%
4422       \let\Hy@driver\Hy@temp
4423     \fi
4424   \else
4425     \ifx\Hy@driver\Hy@temp
4426       \Hy@WarningNoLine{%
4427         Wrong driver '\Hy@driver.def';\MessageBreak
4428         pdfTeX is not running in PDF mode.\MessageBreak
4429         Using default driver%
4430       }%
4431       \let\Hy@driver\@empty
4432     \fi
4433   \fi
4434 \ifHy@texht
4435 \else
4436   \ifx\Hy@driver\@empty
4437   \else
4438     \def\Hy@temp{hxeTeX}%
4439     \ifxetex
4440       \ifx\Hy@driver\Hy@temp
4441       \else
4442         \Hy@WarningNoLine{%
4443           Wrong driver '\Hy@driver.def';\MessageBreak
4444           XeTeX is running.\MessageBreak
4445           Forcing driver '\Hy@temp.def' for XeTeX%
4446         }%
4447         \let\Hy@driver\Hy@temp
4448       \fi
4449     \fi
4450   \fi
4451 \fi
4452 \fi
4453 \ifx\Hy@driver\@empty
4454 \else
4455   \def\Hy@temp{hvTeXhtm}%
```

```

4456 \ifvtexhtml
4457   \ifx\Hy@driver\Hy@temp
4458   \else
4459     \Hy@WarningNoLine{%
4460       Wrong driver '\Hy@driver.def';\MessageBreak
4461       VTeX is running in HTML mode.\MessageBreak
4462       Forcing driver '\Hy@temp.def'%
4463     }%
4464   \let\Hy@driver\Hy@temp
4465   \fi
4466 \else
4467   \ifx\Hy@driver\Hy@temp
4468     \Hy@WarningNoLine{%
4469       Wrong driver '\Hy@driver.def';\MessageBreak
4470       VTeX is not running in HTML mode.\MessageBreak
4471       Using default driver%
4472     }%
4473   \let\Hy@driver\@empty
4474   \fi
4475 \fi
4476 \fi

```

If the driver is not given, find the right driver or use the default driver.

```

4477 \def\HyOpt@DriverType{}%
4478 \ifx\Hy@driver\@empty
4479   \def\HyOpt@DriverType{ (autodetected)}%
4480   \providecommand*\{\Hy@defaultdriver}{hypertex}%
4481 \ifpdf
4482   \def\Hy@driver{hpdf}%
4483 \else
4484   \ifxetex
4485     \def\Hy@driver{hxtex}%
4486 \else
4487   \ifvtexhtml
4488     \def\Hy@driver{hvtexhtm}%
4489     \def\MaybeStopEarly{%
4490       \Hy@Message{Stopped early}%
4491       \Hy@AtBeginDocument{%
4492         \PDF@FinishDoc
4493         \gdef\PDF@FinishDoc{}%
4494       }%
4495       \endinput
4496     }%
4497 \else
4498   \ifvtexpdf
4499     \def\Hy@driver{hvtx}%
4500 \else
4501   \ifvtexps
4502     \def\Hy@driver{hvtx}%
4503 \else
4504   \ifx\HyOpt@DriverFallback\ltx@empty
4505     \let\Hy@driver\Hy@defaultdriver
4506     \def\HyOpt@DriverType{ (default)}%
4507 \else
4508   \begingroup
4509     \toks@\expandafter{\HyOpt@DriverFallback}%
4510     \edef\x{\endgroup
4511       \noexpand\kvsetkeys{Hyp}{\the\toks@}%

```

```

4512      }%
4513      \x
4514      \ifx\Hy@driver\ltx@empty
4515          \let\Hy@driver\Hy@defaultdriver
4516          \def\HyOpt@DriverType{ (default)}%
4517      \else
4518          \def\HyOpt@DriverType{ (fallback)}%
4519      \fi
4520      \fi
4521      \fi
4522      \fi
4523      \fi
4524      \fi
4525  \fi
4526  \ifx\Hy@driver\Hy@defaultdriver
4527      \def\Hy@temp{hdviwind}%
4528  \ifx\Hy@temp\Hy@driver
4529      \kvsetkeys{Hyp}{colorlinks}%
4530      \PassOptionsToPackage{dviwindo}{color}%
4531  \fi
4532  \fi
4533 \fi
4534 \Hy@Message{Driver\HyOpt@DriverType: \Hy@driver}%
4535 \chardef\Hy@VersionChecked=0 %
4536 \input{\Hy@driver.def}%
4537 \ifcase\Hy@VersionChecked
4538     \Hy@VersionCheck{\Hy@driver.def}%
4539 \fi
4540 \let\@unprocessedoptions\relax
4541 \Hy@RestoreCatcodes
4542 \Hy@DisableOption{tex4ht}%
4543 \Hy@DisableOption{pdftex}%
4544 \Hy@DisableOption{nativepdf}%
4545 \Hy@DisableOption{dvipdfm}%
4546 \Hy@DisableOption{dvipdfmx}%
4547 \Hy@DisableOption{dvipdfmx-outline-open}%
4548 \Hy@DisableOption{pdfmark}%
4549 \Hy@DisableOption{dvips}%
4550 \Hy@DisableOption{hypertex}%
4551 \Hy@DisableOption{vtx}%
4552 \Hy@DisableOption{vtxpdfmark}%
4553 \Hy@DisableOption{dviwindo}%
4554 \Hy@DisableOption{dvipsone}%
4555 \Hy@DisableOption{textures}%
4556 \Hy@DisableOption{latex2html}%
4557 \Hy@DisableOption{ps2pdf}%
4558 \Hy@DisableOption{xetex}%
4559 \Hy@DisableOption{pdfversion}%
4560 }

```

Support for open outlines is enabled for XeTeX ≥ 0.9995 . I don't know, if older versions also support this. AFAIK older dvipdfmx versions will break, thus the switch cannot be turned on by default.

```

4561 \newif\ifHy@DvipdfmxOutlineOpen
4562 \ifxetex
4563 \ifdim\number\XeTeXversion\XeTeXrevision in<0.9995in %
4564 \else
4565   \chardef\SpecialDvipdfmxOutlineOpen\@ne

```

```

4566   \Hy@DvipdfmxOutlineOpentrue
4567   \fi
4568 \fi
4569 \begingroup\expandafter\expandafter\expandafter\endgroup
4570 \expandafter\ifx\csname SpecialDvipdfmxOutlineOpen\endcsname\relax
4571 \else
4572 \ifnum\SpecialDvipdfmxOutlineOpen>\z@%
4573 \Hy@DvipdfmxOutlineOpentrue
4574 \fi
4575 \fi

```

15.4.2 Bookmarks

```

4576 \def\WriteBookmarks{0}
4577 \def\@bookmarkopenstatus#1{%
4578 \ifHy@bookmarksopen

```

The purpose of the `\@firstofone`-number-space-construct is that no `\relax` will be inserted by TeX before the `\else`:

```

4579 \ifnum#1<\expandafter\@firstofone\expandafter
4580           {\number\@bookmarksopenlevel} % explicit space
4581 \else
4582 -%
4583 \fi
4584 \else
4585 -%
4586 \fi
4587 }
4588 \ifHy@bookmarks
4589 \Hy@Info{Bookmarks ON}%
4590 \ifx\@pdfpagemode\empty
4591 \def\@pdfpagemode{UseOutlines}%
4592 \fi
4593 \else
4594 \let\@bookmarkopenstatus\ltx@gobble
4595 \Hy@Info{Bookmarks OFF}%
4596 \Hy@AtEndOfPackage{%
4597 \global\let\ReadBookmarks\relax
4598 \global\let\WriteBookmarks\relax
4599 }%
4600 \ifx\@pdfpagemode\empty
4601 \def\@pdfpagemode{UseNone}%
4602 \fi
4603 \fi
4604 \Hy@DisableOption{bookmarks}

```

Add wrapper for setting standard catcodes (babel's shorthands).

```

4605 \def\Hy@CatcodeWrapper##1{%
4606 \let\Hy@EndWrap\ltx\empty
4607 \def\TMP@EnsureCode##1##2{%
4608 \edef\Hy@EndWrap{%
4609 \Hy@EndWrap
4610 \catcode##1 \the\catcode##1\relax
4611 }%
4612 \catcode##1 ##2\relax
4613 }%
4614 \TMP@EnsureCode{10}{12}%
4615 \TMP@EnsureCode{33}{12}%
4616 \TMP@EnsureCode{34}{12}%
4617 \TMP@EnsureCode{36}{3}%

```

```

4618 \TMP@EnsureCode{38}{4} \% & (alignment)
4619 \TMP@EnsureCode{39}{12} %
4620 \TMP@EnsureCode{40}{12} %
4621 \TMP@EnsureCode{41}{12} %
4622 \TMP@EnsureCode{42}{12} %
4623 \TMP@EnsureCode{43}{12} %
4624 \TMP@EnsureCode{44}{12} ,
4625 \TMP@EnsureCode{45}{12} -
4626 \TMP@EnsureCode{46}{12} .
4627 \TMP@EnsureCode{47}{12} /
4628 \TMP@EnsureCode{58}{12} :
4629 \TMP@EnsureCode{59}{12} ;
4630 \TMP@EnsureCode{60}{12} <
4631 \TMP@EnsureCode{61}{12} =
4632 \TMP@EnsureCode{62}{12} >
4633 \TMP@EnsureCode{63}{12} ?
4634 \TMP@EnsureCode{91}{12} [
4635 \TMP@EnsureCode{93}{12} ]
4636 \TMP@EnsureCode{94}{7} \% ^ (superscript)
4637 \TMP@EnsureCode{95}{8} \% _ (subscript)
4638 \TMP@EnsureCode{96}{12} %
4639 \TMP@EnsureCode{124}{12} |
4640 \TMP@EnsureCode{126}{13} \% ~ (active)
4641 #1\relax
4642 \Hy@EndWrap
4643 }

```

\HyColor@UseColor expects a macro as argument. It contains the color specification.

```

4644 \Hy@AtBeginDocument{%
4645 \ifHy@ocgcolorlinks
4646   \kvsetkeys{Hyp}{colorlinks}%
4647 \ifHy@pdfa
4648   \Hy@Warning{%
4649     PDF/A: Optional Content Groups are prohibited,\MessageBreak
4650     using 'colorlinks' instead of 'ocgcolorlinks'%
4651   }%
4652   \Hy@ocgcolorlinksfalse
4653 \fi
4654 \fi
4655 \ifHy@ocgcolorlinks
4656 \else
4657   \Hy@DisableOption{ocgcolorlinks}%
4658 \fi
4659 \ifHy@colorlinks
4660   \def\@pdfborder{0 0 0}%
4661   \let\@pdfborderstyle\@empty
4662 \ifHy@typexml
4663 \else
4664   \Hy@CatcodeWrapper{%
4665     \RequirePackage{color}%
4666   }%
4667 \fi
4668 \def\Hy@colorlink#1{%
4669   \begingroup
4670   \HyColor@UseColor#1%
4671 }%
4672 \def\Hy@endcolorlink{\endgroup}%

```

```

4673   \Hy@Info{Link coloring ON}%
4674 \else
4675   \ifHy@frenchlinks
4676     \def\Hy@colorlink#1{\begingroup\fontshape{sc}\selectfont}%
4677     \def\Hy@endcolorlink{\endgroup}%
4678     \Hy@Info{French linking ON}%
4679   \else
for grouping consistency:
4680     \def\Hy@colorlink#1{\begingroup}%
4681     \def\Hy@endcolorlink{\endgroup}%
4682     \Hy@Info{Link coloring OFF}%
4683   \fi
4684 \fi
4685 \Hy@DisableOption{colorlinks}%
4686 \Hy@DisableOption{frenchlinks}%
4687 \ifHy@texht
4688   \long\def\@firstoffive#1#2#3#4#5{#1}%
4689   \long\def\@secondoffive#1#2#3#4#5{#2}%
4690   \long\def\@thirdoffive#1#2#3#4#5{#3}%
4691   \long\def\@fourthoffive#1#2#3#4#5{#4}%
4692   \long\def\@fifthoffive#1#2#3#4#5{#5}%
4693   \providecommand*\@safe@activestrue{}%
4694   \providecommand*\@safe@activesfalse{}%
4695 \def\T@ref#1{%
4696   \Hy@safe@activestrue
4697   \expandafter\@setref\csname r@#1\endcsname\@firstoffive{#1}%
4698   \Hy@safe@activesfalse
4699 }%
4700 \def\T@pageref#1{%
4701   \Hy@safe@activestrue
4702   \expandafter\@setref\csname r@#1\endcsname\@secondoffive{#1}%
4703   \Hy@safe@activesfalse
4704 }%
4705 \else
4706   \ifHy@typxml
4707   \else
4708     \Hy@CatcodeWrapper{%
4709       \RequirePackage{nameref}%
4710     }%
4711   \fi
4712 \fi
4713 \DeclareRobustCommand\ref{%
4714   \@ifstar\@refstar\T@ref
4715 }%
4716 \DeclareRobustCommand\pageref{%
4717   \@ifstar\@pagerefstar\T@pageref
4718 }%
4719 % \@ifclassloaded{memoir}{%
4720 %   \ltx@ifundefined{@mem@titlerefno link}\ltx@secondoftwo{%
4721 %     \ltx@ifundefined{@mem@titleref}\ltx@secondoftwo\ltx@firstoftwo
4722 %   }%
4723 % } \ltx@secondoftwo
4724 % {%
4725 %   \DeclareRobustCommand*{\nameref}{%
4726 %     \@ifstar\@mem@titlerefno link\@mem@titleref
4727 %   }%
4728 % }{%

```

```

4729 \DeclareRobustCommand*\{\nameref\}{%
4730   \Gifstar\@namerefstar\T@nameref
4731 }%
4732 % }%
4733 }
4734 \Hy@AtBeginDocument{%
4735   \ifHy@texht
4736   \else
4737     \Hy@CatcodeWrapper\ReadBookmarks
4738   \fi
4739 }
4740 \ifHy@backref
4741   \RequirePackage{backref}%
4742 \else
4743   \let\Hy@backout\Gobble
4744 \fi
4745 \Hy@DisableOption{backref}
4746 \Hy@DisableOption{pagebackref}
4747 \Hy@activeanchorfalse

```

16 User hypertext macros

We need to normalise all user commands taking a URL argument; Within the argument the following special definitions apply: \#, \%, ~ produce #, %, ~ respectively. for consistency \~ produces ~ as well. At the *top level only* ie not within the argument of another command, you can use # and % unescaped, to produce themselves. even if, say, # is entered as # it will be converted to \# so it does not die if written to an aux file etc. \# will write as # locally while making \specials.

```

4748 \begingroup
4749   \endlinechar=-1 %
4750   \catcode'`A=14 %
4751   \catcode'`M\active
4752   \catcode'`\%\active
4753   \catcode'`\#\active
4754   \catcode'`\_\active
4755   \catcode'`\$\active
4756   \catcode'`\&\active
4757 \gdef\hyper@normalise{`A
4758   \begingroup
4759   \catcode'`M\active
4760   \def`M{`}`A
4761   \catcode'`\%\active
4762   \let%`@\percentchar
4763   \let%`@\percentchar
4764   \catcode'`\#\active
4765   \def#`{\hyper@hash}`A
4766   \def#`{\hyper@hash}`A
4767   `@\makeother`\&`A
4768   \edef&`{\string&}`A
4769   \edef\&`{\string&}`A
4770   \edef\textunderscore{\string_}`A
4771   \let\_\textunderscore
4772   \catcode'`\_\active
4773   \let\_textunderscore
4774   \let~\hyper@tilde

```

```

4775 \let\~\hyper@tilde
4776 \let\textasciitilde\hyper@tilde
4777 \let\\@\backslashchar
4778 \edef${\string$}^A
4779 \Hy@safe@activestru
4780 \hyper@n@rmalise
4781 }^A
4782 \catcode`\#=6 ^A
4783 \gdef\Hy@ActiveCarriageReturn{^M}^A
4784 \gdef\hyper@n@rmalise#1#2{^A
4785 \def\Hy@tempa{#2}^A
4786 \ifx\Hy@tempa\Hy@ActiveCarriageReturn
4787 \ltx@ReturnAfterElseFi{^A
4788 \hyper@normalise{#1}^A
4789 }^A
4790 \else
4791 \ltx@ReturnAfterFi{^A
4792 \hyper@normalise{#1}{#2}^A
4793 }^A
4794 \fi
4795 }^A
4796 \gdef\hyper@normalise#1#2{^A
4797 \edef\Hy@tempa{^A
4798 \endgroup
4799 \noexpand#1{\Hy@RemovePercentCr#2% ^M@nil}^A
4800 }^A
4801 \Hy@tempa
4802 }^A
4803 \gdef\Hy@RemovePercentCr#1% ^M#2@nil{^A
4804 #1^A
4805 \ifx\limits#2\limits
4806 \else
4807 \ltx@ReturnAfterFi{^A
4808 \Hy@RemovePercentCr #2@nil
4809 }^A
4810 \fi
4811 }^A
4812 \endgroup
4813 \providecommand*\hyper@chars{%
4814 \let\#\hyper@hash
4815 \let\%\@percentchar
4816 \Hy@safe@activestru
4817 }

4818 \def\hyperlink#1#2{%
4819 \hyper@link{}{#1}{#2}%
4820 }

4821 \def\Hy@VerboseLinkStart#1#2{%
4822 \ifHy@verbose
4823 \begingroup
4824 \Hy@safe@activestru
4825 \xdef\Hy@VerboseGlobalTemp{(#1) '#2'}%
4826 \Hy@Info{Reference \Hy@VerboseGlobalTemp}%
4827 \xdef\Hy@VerboseGlobalTemp{%
4828 \Hy@VerboseGlobalTemp, %
4829 line \the\inputlineno
4830 }%
4831 \endgroup

```

```

4832   \let\Hy@VerboseLinkInfo\Hy@VerboseGlobalTemp
4833   \onelevel@sanitize\Hy@VerboseLinkInfo
4834 \fi
4835 }

4836 \def\Hy@VerboseLinkInfo{<VerboseLinkInfo>}
4837 \def\Hy@VerboseLinkStop{%
4838 \ifHy@verbose
4839 \begingroup
4840 \edef\x{\endgroup
4841 \write\m@ne{%
4842 Package 'hyperref' Info: %
4843 End of reference \Hy@VerboseLinkInfo.%}
4844 }%
4845 }%
4846 \x
4847 \fi
4848 }

4849 \def\Hy@VerboseAnchor#1{%
4850 \ifHy@verbose
4851 \begingroup
4852 \Hy@safe@activestrue
4853 \Hy@Info{Anchor '\HyperDestNameFilter{#1}'}%
4854 \endgroup
4855 \fi
4856 }

4857 \def\Hy@AllowHyphens{%
4858 \relax
4859 \ifhmode
4860 \penalty\@M
4861 \hskip\z@skip
4862 \fi
4863 }

4864 \DeclareRobustCommand*\href*[1][]{%
4865 \begingroup
4866 \setkeys{href}{#1}%
4867 \@ifnextchar\bgroup\Hy@href{\hyper@normalise\href@}%
4868 }
4869 \def\Hy@href#1{%
4870 \hyper@normalise\href@
4871 }
4872 \begingroup
4873 \catcode`\$=6 %
4874 \catcode`\#=12 %
4875 \gdef\href@#1{\expandafter\href@split$1##$\@}%
4876 \gdef\href@split$1##$2##$3\$4{%
4877 \hyper@link{$1}{$2}{$4}}%
4878 \endgroup
4879 }%
4880 \endgroup

```

Option ‘page’.

```

4881 \define@key{href}{page}{%
4882 \def\Hy@href@page{#1}%
4883 }
4884 \let\Hy@href@page\empty
4885 \newcount\c@Hy@tempcnt

```

```

4886 \def\theHy@tempcnt{\the\c@Hy@tempcnt}
4887 \def\Hy@MakeRemoteAction{%
4888   \ifx\Hy@href@page\@empty
4889     \def\Hy@href@page{0}%
4890   \else
4891     \setcounter{Hy@tempcnt}{\Hy@href@page}%
4892     \ifnum\c@Hy@tempcnt<\@ne
4893       \Hy@Warning{%
4894         Invalid page number (\theHy@tempcnt)\MessageBreak
4895         for remote PDF file.\MessageBreak
4896         Using page 1%
4897       }%
4898     \def\Hy@href@page{0}%
4899   \else
4900     \global\advance\c@Hy@tempcnt\m@ne
4901     \edef\Hy@href@page{\theHy@tempcnt}%
4902   \fi
4903 \fi

```

If a next action is set, then also a new window should be opened. Otherwise AR reclaims that it closes the current file with discarding the next actions.

```

4904 \ifx\Hy@href@nextactionraw\@empty
4905 \else
4906   \Hy@pdfnewwindowsettrue
4907   \Hy@pdfnewwindowtrue
4908 \fi
4909 }

```

Option ‘pd fremotestartview’.

```

4910 \define@key{href}{pd fremotestartview}{%
4911   \setkeys{Hyp}{pd fremotestartview={#1}}%
4912 }

```

Option ‘pdfnewwindow’.

```

4913 \let\KV@href@pdfnewwindow\KV@Hyp@pdfnewwindow
4914 \let\KV@href@pdfnewwindow@default\KV@Hyp@pdfnewwindow@default

```

Option ‘ismap’.

```

4915 \newif\ifHy@href@ismap
4916 \define@key{href}{ismap}[true]{%
4917   \ltx@ifUndefined{Hy@href@ismap#1}{%
4918     \Hy@Error{%
4919       Invalid value (#1) for key ‘ismap’.\MessageBreak
4920       Permitted values are ‘true’ or ‘false’.\MessageBreak
4921       Ignoring ‘ismap’%
4922     }@\ehc
4923   }{%
4924     \csname Hy@href@ismap#1\endcsname
4925   }%
4926 }

```

Option ‘nextactionraw’.

```

4927 \let\Hy@href@nextactionraw\@empty
4928 \define@key{href}{nextactionraw}{%
4929   \edef\Hy@href@nextactionraw{#1}%
4930   \ifx\Hy@href@nextactionraw\@empty
4931   \else
4932     \Hy@Match\Hy@href@nextactionraw{%
4933       ^(\HyPat@ObjRef/|<<.* /S[ /].+>>|%

```

```

4934     \[( ?\HyPat@ObjRef/ | <<.* /S[ /].+>>) + ?]\)$%
4935     }{}{%
4936     \Hy@Warning{Invalid value for ‘nextactionraw’: \MessageBreak
4937     \Hy@href@nextactionraw\MessageBreak
4938     The action is discarded%
4939     }%
4940   }%
4941   \ifx\Hy@href@nextactionraw\@empty
4942   \else
4943     \edef\Hy@href@nextactionraw{/Next \Hy@href@nextactionraw}%
4944   \fi
4945 \fi
4946 }
4947 \def\HyPat@ObjRef/{.+}

```

Load package `url.sty` and save the meaning of the original `\url` in `\nolinkurl`.

```

4948 \RequirePackage{url}
4949 \let\HyOrg@url\url
4950 \def\Hurl{\begingroup\Url}
4951 \DeclareRobustCommand*\nolinkurl{\hyper@normalise\nolinkurl@}
4952 \def\nolinkurl@#1{\Hurl{#1}}
4953 \DeclareRobustCommand*\url{\hyper@normalise\url@}
4954 \def\url@#1{\hyper@linkurl{\Hurl{#1}}{#1}}
4955 \DeclareRobustCommand*\hyperimage{\hyper@normalise\hyper@image}
4956 \providecommand\hyper@image[2]{#2}
4957 \def\hypertarget#1#2{%
4958   \ifHy@nesting
4959     \hyper@anchor{#1}{#2}%
4960   \else
4961     \hyper@anchor{#1}{\relax}{#2}%
4962   \fi
4963 }

```

`\hyperref` is more complicated, as it includes the concept of a category of link, used to make the name. This is not really used in this package. `\hyperdef` sets up an anchor in the same way. They each have three parameters of category, linkname, and marked text, and `\hyperref` also has a first parameter of URL. If there is an optional first parameter to `\hyperdef`, it is the name of a L^AT_EX label which can be used in a short form of `\hyperref` later, to avoid remembering the name and category.

```

4964 \DeclareRobustCommand*\hyperref{%
4965   \if@fnextrchar[\Hy@babelnormalise\label@hyperref]\@hyperref
4966 }
4967 \def\Hy@babelnormalise#1[#2]{%
4968   \begingroup
4969   \Hy@safe@activestru e
4970   \edef\Hy@tempa{%
4971     \endgroup
4972     \noexpand#1[#2]}%
4973   }%
4974 \Hy@tempa
4975 }
4976 \def\@hyperref{\hyper@normalise\@hyperref}
4977 \def\@hyperref#1#2#3{%
4978   \edef\ref@one{\ifx\#2\else\#2.\fi\#3}%
4979   \expandafter\tryhyper@link\ref@one\{#1}%
4980 }

```

```

4981 \def\tryhyper@link#1\\#2{%
4982   \hyper@@link{\#2}{#1}%
4983 }
4984 \def\hyperdef{\@ifnextchar[{\label@hyperdef}{\@hyperdef}}
4985 \def\@hyperdef#1#2#3{%, category, name, text
4986   \ifx\\#1\\%
4987     \def\Hy@AnchorName{\#2}%
4988   \else
4989     \def\Hy@AnchorName{#1.\#2}%
4990   \fi
4991   \ifHy@nesting
4992     \expandafter\hyper@@anchor\expandafter{\Hy@AnchorName}{#3}%
4993   \else
4994     \expandafter\hyper@@anchor\expandafter{\Hy@AnchorName}{\relax}#3%
4995   \fi
4996 }

```

We also have a need to give a *LATEX* *label* to a hyper reference, to ease the pain of referring to it later.

```

4997 \def\label@hyperref[#1]{%
4998   \expandafter\label@@hyperref\csname r@#1\endcsname{#1}%
4999 }%
5000 \def\label@@hyperref#1#2#3{%
5001   \ifx#1\relax
5002     \protect\G@refundefinedtrue
5003     \G@warning{%
5004       Hyper reference '#2' on page \thepage \space undefined%
5005     }%
5006     \begingroup
5007       #3%
5008     \endgroup
5009   \else
5010     \hyper@@link{\expandafter\@fifthoffive#1}%
5011     {\expandafter\@fourthoffive#1\@empty\@empty}{#3}%
5012   \fi
5013 }
5014 \def\label@hyperdef[#1]#2#3#4{%
5015   % label name, category, name,
5016   % anchor text
5017   \@bsphack
5018   \ifx\\#2\\%
5019     \def\Hy@AnchorName{\#3}%
5020   \else
5021     \def\Hy@AnchorName{#2.\#3}%
5022   \fi
5023   \if@filesw
5024     \protected@write\@auxout{}{%
5025       \string\newlabel{#1}{{}\{}{}\{\}\{}{}\{\}{}{\Hy@AnchorName}\{}{}\}%
5026     }%
5027   \fi
5028   \@espHack
5029   \ifHy@nesting
5030     \expandafter\hyper@@anchor\expandafter{\Hy@AnchorName}{#4}%
5031   \else
5032     \expandafter\hyper@@anchor\expandafter{\Hy@AnchorName}{\relax}#4%
5033   \fi

```

17 Underlying basic hypertext macros

Links have an optional type, a filename (possibly a URL), an internal name, and some marked text. (Caution: the internal name may contain babel shorthand characters.) If the second parameter is empty, its an internal link, otherwise we need to open another file or a URL. A link start has a type, and a URL.

```
5034 \def\hyper@@link{\let\Hy@reserved@a\relax
5035   \@ifnextchar[{\hyper@link@}{\hyper@link@[link]}%
5036 }
5037 \def\hyper@link@[#1]#2#3#4{%
5038   \begingroup
5039     \protected@edef\Hy@tempa{#2}%
5040     \Hy@safe@activestru
5041     \edef\x{#3}%
5042     \ifx\Hy@tempa\empty
5043       \toks0{\hyper@link{#1}}%
5044     \else
5045       \toks0{\expandafter\hyper@readexternallink#2\\{#1}}%
5046     \fi
5047   \toks2{%
5048     \Hy@safe@activesfalse
5049     #4%
5050   }%
5051   \edef\Hy@tempa{\the\toks2}%
5052   \edef\x{\endgroup
5053     \ifx\Hy@tempa\empty
5054       \noexpand\Hy@Warning{Suppressing empty link}%
5055     \else
5056       \the\toks0 {\x}{\the\toks2}%
5057     \fi
5058   }%
5059   \x
5060 }
```

The problem here is that the first (URL) parameter may be a local file: reference (in which case some browsers treat it differently) or a genuine URL, in which case we'll have to activate a real Web browser. Note that a simple name is also a URL, as that is interpreted as a relative file name. We have to worry about # signs in a local file as well.

```
5061 \def\hyper@readexternallink#1\\#2#3#4{%
5062   \begingroup
5063   \let\\\relax
5064   \expandafter\endgroup
5065   \expandafter\@hyper@@readexternallink#1\\{#2}{#3}{#4}%
5066 }
5067 \def\@hyper@@readexternallink#1\\#2#3#4{%
```

Parameters are:

1. The URL or file name
2. The type
3. The internal name
4. The link string

We need to get the 1st parameter properly expanded, so we delimit the arguments rather than passing it inside a group.

```

5068 \@hyper@readexternallink{#2}{#3}{#4}#1:\#\#1%
5069 }

```

Now (potentially), we are passed: 1) The link type 2) The internal name, 3) the link string, 4) the URL type (http, mailto, file etc), 5) the URL details 6) anything after a real : in the URL 7) the whole URL again

```

5070 \def\@pdftempwordfile{file}%
5071 \def\@pdftempwordrun{run}%
5072 \def\@hyper@readexternallink#1#2#3#4:#5:#6\#\#7{%

```

If there are no colons at all (#6 is blank), its a local file; if the URL type (#4) is blank, its probably a Mac filename, so treat it like a file: URL. The only flaw is if its a relative Mac path, with several colon-separated elements — then we lose. Such names must be prefixed with an explicit dvi:

```

5073 \ifx\#\#6\%
5074 \@hyper@linkfile file:#7\#\#3}{#2}{#7}%
5075 \else
5076 \ifx\#\#4\%
5077 \@hyper@linkfile file:#7\#\#3}{#2}{#7}%
5078 \else

```

If the URL type is ‘file’, pass it for local opening

```

5079 \def\@pdftempa{#4}%
5080 \ifx\@pdftempa\@pdftempwordfile
5081 \@hyper@linkfile#7\#\#3}{#2}{#7}%
5082 \else

```

if it starts ‘run:’, its to launch an application.

```

5083 \ifx\@pdftempa\@pdftempwordrun
5084 \ifHy@pdfa
5085 \Hy@Error{%
5086 PDF/A: Launch action is prohibited%
5087 }\@ehc
5088 \begingroup
5089 \leavevmode
5090 #2%
5091 \endgroup
5092 \else
5093 \@hyper@launch#7\#\#3}{#2}%
5094 \fi
5095 \else

```

otherwise its a URL

```

5096 \hyper@linkurl{#3}{#7}\ifx\#\#2\\else\hyper@hash#2\fi}%
5097 \fi
5098 \fi
5099 \fi
5100 \fi
5101 }

```

By default, turn run: into file:

```

5102 \def\@hyper@launch run:#1\#\#2#3{%
5103 \hyper@linkurl{#2}{%
5104 \Hy@linkfileprefix
5105 #1%
5106 \ifx\#\#3\%
5107 \else
5108 \hyper@hash
5109 #3%

```

```

5110     \fi
5111   }%
5112 }

D P Story <story@uakron.edu> pointed out that relative paths starting .. fell over. Switched to using \filename@parse to solve this.

5113 \def\@hyper@linkfile file:#1\\#2#3#4{%
5114   %file url,link string, name, original uri
5115   \filename@parse{#1}%
5116   \ifx\filename@ext\relax
5117     \edef\filename@ext{\XR@ext}%
5118   \fi
5119   \def\use@file{\filename@area\filename@base.\filename@ext}%
5120   \Hy@IfStringEndsWith\filename@ext\XR@ext{%
5121     \hyper@linkfile{#2}{\use@file}{#3}%
5122   }{%
5123     \ifx\@baseurl\@empty
5124       \hyper@linkurl{#2}{%
5125         #4\ifx\\#3\\ \else\hyper@hash#3\fi
5126       }%
5127     \else
5128       \hyper@linkurl{#2}{\use@file\ifx\\#3\\ \else\hyper@hash#3\fi}%
5129     \fi
5130   }%
5131 }

5132 \def\Hy@IfStringEndsWith#1#2{%
5133   \begingroup
5134   \edef\x{#1}%
5135   \@onelvel@sanitize\x
5136   \edef\x{.\x\$}%
5137   \edef\y{#2}%
5138   \@onelvel@sanitize\y
5139   \edef\y{.\y\$}%
5140   \expandafter\def\expandafter\z\expandafter##\expandafter1\y##2@nil{%
5141     \endgroup
5142     \ifx\relax##2\relax
5143       \expandafter\ltx@secondoftwo
5144     \else
5145       \expandafter\ltx@firstoftwo
5146     \fi
5147   }%
5148   \expandafter\expandafter\expandafter\z\expandafter\expandafter\expandafter\y\@nil
5149 }

5150 \def\Hy@StringLocalhost{localhost}
5151 \@onelvel@sanitize\Hy@StringLocalhost
5152 \def\Hy@CleanupFile#1{%
5153   \edef#1{#1}%
5154   \expandafter\Hy@@CleanupFile#1\hbox//\hbox@\nil{#1}%
5155 }
5156 \def\Hy@@CleanupFile#1//#2/#3\hbox##4@\nil#5{%
5157   \begingroup
5158   \toks@{\endgroup}%
5159   \def\x{#1}%
5160   \ifx\x\@empty
5161     \def\x{#2}%
5162     \ifx\x\@empty
5163       \toks@{\endgroup\def#5{/#3}}%

```

```

5164     \else
5165         \c@onelevel@sanitize\x
5166         \ifx\x\Hy@StringLocalhost
5167             \toks@\{\endgroup\def#5{/#3}\}%
5168         \fi
5169     \fi
5170 \fi
5171 \the\toks@
5172 }

```

Anchors have a name, and marked text. We have to be careful with the marked text, as if we break off part of something to put a \special around it, all hell breaks loose. Therefore, we check the category code of the first token, and only proceed if its safe. Tanmoy sorted this out.

A curious case arises if the original parameter was in braces. That means that #2 comes here a multiple letters, and the noexpand just looks at the first one, putting the rest in the output. Yuck.

```

5173 \long\def\hyper@anchor#1#2{\@hyper@anchor#1\relax#2\relax}
5174 \long\def\@hyper@anchor#1\relax#2#3\relax{%
5175   \ifx\\#1\\%
5176     #2\Hy@Warning{Ignoring empty anchor}%
5177   \else
5178     \def\anchor@spot{#2#3}%
5179     \let\put@me@back\@empty
5180     \ifx\relax#2\relax
5181   \else
5182     \ifHy@nesting
5183   \else
5184     \ifcat a\noexpand#2\relax
5185   \else
5186     \ifcat 0\noexpand#2\relax
5187   \else
5188 %       \typeout{Anchor start is not alphanumeric %
5189 %           on input line\the\inputlineno%
5190 %       }%
5191       \let\anchor@spot\@empty
5192       \def\put@me@back{#2#3}%
5193   \fi
5194   \fi
5195   \fi
5196 \fi
5197 \ifHy@activeanchor
5198   \anchor@spot
5199 \else
5200   \hyper@anchor{#1}%
5201 \fi
5202 \expandafter\put@me@back
5203 \fi
5204 \let\anchor@spot\@empty
5205 }
5206 \let\anchor@spot\ltx@empty

```

18 Compatibility with the *L^AT_EX2html* package

Map our macro names on to Nikos', so that documents prepared for that system will work without change.

Note, however, that the whole complicated structure for segmenting documents is not supported; it is assumed that the user will load `html.sty` first, and then `hyperref.sty`, so that the definitions in `html.sty` take effect, and are then overridden in a few circumstances by this package.

```
5207 \let\htmladdimg\hyperimage
5208 \def\htmladdnormallink#1#2{\href{#2}{#1}}
5209 \def\htmladdnormallinkfoot#1#2{\href{#2}{#1}\footnote{#2}}
5210 \def\htmlref#1#2{%
  anchor text, label
  \label@hyperref{#2}{#1}%
}
5212 }
```

This is really too much. The `LATEX2html` package defines its own `\hyperref` command, with a different syntax. Was this always here? Its weird, anyway. We interpret it in the ‘printed’ way, since we are about fidelity to the page.

```
5213 \def\@latextohtmlX{%
5214   \let\hhyperref\hyperref
5215   \def\hyperref##1##2##3##4{%
    anchor text for HTML
    % text to print before label in print
    % label
    % post-label text in print
    ##2\ref{##4}##3%
}
5220 }%
5221 }
```

19 Forms creation

Allow for creation of PDF or HTML forms. The effects here are limited somewhat by the need to support both output formats, so it may not be as clever as something which only wants to make PDF forms.

I (Sebastian) could not have started this without the encouragement of T V Raman.

19.1 Field flags

The field flags are organized in a bit set.

```
5222 \RequirePackage{bitset}
```

Each flag has a option name, an `\if` switch, and a bit position. The default is always ‘false’, the flag is clear. This is also the default of the switch created by `\newif`.

The names of the flags in the PDF specification (1.7) are used as lowercase option names.

```
\HyField@NewFlag #1: type: F annot flags, Ff field flags
#2: PDF name
#3: PDF position
5223 \def\HyField@NewFlag#1#2{%
5224   \lowercase{\HyField@NewOption{#2}}%
5225   \lowercase{\HyField@NewBitsetFlag{#2}{#2}{#1}}%
}
5226 }

\HyField@NewFlagOnly
5227 \def\HyField@NewFlagOnly#1#2{%
5228   \lowercase{\HyField@NewBitsetFlag{#2}{#2}{#1}}%
}
5229 }
```

```

\HyField@NewOption #1: option name
5230 \def\HyField@NewOption#1{%
5231   \expandafter\newif\csname ifFld@#1\endcsname
5232   \define@key{Field}{#1}[true]{%
5233     \lowercase{\Field@boolkey{##1}}{#1}%
5234   }%
5235 }

\HyField@NewBitsetFlag Package ‘bitset’ uses zero based positions, the PDF specification starts with one.
#1: option
#2: PDF name
#3: type: F annot flags, Ff field flags
#4: PDF position
5236 \def\HyField@NewBitsetFlag#1#2#3#4{%
5237   \begingroup
5238   \count@=#4\relax
5239   \advance\count@\m@ne
5240   \def\x##1{%
5241     \endgroup
5242     \expandafter\def\csname HyField@##3@##1\endcsname{##1}%
5243     \expandafter\ifx\csname HyField@##3@##1\endcsname\relax
5244       \expandafter\edef\csname HyField@##3@##1\endcsname{%
5245         (\number#4) #2%
5246       }%
5247     \else
5248       \expandafter\edef\csname HyField@##3@##1\endcsname{%
5249         \csname HyField@##3@##1\endcsname
5250         /#2%
5251       }%
5252     \fi
5253   }%
5254   \expandafter\x\expandafter{\the\count@}%
5255 }

\HyField@UseFlag The bit set is HyField@#1
5256 \def\HyField@UseFlag#1#2{%
5257   \lowercase{\HyField@@UseFlag{#2}}{#1}%
5258 }

\HyField@@UseFlag
5259 \def\HyField@@UseFlag#1#2{%
5260   \bitsetSetValue{HyField@#2}{%
5261     \csname HyField@#2@#1\endcsname
5262   }{%
5263     \csname ifFld@#1\endcsname 1\else 0\fi
5264   }%
5265 }

\HyField@SetFlag The bit set is HyField@#1
5266 \def\HyField@SetFlag#1#2{%
5267   \lowercase{\HyField@@SetFlag{#2}}{#1}%
5268 }

\HyField@@SetFlag
5269 \def\HyField@@SetFlag#1#2{%
5270   \bitsetSetValue{HyField@#2}{%

```

```

5271   \csname HyField@#2@#1\endcsname
5272 }{1}%
5273 }

\HyField@PrintFlags

5274 \def\HyField@PrintFlags#1#2{%
5275   \ifHy@verbose
5276     \begingroup
5277       \let\Hy@temp\empty
5278       \let\MessageBreak\relax
5279       \expandafter\@for\expandafter\x\expandafter:\expandafter=%
5280       \bitsetGetSetBitList{HyField@#1}\do{%
5281         \edef\Hy@temp{%
5282           \Hy@temp
5283           \csname HyField@#1@\x\endcsname\MessageBreak
5284         }%
5285       }%
5286     \edef\x{\endgroup
5287       \noexpand\Hy@Info{%
5288         Field flags: %
5289         \expandafter\ifx\@car#1\@nil S\else/\fi
5290         #1 %
5291         \bitsetGetDec{HyField@#1} %
5292         (0x\bitsetGetHex{HyField@#1}{32})\MessageBreak
5293         \Hy@temp
5294         for #2%
5295       }%
5296     }\x
5297   \fi
5298 }

```

19.1.1 Declarations of field flags

“Table 8.70 Field flags common to all field types”

```

5299 \HyField@NewFlag{Ff}{ReadOnly}{1}
5300 \HyField@NewFlag{Ff}{Required}{2}
5301 \HyField@NewFlag{Ff}{NoExport}{3}

```

“Table 8.75 Field flags specific to button fields”

```

5302 \HyField@NewFlag{Ff}{NoToggleToOff}{15}
5303 \HyField@NewFlag{Ff}{Radio}{16}
5304 \HyField@NewFlag{Ff}{PushButton}{17}
5305 \HyField@NewFlag{Ff}{RadiosInUnison}{26}

```

“Table 8.77 Field flags specific to text fields”

```

5306 \HyField@NewFlag{Ff}{Multiline}{13}
5307 \HyField@NewFlag{Ff}{Password}{14}
5308 \HyField@NewFlag{Ff}{FileSelect}{21}%
5309 \HyField@NewFlag{Ff}{DoNotSpellCheck}{23}%
5310 \HyField@NewFlag{Ff}{DoNotScroll}{24}%
5311 \HyField@NewFlag{Ff}{Comb}{25}%
5312 \HyField@NewFlag{Ff}{RichText}{26}%

```

“Table 8.79 field flags specific to choice fields”

```

5313 \HyField@NewFlag{Ff}{Combo}{18}
5314 \HyField@NewFlag{Ff}{Edit}{19}
5315 \HyField@NewFlag{Ff}{Sort}{20}
5316 \HyField@NewFlag{Ff}{MultiSelect}{22}%

```

```
5317 \% \HyField@NewFlag{Ff}{DoNotSpellCheck}{23}\% PDF 1.4  
5318 \% \HyField@NewFlag{Ff}{CommitOnSelChange}{27}\% PDF 1.5
```

Signature fields are not supported.

Until 6.76i hyperref uses field option ‘combo’ to set three flags ‘Combo’, ‘Edit’, and ‘Sort’. Option ‘popdown’ sets flag ‘Combo’ only.

```
5319 \%newif\ifFld@popdown  
5320 \%define@key{Field}{popdown}[true]{%  
5321   \%lowercase{\Field@boolkey{\#1}}{popdown} %  
5322 }
```

Annotation flags. The form objects are widget annotations. There are two flags for readonly settings, the one in the annotation flags is ignored, instead the other in the field flags is used.

Flag Print is not much useful, because hyperref do not use the appearance entry of the annotations for most fields.

```
5323 \% \HyField@NewFlag{F}{Invisible}{1}  
5324 \% \HyField@NewFlag{F}{Hidden}{2}\% PDF 1.2  
5325 \% \HyField@NewFlag{F}{Print}{3}\% PDF 1.2  
5326 \% \HyField@NewFlag{F}{NoZoom}{4}\% PDF 1.2  
5327 \% \HyField@NewFlag{F}{NoRotate}{5}\% PDF 1.3  
5328 \% \HyField@NewFlag{F}{NoView}{6}\% PDF 1.3  
5329 \% \HyField@NewFlag{F}{Locked}{8}\% PDF 1.4  
5330 \% \HyField@NewFlag{F}{ToggleNoView}{9}\% PDF 1.5  
5331 \% \HyField@NewFlag{F}{LockedContents}{10}\% PDF 1.7  
  
5332 \%ifHy@pdfa  
5333 \%def\HyField@PDFAFlagWarning{\#1\#2}{%  
5334   \%Hy@Warning{  
5335     PDF/A: Annotation flag ‘\#1’ must\MessageBreak  
5336     be set to ‘\#2’%  
5337   }%  
5338 }%  
5339 \%Fld@invisiblefalse  
5340 \%def\Fld@invisiblerule{  
5341   \%HyField@PDFAFlagWarning{invisibility}{false} %  
5342 }%  
5343 \%Fld@hiddenfalse  
5344 \%def\Fld@hiddentreue{  
5345   \%HyField@PDFAFlagWarning{hidden}{false} %  
5346 }%  
5347 \%Fld@printtrue  
5348 \%def\Fld@printfalse{  
5349   \%HyField@PDFAFlagWarning{print}{true} %  
5350 }%  
5351 \%Fld@nozoomtrue  
5352 \%def\Fld@nozoomfalse{  
5353   \%HyField@PDFAFlagWarning{nozoom}{true} %  
5354 }%  
5355 \%Fld@norotatefalse  
5356 \%def\Fld@norotatefalse{  
5357   \%HyField@PDFAFlagWarning{norotate}{true} %  
5358 }%  
5359 \%Fld@noviewfalse  
5360 \%def\Fld@noviewtrue{  
5361   \%HyField@PDFAFlagWarning{noview}{false} %  
5362 }%  
5363 \fi
```

Submit flags. Flag 1 Include/Exclude is not supported, use option noexport instead.

```

5364 \HyField@NewFlag{Submit}{IncludeNoValueFields}{2}
5365 \HyField@NewFlagOnly{Submit}{ExportFormat}{3}
5366 \HyField@NewFlag{Submit}{GetMethod}{4}
5367 \HyField@NewFlag{Submit}{SubmitCoordinates}{5}
5368 \HyField@NewFlagOnly{Submit}{XFDF}{6}
5369 \HyField@NewFlag{Submit}{IncludeAppendSaves}{7}
5370 \HyField@NewFlag{Submit}{IncludeAnnotations}{8}
5371 \HyField@NewFlagOnly{Submit}{SubmitPDF}{9}
5372 \HyField@NewFlag{Submit}{CanonicalFormat}{10}
5373 \HyField@NewFlag{Submit}{ExclNonUserAnnots}{11}
5374 \HyField@NewFlag{Submit}{ExclFKey}{12}
5375 \HyField@NewFlag{Submit}{EmbeddedForm}{14}

5376 \define@key{Field}{export}{%
5377   \lowercase{\def\Hy@temp{\#1}}%
5378   \@ifundefined{Fld@export@\Hy@temp}{%
5379     \Onelevel@sanitize\Hy@temp
5380     \Hy@Error{%
5381       Unknown export format '\Hy@temp'.\MessageBreak
5382       Known formats are 'FDF', 'HTML', 'XFDF', and 'PDF'%
5383     }\@ehc
5384   }%
5385   \let\Fld@export\Hy@temp
5386 }%
5387 }
5388 \def\Fld@export{fdf}
5389 \cnamedef{Fld@export@fdf}{0}%
5390 \cnamedef{Fld@export@html}{1}%
5391 \cnamedef{Fld@export@xfdf}{2}%
5392 \cnamedef{Fld@export@pdf}{3}%

```

19.1.2 Set submit flags

\HyField@FlagsSubmit

```

5393 \def\HyField@FlagsSubmit{%
5394   \bitsetReset{HyField@Submit}%
5395   \ifcase\@nameuse{Fld@export@\Fld@export} %
5396     % FDF
5397     \HyField@UseFlag{Submit}{IncludeNoValueFields}%
5398     \HyField@UseFlag{Submit}{SubmitCoordinates}%
5399     \HyField@UseFlag{Submit}{IncludeAppendSaves}%
5400     \HyField@UseFlag{Submit}{IncludeAnnotations}%
5401     \HyField@UseFlag{Submit}{CanonicalFormat}%
5402     \HyField@UseFlag{Submit}{ExclNonUserAnnots}%
5403     \HyField@UseFlag{Submit}{ExclFKey}%
5404     \HyField@UseFlag{Submit}{EmbeddedForm}%
5405   \or % HTML
5406     \HyField@SetFlag{Submit}{ExportFormat}%
5407     \HyField@UseFlag{Submit}{IncludeNoValueFields}%
5408     \HyField@UseFlag{Submit}{GetMethod}%
5409     \HyField@UseFlag{Submit}{SubmitCoordinates}%
5410     \HyField@UseFlag{Submit}{CanonicalFormat}%
5411   \or % XFDF
5412     \HyField@SetFlag{Submit}{XFDF}%
5413     \HyField@UseFlag{Submit}{IncludeNoValueFields}%

```

```

5414   \HyField@UseFlag{Submit}{SubmitCoordinates}%
5415   \HyField@UseFlag{Submit}{CanonicalFormat}%
5416 \or % PDF
5417   \HyField@SetFlag{Submit}{SubmitPDF}%
5418   \HyField@UseFlag{Submit}{GetMethod}%
5419 \fi
5420 \HyField@PrintFlags{Submit}{submit button field}%
5421 \bitsetIsEmpty{HyField@Submit}{%
5422   \let\Fld@submitflags\ltx@empty
5423 }{%
5424   \edef\Fld@submitflags{/Flags \bitsetGetDec{HyField@Submit}}%
5425 }%
5426 }

```

19.1.3 Set annot flags in fields

\HyField@FlagsAnnot

```

5427 \def\HyField@FlagsAnnot#1{%
5428   \bitsetReset{HyField@F}%
5429   \HyField@UseFlag{F}{Invisible}%
5430   \HyField@UseFlag{F}{Hidden}%
5431   \HyField@UseFlag{F}{Print}%
5432   \HyField@UseFlag{F}{NoZoom}%
5433   \HyField@UseFlag{F}{NoRotate}%
5434   \HyField@UseFlag{F}{NoView}%
5435   \HyField@UseFlag{F}{Locked}%
5436   \HyField@UseFlag{F}{ToggleNoView}%
5437   \HyField@UseFlag{F}{LockedContents}%
5438   \HyField@PrintFlags{F}{#1}%
5439   \bitsetIsEmpty{HyField@F}{%
5440     \let\Fld@annotflags\ltx@empty
5441   }{%
5442   \edef\Fld@annotflags{/F \bitsetGetDec{HyField@F}}%
5443 }%
5444 }

```

19.1.4 Pushbutton field

\HyField@FlagsPushButton

```

5445 \def\HyField@FlagsPushButton{%
5446   \HyField@FlagsAnnot{push button field}%
5447   \bitsetReset{HyField@Ff}%
5448   \HyField@UseFlag{Ff}{ReadOnly}%
5449   \HyField@UseFlag{Ff}{Required}%
5450   \HyField@UseFlag{Ff}{NoExport}%
5451   \HyField@SetFlag{Ff}{Pushbutton}%
5452   \HyField@PrintFlags{Ff}{push button field}%
5453   \bitsetIsEmpty{HyField@Ff}{%
5454     \let\Fld@flags\ltx@empty
5455   }{%
5456   \edef\Fld@flags{/Ff \bitsetGetDec{HyField@Ff}}%
5457 }%
5458 }

```

19.1.5 Check box field

\HyField@FlagsCheckBox

```

5459 \def\HyField@FlagsCheckBox{%
5460   \HyField@FlagsAnnot{check box field}%
5461   \bitsetReset{\HyField@Ff}%
5462   \HyField@UseFlag{Ff}{ReadOnly}%
5463   \HyField@UseFlag{Ff}{Required}%
5464   \HyField@UseFlag{Ff}{NoExport}%
5465   \HyField@PrintFlags{Ff}{check box field}%
5466   \bitsetIsEmpty{\HyField@Ff}{%
5467     \let\Fld@flags\ltx@empty
5468   }{%
5469     \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}%
5470   }%
5471 }

```

19.1.6 Radio button field

\HyField@FlagsRadioButton

```

5472 \def\HyField@FlagsRadioButton{%
5473   \HyField@FlagsAnnot{radio button field}%
5474   \bitsetReset{\HyField@Ff}%
5475   \HyField@UseFlag{Ff}{ReadOnly}%
5476   \HyField@UseFlag{Ff}{Required}%
5477   \HyField@UseFlag{Ff}{NoExport}%
5478   \HyField@UseFlag{Ff}{NoToggleToOff}%
5479   \HyField@SetFlag{Ff}{Radio}%
5480   \HyField@UseFlag{Ff}{RadiosInUnison}%
5481   \HyField@PrintFlags{Ff}{radio button field}%
5482   \bitsetIsEmpty{\HyField@Ff}{%
5483     \let\Fld@flags\ltx@empty
5484   }{%
5485     \edef\Fld@flags{/Ff \bitsetGetDec{\HyField@Ff}}%
5486   }%
5487 }

```

19.1.7 Text fields

\HyField@FlagsText

```

5488 \def\HyField@FlagsText{%
5489   \HyField@FlagsAnnot{text field}%
5490   \bitsetReset{\HyField@Ff}%
5491   \HyField@UseFlag{Ff}{ReadOnly}%
5492   \HyField@UseFlag{Ff}{Required}%
5493   \HyField@UseFlag{Ff}{NoExport}%
5494   \HyField@UseFlag{Ff}{Multiline}%
5495   \HyField@UseFlag{Ff}{Password}%
5496   \HyField@UseFlag{Ff}{FileSelect}%
5497   \HyField@UseFlag{Ff}{DoNotSpellCheck}%
5498   \HyField@UseFlag{Ff}{DoNotScroll}%
5499   \ifFld@comb
5500     \ifcase0\ifFld@multiline
5501       \else\ifFld@password
5502       \else\ifFld@fileselect
5503         \else 1\f1\f1\f1\relax
5504       \Hy@Error{%
5505         Field option ‘comb’ cannot used together with\MessageBreak
5506         ‘multiline’, ‘password’, or ‘fileselect’%
5507       }\@ehc

```

```

5508     \else
5509         \HyField@UseFlag{Ff}{Comb}%
5510     \fi
5511 \fi
5512 \HyField@UseFlag{Ff}{RichText}%
5513 \HyField@PrintFlags{Ff}{text field}%
5514 \bitsetIsEmpty{HyField@Ff}{%
5515     \let\Fld@flags\ltx@empty
5516 }{%
5517     \edef\Fld@flags{/Ff \bitsetGetDec{HyField@Ff}}%
5518 }%
5519 }

```

19.1.8 Choice fields

\HyField@FlagsChoice

```

5520 \def\HyField@FlagsChoice{%
5521   \HyField@FlagsAnnot{choice field}%
5522   \bitsetReset{HyField@Ff}%
5523   \HyField@UseFlag{Ff}{ReadOnly}%
5524   \HyField@UseFlag{Ff}{Required}%
5525   \HyField@UseFlag{Ff}{NoExport}%
5526   \HyField@UseFlag{Ff}{Combo}%
5527   \ifFld@combo
5528     \HyField@UseFlag{Ff}{Edit}%
5529   \fi
5530   \HyField@UseFlag{Ff}{Sort}%
5531   \HyField@UseFlag{Ff}{MultiSelect}%
5532   \ifFld@combo
5533     \ifFld@edit
5534       \HyField@UseFlag{Ff}{DoNotSpellCheck}%
5535     \fi
5536   \fi
5537   \HyField@UseFlag{Ff}{CommitOnSelChange}%
5538   \HyField@PrintFlags{Ff}{choice field}%
5539   \bitsetIsEmpty{HyField@Ff}{%
5540     \let\Fld@flags\ltx@empty
5541   }{%
5542     \edef\Fld@flags{/Ff \bitsetGetDec{HyField@Ff}}%
5543   }%
5544 }

```

19.2 Choice field

\HyField@PDFChoices #1: list of choices in key value syntax, key = exported name, value = displayed text.

Input: \Fld@default, \Fld@value, \ifFld@multiselect
 Result: \Fld@choices with entries: /Opt, /DV, /V, /I.

```

5545 \def\HyField@PDFChoices#1{%
5546   \begingroup
5547   \global\let\Fld@choices\ltx@empty
5548   \let\HyTmp@optlist\ltx@empty
5549   \let\HyTmp@optitem\relax
5550   \count@=0 %
5551   \kv@parse{#1}{%
5552     \Hy@pdfstringdef\kv@key\kv@key

```

```

5553 \ifx\kv@value\relax
5554   \ifnum\Hy@pdfversion<3 % implementation note 122, PDF spec 1.7
5555     \xdef\Fld@choices{\Fld@choices{(\kv@key)(\kv@key)}}
5556   \else
5557     \xdef\Fld@choices{\Fld@choices(\kv@key)}%
5558   \fi
5559 \else
5560   \Hy@pdfstringdef\kv@value\kv@value
5561   \xdef\Fld@choices{\Fld@choices{(\kv@value)(\kv@key)}}
5562 \fi
5563 \edef\HyTmp@optlist{%
5564   \HyTmp@optlist
5565   \HyTmp@optitem{\the\count@}{\kv@key}0%
5566 }%
5567 \advance\count@ by 1 %
5568 \gobbletwo
5569 }%
5570 \xdef\Fld@choices{/Opt[\Fld@choices]}%
5571 \ifFld@multiselect
5572   \HyField@@PDFChoices{DV}\Fld@default
5573   \HyField@@PDFChoices{V}\Fld@value
5574 \else
5575   \ifx\Fld@default\relax
5576   \else
5577     \pdfstringdef\Hy@gtemp\Fld@default
5578     \xdef\Fld@choices{\Fld@choices/DV(\Hy@gtemp)}%
5579   \fi
5580   \ifx\Fld@value\relax
5581   \else
5582     \pdfstringdef\Hy@gtemp\Fld@value
5583     \xdef\Fld@choices{\Fld@choices/V(\Hy@gtemp)}%
5584   \fi
5585   \fi
5586 \endgroup
5587 }

\HyField@@PDFChoices
5588 \def\HyField@@PDFChoices#1#2{%
5589   \ifx#2\relax
5590   \else
5591     \count@=0 %
5592     \def\HyTmp@optitem##1##2##3{%
5593       \def\HyTmp@key{##2}%
5594       \ifx\HyTmp@key\Hy@gtemp
5595         \expandafter\def\expandafter\HyTmp@optlist\expandafter{%
5596           \HyTmp@optlist
5597           \HyTmp@optitem{##1}{##2}1%
5598         }%
5599         \let\HyTmp@found=Y%
5600       \else
5601         \expandafter\def\expandafter\HyTmp@optlist\expandafter{%
5602           \HyTmp@optlist
5603           \HyTmp@optitem{##1}{##2}##3%
5604         }%
5605       \fi
5606     }%
5607     \expandafter\comma@parse\expandafter{#2}{%
5608       \pdfstringdef\Hy@gtemp\comma@entry

```

```

5609   \let\HyTmp@found=N %
5610   \expandafter\let\expandafter\HyTmp@optlist\expandafter\@empty
5611   \HyTmp@optlist
5612   \ifx\HyTmp@found Y%
5613     \advance\count@ by 1 %
5614   \else
5615     \Conelevel@sanitize\comma@entry
5616     \PackageWarning{hyperref}{%
5617       \string\ChoiceBox: Ignoring value ‘\comma@entry’,%
5618       \MessageBreak
5619       it cannot be found in the choices%
5620     }%
5621   \fi
5622   \gobble
5623 }%
5624 \def\HyTmp@optitem##1##2##3{%
5625   \ifnum##3=1 %
5626     (##2)%
5627   \fi
5628 }%
5629 \ifcase\count@
5630 \or
5631   \xdef\Fld@choices{\Fld@choices/#1\HyTmp@optlist}%
5632 \else
5633   \xdef\Fld@choices{\Fld@choices/#1[\HyTmp@optlist]}%
5634   \ifx#1V%
5635     \def\HyTmp@optitem##1##2##3{%
5636       \ifnum##3=1 %
5637         \@firstofone{ ##1}%
5638       \fi
5639     }%
5640   \edef\HyTmp@optlist{\HyTmp@optlist}%
5641   \xdef\Fld@choices{%
5642     \Fld@choices
5643     /I[\expandafter\@firstofone\HyTmp@optlist]%
5644   }%
5645   \fi
5646 \fi
5647 \fi
5648 }

```

19.3 Forms

\HyField@SetKeys

```

5649 \def\HyField@SetKeys{%
5650   \kvsetkeys{Field}%
5651 }

5652 \newif\ifFld@checked
5653 \newif\ifFld@disabled
5654 \Fld@checkedfalse
5655 \Fld@disabledfalse
5656 \newcount\Fld@menulength
5657 \newdimen\Field@Width
5658 \newdimen\Fld@charsize
5659 \Fld@charsize=10\p@
5660 \def\Fld@maxlen{0}

```

```

5661 \def\Fl@align{0}
5662 \def\Fl@color{0 0 0 rg}
5663 \def\Fl@bcolor{1 1 1}
5664 \def\Fl@bordercolor{1 0 0}
5665 \def\Fl@bordersep{1\p@}
5666 \def\Fl@borderwidth{1}
5667 \def\Fl@borderstyle{S}
5668 \def\Fl@cbsymbol{4}
5669 \def\Fl@radiosymbol{H}
5670 \def\Fl@rotation{0}
5671 \def\Form{\ifnnextchar{(\@Form)}{(\@Form[])}}
5672 \def\endForm{\@endForm}
5673 \newif\ifForm@html
5674 \Form@htmlfalse
5675 \def\Form@boolkey#1#2{%
5676   \csname Form@#2\ifx\relax#1\relax true\else#1\fi\endcsname
5677 }
5678 \define@key{Form}{action}{%
5679   \hyper@normalise\Hy@DefFormAction{#1}%
5680 }
5681 \def\Hy@DefFormAction{\def\Form@action}
5682 \def\enc@html{html}
5683 \define@key{Form}{encoding}{%
5684   \def\Hy@tempa{#1}%
5685   \ifx\Hy@tempa\enc@html
5686     \Form@htmltrue
5687     \def\Fl@export{html}%
5688   \else
5689     \Hy@Warning{%
5690       Form 'encoding' key with \MessageBreak
5691       unknown value '#1'%
5692     }%
5693   \Form@htmlfalse
5694   \fi
5695 }
5696 \define@key{Form}{method}{%
5697   \lowercase{\def\Hy@temp{#1}}%
5698   \ifundefined{Form@method@\Hy@temp}{%
5699     \Onelevel@sanitize\Hy@temp
5700     \Hy@Error{%
5701       Unknown method '\Hy@temp'.\MessageBreak
5702       Known values are 'post' and 'get'%
5703     }\@ehc
5704   }%
5705   \let\Form@method\Hy@temp
5706   \ifcase\@nameuse{Form@method@\Hy@temp} %
5707     \Fl@getmethodfalse
5708   \else
5709     \Fl@getmethodtrue
5710   \fi
5711 }%
5712 }
5713 \def\Form@method{}%
5714 \cnamedef{Form@method@post}{0}%
5715 \cnamedef{Form@method@get}{1}%
5716 \newif\ifHyField@NeedAppearances
5717 \def\HyField@NeedAppearancesfalse{%

```

```

5718 \global\let\ifHyField@NeedAppearances\iffalse
5719 }
5720 \def\HyField@NeedAppearances{%
5721 \global\let\ifHyField@NeedAppearances\iftrue
5722 }
5723 \HyField@NeedAppearancestrue
5724 \define@key{Form}{NeedAppearances}[true]{%
5725 \edef\Hy@tempa{\#1}%
5726 \ifx\Hy@tempa\Hy@true
5727 \HyField@NeedAppearancestrue
5728 \else
5729 \ifx\Hy@tempa\Hy@false
5730 \HyField@NeedAppearancesfalse
5731 \else
5732 \Hy@Error{%
5733 Unexpected value ‘\Hy@tempa’\MessageBreak
5734 of option ‘NeedAppearances’ instead of\MessageBreak
5735 ‘true’ or ‘false’%
5736 }@\ehc
5737 \fi
5738 \fi
5739 }
5740 \def\Field@boolkey{\#1}{%
5741 \csname Fld@\#2\ifx\relax\#1\relax true\else\#1\fi\endcsname
5742 }
5743 \ifHy@texht
5744 \newtoks\Field@toks
5745 \Field@toks={ }%
5746 \def\Field@addtoks{\#1}{%
5747 \edef\@processme{\Field@toks{\the\Field@toks\space \#1="#"2}}%
5748 \@processme
5749 }%
5750 \else
5751 \def\Hy@WarnHTMLFieldOption{\#1}{%
5752 \Hy@Warning{%
5753 HTML field option ‘\#1’\MessageBreak
5754 is ignored%
5755 }%
5756 }%
5757 \fi
5758 \def\Fld@checkequals{\#1}{\#2}{\#3}{%
5759 \def\@currDisplay{\#1}%
5760 \ifx\@currDisplay\#2\%
5761 \def\@currValue{\#1}%
5762 \else
5763 \def\@currValue{\#2}%
5764 \fi
5765 }
5766 \define@key{Field}{loc}{%
5767 \def\Fld@loc{\#1}%
5768 }
5769 \define@key{Field}{checked}[true]{%
5770 \lowercase{\Field@boolkey{\#1}}{checked}%
5771 }
5772 \define@key{Field}{disabled}[true]{%
5773 \lowercase{\Field@boolkey{\#1}}{disabled}%
5774 }

```

```

5775 \ifHy@texht
5776   \define@key{Field}{accesskey}{%
5777     \Field@addtoks{accesskey}{\#1}%
5778   }%
5779   \define@key{Field}{tabkey}{%
5780     \Field@addtoks{tabkey}{\#1}%
5781   }%
5782 \else
5783   \define@key{Field}{accesskey}{%
5784     \Hy@WarnHTMLFieldOption{accesskey}%
5785   }%
5786   \define@key{Field}{tabkey}{%
5787     \Hy@WarnHTMLFieldOption{tabkey}%
5788   }%
5789 \fi
5790 \define@key{Field}{name}{%
5791   \def\Fld@name{\#1}%
5792 }
5793 \let\Fld@altname\relax
5794 \define@key{Field}{altname}{%
5795   \def\Fld@altname{\#1}%
5796 }
5797 \let\Fld@mappingname\relax
5798 \define@key{Field}{mappingname}{%
5799   \def\Fld@mappingname{\#1}%
5800 }
5801 \define@key{Field}{width}{%
5802   \def\Fld@width{\#1}%
5803   \Field@Width{\#1}\setbox0=\hbox{m}%
5804 }
5805 \define@key{Field}{maxlen}{%
5806   \def\Fld@maxlen{\#1}%
5807 }
5808 \define@key{Field}{menulength}{%
5809   \Fld@menulength=\#1\relax
5810 }
5811 \define@key{Field}{height}{%
5812   \def\Fld@height{\#1}%
5813 }
5814 \define@key{Field}{charsize}{%
5815   \setlength{\Fld@charsize}{\#1}%
5816 }
5817 \define@key{Field}{borderwidth}{%
5818   \Hy@defaultbp\Fld@borderwidth{\#1}%
5819 }
5820 \def\Hy@defaultbp{\#1\#2}%
5821 \begingroup
5822 \afterassignment\Hy@defaultbpAux
5823 \dimen@=\#2bp\relax{\#1}{\#2}%
5824 }
5825 \begingroup\expandafter\expandafter\expandafter\endgroup
5826 \expandafter\ifx\csname dimexpr\endcsname\relax
5827   \def\Hy@defaultbpAux{\#1\relax\#2\#3}%
5828   \ifx!\#1!
5829     \endgroup
5830     \def\#2{\#3}%
5831   \else

```

```

5832     \dimen@=.99626\dimen@
5833     \edef\x{\endgroup
5834         \def\noexpand#2{%
5835             \strip@pt\dimen@
5836         }%
5837     }\x
5838     \fi
5839 }%
5840 \else
5841   \def\Hy@defaultbpAux#1\relax#2#3{%
5842     \ifx!#1!
5843       \endgroup
5844     \def#2{#3}%
5845   \else
5846     \edef\x{\endgroup
5847         \def\noexpand#2{%
5848             \strip@pt\dimexpr\dimen@*800/803\relax
5849         }%
5850     }\x
5851     \fi
5852 }%
5853 \fi
5854 \define@key{Field}{borderstyle}{%
5855   \let\Hy@temp\Fld@borderstyle
5856   \def\Fld@borderstyle{#1}%
5857   \Hy@Match\Fld@borderstyle{%
5858     ^[SDBIU]$%
5859   }{}{%
5860     \Hy@Warning{%
5861       Invalid value '\@pdfborderstyle'\MessageBreak
5862       for option 'pdfborderstyle'. Valid values:\MessageBreak
5863       \space\space S (Solid), D (Dashed), B (Beveled),\MessageBreak
5864       \space\space I (Inset), U (Underline)\MessageBreak
5865       Option setting is ignored%
5866     }%
5867   \let\Fld@borderstyle\Hy@temp
5868 }%
5869 }
5870 \define@key{Field}{bordersep}{%
5871   \def\Fld@bordersep{#1}%
5872 }
5873 \define@key{Field}{default}{%
5874   \def\Fld@default{#1}%
5875 }
5876 \define@key{Field}{align}{%
5877   \def\Fld@align{#1}%
5878 }
5879 \define@key{Field}{value}{%
5880   \def\Fld@value{#1}%
5881 }
5882 \define@key{Field}{checkboxsymbol}{%
5883   \Fld@DingDef\Fld@cbsymbol{#1}%
5884 }
5885 \define@key{Field}{radiosymbol}{%
5886   \Fld@DingDef\Fld@radiosymbol{#1}%
5887 }
5888 \def\Fld@DingDef#1#2{%

```

```

5889 \let\Fld@temp\ltx@empty
5890 \Fld@@DingDef#2\ding{}@\nil
5891 \let#1\Fld@temp
5892 }
5893 \def\Fld@@DingDef#1\ding#2#3@\nil{%
5894 \expandafter\def\expandafter\Fld@temp\expandafter{%
5895 \Fld@temp
5896 #1%
5897 }%
5898 \ifx\\#3\\%
5899 \expandafter\gobble
5900 \else
5901 \begingroup
5902 \lccode`0=#2\relax
5903 \lowercase{\endgroup
5904 \expandafter\def\expandafter\Fld@temp\expandafter{%
5905 \Fld@temp
5906 0%
5907 }%
5908 }%
5909 \expandafter\firstofone
5910 \fi
5911 }%
5912 \Fld@@DingDef#3@\nil
5913 }%
5914 }

5915 \define@key{Field}{rotation}{%
5916 \def\Fld@rotation{#1}%
5917 }

5918 \define@key{Field}{backgroundcolor}{%
5919 \HyColor@FieldBColor{#1}\Fld@bcolor{hyperref}{backgroundcolor}%
5920 }
5921 \define@key{Field}{bordercolor}{%
5922 \HyColor@FieldBColor{#1}\Fld@bordercolor{hyperref}{bordercolor}%
5923 }
5924 \define@key{Field}{color}{%
5925 \HyColor@FieldColor{#1}\Fld@color{hyperref}{color}%
5926 }

5927 \let\Fld@onclick@code\ltx@empty
5928 \let\Fld@format@code\ltx@empty
5929 \let\Fld@validate@code\ltx@empty
5930 \let\Fld@calculate@code\ltx@empty
5931 \let\Fld@keystroke@code\ltx@empty
5932 \let\Fld@confocus@code\ltx@empty
5933 \let\Fld@conblur@code\ltx@empty
5934 \let\Fld@conmousedown@code\ltx@empty
5935 \let\Fld@conmouseup@code\ltx@empty
5936 \let\Fld@conenter@code\ltx@empty
5937 \let\Fld@conexit@code\ltx@empty
5938 \def\Hy@temp#1{%
5939 \expandafter\Hy@@temp\csname Fld@#1@code\endcsname{#1}%
5940 }
5941 \def\Hy@@temp#1#2{%
5942 \ifHy@pdflatex
5943 \define@key{Field}{#2}{%
5944 \Hy@Error{%

```

```

5945      PDF/A: Additional action '#2' is prohibited%
5946      }@\ehc
5947      }%
5948 \else
5949   \define@key{Field}{#2}{%
5950     \def#1{\#1}%
5951   }%
5952 \fi
5953 }
5954 \Hy@temp{keystroke}
5955 \Hy@temp{format}
5956 \Hy@temp{validate}
5957 \Hy@temp{calculate}
5958 \Hy@temp{onfocus}
5959 \Hy@temp{onblur}
5960 \Hy@temp{onenter}
5961 \Hy@temp{onexit}
5962 \ifHy@texht
5963   \def\Hy@temp#1{%
5964     \define@key{Field}{#1}{%
5965       \Field@addtoks{#1}{\#1}%
5966     }%
5967   }%
5968 \else
5969   \def\Hy@temp#1{%
5970     \define@key{Field}{#1}{%
5971       \Hy@WarnHTMLFieldOption{#1}%
5972     }%
5973   }%
5974 \fi
5975 \Hy@temp{ondblclick}
5976 \Hy@temp{onmousedown}
5977 \Hy@temp{onmouseup}
5978 \Hy@temp{onmouseover}
5979 \Hy@temp{onmousemove}
5980 \Hy@temp{onmouseout}
5981 \Hy@temp{onkeydown}
5982 \Hy@temp{onkeyup}
5983 \Hy@temp{onselect}
5984 \Hy@temp{onchange}
5985 \Hy@temp{onkeypress}
5986 \ifHy@texht
5987   \define@key{Field}{onclick}{%
5988     \Field@addtoks{onclick}{#1}%
5989   }%
5990 \else
5991   \ifHy@pdfa
5992     \define@key{Field}{onclick}{%
5993       \Hy@Error{%
5994         PDF/A: Action 'onclick' is prohibited%
5995       }@\ehc
5996     }%
5997   \else
5998     \define@key{Field}{onclick}{%
5999       \def\Fld@onclick@code{#1}%
6000     }%
6001   \fi

```

```

6002 \fi
6003 \DeclareRobustCommand\TextField{%
6004   \@ifnextchar[{\@TextField}{\@TextField[]}%
6005 }
6006 \DeclareRobustCommand\ChoiceMenu{%
6007   \@ifnextchar[{\@ChoiceMenu}{\@ChoiceMenu[]}%
6008 }
6009 \DeclareRobustCommand\CheckBox{%
6010   \@ifnextchar[{\@CheckBox}{\@CheckBox[]}%
6011 }
6012 \DeclareRobustCommand\PushButton{%
6013   \@ifnextchar[{\@PushButton}{\@PushButton[]}%
6014 }
6015 \DeclareRobustCommand\Gauge{%
6016   \@ifnextchar[{\@Gauge}{\@Gauge[]}%
6017 }
6018 \DeclareRobustCommand\Submit{%
6019   \@ifnextchar[{\@Submit}{\@Submit[]}%
6020 }
6021 \DeclareRobustCommand\Reset{%
6022   \@ifnextchar[{\@Reset}{\@Reset[]}%
6023 }
6024 \def\LayoutTextField#1#2{%
6025   #1 #2%
6026 }
6027 \def\LayoutChoiceField#1#2{%
6028   #1 #2%
6029 }
6030 \def\LayoutCheckField#1#2{%
6031   #1 #2%
6032 }
6033 \def\LayoutPushButtonField#1{%
6034   #1%
6035 }
6036 \def\MakeRadioField#1#2{%
6037   \vbox to #2{%
6038     \hbox to #1{\hfill\vfill}%
6039   }%
6040 }
6041 \def\MakeCheckField#1#2{%
6042   \vbox to #2{%
6043     \hbox to #1{\hfill\vfill}%
6044   }%
6045 }
6046 \def\MakeTextField#1#2{%
6047   \vbox to #2{%
6048     \hbox to #1{\hfill\vfill}%
6049   }%
6050 }
6051 \def\MakeChoiceField#1#2{%
6052   \vbox to #2{%
6053     \hbox to #1{\hfill\vfill}%
6054   }%
6055 }
6056 \def\DefaultHeightofSubmit{14pt}
6057 \def\DefaultWidthofSubmit{2cm}
6058 \def\DefaultHeightofReset{14pt}
6059 \def\DefaultWidthofReset{2cm}
6060 \def\DefaultHeightofCheckBox{\baselineskip}

```

```

6059 \def\DefaultWidthofCheckBox{\baselineskip}
6060 \def\DefaultHeightofChoiceMenu{\baselineskip}
6061 \def\DefaultWidthofChoiceMenu{\baselineskip}
6062 \def\DefaultHeightofText{\baselineskip}
6063 \def\DefaultHeightofTextMultiline{4\baselineskip}
6064 \def\DefaultWidthofText{3cm}
6065 \def\DefaultOptionsofSubmit{print,name=Submit,noexport}
6066 \def\DefaultOptionsofReset{print,name=Reset,noexport}
6067 \def\DefaultOptionsofPushButton{print}
6068 \def\DefaultOptionsofCheckBox{print}
6069 \def\DefaultOptionsofText{print}

```

Default options for the types of \ChoiceMenu.

```

6070 \def\DefaultOptionsofListBox{print}
6071 \def\DefaultOptionsofComboBox{print,edit,sort}
6072 \def\DefaultOptionsofPopdownBox{print}
6073 \def\DefaultOptionsofRadio{print,notoggletooff}

```

20 Setup

```

6074 \ifHy@hyperfigures
6075   \Hy@Info{Hyper figures ON}%
6076 \else
6077   \Hy@Info{Hyper figures OFF}%
6078 \fi
6079 \ifHy@nesting
6080   \Hy@Info{Link nesting ON}%
6081 \else
6082   \Hy@Info{Link nesting OFF}%
6083 \fi
6084 \ifHy@hyperindex
6085   \Hy@Info{Hyper index ON}%
6086 \else
6087   \Hy@Info{Hyper index OFF}%
6088 \fi
6089 \ifHy@backref
6090   \Hy@Info{backreferencing ON}%
6091 \else
6092   \Hy@Info{backreferencing OFF}%
6093 \fi
6094 \ifHy@colorlinks
6095   \Hy@Info{Link coloring ON}%
6096 \else
6097   \Hy@Info{Link coloring OFF}%
6098 \fi
6099 \ifHy@ocgcolorlinks
6100   \Hy@Info{Link coloring with OCG ON}%
6101 \else
6102   \Hy@Info{Link coloring with OCG OFF}%
6103 \fi
6104 \ifHy@pdfa
6105   \Hy@Info{PDF/A mode ON}%
6106 \else
6107   \Hy@Info{PDF/A mode OFF}%
6108 \fi

```

21 Low-level utility macros

We need unrestricted access to the #, ~ and " characters, so make them nice macros.

```
6109 \edef\hyper@hash{\string#}
6110 \edef\hyper@tilde{\string~}
6111 \edef\hyper@quote{\string"}
```

Support \label before \begin{document}.

```
6112 \def\@currentHref{Doc-Start}
6113 \let\Hy@footnote\@empty
```

We give the start of document a special label; this is used in backreferencing-by-section, to allow for cites before any sectioning commands. Set up PDF info.

```
6114 \Hy@AtBeginDocument{%
6115   \Hy@pdfstringtrue
6116   \PDF@SetupDoc
6117   \let\PDF@SetupDoc\@empty
6118   \Hy@DisableOption{pdfpagescrop}%
6119   \Hy@DisableOption{pdfpagemode}%
6120   \Hy@DisableOption{pdfnonfullscreenpagemode}%
6121   \Hy@DisableOption{pdfdirection}%
6122   \Hy@DisableOption{pdfviewarea}%
6123   \Hy@DisableOption{pdfviewclip}%
6124   \Hy@DisableOption{pdfprintarea}%
6125   \Hy@DisableOption{pdfprintclip}%
6126   \Hy@DisableOption{pdfprintscaling}%
6127   \Hy@DisableOption{pdfduplex}%
6128   \Hy@DisableOption{pdfpicktraybypdfsize}%
6129   \Hy@DisableOption{pdfprintpagerange}%
6130   \Hy@DisableOption{pdfnumcopies}%
6131   \Hy@DisableOption{pdfstartview}%
6132   \Hy@DisableOption{pdfstartpage}%
6133   \Hy@DisableOption{pdftoolbar}%
6134   \Hy@DisableOption{pdfmenubar}%
6135   \Hy@DisableOption{pdfwindowui}%
6136   \Hy@DisableOption{pdffitwindow}%
6137   \Hy@DisableOption{pdfcenterwindow}%
6138   \Hy@DisableOption{pdfdisplaydoctitle}%
6139   \Hy@DisableOption{pdfpagelayout}%
6140   \Hy@DisableOption{pdflang}%
6141   \Hy@DisableOption{baseurl}%
6142   \ifHy@texht\else\hyper@anchorstart{Doc-Start}\hyper@anchorend\fi
6143   \Hy@pdfstringfalse
6144 }
```

Ignore star from referencing macros:

```
6145 \LetLtxMacro\NoHy@OrgRef\ref
6146 \DeclareRobustCommand*\{\ref}{%
6147   \@ifstar\NoHy@OrgRef\NoHy@OrgRef
6148 }
6149 \LetLtxMacro\NoHy@OrgPageRef\pageref
6150 \DeclareRobustCommand*\{\pageref}{%
6151   \@ifstar\NoHy@OrgPageRef\NoHy@OrgPageRef
6152 }
```

22 Localized nullifying of package

Sometimes we just don't want the wretched package interfering with us. Define an environment we can put in manually, or include in a style file, which stops the hypertext functions doing anything. This is used, for instance, in the Elsevier classes, to stop `hyperref` playing havoc in the front matter.

```
6153 \def\NoHyper{%
6154   \def\hyper@link@[\#\#1]\#\#2\#\#3\#\#4{\#\#4\Hy@xspace@end}%
6155   \def\hyper@@anchor{\#\#1\#\#2\#\#2\Hy@xspace@end}%
6156   \global\let\hyper@link\hyper@link
6157   \gdef\hyper@link{\#\#1\#\#2\#\#3\#\#3\Hy@xspace@end}%
6158   \let\hyper@anchor\ltx@gobble
6159   \let\hyper@anchorstart\ltx@gobble
6160   \def\hyper@anchorend{\Hy@xspace@end}%
6161   \let\hyper@linkstart\ltx@gobbletwo
6162   \def\hyper@linkend{\Hy@xspace@end}%
6163   \def\hyper@linkurl{\#\#1\#\#2\#\#1\Hy@xspace@end}%
6164   \def\hyper@linkfile{\#\#1\#\#2\#\#3\#\#1\Hy@xspace@end}%
6165   \let\Hy@backout\@gobble
6166 }
6167 \def\stop@hyper{%
6168   \def\hyper@link@[\#\#1]\#\#2\#\#3\#\#4{\#\#4\Hy@xspace@end}%
6169   \let\Hy@backout\@gobble
6170   \let\hyper@@anchor\ltx@gobble
6171   \def\hyper@link{\#\#1\#\#2\#\#3\#\#3\Hy@xspace@end}%
6172   \let\hyper@anchor\ltx@gobble
6173   \let\hyper@anchorstart\ltx@gobble
6174   \def\hyper@anchorend{\Hy@xspace@end}%
6175   \let\hyper@linkstart\ltx@gobbletwo
6176   \def\hyper@linkend{\Hy@xspace@end}%
6177   \def\hyper@linkurl{\#\#1\#\#2\#\#1\Hy@xspace@end}%
6178   \def\hyper@linkfile{\#\#1\#\#2\#\#3\#\#1\Hy@xspace@end}%
6179 }
6180 \def\endNoHyper{%
6181   \global\let\hyper@link\hyper@link
6182 }
6183 </package>
```

23 Package nohyperref

This package is introduced by Sebastian Rahtz.

Package `nohyperref` is a dummy package that defines some low level and some top-level commands. It is done for `jadetex`, which calls `hyperref` low-level commands, but it would also be useful with people using normal `hyperref`, who really do not want the package loaded at all.

Some low-level commands:

```
6184 (*nohyperref)
6185 \RequirePackage{letltxmacro}[2008/06/13]
6186 \let\hyper@anchor\@gobble
6187 \def\hyper@link{\#\#1\#\#2\#\#3\#\#3}%
6188 \let\hyper@anchorstart\@gobble
6189 \let\hyper@anchorend\@empty
6190 \let\hyper@linkstart\@gobbletwo
6191 \let\hyper@linkend\@empty
6192 \def\hyper@linkurl{\#\#1\#\#1}%
```

```

6193 \def\hyper@linkfile#1#2#3{#1}%
6194 \def\hyper@link@[#1]#2#3{}%
6195 \let\PDF@SetupDoc\@empty
6196 \let\PDF@FinishDoc\@empty
6197 \def\nohyperpage#1{#1}

```

Some top-level commands:

```

6198 \def\Acrobatmenu#1#2{\leavevmode#2}
6199 \let\pdfstringdefDisableCommands\@gobbletwo
6200 \let\texorpdfstring\@firstoftwo
6201 \let\pdfbookmark\@undefined
6202 \newcommand\pdfbookmark[3][]{}
6203 \let\phantomsection\@empty
6204 \let\hypersetup\@gobble
6205 \let\hyperbaseurl\@gobble
6206 \newcommand*\href[3][]{\#3}
6207 \let\hyperdef\@gobbletwo
6208 \let\hyperlink\@gobble
6209 \let\hypertarget\@gobble
6210 \def\hyperref{%
6211   \ifnextchar[\@gobbleopt{\expandafter\@gobbletwo\@gobble}%
6212 }
6213 \long\def\@gobbleopt[#1]{}
6214 \let\hyperpage\@empty

```

Ignore star from referencing macros:

```

6215 \LetLtxMacro\NoHy@OrgRef\ref
6216 \DeclareRobustCommand*\ref{%
6217   \ifstar\NoHy@OrgRef\NoHy@OrgRef
6218 }
6219 \LetLtxMacro\NoHy@OrgPageRef\pageref
6220 \DeclareRobustCommand*\pageref{%
6221   \ifstar\NoHy@OrgPageRef\NoHy@OrgPageRef
6222 }
6223 </nohyperref>

```

24 The Mangling Of Aux and Toc Files

Some extra tests so that the hyperref package may be removed or added to a document without having to remove .aux and .toc files (this section is by David Carlisle) All the code is delayed to `\begin{document}`

```

6224 <*package>
6225 \Hy@AtBeginDocument{%

```

First the code to deal with removing the hyperref package from a document.

Write some stuff into the aux file so if the next run is done without hyperref, then `\contentsline` and `\newlabel` are defined to cope with the extra arguments.

```

6226 \if@filesw
6227   \ifHy@typexml
6228     \immediate\closeout\@mainaux
6229     \immediate\openout\@mainaux\jobname.aux\relax
6230     \immediate\write\@auxout{<relaxxml>\relax}%
6231   \fi
6232   \immediate\write\@auxout{%
6233     \string\providecommand\string\HyperFirstAtBeginDocument{%
6234       \string\AtBeginDocument}^J%
6235     \string\HyperFirstAtBeginDocument}%

```

```

6236 \string\ifx\string\hyper@anchor\string@\undefined^^J%
6237   \string\global\string\let\string\oldcontentsline\string\contentsline^^J%
6238   \string\gdef\string\contentsline%
6239     \string#1\string#2\string#3\string#4{%
6240       \string\oldcontentsline%
6241         \{\string#1\}\{\string#2\}\{\string#3\}}^^J%
6242   \string\global\string\let\string\oldnewlabel\string\newlabel^^J%
6243   \string\gdef\string\newlabel\string#1\string#2{%
6244     \string\newlabelxx{\string#1}\string#2}^^J%
6245   \string\gdef\string\newlabelxx%
6246     \string#1\string#2\string#3\string#4\string#5\string#6{%
6247       \string\oldnewlabel{\string#1}\{\string#2\}\{\string#3\}}}}^^J%

```

But the new aux file will be read again at the end, with the normal definitions expected, so better put things back as they were.

```

6248   \string\AtEndDocument{%
6249     \string\ifx\string\hyper@anchor\string@\undefined^^J%
6250       \string\let\string\contentsline\string\oldcontentsline^^J%
6251       \string\let\string\newlabel\string\oldnewlabel^^J%
6252       \string\fi%
6253   }^^J%

```

If the document is being run with hyperref put this definition into the aux file, so we can spot it on the next run.

```

6254   \string\fi%
6255 }^^J%
6256 \string\global\string\let\string\hyper@last\relax^^J%
6257 \string\gdef\string\HyperFirstAtBeginDocument\string#1{\string#1}%
6258 }%
6259 \fi
6260 \let\HyperFirstAtBeginDocument\ltx@firstofone

```

Now the code to deal with adding the hyperref package to a document with aux and toc written the standard way.

If hyperref was used last time, do nothing. If it was not used, or an old version of hyperref was used, don't use that TOC at all but generate a warning. Not ideal, but better than failing with pre-5.0 hyperref TOCs.

```

6261 \ifx\hyper@last\@undefined
6262   \def\@starttoc#1{%
6263     \begingroup
6264       \makeatletter
6265       \IfFileExists{\jobname.\#1}{%
6266         \Hy@WarningNoLine{%
6267           old #1 file detected, not used; run LaTeX again%
6268         }%
6269       }{%
6270         \if@filesw
6271           \expandafter\newwrite\csname tf@\#1\endcsname
6272           \immediate\openout\csname tf@\#1\endcsname \jobname.\#1\relax
6273         \fi
6274         \nobreakfalse
6275       }%
6276   }%
6277   \def\newlabel#1#2{\@newlabel{#1}{#2}{}}%
6278 \fi
6279 }

```

25 Title strings

If options `pdftitle` and `pdfauthor` are not used, these informations for the pdf information dictionary can be extracted by the `nd`

```
6280 \ifHy@pdfusetitle
6281   \let\HyOrg@title\title
6282   \let\HyOrg@author\author
6283   \def\title{\@ifnextchar[{\Hy@scantitle}{\Hy@scantitle}}%
6284   \def\Hy@scantitle[#1]{%
6285     \gdef\Hy@title{#1}%
6286     \HyOrg@title{#1}%
6287   }%
6288   \def\Hy@scantitle#1{%
6289     \gdef\Hy@title{#1}%
6290     \HyOrg@title{#1}%
6291   }%
6292   \def\author{\@ifnextchar[{\Hy@scantauthor}{\Hy@scantauthor}}%
6293   \def\Hy@scantauthor[#1]{%
6294     \gdef\Hy@author{#1}%
6295     \HyOrg@author{#1}%
6296   }%
6297   \def\Hy@scantauthor#1{%
6298     \gdef\Hy@author{#1}%
6299     \HyOrg@author{#1}%
6300   }%
```

The case, that `or` or `re` given before `hyperref` is loaded, is much more complicate, because LaTeX initializes the macros `title` and `author` with LaTeX error and warning messages.

```
6301 \begingroup
6302   \def\process@me#1\@nil#2{%
6303     \expandafter\let\expandafter\x\csname @#2\endcsname
6304     \edef\y{\expandafter\strip@prefix\meaning\x}%
6305     \def\c##1#1##2\@nil{%
6306       \ifx\\##1\\%
6307       \else
6308         \expandafter\gdef\csname Hy@#2\expandafter\endcsname
6309           \expandafter{\x}%
6310       \fi
6311     }%
6312     \expandafter\c\y\relax#1\@nil
6313   }%
6314   \expandafter\process@me\string@\@latex@{@nil{title}}%
6315   \expandafter\process@me\string@\@latex@{@nil{author}}%
6316 \endgroup
6317 \fi
6318 \Hy@DisableOption{pdfusetitle}
```

Macro `\Hy@UseMaketitleInfos` is used in the driver files, before the information entries are used.

The newline macro `\newline` or `\` is much more complicate. In the title a good replacement can be a space, but can be already a space after `\` in the title string. So this space is removed by scanning for the next non-empty argument.

In the macro `\author` the newline can perhaps separate the different authors, so the newline expands here to a comma with space.

The possible arguments such as space or the optional argument after the newline macros are not detected.

```

6319 \def\Hy@UseMaketitleString#1{%
6320   \ltx@ifundefined{Hy@#1}{}{%
6321     \begingroup
6322       \let\Hy@saved@hook\pdfstringdefPreHook
6323       \pdfstringdefDisableCommands{%
6324         \expandafter\let\expandafter\\csname Hy@newline@#1\endcsname
6325         \let\newline\%
6326       }%
6327       \expandafter\ifx\csname @pdf#1\endcsname\@empty
6328         \expandafter\pdfstringdef\csname @pdf#1\endcsname{%
6329           \csname Hy@#1\endcsname\@empty
6330         }%
6331       \fi
6332       \global\let\pdfstringdefPreHook\Hy@saved@hook
6333     \endgroup
6334   }%
6335 }
6336 \def\Hy@newline@title#1{ #1}
6337 \def\Hy@newline@author#1{, #1}
6338 \def\Hy@UseMaketitleInfos{%
6339   \Hy@UseMaketitleString{title}%
6340   \Hy@UseMaketitleString{author}%
6341 }

```

26 Page numbers

This stuff is done by Heiko Oberdiek.

27 Every page

```

6342 \RequirePackage{atbegshi}[2007/09/09]
6343 \let\Hy@EveryPageHook\ltx@empty
6344 \let\Hy@EveryPageBoxHook\ltx@empty
6345 \let\Hy@FirstPageHook\ltx@empty
6346 \AtBeginShipout{%
6347   \Hy@EveryPageHook
6348   \ifx\Hy@EveryPageBoxHook\ltx@empty
6349     \else
6350       \setbox\AtBeginShipoutBox=\vbox{%
6351         \offinterlineskip
6352         \Hy@EveryPageBoxHook
6353         \box\AtBeginShipoutBox
6354       }%
6355     \fi
6356   }
6357 \ltx@iffileloaded{pdfmark.def}{%
6358   \AtBeginShipoutFirst{%
6359     \Hy@FirstPageHook
6360   }%
6361 }{%
6362   \AtBeginShipout{%
6363     \Hy@FirstPageHook
6364     \global\let\Hy@FirstPageHook\ltx@empty
6365   }%
6366 }
6367 \g@addto@macro\Hy@FirstPageHook{%

```

```

6368 \PDF@FinishDoc
6369 \global\let\PDF@FinishDoc\ltx@empty
6370 }

```

27.1 PDF /PageLabels

Internal macros of this module are marked with \HyPL@.

```

6371 \ifHy@pdfpagelabels
6372 \begingroup\expandafter\expandafter\expandafter\endgroup
6373 \expandafter\ifx\csname thepage\endcsname\relax
6374 \Hy@pdfpagelabelsfalse
6375 \Hy@WarningNoLine{%
6376   Option 'pdfpagelabels' is turned off\MessageBreak
6377   because \string\thepage\space is undefined%
6378 }%
6379 \csname fi\endcsname
6380 \csname iff\false\expandafter\endcsname
6381 \fi

```

\thispdfpagelabel The command \thispdfpagelabel allows to label a special page without the re-definition of \thepage for the page.

```

6382 \def\thispdfpagelabel#1{%
6383   \gdef\HyPL@thisLabel{#1}%
6384 }%
6385 \global\let\HyPL@thisLabel\relax

```

\HyPL@Labels The page labels are collected in \HyPL@Labels and set at the end of the document.

```

6386 \let\HyPL@Labels\ltx@empty

```

\Hy@abspage We have to know the the absolute page number and introduce a new counter for that.

```

6387 \newcount\Hy@abspage
6388 \Hy@abspage=0 %

```

For comparisons with the values of the previous page, some variables are needed:

```

6389 \def\HyPL@LastType{init}%
6390 \def\HyPL@LastNumber{0}%
6391 \let\HyPL@LastPrefix\ltx@empty

```

Definitions for the PDF names of the L^AT_EX pendants.

```

6392 \def\HyPL@arabic{D}%
6393 \def\HyPL@Roman{R}%
6394 \def\HyPL@roman{r}%
6395 \def\HyPL@Alph{A}%
6396 \def\HyPL@alph{a}%

6397 \let\HyPL@SlidesSetPage\ltx@empty
6398 \ltx@ifclassloaded{slides}{%
6399   \def\HyPL@SlidesSetPage{%
6400     \advance\c@page\ltx@one
6401     \ifnum\value{page}>\ltx@one
6402       \protected@edef\HyPL@SlidesOptionalPage{%
6403         \Hy@SlidesFormatOptionalPage{\thepage}%
6404       }%
6405     \else
6406       \let\HyPL@SlidesOptionalPage\ltx@empty
6407     \fi
6408     \advance\c@page-\ltx@one

```

```

6409 \def\HyPL@page{%
6410   \csname the\Hy@SlidesPage\endcsname
6411   \HyPL@SlidesOptionalPage
6412 }
6413 }
6414 }{}%

```

\HyPL@EveryPage If a page is shipout and the page number is known, \HyPL@EveryPage has to be called. It stores the current page label.

```

6415 \def\HyPL@EveryPage{%
6416   \begingroup
6417   \ifx\HyPL@thisLabel\relax
6418     \let\HyPL@page\thepage
6419     \HyPL@SlidesSetPage
6420   \else
6421     \let\HyPL@page\HyPL@thisLabel
6422     \global\let\HyPL@thisLabel\relax
6423   \fi
6424   \let\HyPL@Type\relax
6425   \ifnum\c@page>0 %
6426     \ifx\HyPL@SlidesSetPage\ltx@empty
6427       \expandafter\HyPL@CheckThePage\HyPL@page\@nil
6428     \fi
6429   \fi
6430   \let\Hy@temp Y%
6431   \ifx\HyPL@Type\HyPL@LastType
6432   \else
6433     \let\Hy@temp N%
6434   \fi
6435   \ifx\HyPL@Type\relax
6436     \pdfstringdef\HyPL@Prefix{\HyPL@page}%
6437   \else
6438     \pdfstringdef\HyPL@Prefix\HyPL@Prefix
6439   \fi
6440   \ifx\HyPL@Prefix\HyPL@LastPrefix
6441   \else
6442     \let\Hy@temp N%
6443   \fi
6444   \if Y\Hy@temp
6445     \advance\c@page by -1 %
6446     \ifnum\HyPL@LastNumber=\the\c@page\relax
6447     \else
6448       \let\Hy@temp N%
6449     \fi
6450     \Hy@StepCount\c@page
6451   \fi
6452   \if N\Hy@temp
6453     \ifx\HyPL@Type\relax
6454       \HyPL@StorePageLabel{/P(\HyPL@Prefix)}%
6455     \else
6456       \HyPL@StorePageLabel{%
6457         \ifx\HyPL@Prefix\@empty
6458           \else
6459             /P(\HyPL@Prefix)%
6460           \fi
6461           /S/\csname HyPL\HyPL@Type\endcsname
6462           \ifnum\the\c@page=1 %

```

```

6463     \else
6464         \space/St \the\c@page
6465     \fi
6466 }%
6467 \fi
6468 \fi
6469 \xdef\HyPL@LastNumber{\the\c@page}%
6470 \global\let\HyPL@LastType\HyPL@Type
6471 \global\let\HyPL@LastPrefix\HyPL@Prefix
6472 \endgroup
6473 \Hy@GlobalStepCount\Hy@abspage
6474 }%

```

\HyPL@CheckThePage Macro \HyPL@CheckThePage calls \HyPL@@CheckThePage that does the job.

```

6475 \def\HyPL@CheckThePage#1\@nil{%
6476   \HyPL@@CheckThePage{#1}#1\csname\endcsname\c@page\@nil
6477 }%

```

\HyPL@@CheckThePage The first check is, is \thepage is defined such as in L^AT_EX, e.g.: \csname @arabic\endcsname\c@page. In the current implementation the check fails, if there is another \csname before.

The second check tries to detect \arabic{page} at the end of the definition text of \thepage.

```

6478 \def\HyPL@@CheckThePage#1#2\csname#3\endcsname\c@page#4\@nil{%
6479   \def\Hy@tempa{#4}%
6480   \def\Hy@tempb{\csname\endcsname\c@page}%
6481   \ifx\Hy@tempa\Hy@tempb
6482     \expandafter\ifx\csname HyPL#3\endcsname\relax
6483     \else
6484       \def\HyPL@Type{#3}%
6485       \def\HyPL@Prefix{#2}%
6486     \fi
6487   \else
6488     \begingroup
6489       \let\Hy@next\endgroup
6490       \let\HyPL@found\@undefined
6491       \def\arabic{\HyPL@Format{arabic}}%
6492       \def\Roman{\HyPL@Format{Roman}}%
6493       \def\roman{\HyPL@Format{roman}}%
6494       \def\Alph{\HyPL@Format{Alph}}%
6495       \def\alph{\HyPL@Format{alph}}%
6496       \protected@edef\Hy@temp{#1}%
6497       \ifx\HyPL@found\relax
6498         \toks@\expandafter{\Hy@temp}%
6499         \edef\Hy@next{\endgroup
6500           \noexpand\HyPL@@CheckThePage\the\toks@
6501             \noexpand\HyPL@found\relax\noexpand\@nil
6502           }%
6503         \fi
6504       \Hy@next
6505     \fi
6506   }%

```

\HyPL@Format The help macro \HyPL@Format is executed while a \protected@edef in the second check method of \HyPL@@CheckPage. The first occurrences of, for example, \arabic{page} is marked by \HyPL@found that is also defined by \csname.

```

6507 \def\HyPL@Format#1#2{%

```

```

6508   \ifx\HyPL@found\@undefined
6509     \expandafter\ifx\csname c@#2\endcsname\c@page
6510       \expandafter\noexpand\csname HyPL@found\endcsname{#1}%
6511     \else
6512       \expandafter\noexpand\csname#1\endcsname{#2}%
6513     \fi
6514   \else
6515     \expandafter\noexpand\csname#1\endcsname{#2}%
6516   \fi
6517 }%

```

\HyPL@@@CheckThePage If the second check method is successful, \HyPL@@@CheckThePage scans the result of \HyPL@Format and stores the found values.

```

6518 \def\HyPL@@@CheckThePage#1\HyPL@found#2#3\@nil{%
6519   \def\Hy@tempa{#3}%
6520   \def\Hy@tempb{\HyPL@found\relax}%
6521   \ifx\Hy@tempa\Hy@tempb
6522     \def\HyPL@Type{#2}%
6523     \def\HyPL@Prefix{#1}%
6524   \fi
6525 }%

```

\HyPL@StorePageLabel Dummy for drivers that does not support /PageLabel.

```
6526 \providecommand*\HyPL@StorePageLabel}[1]{}
```

\HyPL@Useless The /PageLabels entry does not make sense, if the absolute page numbers and the page labels are the same. Then \HyPL@Labels has the meaning of \HyPL@Useless.

```

6527 \def\HyPL@Useless{0<</S/D>>}%
6528 \Onelevel@sanitize\HyPL@Useless

```

\HyPL@SetPageLabels The page labels are written to the PDF catalog. The command \Hy@PutCatalog is defined in the driver files.

```

6529 \def\HyPL@SetPageLabels{%
6530   \Onelevel@sanitize\HyPL@Labels
6531   \ifx\HyPL@Labels\empty
6532   \else
6533     \ifx\HyPL@Labels\HyPL@Useless
6534     \else
6535       \Hy@PutCatalog{/PageLabels<</Nums[\HyPL@Labels]>>}%
6536     \fi
6537   \fi
6538 }%

```

```

6539 \g@addto@macro\Hy@EveryPageHook{\HyPL@EveryPage}%
6540 \fi

```

Option ‘pdfpagelabels’ has been used and is now disabled.

```

6541 \Hy@DisableOption{pdfpagelabels}
6542 </package>

```

27.1.1 pdfTeX and VTeX

Because of pdfTeX’s \pdfcatalog command the /PageLabels entry can set at end of document in the first run.

```

\Hy@PutCatalog
 6543 {*pdftex}
 6544 \pdf@ifdraftmode{%
 6545   \let\Hy@PutCatalog\ltx@gobble
 6546 }{%
 6547   \let\Hy@PutCatalog\pdfcatalog
 6548 }
 6549 
```

The code for VTeX is more complicate, because it does not allow the direct access to the /Catalog object. The command scans its argument and looks for a /PageLabels entry.

VTeX 6.59g is the first version, that implements `\special{!pdfpagelabels...}`. For this version `\VTeXversion` reports 660.

```

 6550 {*vtex}
 6551 \providecommand*\XR@ext{pdf}
 6552 \edef\Hy@VTeXversion{%
 6553   \ifx\VTeXversion\undefined
 6554     \z@
 6555   \else
 6556     \ifx\VTeXversion\relax
 6557       \z@
 6558     \else
 6559       \VTeXversion
 6560     \fi
 6561   \fi
 6562 }
 6563 \begingroup
 6564 \ifnum\Hy@VTeXversion<660 %
 6565   \gdef\Hy@PutCatalog#1{%
 6566     \Hy@WarningNoLine{%
 6567       VTeX 6.59g or above required for pdfpagelabels%
 6568     }%
 6569   }%
 6570 \else
 6571   \gdef\Hy@PutCatalog#1{%
 6572     \Hy@vvt@PutCatalog#1/PageLabels<>>\@nil
 6573   }%
 6574   \gdef\Hy@vvt@PutCatalog#1/PageLabels<<#2>>#3\@nil{%
 6575     \ifx\\#2\\%
 6576     \else
 6577       \immediate\special{!pdfpagelabels #2}%
 6578     \fi
 6579   }%
 6580 \endgroup
 6581 
```

6582

6583

`(*pdftex | vtex)`

`\HyPL@StorePageLabel` This macro adds the entry `#1` to `\HyPL@Labels`.

```

 6584 \ifHy@pdfpagelabels
 6585   \def\HyPL@StorePageLabel#1{%
 6586     \toks@\expandafter{\HyPL@Labels}%
 6587     \xdef\HyPL@Labels{%
 6588       \the\toks@
 6589       \the\Hy@abspage<<#1>>%
 6590     }%
 6591   }%
 6592 }
```

```
6590    }%
6591  }%
```

Package `atveryend` is used to get behind the final `\clearpage` and to avoid a `\clearpage` in `\AtEndDocument`. Then the PDF catalog entry for `\PageLabels` is set.

```
6592  \RequirePackage{atveryend}[2009/12/07]%
6593  \AtVeryEndDocument{%
6594    \HyPL@SetPageLabels
6595  }%
6596 \fi
6597 </pdftex | vtex>
```

27.1.2 xetex

```
6598 <*xetex>
6599 \HyPsd@LoadUnicode
6600 \Hy@unicodetrue
6601 \ifx\HyPsd@pdfencoding\HyPsd@pdfencoding@unicode
6602 \else
6603 \let\HyPsd@pdfencoding\HyPsd@pdfencoding@auto
6604 \fi
6605 \HyPsd@LoadStringEnc
6606 \define@key{Hyp}{unicode}[true]{%
6607   \Hy@boolkey{unicode}{#1}%
6608   \ifHy@unicode
6609   \else
6610     \Hy@Warning{%
6611       XeTeX driver only supports 'unicode=true'. Ignoring\MessageBreak
6612       option setting 'unicode=false'%
6613     }%
6614   \Hy@unicodetrue
6615 \fi
6616 }%
6617 \define@key{Hyp}{pdfencoding}{%
6618   \edef\HyPsd@temp{#1}%
6619   \ifx\HyPsd@temp\HyPsd@pdfencoding@unicode
6620     \let\HyPsd@pdfencoding\HyPsd@temp
6621   \else
6622     \ifx\HyPsd@temp\HyPsd@pdfencoding@auto
6623       \let\HyPsd@pdfencoding\HyPsd@temp
6624     \else
6625       \Hy@Warning{%
6626         XeTeX driver only supports\MessageBreak
6627         'pdfencoding=unicode|auto'. Ignoring option\MessageBreak
6628         setting 'pdfencoding=\HyPsd@temp'%
6629       }%
6630     \fi
6631   \fi
6632 }%
6633 \let\HyXeTeX@CheckUnicode\relax
6634 </xetex>
```

27.1.3 pdfmarkbase, dvipdfm, xetex

```
6635 <*pdfmarkbase>
6636 \begingroup
6637  \c@ifundefined{headerps@out}{}{%
```

```

6638 \toks@ \expandafter{\Hy@FirstPageHook}%
6639 \xdef\Hy@FirstPageHook{%
6640   \noexpand\headerps@out{%
6641     systemdict /pdfmark known%
6642     {%
6643       userdict /?pdfmark systemdict /exec get put%
6644     }{%
6645       userdict /?pdfmark systemdict /pop get put %
6646       userdict /pdfmark systemdict /cleartomark get put%
6647     }%
6648     ifelse%
6649   }%
6650   \the\toks@
6651 }%
6652 }%
6653 \endgroup
6654 
```

\Hy@PutCatalog

```

6655 <dvipdfm | xetex>\def\Hy@PutCatalog#1{ \@pdfm@mark{docview << #1 >>}%
6656 {*pdfmarkbase}
6657 \def\Hy@PutCatalog#1{%
6658   \pdfmark{pdfmark=/PUT,Raw={\string{Catalog\string} << #1 >>}}%
6659 }
6660 
```

6661 {*pdfmarkbase | dvipdfm | xetex}

6662 \ifHy@pdfpagelabels

\HyPL@StorePageLabel This macro writes a string to the .aux file.

```

6663 \def\HyPL@StorePageLabel#1{%
6664   \if@filesw
6665     \begingroup
6666       \edef\Hy@tempa{\the\Hy@abspage<<#1>>}%
6667       \immediate\write\@mainaux{%
6668         \string\HyPL@Entry{\Hy@tempa}%
6669       }%
6670     \endgroup
6671   \fi
6672 }%
```

Write a dummy definition of \HyPL@Entry for the case, that the next run is done without hyperref. A marker for the rerun warning is set and the /PageLabels is written.

```

6673 \Hy@AtBeginDocument{%
6674   \if@filesw
6675     \immediate\write\@mainaux{%
6676       \string\providecommand\string*\string\HyPL@Entry[1]{}%
6677     }%
6678   \fi
6679   \ifx\HyPL@Labels\empty
6680     \Hy@WarningNoLine{Rerun to get /PageLabels entry}%
6681   \else
6682     \HyPL@SetPageLabels
6683   \fi
6684   \let\HyPL@Entry\gobble
6685 }%
```

```

\HyPL@Entry
6686 \def\HyPL@Entry#1{%
6687   \expandafter\gdef\expandafter\HyPL@Labels\expandafter{%
6688     \HyPL@Labels
6689     #1%
6690   }%
6691 }

6692 \fi
6693 </pdfmarkbase | dvipdfm | xetex>
6694 (*package)
6695 \ifx\MaybeStopEarly\relax
6696 \else
6697   \Hy@stoppedearlytrue
6698   \expandafter\MaybeStopEarly
6699 \fi
6700 \Hy@stoppedearlyfalse

```

28 Automated L^AT_EX hypertext cross-references

Anything which can be referenced advances some counter; we overload this to put in a hypertext starting point (with no visible anchor), and make a note of that for later use in `\label`. This will fail badly if `\theH<name>` does not expand to a sensible reference. This means that classes or package which introduce new elements need to define an equivalent `\theH<name>` for every `\the<name>`. We do make a trap to make `\theH<name>` be the same as `\arabic{<name>}`, if `\theH<name>` is not defined, but this is not necessarily a good idea. Alternatively, the ‘naturalnames’ option uses whatever L^AT_EX provides, which may be useable. But then its up to you to make sure these are legal PDF and HTML names. The ‘hypertexnames=false’ option just makes up arbitrary names.

All the shenanigans is to make sure section numbers etc are always arabic, separated by dots. Who knows how people will set up `\@currentlabel`? If they put spaces in, or brackets (quite legal) then the hypertext processors will get upset.

But this is flaky, and open to abuse. Styles like `subeqn` will mess it up, for starters. Appendices are an issue, too. We just hope to cover most situations. We can at least cope with the standard sectioning structure, allowing for `\part` and `\chapter`.

Start with a fallback for equations

```

6701 \def\Hy@CounterExists#1{%
6702   \begingroup\expandafter\expandafter\expandafter\endgroup
6703   \expandafter\ifx\csname c@#1\endcsname\relax
6704     \expandafter\@gobble
6705   \else
6706     \begingroup\expandafter\expandafter\expandafter\endgroup
6707     \expandafter\ifx\csname the#1\endcsname\relax
6708       \expandafter\expandafter\expandafter\@gobble
6709     \else
6710       \expandafter\expandafter\expandafter\@firstofone
6711     \fi
6712   \fi
6713 }
6714 \Hy@CounterExists{section}{%
6715   \providecommand{\theHequation}{\theHsection.\arabic{equation}}%
6716 }

```

```

6717 \Hy@CounterExists{part}{%
6718   \providecommand{\theHpart}{\arabic{part}}%
6719 }
6720 \ltx@ifundefined{thechapter}{%
6721   \providecommand{\theHsection}{\arabic{section}}%
6722   \providecommand{\theHfigure}{\arabic{figure}}%
6723   \providecommand{\theHtable}{\arabic{table}}%
6724 }{%
6725   \providecommand{\theHchapter}{\arabic{chapter}}%
6726   \providecommand{\theHfigure}{\theHchapter.\arabic{figure}}%
6727   \providecommand{\theHtable}{\theHchapter.\arabic{table}}%
6728   \providecommand{\theHsection}{\theHchapter.\arabic{section}}%
6729 }
6730 \providecommand{\theHsubsection}{\theHsection.\arabic{subsection}}%
6731 \providecommand{\theHsubsubsection}{\theHsubsection.\arabic{subsubsection}}%
6732 \providecommand{\theHparagraph}{\theHsubsubsection.\arabic{paragraph}}%
6733 \providecommand{\theH subparagraph}{\theHparagraph.\arabic{subparagraph}}%
6734 \providecommand{\theH theorem}{\theHsection.\arabic{theorem}}%
6735 \providecommand{\theH thm}{\theHsection.\arabic{thm}}

```

Thanks to Greta Meyer (gbd@pop.cwru.edu) for making me realize that enumeration starts at 0 for every list! But `\item` occurs inside `\trivlist`, so check if its a real `\item` before incrementing counters.

```

6736 \let\H@item\item
6737 \newcounter{Item}
6738 \def\theHItem{\arabic{Item}}
6739 \def\item{%
6740   \hyperfalse
6741   \if@nmbrlist\hypertrue\fi
6742   \H@item
6743 }
6744 \providecommand{\theHenumi}{\theHItem}
6745 \providecommand{\theHenumii}{\theHItem}
6746 \providecommand{\theHenumiii}{\theHItem}
6747 \providecommand{\theHenumiv}{\theHItem}
6748 \providecommand{\theHHfootnote}{\arabic{Hfootnote}}
6749 \providecommand{\theHmpfootnote}{\arabic{mpfootnote}}
6750 \ifundefined{\theHmpfootnote}{%
6751   \let\theHmpfootnote\theHHfootnote
6752 }{%

```

Tanmoy asked for this default handling of undefined `\theH<name>` situations. It really isn't clear what would be ideal, whether to turn off hyperizing of unknown elements, to pick up the textual definition of the counter, or to default it to something like `\arabic{name}`. We take the latter course, slightly worriedly.

```

6753 \let\H@refstepcounter\refstepcounter
6754 \edef\name@of@eq{equation}%
6755 \edef\name@of@slide{slide}%

```

We do not want the handler for `\refstepcounter` to cut in during the processing of `\item` (we handle that separately), so we provide a bypass conditional.

```

6756 \newif\if@hyper@item
6757 \newif\if@skiphyperref
6758 \hyperfalse
6759 \skiphyperreffalse
6760 \def\refstepcounter#1{%
6761   \ifHy@pdfstring
6762   \else

```

```

6763  \H@refstepcounter{#1}%
6764  \edef\This@name{#1}%
6765  \ifx\This@name\name@of@slide
6766  \else
6767  \if@skiphyperref
6768  \else
6769  \if@hyper@item
6770  \stepcounter{Item}%
6771  \hyper@refstepcounter{Item}%
6772  \hyper@itemfalse
6773  \else
6774  \hyper@refstepcounter{#1}%
6775  \fi
6776  \fi
6777  \fi
6778  \fi
6779 }
6780 \let\Hy@saved@refstepcounter\refstepcounter

```

AMSL^AT_EX processes all equations twice; we want to make sure that the hyper stuff is not executed twice, so we use the AMS \ifmeasuring@, initialized if AMS math is not used.

```
6781 \@ifpackageloaded{amsmath}{\newif\ifmeasuring@\measuring@false}
```

```
\hyper@refstepcounter
```

```

6782 \def\hyper@refstepcounter#1{%
6783  \edef\This@name{#1}%
6784  \ifx\This@name\name@of@eq
6785  \@ifundefined{theHequation}{%
6786  \make@stripped@name{\theequation}%
6787  \let\theHequation\newname
6788  }{%
6789  \fi
6790  \@ifundefined{theH#1}{%
6791  \expandafter\def\csname theH#1\endcsname{\arabic{#1}}%
6792  }{%
6793  \hyper@makecurrent{#1}%
6794  \ifmeasuring@
6795  \else
6796  \Hy@raisedlink{%
6797  \hyper@anchorstart{\@currentHref}\hyper@anchorend
6798  }%
6799  \fi
6800 }

```

After \appendix “chapter” (or “section” for classes without chapter) should be replaced by “appendix” to get \autoref work. Macro \Hy@chapapp contains the current valid name like \@chapapp, which cannot be used, because this string depends on the current language.

The “french” package defines counter \thechapter by \newcounterchapter, if \@ifundefined{chapter}.

```

6801 \begingroup\expandafter\expandafter\expandafter\endgroup
6802 \expandafter\ifx\csname chapter\endcsname\relax
6803 \def\Hy@chapterstring{section}%
6804 \else
6805 \def\Hy@chapterstring{chapter}%
6806 \fi

```

```

6807 \def\Hy@appendixstring{appendix}
6808 \def\Hy@chapapp{\Hy@chapterstring}
6809 \ltx@ifundefined{appendix}{%
6810 }{%
6811   \let\HyOrg@appendix\appendix
6812   \def\Hy@AlphNoErr#1{%
6813     \ifnum\value{#1}>26 %
6814       Alph\number\value{#1}%
6815     \else
6816       \ifnum\value{#1}<1 %
6817         Alph\number\value{#1}%
6818       \else
6819         \Alph{#1}%
6820       \fi
6821     \fi
6822   }%
6823 \def\appendix{%
6824   \ltx@ifundefined{chapter}{%
6825     \gdef\theHsection{\Hy@AlphNoErr{section}}%
6826   }{%
6827     \gdef\theHchapter{\Hy@AlphNoErr{chapter}}%
6828   }%
6829   \xdef\Hy@chapapp{\Hy@appendixstring}%
6830   \HyOrg@appendix
6831 }%
6832 }

\Hy@Test@alph
6833 \def\Hy@Test@alph#1{%
6834   \ifcase#1\or
6835     a\or b\or c\or d\or e\or f\or g\or h\or i\or j\or
6836     k\or l\or m\or n\or o\or p\or q\or r\or s\or t\or
6837     u\or v\or w\or x\or y\or z%
6838   \else
6839     \ctrerr
6840   \fi
6841 }

\Hy@Test@Alph
6842 \def\Hy@Test@Alph#1{%
6843   \ifcase#1\or
6844     A\or B\or C\or D\or E\or F\or G\or H\or I\or J\or
6845     K\or L\or M\or N\or O\or P\or Q\or R\or S\or T\or
6846     U\or V\or W\or X\or Y\or Z%
6847   \else
6848     \ctrerr
6849   \fi
6850 }

\hyper@makecurrent Because of Babel mucking around, nullify \textlatin when making names. And \number because of babel's lrbabel.def.
6851 \def\hyper@makecurrent#1{%
6852   \begingroup
6853   \edef\Hy@param{#1}%
6854   \ifx\Hy@param\Hy@chapterstring
6855     \let\Hy@param\Hy@chapapp
6856   \fi

```

```

6857 \ifHy@hypertexnames
6858   \let\@number\@firstofone
6859   \def\fnsymbol##1{fnsymbol\number##1}%
6860   \def\arabic##1{\number##1}%
6861   \ifx\@alph\Hy@Test@alph
6862   \else
6863     \def\@alph{\alph\number}%
6864   \fi
6865   \ifx\@Alph\Hy@Test@Alph
6866   \else
6867     \def\@Alph{\Alph\number}%
6868   \fi
6869 \ifHy@naturalnames
6870   \let\textlatin\@firstofone
6871   \xdef\HyperGlobalCurrentHref{\csname the#1\endcsname}%
6872 \else
6873   \xdef\HyperGlobalCurrentHref{%
6874     \csname
6875       the%
6876       \expandafter\ifx\csname theH#1\endcsname\relax\else H\fi
6877       #1%
6878     \endcsname
6879   }%
6880 \fi
6881 \xdef\HyperGlobalCurrentHref{%
6882   \Hy@param.\expandafter\strip@prefix\meaning\HyperGlobalCurrentHref
6883 }%
6884 \else
6885   \Hy@GlobalStepCount\Hy@linkcounter
6886   \xdef\HyperGlobalCurrentHref{\Hy@param.\the\Hy@linkcounter}%
6887 \fi
6888 \endgroup
6889 \let\HyperLocalCurrentHref\HyperGlobalCurrentHref
6890 \ifHy@localanchorname
6891   \let\@currentHref\HyperLocalCurrentHref
6892 \else
6893   \global\let\@currentHref\HyperGlobalCurrentHref
6894 \fi
6895 }

\Hy@MakeCurrentHref
6896 \def\Hy@MakeCurrentHref#1{%
6897   \edef\HyperLocalCurrentHref{\#1}%
6898   \onelevel@sanitize\HyperLocalCurrentHref
6899   \global\let\HyperGlobalCurrentHref\HyperLocalCurrentHref
6900   \let\HyperLocalCurrentHref\HyperGlobalCurrentHref
6901 \ifHy@localanchorname
6902   \let\@currentHref\HyperLocalCurrentHref
6903 \else
6904   \global\let\@currentHref\HyperGlobalCurrentHref
6905 \fi
6906 }

\Hy@MakeCurrentHrefAuto
6907 \def\Hy@MakeCurrentHrefAuto#1{%
6908   \Hy@GlobalStepCount\Hy@linkcounter
6909   \Hy@MakeCurrentHref{\#1.\the\Hy@linkcounter}%
6910 }

```

```

\@currentHlabel \@currrentHlabel is only defined for compatibility with package 'hypdvips'.
6911 \def\@currentHlabel{\@currentHref}
6912 \@ifpackageloaded{fancyvrb}{}%
6913   \@ifpackagelater{fancyvrb}{1998/05/20}{}{%
6914     \def\FV@StepLineNo{%
6915       \FV@SetLineNo
6916       \def\FV@StepLineNo{\H@refstepcounter{FancyVerbLine}}%
6917       \FV@StepLineNo
6918     }%
6919   }%
6920 }{}%

```

29 Package lastpage support

Package lastpage directly writes the `\newlabel` command to the aux file. Because package hyperref requires additional arguments, the internal command `\lastpage@putlabel` is redefined. The patch is deferred by `\AtBeginDocument`, because it is possible that package lastpage is loaded after package hyperref. The same algorithm (options hypertexnames and plainpages) is used to get the page anchor name as in `\Hy@EveryPageAnchor` (see sec. 38). The link will not work if option pageanchor is set to false.

```

\lastpage@putlabel
6921 \Hy@AtBeginDocument{%
6922   \@ifclassloaded{revtex4}{}%
6923     \@namedef{ver@lastpage.sty}{1994/06/25}%
6924   }{}%
6925   \@ifpackageloaded{lastpage}{}%
6926     \ifHy@pageanchor
6927     \else
6928       \Hy@WarningNoLine{%
6929         The \string\pageref{LastPage} link doesn't work\MessageBreak
6930         with disabled option 'pageanchor'%
6931       }%
6932     \fi
6933   \def\lastpage@putlabel{%
6934     \addtocounter{page}{-1}%
6935     \if@filesw
6936       \begingroup
6937         \let\@number\@firstofone
6938         \ifHy@pageanchor
6939           \ifHy@hypertexnames
6940             \ifHy@plainpages
6941               \def\Hy@temp{\arabic{page}}%
6942             \else
6943               \Hy@unicodetext
6944               \pdfstringdef\Hy@temp{\the\page}%
6945             \fi
6946           \else
6947             \def\Hy@temp{\the\Hy@pagecounter}%
6948           \fi
6949         \fi
6950       \immediate\write\@auxout{%
6951         \string\newlabel
6952           {LastPage}{{}\{\the\page\}}{}{}%
6953       }%
6954     }%
6955   }%
6956 }
```

```

6953           \ifHy@pageanchor page.\Hy@temp\fi{}%
6954       }%
6955   \endgroup
6956   \fi
6957   \addtocounter{page}{1}%
6958 }%
6959 \@ifclassloaded{revtex4}{%
6960   \begingroup
6961     \toks@\expandafter{\lastpage@putlabel}%
6962     \edef\x{\endgroup
6963       \def\noexpand\lastpage@putlabel{%
6964         \noexpand\stepcounter{page}%
6965         \the\toks@
6966         \noexpand\addtocounter{page}\noexpand\m@ne
6967       }%
6968     }%
6969   \x
6970 }{%
6971 }{%
6972 }
6973 </package>
6974 <*check>
6975 \checkpackage{lastpage}[1994/06/25]
6976 \checkcommand\def\lastpage@putlabel{%
6977   \addtocounter{page}{-1}%
6978   \immediate\write\auxout{%
6979     \string\newlabel{LastPage}{{}\{\thepage\}}%
6980   }%
6981   \addtocounter{page}{1}%
6982 }
6983 </check>
6984 <*package>

```

30 Package ifthen support

Since version 6.75a this is done in package nameref.

For compatibility \hypergetref and \hypergetpageref are still provided. But they do not generate warnings, if the reference is undefined.

```

6985 \def\hypergetref#1{\getrefbykeydefault{#1}{}{??}}
6986 \def\hypergetpageref#1{\getrefbykeydefault{#1}{page}{0}}

```

31 Package titlesec and titletoc support

This code is contributed by Javier Bezos (Email: jbez@arrakis.es).

Package titlesec support:

```

6987 \ifpackageloaded{titlesec}{%
6988   \def\ttl@Hy@steplink#1{%
6989     \Hy@MakeCurrentHrefAuto{#1}%
6990     \edef\ttl@Hy@saveanchor{%
6991       \noexpand\Hy@raisedlink{%
6992         \noexpand\hyper@anchorstart{\@currentHref}%
6993         \noexpand\hyper@anchorend}%
6994       \def\noexpand\ttl@Hy@SavedCurrentHref{\@currentHref}%
6995       \noexpand\ttl@Hy@PatchSaveWrite
6996     }%

```

```

6997    }%
6998  }%
6999 \def\ttl@Hy@PatchSaveWrite{%
7000   \begingroup
7001     \toks@\expandafter{\ttl@savewrite}%
7002     \edef\x{\endgroup
7003       \def\noexpand\ttl@savewrite{%
7004         \let\noexpand\ttl@currentHref
7005           \noexpand\ttl@Hy@SavedCurrentHref
7006           \the\toks@
7007         }%
7008       }%
7009     \x
7010   }%
7011 \def\ttl@Hy@refstepcounter#1{%
7012   \let\ttl@b\Hy@raisedlink
7013 \def\Hy@raisedlink##1{%
7014   \def\ttl@Hy@saveanchor{\Hy@raisedlink{##1}}%
7015 }%
7016 \refstepcounter{#1}%
7017 \let\Hy@raisedlink\ttl@b
7018 }%
7019 }{}}

```

Package titletoc support:

```

7020 \@ifpackageloaded{titletoc}{%
7021   \def\ttl@gobblecontents#1#2#3#4{\ignorespaces}%
7022 }{}}

```

32 Package varioref support

Package nameref uses five arguments for the ref system. Fix provided by Felix Neubauer (felix.neubauer@gmx.net).

```

7023 \def\Hy@varioref@undefined{{?}{?}{?}{?}{?}}
7024 \@ifpackageloaded{varioref}{%
7025   \def\vref@pagenum#1#2{%
7026     \@ifundefined{r@#2}{%
7027       \expandafter\let\csname r@#2\endcsname\Hy@varioref@undefined
7028     }{}%
7029     \edef#1{\getpagerefnumber{#2}}%
7030   }%
7031 }{}}

```

Package varioref redefines `\refstepcounter`, thus it needs fixing, if the package is loaded *after* hyperref.

```

7032 \def\Hy@varioref@refstepcounter#1{%
7033   \stepcounter{#1}%
7034   \protected@edef\@currentlabel{%
7035     \csname p@#1\expandafter\endcsname\csname the#1\endcsname
7036   }%
7037 }
7038 \AtBeginDocument{%
7039   \ifx\refstepcounter\Hy@varioref@refstepcounter
7040     \let\H@refstepcounter\refstepcounter
7041     \let\refstepcounter\Hy@saved@refstepcounter
7042   \fi
7043 }

```

33 Package longtable support

Sometimes the anchor of the longtable goes to the previous page. Thus the following patch separates the anchor setting and counter incrementation by hyperref's `\refstepcounter` and the anchor setting is moved after `\vskip\LTpre`.

Patch of `\LT@array`: replace `\refstepcounter` by the original `\H@refstepcounter` without anchor generation

```
7044 \@ifpackageloaded{longtable}{%
7045   \begingroup
7046   \def\y{\LT@array}%
7047   \@ifundefined{scr@LT@array}{%
7048     \def\y{\LT@array}%
7049   }{\def\y{\scr@LT@array}%
7050   \long\def\x{\refstepcounter#1#2\sharp#3#4@nil{%
7051     \expandafter\endgroup
7052     \expandafter\def\y##1##2{%
7053       \H@refstepcounter{##1}%
7054       \hyper@makecurrent{table}%
7055       \let\Hy@LT@currentHref\@currentHref
7056       ##2\sharp####4%
7057     }%
7058   }%
7059   \expandafter\expandafter\expandafter\x\y{##1}{##2}\@nil
Patch of \LT@start: add anchor before first line after \vskip\LTpre
```

```
7060 \begingroup
7061 \def\x##1\ifvoid\LT@foot##2\fi##3\@nil{%
7062   \endgroup
7063   \def\LT@start{%
7064     ##1%
7065     \ifvoid\LT@foot##2\fi
7066     \let\@currentHref\Hy@LT@currentHref
7067     \Hy@raisedlink{%
7068       \hyper@anchorstart{\@currentHref}\hyper@anchorend
7069     }%
7070     ##3%
7071   }%
7072 }%
7073 \expandafter\x\LT@start\@nil
7074 }{}
```

34 Equations

We want to make the whole equation a target anchor. Overload equation, temporarily reverting to original `\refstepcounter`. If, however, it is in AMS math, we do not do anything, as the tag mechanism is used there (see section 41). The exception is that we move the equation incrementation inside the math environment to avoid specials outside and a wrong vertical spacing of equation environments.

```
7075 \let\new@refstepcounter\refstepcounter
7076 \let\H@equation\equation
7077 \let\H@endequation\endequation
7078 \@ifpackageloaded{amsmath}{%
7079   \long\def\Hy@temp{%
7080     \incr@eqnum
7081     \mathdisplay@push
```

```

7082 \st@rredfalse \global\@eqnswtrue
7083 \mathdisplay{equation}%
7084 }%
7085 \ifx\Hy@temp\equation
7086 \expandafter\ifx\csname if@fleqn\expandafter\endcsname
7087 \csname iftrue\endcsname
7088 \else
7089 \long\def\equation{%
7090 \mathdisplay@push
7091 \st@rredfalse \global\@eqnswtrue
7092 \mathdisplay{equation}%
7093 \incr@eqnum
7094 }%
7095 \fi
7096 \fi
7097 }{%
7098 \def\equation{%
7099 \let\refstepcounter\H@refstepcounter
7100 \H@equation
7101 \@ifundefined{theHequation}{%
7102 \make@stripped@name{\theequation}%
7103 \let\theHequation\newname
7104 }{}%
7105 \hyper@makecurrent{equation}%

```

\mathopen is needed in case the equation starts with an unary minus, for example.

```

7106 \mathopen{%
7107 \Hy@raisedlink{\hyper@anchorstart{\@currentHref}}%
7108 }%
7109 \let\refstepcounter\new@refstepcounter
7110 }%
7111 \def\endequation{%
7112 \ifx\Hy@raisedlink\ltx@empty
7113 \hyper@anchorend
7114 \else
7115 \mathclose{\Hy@raisedlink{\hyper@anchorend}}%
7116 \fi
7117 \H@endequation
7118 }%
7119 }

```

My goodness, why can't L^AT_EX be consistent? Why is \eqnarray set up differently from other objects?

People (you know who you are, Thomas Beuth) sometimes make an eqnarray where *all* the lines end with \notag, so there is no suitable anchor at all. In this case, pass by on the other side.

```

7120 \newif\if@eqnstar
7121 \c@eqnstarfalse
7122 \let\H@eqnarray\eqnarray
7123 \let\H@endeqnarray\endeqnarray
7124 \def\eqnarray{%
7125 \let\Hy@reserved@a\relax
7126 \def\@currentHref{}%
7127 \H@eqnarray
7128 \if@eqnstar
7129 \else
7130 \ifx\\@\currentHref\\%
7131 \else

```

```

7132     \@ifundefined{theHequation}{%
7133         \make@stripped@name{\theequation}%
7134         \let\theHequation\newname
7135     }%
7136     \hyper@makecurrent{equation}%
7137     \mathopen{%
7138         \Hy@raisedlink{%
7139             \hyper@anchorstart{\@currentHref}\hyper@anchorend
7140         }%
7141     }%
7142     \fi
7143 \fi
7144 }
7145 \def\endeqnarray{%
7146   \H@endeqnarray
7147 }

```

This is quite heavy-handed, but it works for now. If its an `eqnarray*` we need to disable the hyperref actions. There may well be a cleaner way to trap this. Bill Moss found this.

```

7148 \namedef{eqnarray*}{%
7149   \def@\eqncr{\nonumber\@seqncr}\@eqnstartrue\eqnarray
7150 }
7151 \namedef{endeqnarray*}{%
7152   \nonumber\endeqnarray\@eqnstarfalse
7153 }

```

Then again, we have the `subeqnarray` package. Tanmoy provided some code for this:

```

7154 \ltx@ifundefined{subeqnarray}{}{%
7155   \let\H@subeqnarray\subeqnarray
7156   \let\H@endsubeqnarray\endsubeqnarray
7157   \def\subeqnarray{%
7158     \let\Hy@reserved@a\relax
7159     \H@subeqnarray
7160     \ifundefined{theHequation}{%
7161         \make@stripped@name{\theequation}%
7162         \let\theHequation\newname
7163     }%
7164     \hyper@makecurrent{equation}%
7165     \hyper@anchorstart{\@currentHref}{}\hyper@anchorend
7166   }%
7167   \def\endsubeqnarray{%
7168     \H@endsubeqnarray
7169   }%
7170   \providecommand\theHsubequation{\theHequation\alph{subequation}}%
7171 }

```

The aim of this macro is to produce a sanitized version of its argument, to make it a safe label.

```

7172 \def\make@stripped@name#1{%
7173   \begingroup
7174   \escapechar\m@ne
7175   \global\let\newname\empty
7176   \protected@edef\Hy@tempa{#1}%
7177   \edef\@tempb{%
7178     \noexpand\@tfor\noexpand\Hy@tempa:=%
7179     \expandafter\strip@prefix\meaning\Hy@tempa

```

```

7180    }%
7181    \c@tempb\do{%
7182      \if{\Hy@c@tempa}\else
7183        \if{\Hy@c@tempa}\else
7184          \xdef\newname{\newname\Hy@c@tempa}%
7185        \fi
7186      \fi
7187    }%
7188  \endgroup
7189 }

```

Support for amsmath's subequations:

```

7190 \begingroup\expandafter\expandafter\expandafter\endgroup
7191 \expandafter\ifx\csname subequations\endcsname\relax
7192 \else
7193   \let\HyOrg@subequations\subequations
7194   \def\subequations{%
7195     \stepcounter{equation}%
7196     \protected@edef\theHparentequation{%
7197       \c@undefined{theHequation}\theequation\theHequation
7198     }%
7199     \addtocounter{equation}{-1}%
7200   \HyOrg@subequations
7201   \def\theHequation{\theHparentequation\alph{equation}}%
7202   \ignorespaces
7203 }%
7204 \fi

```

Support for package `amsthm` (Daniel Müllner):

```
7205 \@ifpackageloaded{amsthm}{%
```

Class `amsbook` uses a different definition of `\c@thm`, where two lines are added (thanks to Dan Luecking for his analysis):

```

\let\thm@indent\indent % indent
\thm@headfont{\scshape}% heading font small caps

7206 \def\Hy@c@temp##1##2##3{%
7207   \ifhmode\unskip\unskip\par\fi
7208   \normalfont
7209   \trivlist
7210   \let\thmheadnl\relax
7211   \let\thm@swap@gobble
7212   \let\thm@indent\indent % indent
7213   \thm@headfont{\scshape}% heading font small caps
7214   \thm@notefont{\fontseries\mddefault\upshape}%
7215   \thm@headpunct{.}% add period after heading
7216   \thm@headsep 5\p@ plus\p@ minus\p@\relax
7217   \thm@space@setup
7218   #1% style overrides
7219   \atopsep \thm@preskip           % used by thm head
7220   \atopsepadd \thm@postskip      % used by \c@endparent
7221   \def\c@tempa{##2}\ifx\c@empty\c@tempa
7222     \def\c@tempa{\c@oparg{\c@begintheorem{##3}{}}}%
7223   \else
7224     \refstepcounter{##2}%
7225     \def\c@tempa{%
7226       \c@oparg{\c@begintheorem{##3}{\c@csname the##2\endcsname}}%
7227     }%
7228   \fi

```

```

7229   \tempa
7230 }%
7231 \ifx\Hy@temp\@thm
7232 \def\@thm#1#2#3{%
7233   \ifhmode
7234     \unskip\unskip\par
7235   \fi
7236   \normalfont
7237   \trivlist
7238   \let\thmheadnl\relax
7239   \let\thm@swap\@gobble
7240   \let\thm@indent\thm@headsep % indent
7241   \thm@headfont{\scshape}% heading font small caps
7242   \thm@notefont{\fontseries\mddefault\upshape}%
7243   \thm@headpunct{.}% add period after heading
7244   \thm@headsep 5\p@ plus\p@ minus\p@\relax
7245   \thm@space@setup
7246   #1% style overrides
7247   \topsep \thm@preskip          % used by thm head
7248   \topsepadd \thm@postskip      % used by \endparenv
7249   \def\dth@counter{#2}%
7250   \ifx\empty\thm@counter
7251     \def\@tempa{%
7252       \oparg{\begintheorem{#3}{}}[]%
7253     }%
7254   \else
7255     \H@refstepcounter{#2}%
7256     \hyper@makecurrent{#2}%
7257     \let\Hy@dth@currentHref\@currentHref
7258     \def\@tempa{%
7259       \oparg{\begintheorem{#3}{\csname the#2\endcsname}}[]%
7260     }%
7261   \fi
7262   \tempa
7263 }%
7264 \else
7265 \def\@thm#1#2#3{%
7266   \ifhmode
7267     \unskip\unskip\par
7268   \fi
7269   \normalfont
7270   \trivlist
7271   \let\thmheadnl\relax
7272   \let\thm@swap\@gobble
7273   \thm@notefont{\fontseries\mddefault\upshape}%
7274   \thm@headpunct{.}% add period after heading
7275   \thm@headsep 5\p@ plus\p@ minus\p@\relax
7276   \thm@space@setup
7277   #1% style overrides
7278   \topsep \thm@preskip          % used by thm head
7279   \topsepadd \thm@postskip      % used by \endparenv
7280   \def\dth@counter{#2}%
7281   \ifx\empty\thm@counter
7282     \def\@tempa{%
7283       \oparg{\begintheorem{#3}{}}[]%
7284     }%
7285   \else

```

```

7286      \H@refstepcounter{#2}%
7287      \hyper@makecurrent{#2}%
7288      \let\Hy@dth@currentHref\@currentHref
7289      \def\@tempa{%
7290          \oparg{\begintheorem{#3}{\csname the#2\endcsname}}[]%
7291      }%
7292      \fi
7293      \@tempa
7294  }%
7295 \fi
7296 \dth@everypar={%
7297     \minipagetrue
7298     \global\newlistfalse
7299     \noparitemfalse
7300     \ifinlabel
7301         \global\inlabelfalse
7302         \begingroup
7303             \setbox\z@\lastbox
7304             \ifvoid\z@
7305                 \kern-\itemindent
7306             \fi
7307         \endgroup
7308         \ifx\empty\dtch@counter
7309         \else
7310             \Hy@raisedlink{%
7311                 \hyper@anchorstart{%
7312                     \ltx@ifundefined{Hy@dth@currentHref}%
7313                     \currentHref\Hy@dth@currentHref
7314                 }\hyper@anchorend
7315             }%
7316             \fi
7317             \unhbox\@labels
7318         \fi
7319         \ifnobreak
7320             \nobreakfalse \clubpenalty\@M
7321         \else
7322             \clubpenalty\clubpenalty \everypar{}%
7323         \fi
7324     }%
7325 }{}}

```

35 Footnotes

The footnote mark is a hypertext link, and the text is a target. We separately number the footnotes sequentially through the text, separately from whatever labels the text assigns. Too hard to keep track of markers otherwise. If the raw forms `\footnotemark` and `\footnotetext` are used, force them to use un-hyper original.

```

7326 \ifHy@hyperfootnotes
7327   \newcounter{Hfootnote}%
7328   \let\H@footnotetext\footnotetext
7329   \let\H@footnotemark\footnotemark
7330   \def\xfootnotenext[#1]{%
7331     \begingroup
7332       \csname c@\@mpfn\endcsname #1\relax
7333       \unrestored@protected\xdef\thefnmark{\thempfn}%

```

```

7334 \endgroup
7335 \ifx\@footnotetext\@mpfootnotetext
7336   \expandafter\H@\@mpfootnotetext
7337 \else
7338   \expandafter\H@\@footnotetext
7339 \fi
7340 }%
7341 \def\@xfootnotemark[#1]{%
7342   \begingroup
7343     \c@footnote #1\relax
7344     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
7345   \endgroup
7346   \H@\@footnotemark
7347 }%
7348 \let\H@\@mpfootnotetext\@mpfootnotetext
7349 \long\def\@mpfootnotetext#1{%
7350   \H@\@mpfootnotetext{%
7351     \ifHy@nesting
7352       \expandafter\ltx@firstoftwo
7353     \else
7354       \expandafter\ltx@secondoftwo
7355     \fi
7356   }%
7357   \expandafter\hyper@anchor\expandafter{%
7358     \Hy@footnote@currentHref
7359   }{#1}%
7360 }%
7361   \Hy@raisedlink{%
7362     \expandafter\hyper@anchor\expandafter{%
7363       \Hy@footnote@currentHref
7364     }{\relax}%
7365   }{#1}%
7366 }%
7367 }%
7368 }%
7369 \long\def\@footnotetext#1{%
7370   \H@\@footnotetext{%
7371     \ifHy@nesting
7372       \expandafter\ltx@firstoftwo
7373     \else
7374       \expandafter\ltx@secondoftwo
7375     \fi
7376   }%
7377   \expandafter\hyper@anchor\expandafter{%
7378     \Hy@footnote@currentHref
7379   }{#1}%
7380 }%
7381   \Hy@raisedlink{%
7382     \expandafter\hyper@anchor\expandafter{%
7383       \Hy@footnote@currentHref
7384     }{\relax}%
7385   }%
7386   \let\@currentHref\Hy@footnote@currentHref
7387   \let\@currentlabelname\@empty
7388   #1}%
7389 }%
7390 }%

```

```
7391 }%
```

Redefine `\@footnotemark`, borrowing its code (at the cost of getting out of sync with `latex.ltx`), to take advantage of its white space and hyphenation fudges. If we just overload it, we can get variant documents (the word before the footnote is treated differently). Thanks to David Carlisle and Brian Ripley for confusing and helping me on this.

```
7392 \def\@footnotemark{%
7393   \leavevmode
7394   \ifhmode\edef\@x@sf{\the\spacefactor}\nobreak\fi
7395   \stepcounter{Hfootnote}%
7396   \global\let\Hy@saved@currentHref\@currentHref
7397   \hyper@makecurrent{Hfootnote}%
7398   \global\let\Hy@footnote@currentHref\@currentHref
7399   \global\let\@currentHref\Hy@saved@currentHref
7400   \hyper@linkstart{link}{\Hy@footnote@currentHref}%
7401   \makefnmark
7402   \hyper@linkend
7403   \ifhmode\spacefactor\@x@sf\fi
7404   \relax
7405 }%
```

Tabularx causes footnote problems, disable the linking if that is loaded. Since v6.82i footnotes are only disabled inside the environment ‘tabularx’.

```
7406 \@ifpackageloaded{tabularx}{%
7407   \let\HyOrg@TX@endtabularx\TX@endtabularx
7408   \def\Hy@tabularx@hook{%
7409     \let\@footnotetext\H@@footnotetext
7410     \let\@footnotemark\H@@footnotemark
7411     \let\@mpfootnotetext\H@@mpfootnotetext
7412   }%
7413   \begingroup
7414     \toks@\expandafter{\TX@endtabularx}%
7415     \xdef\Hy@gtemp{%
7416       \noexpand\Hy@tabularx@hook
7417       \the\toks@
7418     }%
7419   \endgroup
7420   \let\TX@endtabularx\Hy@gtemp
7421 }{}%
```

Support for footnotes in p columns of longtable. Here `\footnote` commands are splitted into `\footnotemark` and a call of `\footnotetext` with the optional argument, that is not supported by hyperref. The result is a link by `\footnotemark` without valid anchor

```
7422 \@ifpackageloaded{longtable}{%
7423   \CheckCommand*\{\LT@p@ftntext\}[1]{%
7424     \edef\@tempa{%
7425       \the\LT@p@ftn
7426       \noexpand\footnotetext[\the\c@footnote]%
7427     }%
7428     \global\LT@p@ftn\expandafter{\@tempa{\#1}}%
7429   }%
7430   \long\def\LT@p@ftntext{\#1{%
7431     \edef\@tempa{%
7432       \the\LT@p@ftn
7433       \begingroup
7434         \noexpand\c@footnote=\the\c@footnote\relax
```

```

7435      \noexpand\protected@xdef\noexpand\@thefnmark{%
7436          \noexpand\thempfn
7437      }%
7438      \noexpand\Hy@LT@footnotetext{%
7439          \Hy@footnote@currentHref
7440      }%
7441  }%
7442  \global\LT@p@ftn\expandafter{%
7443      \@tempa{#1}%
7444      \endgroup
7445  }%
7446  }%
7447  \long\def\Hy@LT@footnotetext#1#2{%
7448      \H@footnotetext{%
7449          \ifHy@nesting
7450              \hyper@@anchor{#1}{#2}%
7451          \else
7452              \Hy@raisedlink{%
7453                  \hyper@@anchor{#1}{\relax}%
7454              }%
7455          \def@\currentHref{#1}%
7456          \let@\currentlabelname\@empty
7457          #2%
7458      \fi
7459  }%
7460  }%
7461 }{}}%

```

Footnotes for fancyvrb (Fix by Manuel Pégourié-Gonnard).

```

7462  \@ifpackageloaded{fancyvrb}{%
7463      \def\V@footnotetext{%
7464          \insert\footins\bgroup
7465          \csname reset@font\endcsname
7466          \footnotesize
7467          \interlinepenalty\interfootnotelinepenalty
7468          \splittopskip\footnotesep
7469          \splitmaxdepth\dp\strutbox
7470          \floatingpenalty \MM
7471          \hsize\columnwidth
7472          \parboxrestore
7473          \edef\@currentlabel{\csname p@footnote\endcsname\@thefnmark}%
7474          \makefntext{%
7475              \rule{\z@}{\footnotesep}%
7476          \bgroup
7477          \aftergroup\V@@@footnotetext
7478          \Hy@raisedlink{%
7479              \expandafter\hyper@@anchor\expandafter{%
7480                  \Hy@footnote@currentHref
7481              }{\relax}%
7482          }%
7483          \let@\currentHref\Hy@footnote@currentHref
7484          \let@\currentlabelname\@empty
7485          \ignorespaces
7486      }%
7487  }{}}%

```

KOMA-Script defines \footref that uses both \ref and \@footnotemark resulting in two links, one of them wrong.

```

7488 \def\Hy@temp#1{%
7489   \begingroup
7490     \unrestored@protected@xdef\@thefnmark{\ref{\#1}}%
7491   \endgroup
7492   \footnotemark
7493 }%
7494 \ifx\Hy@temp\footref
7495   \def\footref#1{%
7496     \begingroup
7497       \unrestored@protected@xdef\@thefnmark{\ref{\#1}}%
7498     \endgroup
7499     \H@footnotemark
7500   }%
7501 \fi

```

But the special footnotes in `\maketitle` are much too hard to deal with properly. Let them revert to plain behaviour. The koma classes add an optional argument.

```

7502 \let\HyOrg@maketitle\maketitle
7503 \def\maketitle{%
7504   \let\Hy@saved@footnotemark\@footnotemark
7505   \let\Hy@saved@footnotetext\@footnotetext
7506   \let\@footnotemark\H@footnotemark
7507   \let\@footnotetext\H@footnotetext
7508   \@ifnextchar[\Hy@maketitle@optarg{%
7509     \HyOrg@maketitle
7510     \Hy@maketitle@end
7511   }%
7512 }%
7513 \def\Hy@maketitle@optarg[#1]{%
7514   \HyOrg@maketitle[{\#1}]%
7515   \Hy@maketitle@end
7516 }%
7517 \def\Hy@maketitle@end{%
7518   \ifx\@footnotemark\H@footnotemark
7519     \let\@footnotemark\Hy@saved@footnotemark
7520   \fi
7521   \ifx\@footnotetext\H@footnotetext
7522     \let\@footnotetext\Hy@saved@footnotetext
7523   \fi
7524 }%

```

`\realfootnote` Does anyone remember the function and purpose of `\realfootnote`?

```

7525 \def\realfootnote{%
7526   \@ifnextchar[\@xfootnote{%
7527     \stepcounter{\@mpfn}%
7528     \protected@xdef\@thefnmark{\thempfn}%
7529     \H@footnotemark\H@footnotetext
7530   }%
7531 }%
7532 \fi
7533 \Hy@DisableOption{hyperfootnotes}
7534 </package>
7535 <*check>
7536 \checklateX
7537 \checkcommand\def\@xfootnotenext[#1]{%

```

```

7538 \begingroup
7539   \csname c@\@mpfn\endcsname #1\relax
7540   \unrestored@protected@xdef\@thefnmark{\thempfn}%
7541 \endgroup
7542 \footnotetext
7543 }
7544 \checkcommand\def\@xfootnotemark[#1]{%
7545 \begingroup
7546   \c@footnote #1\relax
7547   \unrestored@protected@xdef\@thefnmark{\thefootnote}%
7548 \endgroup
7549 \footnotemark
7550 }
7551 \checkcommand\def\@footnotemark{%
7552 \leavevmode
7553 \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
7554 \makefnmark
7555 \ifhmode\spacefactor\x@sf\fi
7556 \relax
7557 }
7558 </check>
7559 (*package)

```

36 Float captions

Make the float caption the hypertext anchor; curiously enough, we can't just copy the definition of \caption. Its all to do with expansion. It screws up. Sigh.

```

7560 \def\caption{%
7561   \ifx\@captype\undefined
7562     \@latex@error{\noexpand\caption outside float}\@ehd
7563     \expandafter\gobble
7564   \else
7565     \H@refstepcounter\@captype
7566     \let\Hy@tempa\@caption
7567     \@ifundefined{float@caption}{%
7568       }{%
7569       \expandafter\ifx\csname @float@c@\@captype\endcsname
7570         \float@caption
7571         \let\Hy@tempa\Hy@float@caption
7572       \fi
7573     }%
7574     \expandafter\@firstofone
7575   \fi
7576   {\@dblarg{\Hy@tempa\@captype}}%
7577 }
7578 \long\def\@caption#1[#2]{%
7579   \expandafter\ifx\csname if@capstart\expandafter\endcsname
7580     \csname iftrue\endcsname
7581     \global\let\@currentHref\hc@currentHref
7582   \else
7583     \hyper@makecurrent{\@captype}%
7584   \fi
7585   \ifundefined{NR@getttitle}{%
7586     \def\@currentlabelname{#2}%
7587   }{%
7588     \NR@getttitle{#2}%

```

```

7589  }%
7590  \par\addcontentsline{\csname ext@#1\endcsname}{#1}{%
7591    \protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}%
7592  }%
7593  \begingroup
7594    \parboxrestore
7595    \ifminipage
7596      \setminipage
7597    \fi
7598    \normalsize
7599    \expandafter\ifx\csname if@capstart\expandafter\endcsname
7600      \csname iftrue\endcsname
7601      \global\@capstartfalse
7602      \makecaption{\csname fnum@#1\endcsname}{\ignorespaces#3}%
7603    \else
7604      \makecaption{\csname fnum@#1\endcsname}{%
7605        \ignorespaces

```

If we cannot have nesting, the anchor is empty.

```

7606  \ifHy@nesting
7607    \expandafter\hyper@@anchor\expandafter{\@currentHref}{#3}%
7608  \else
7609    \Hy@raisedlink{%
7610      \expandafter\hyper@@anchor\expandafter{%
7611        \@currentHref
7612      }{\relax}%
7613    }%
7614    #3%
7615  \fi
7616 }%
7617 \fi
7618 \par
7619 \endgroup
7620 }

```

Compatibility with float.sty: anchor setting at the top of the float, if the float is controlled by float.sty. Several \caption commands inside one float are not supported.

\HyNew@float@makebox is introduced as feature request of Axel Sommerfeldt to make the life easier for his package ‘caption’.

```

7621 \let\Hy@float@caption\@caption
7622 \newcommand{\HyNew@float@makebox}[1]{%
7623   \HyOrg@float@makebox{%
7624     #1\relax
7625     \ifx\Hy@float@currentHref\@undefined
7626     \else
7627       \expandafter\hyper@@anchor\expandafter{%
7628         \Hy@float@currentHref
7629       }{\relax}%
7630       \global\let\Hy@float@currentHref\@undefined
7631     \fi
7632   }%
7633 }%
7634 \@ifpackageloaded{float}{%
7635   \def\Hy@float@caption{%
7636     \ifx\Hy@float@currentHref\@undefined
7637       \hyper@makecurrent{\@capttype}%
7638       \global\let\Hy@float@currentHref\@currentHref

```

```

7639 \else
7640   \let\@currentHref\Hy@float@currentHref
7641 \fi
7642 \float@caption
7643 }%
7644 \let\HyOrg@float@makebox\float@makebox
7645 \let\float@makebox\HyNew@float@makebox
7646 }{}}

7647 </package>
7648 <*check>
7649 \checklatex[1999/06/01 - 2000/06/01]
7650 \checkcommand\def\caption{%
7651 \ifx\@capttype\@undefined
7652   \clatex@error{\noexpand\caption outside float}\@ehd
7653   \expandafter\@gobble
7654 \else
7655   \refstepcounter\@capttype
7656   \expandafter\@firstofone
7657 \fi
7658 {\@dblarg{\@caption\@capttype}}%
7659 }
7660 \checkcommand\long\def\@caption#1[#2]#3{%
7661 \par
7662 \addcontentsline{\csname ext@\#1\endcsname}{\#1}{%
7663 \protect\numberline{\csname the\#1\endcsname}{\ignorespaces #2}}%
7664 }%
7665 \begingroup
7666 \parboxrestore
7667 \if@minipage
7668 \setminipage
7669 \fi
7670 \normalsize
7671 \makecaption{\csname fnum@\#1\endcsname}{\ignorespaces #3}\par
7672 \endgroup
7673 }
7674 </check>
7675 <*package>

```

37 Bibliographic references

This is not very robust, since many styles redefine these things. The package used to redefine `\@citex` and the like; then we tried adding the `hyperref` call explicitly into the .aux file. Now we redefine `\bibcite`; this still breaks some citation packages so we have to work around them. But this remains extremely dangerous. Any or all of `achemso` and `drftcite` may break.

However, lets make an attempt to get `natbib` right, because thats a powerful, important package. Patrick Daly (daly@linmpi.mpg.de) has provided hooks for us, so all we need to do is activate them.

```

7676 \def\hyper@natlinkstart#1{%
7677   \Hy@backout{#1}%
7678   \hyper@linkstart{cite}{cite.\#1}%
7679   \def\hyper@nat@current{#1}%
7680 }
7681 \def\hyper@natlinkend{%
7682   \hyper@linkend

```

```

7683 }
7684 \def\hyper@natlinkbreak#1#2{%
7685   \hyper@linkend#1\hyper@linkstart{cite}{cite.\#2}%
7686 }
7687 \def\hyper@natanchorstart#1{%
7688   \Hy@raisedlink{\hyper@anchorstart{cite.\#1}}%
7689 }
7690 \def\hyper@natanchorend{\hyper@anchorend}

```

Do not play games if we have natbib support. Macro extra@binfo added for chapterbib support. Chapterbib also wants \extra@binfo in the hyper-link, but since the link tag is not expanded immediately, we use \extra@b@citeb, so cites in a chapter will link to the bibliography in that chapter.

```

7691 \ltx@IfUndefined{NAT@parse}{%
7692   \providecommand*\@extra@binfo{}%
7693   \providecommand*\@extra@b@citeb{}%
7694   \def\bibcite#1#2{%
7695     \@newl@bel{b}{\#1}\@extra@binfo}{%
7696     \hyper@link[cite]{\#1\@extra@b@citeb}{\#2}}%
7697   }%
7698 }%
7699 \gdef\@extra@binfo{}%

```

Package `babel` redefines `\bibcite` with macro `\bbbl@cite@choice`. It needs to be overwritten to avoid the warning “Label(s) may have changed.”.

```

7700 \let\Hy@bibcite\bibcite
7701 \begingroup
7702   \@ifundefined{bbbl@cite@choice}{}{%
7703     \g@addto@macro\bbbl@cite@choice{%
7704       \let\bibcite\Hy@bibcite
7705     }%
7706   }%
7707 \endgroup

```

`\@BIBLABEL` is working around a ‘feature’ of RevTeX.

```

7708 \providecommand*\@BIBLABEL{\@biblabel}%
7709 \def\@lbibitem[#1]#2{%
7710   \@skiphyperreftrue
7711   \H@item{%
7712     \ifx\Hy@raisedlink\empty
7713       \hyper@anchorstart{cite.\#2\@extra@b@citeb}%
7714       \@BIBLABEL{\#1}%
7715       \hyper@anchorend
7716     \else
7717       \Hy@raisedlink{%
7718         \hyper@anchorstart{cite.\#2\@extra@b@citeb}\hyper@anchorend
7719       }%
7720       \@BIBLABEL{\#1}%
7721     \fi
7722     \hfill
7723   }%
7724   \@skiphyperreffalse
7725   \if@filesw
7726     \begingroup
7727     \let\protect\noexpand
7728     \immediate\write\auxout{%
7729       \string\bibcite{\#2}{\#1}%
7730     }%

```

```

7731     \endgroup
7732     \fi
7733     \ignorespaces
7734 }%

```

Since `\bibitem` is doing its own labelling, call the raw version of `\item`, to avoid extra spurious labels

```

7735 \def\@bibitem#1{%
7736   \@skiphyperreftrue\H@item\@skiphyperreffalse
7737   \Hy@raisedlink{%
7738     \hyper@anchorstart{cite.\#1}\@extra@b@citeb}\relax\hyper@anchorend
7739   }%
7740   \if@filesw
7741     \begingroup
7742       \let\protect\noexpand
7743       \immediate\write\@auxout{%
7744         \string\bibcite{\#1}{\the\value{\@listctr}}}%
7745       }%
7746     \endgroup
7747   \fi
7748   \ignorespaces
7749 }%
7750 }{}}

7751 </package>
7752 <*check>
7753 \checklateX
7754 \checkcommand\def\@lbibitem[#1]{%
7755   \item[\@biblabel{\#1}\hfill]%
7756   \if@filesw
7757     \f%
7758     \let\protect\noexpand
7759     \immediate\write\@auxout{%
7760       \string\bibcite{\#2}{\#1}}%
7761     }%
7762   }%
7763 \fi
7764 \ignorespaces
7765 }

7766 \checkcommand\def\@bibitem#1{%
7767   \item
7768   \if@filesw
7769     \immediate\write\@auxout{%
7770       \string\bibcite{\#1}{\the\value{\@listctr}}}%
7771     }%
7772 \fi
7773 \ignorespaces
7774 }
7775 </check>
7776 <*package>

```

Revtex (bless its little heart) takes over `\bibcite` and looks at the result to measure something. Make this a hypertext link and it goes ape. Therefore, make an anodyne result first, call its business, then go back to the real thing.

```

7777 \@ifclassloaded{revtex}{%
7778   \Hy@Info{*** compatibility with revtex *** }%
7779   \def\revtex@checking#1#2{%
7780     \expandafter\let\expandafter\T@temp\csname b@\#1\endcsname

```

```

7781 \expandafter\def\csname b@#1\endcsname{#2}%
7782 \@SetMaxRnhefLabel{#1}%
7783 \expandafter\let\csname b@#1\endcsname\T@temp
7784 }%

```

Tanmoy provided this replacement for CITEX. Lord knows what it does. For chapterbib added: extra@b@citeb

```

7785 \@ifundefined{@CITE}{\def\@CITE{\@cite}{}}%
7786 \providecommand*{\@extra@b@citeb}{}%
7787 \def\@CITE[#1]{#2}%
7788 \let\@citea\empty
7789 \leavevmode
7790 \unskip
7791 $^{\%}%
7792 \scriptstyle
7793 \@CITE{%
7794 \for\@citeb:=#2\do{%
7795 \@citea
7796 \def\@citea{,\penalty\@m\ }%
7797 \edef\@citeb{\expandafter\@firstofone\@citeb}%
7798 \if@filesw
7799 \immediate\write\auxout{\string\citation{\@citeb}}%
7800 \fi
7801 \ifundefined{b@\@citeb\extra@b@citeb}{%
7802 \mbox{\reset@font\bfseries ?}%
7803 \G@refundefinedtrue
7804 \G@latex@warning{%
7805 Citation '\@citeb' on page \thepage \space undefined}%
7806 }%
7807 }{%
7808 \csname b@\@citeb\extra@b@citeb\endcsname}%
7809 }%
7810 }%
7811 }{#1}%
7812 }$%
7813 }%

```

No, life is too short. I am not going to understand the Revtex \collapse macro, I shall just restore the original behaviour of \citex; sigh. This is SO vile.

```

7814 \def\@citex[#1]{#2}%
7815 \let\@citea\empty
7816 \@cite{%
7817 \for\@citeb:=#2\do{%
7818 \@citea
7819 \def\@citea{,\penalty\@m\ }%
7820 \edef\@citeb{\expandafter\@firstofone\@citeb}%
7821 \if@filesw
7822 \immediate\write\auxout{\string\citation{\@citeb}}%
7823 \fi
7824 \ifundefined{b@\@citeb\extra@b@citeb}{%
7825 \mbox{\reset@font\bfseries ?}%
7826 \G@refundefinedtrue
7827 \G@latex@warning{%
7828 Citation '\@citeb' on page \thepage \space undefined}%
7829 }%
7830 }{%
7831 \hbox{\csname b@\@citeb\extra@b@citeb\endcsname}%
7832 }%

```

```

7833      }%
7834  }{\#1}%
7835  }%
7836 }{}
```

37.1 Package harvard

Override Peter Williams' Harvard package; we have to a) make each of the citation types into a link; b) make each citation write a backref entry, and c) kick off a backreference section for each bibliography entry.

The redefinitions have to be deferred to `\begin{document}`, because if `harvard.sty` is loaded and `html.sty` is present and detects pdfTeX, then `hyperref` is already loaded at the begin of `harvard.sty`, and the `\newcommand` macros causes error messages.

```

7837 \@ifpackageloaded{harvard}{%
7838   \Hy@AtBeginDocument{%
7839     \Hy@Info{*** compatibility with harvard ****}%
7840     \Hy@raiselinksfalse
7841     \def\harvardcite{\#1\#2\#3\#4{%
7842       \global\@namedef{HAR@fn@\#1}{\hyper@link[cite]{}{\cite.\#1}\#2}%
7843       \global\@namedef{HAR@an@\#1}{\hyper@link[cite]{}{\cite.\#1}\#3}%
7844       \global\@namedef{HAR@cyr@\#1}{\hyper@link[cite]{}{\cite.\#1}\#4}%
7845       \global\@namedef{HAR@df@\#1}{\csname HAR@fn@\#1\endcsname}%
7846     }%
7847     \def\HAR@citetoaux{\#1{%
7848       \if@filesw\immediate\write\auxout{\string\citation{\#1}}\fi%
7849       \ifHy@backref
7850         \ifx\empty\currentlabel
7851         \else
7852           \@bsphack
7853           \if@filesw
7854             \protected@write\auxout{}{%
7855               \string\@writefile{brf}{%
7856                 \string\backcite{\#1}{%
7857                   {\thepage}{\currentlabel}\@currentHref}%
7858                 }%
7859               }%
7860             }%
7861           \fi
7862           \@esphack
7863           \fi
7864         \fi
7865       }%
7866     \def\harvarditem{%
7867       \ifinnextchar[\{\harvarditem]{\harvarditem[\null]}%
7868     }%
7869     \def\@harvarditem[#1]\#2\#3\#4\#5\par{%
7870       \item[]%
7871       \hyper@anchorstart{\cite.\#4}\relax\hyper@anchorend
7872       \if@filesw
7873         \begingroup
7874           \def\protect##1{\string ##1\space}%
7875           \ifthenelse{\equal{\#1}{\null}}{%
7876             {\def\next{\{\#4\}\#2\{\#2\}\#3}}{%
7877               {\def\next{\{\#4\}\#2\{\#1\}\#3}}{%
7878                 \immediate\write\auxout{\string\harvardcite\codeof\next}%
7879               }%
7880             }%
7881           }%
7882         }%
7883       }%
7884     }%
7885   }%
7886 }
```

```

7879     \endgroup
7880     \fi
7881     \protect\hspace*{-\labelwidth}%
7882     \protect\hspace*{-\labelsep}%
7883     \ignorespaces
7884     #5%
7885     \ifHy@backref
7886         \newblock
7887         \backref{\csname br@\#4\endcsname}%
7888     \fi
7889     \par
7890 }%

```

\HAR@checkcitations Package hyperref has added \hyper@@link, so the original test \HAR@checkcitations will fail every time and always will appear the “Changed labels” warning. So we have to redefine \HAR@checkcitations:

```

7891     \long\def\HAR@checkcitations#1#2#3#4{%
7892         \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#2}}%
7893         \expandafter\ifx\csname HAR@fn@\#1\endcsname\HAR@tempa
7894             \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#3}}%
7895             \expandafter\ifx\csname HAR@an@\#1\endcsname\HAR@tempa
7896                 \def\HAR@tempa{\hyper@@link[cite]{}{cite.\#1}{\#4}}%
7897                 \expandafter\ifx\csname HAR@yr@\#1\endcsname\HAR@tempa
7898                     \else
7899                         \@tempswatru
7900                     \fi
7901                     \else
7902                         \@tempswatru
7903                     \fi
7904                     \else
7905                         \@tempswatru
7906                     \fi
7907     }%
7908 }%
7909 }{%

```

37.2 Package chicago

The links by \citeN and \shortciteN should include the closing parentheses.

```
7910 \@ifpackageloaded{chicago}{%
```

```

\citeN
7911     \def\citeN{%
7912         \def\@citeseppen{-1000}%
7913         \def\@cite##1##2##1{%
7914             \def\citeauthoryear##1##2##3##1{##1 (##3\@cite@opt)}%
7915             \@citedata@opt
7916         }%
7917 \shortciteN
7918     \def\shortciteN{%
7919         \def\@citeseppen{-1000}%
7920         \def\@cite##1##2##1{%
7921             \def\citeauthoryear##1##2##3##2{##2 (##3\@cite@opt)}%
7922             \@citedata@opt
7923         }%

```

```

\@citedata@opt
7923 \def\@citedata@opt{%
7924   \let\@cite@opt\@empty
7925   \@ifnextchar [{%
7926     \tempswattrue
7927     \@citedatax@opt
7928   }{%
7929     \tempswafalse
7930     \@citedatax[]%
7931   }%
7932 }%
7933 \def\@citedatax@opt[#1]{%
7934   \def\@cite@opt{, #1}%
7935   \@citedatax[{\#1}]%
7936 }%
7937 }{}}

```

38 Page numbers

The last page should not contain a /Dur key, because there is no page after the last page. Therefore at the last page there should be a command `\hypersetup{pdfpageduration={}}`. This can be set with `\AtEndDocument`, but it can be too late, if the last page is already finished, or too early, if lots of float pages will follow. Therefore currently nothing is done by hyperref.

This where we supply a destination for each page.

```

7938 \ltx@ifclassloaded{slides}{%
7939   \def\Hy@SlidesFormatOptionalPage#1{(#1)}%
7940   \def\Hy@PageAnchorSlidesPlain{%
7941     \advance\c@page\ltx@one
7942     \edef\Hy@TempPageAnchor{%
7943       \noexpand\hyper@anchor{%
7944         page.\the\c@slide.\the\c@overlay.\the\c@note%
7945       }\ifnum\c@page=\ltx@one
7946       \else
7947         .\the\c@page
7948       \fi
7949     }%
7950   }%
7951   \advance\c@page-\ltx@one
7952 }%
7953 \def\Hy@PageAnchorSlide{%
7954   \advance\c@page\ltx@one
7955   \ifnum\c@page>\ltx@one
7956     \ltx@IfUndefined{theHpage}{%
7957       \protected@edef\Hy@TheSlideOptionalPage{%
7958         \Hy@SlidesFormatOptionalPage{\thepage}%
7959       }%
7960     }{%
7961       \protected@edef\Hy@TheSlideOptionalPage{%
7962         \Hy@SlidesFormatOptionalPage{\theHpage}%
7963       }%
7964     }%
7965   \else

```

```

7966     \def\Hy@TheSlideOptionalPage{}%
7967     \fi
7968     \advance\c@page-\ltx@one
7969     \pdfstringdef{\the@H@page}{%
7970         \csname
7971             the%
7972             \ltx@ifundefined{theH\Hy@SlidesPage}{}{H}%
7973             \Hy@SlidesPage
7974         \endcsname
7975         \Hy@TheSlideOptionalPage
7976     }%
7977     \ltx@gobblethree
7978 }%
7979 \def\Hy@SlidesPage[slide]%
7980 \g@addto@macro\slide{%
7981     \def\Hy@SlidesPage[slide]%
7982 }%
7983 \g@addto@macro\overlay{%
7984     \def\Hy@SlidesPage[overlay]%
7985 }%
7986 \g@addto@macro\note{%
7987     \def\Hy@SlidesPage[note]%
7988 }%
7989 }{%
7990 \def\Hy@PageAnchorSlidesPlain{}%
7991 \def\Hy@PageAnchorSlide{}%
7992 }
7993 \def\Hy@EveryPageAnchor{%
7994     \Hy@DistillerDestFix
7995     \ifHy@pageanchor
7996         \ifHy@hypertexnames
7997             \ifHy@plainpages
7998                 \def\Hy@TempPageAnchor{\hyper@anchor{page.\the\c@page}}%
7999                 \Hy@PageAnchorSlidesPlain
8000             \else
8001                 \begingroup
8002                     \let\@number\@firstofone
8003                     \Hy@unicodefalse
8004                     \Hy@PageAnchorSlide
8005                     \pdfstringdef{\the@H@page}{\thepage}%
8006                 \endgroup
8007                 \EdefUnescapeString{\the@H@page}{\the@H@page}%
8008                 \def\Hy@TempPageAnchor{\hyper@anchor{page.\the@H@page}}%
8009             \fi
8010         \else
8011             \Hy@GlobalStepCount\Hy@pagecounter
8012             \def\Hy@TempPageAnchor{%
8013                 \hyper@anchor{page.\the\Hy@pagecounter}%
8014             }%
8015         \fi
8016         \vbox to 0pt{%
8017             \kern\voffset
8018             \kern\topmargin
8019             \kern-1bp\relax
8020             \hbox to 0pt{%
8021                 \kern\hoffset
8022                 \kern\ifodd\value{page}%

```

```

8023      \oddsidemargin
8024      \else
8025      \evensidemargin
8026      \fi
8027      \kern-1bp\relax
8028      \Hy@TempPageAnchor\relax
8029      \hss
8030      }%
8031      \vss
8032      }%
8033      \fi
8034 }
8035 \g@addto@macro\Hy@EveryPageBoxHook{%
8036   \Hy@EveryPageAnchor
8037 }

```

39 Table of contents

TV Raman noticed that people who add arbitrary material into the TOC generate a bad or null link. We avoid that by checking if the current destination is empty. But if ‘the most recent destination’ is not what you expect, you will be in trouble.

```

8038 \def\addcontentsline#1#2#3{%
  toc extension, type, tag
8039 \begingroup
8040   \let\label\@gobble
8041   \ifx\@currentHref\@empty
8042     \Hy@Warning{%
8043       No destination for bookmark of \string\addcontentsline,%
8044       \MessageBreak destination is added%
8045     }%
8046     \phantomsection
8047   \fi
8048 \expandafter\ifx\csname toclevel@\#2\endcsname\relax
8049   \begingroup
8050     \def\Hy@tempa{#1}%
8051     \ifx\Hy@tempa\Hy@bookmarkstype
8052       \Hy@WarningNoLine{%
8053         bookmark level for unknown #2 defaults to 0%
8054       }%
8055     \else
8056       \Hy@Info{bookmark level for unknown #2 defaults to 0}%
8057     \fi
8058   \endgroup
8059   \expandafter\gdef\csname toclevel@\#2\endcsname{0}%
8060   \fi
8061 \edef\Hy@toclevel{\csname toclevel@\#2\endcsname}%
8062 \Hy@writebookmark{\csname the@\#2\endcsname}%
8063 {#3}%
8064 {\@currentHref}%
8065 {\Hy@toclevel}%
8066 {#1}%
8067 \ifHy@verbose
8068   \begingroup
8069     \def\Hy@tempa{#3}%
8070     \@onelvel@sanitize\Hy@tempa
8071     \let\temp@online\online
8072     \let\on@line\empty

```

```

8073     \Hy@Info{%
8074         bookmark\temp@online:\MessageBreak
8075         thecounter {\csname the#2\endcsname}\MessageBreak
8076         text {\Hy@tempa}\MessageBreak
8077         reference {\@currentHref}\MessageBreak
8078         toplevel {\Hy@toplevel}\MessageBreak
8079         type {#1}%
8080     }%
8081     \endgroup
8082 \fi
8083 \addtocontents{#1}{%
8084     \protect\contentsline{#2}{#3}{\thepage}{\@currentHref}%
8085 }%
8086 \endgroup
8087 }
8088 \def\contentsline#1#2#3#4{%
8089 \ifx\\#4\\%
8090     \csname l@#1\endcsname{#2}{#3}%
8091 \else
8092     \ifcase\Hy@linktoc % none
8093         \csname l@#1\endcsname{#2}{#3}%
8094     \or % section
8095         \csname l@#1\endcsname{%
8096             \hyper@linkstart{link}{#4}{#2}\hyper@linkend
8097         }{#3}%
8098     \or % page
8099         \csname l@#1\endcsname{{#2}}{%
8100             \hyper@linkstart{link}{#4}{#3}\hyper@linkend
8101         }%
8102     \else % all
8103         \csname l@#1\endcsname{%
8104             \hyper@linkstart{link}{#4}{#2}\hyper@linkend
8105         }{%
8106             \hyper@linkstart{link}{#4}{#3}\hyper@linkend
8107         }%
8108     \fi
8109 \fi
8110 }
8111 </package>
8112 <*check>
8113 \checklateX
8114 \checkcommand\def\addcontentsline#1#2#3{%
8115     \addtocontents{#1}{\protect\contentsline{#2}{#3}{\thepage}}%
8116 }
8117 \checkcommand\def\contentsline#1{\csname l@#1\endcsname}
8118 </check>
8119 <*package>

```

40 New counters

The whole theorem business makes up new counters on the fly; we are going to intercept this. Sigh. Do it at the level where new counters are defined.

```

8120 \let\H@definecounter\@definecounter
8121 \def\@definecounter#1{%
8122     \H@definecounter{#1}%
8123     \expandafter\gdef\csname theH#1\endcsname{\arabic{#1}}%

```

```
8124 }
```

But what if they have used the optional argument to e.g. `\newtheorem` to determine when the numbering is reset? OK, we'll trap that too.

```
8125 \let\H@newctr\@newctr
8126 \def\@newctr#1[#2]{%
8127   \H@newctr#1[{\#2}]%
8128   \expandafter\gdef\csname theH#1\endcsname{%
8129     \csname the\@ifundefined{theH#2}{}{H}\#2\endcsname.\arabic{#1}%
8130   }%
8131 }
```

41 AMS^LA_TE_X compatibility

Oh, no, they don't use anything as simple as `\refstepcounter` in the AMS! We need to intercept some low-level operations of theirs. Damned if we are going to try and work out what they get up to. Just stick a label of 'AMS' on the front, and use the label *they* worked out. If that produces something invalid, I give up. They'll change all the code again anyway, I expect (SR).

Version 6.77p uses a patch by Ross Moore.

```
8132 \@ifpackageloaded{amsmath}{%
8133   \def\Hy@make@anchor{%
8134     \Hy@MakeCurrentHrefAuto{AMS}%
8135     \Hy@raisedlink{\hyper@anchorstart{\@currentHref}\hyper@anchorend}%
8136   }%
8137   \def\Hy@make@df@tag@@#1{%
8138     \gdef\df@tag{%
8139       \maketag@@{\Hy@make@anchor#1}%
8140       \def\@currentlabel{#1}%
8141     }%
8142   }%
8143   \def\Hy@make@df@tag@@@#1{%
8144     \gdef\df@tag{%
8145       \tagform@\{\Hy@make@anchor#1}%
8146       \toks@\@xp{\p@equation{#1}}%
8147       \edef\@currentlabel{\the\toks@}%
8148     }%
8149   }%
8150   \let\HyOrg@make@df@tag@@\make@df@tag@@
8151   \let\HyOrg@make@df@tag@@@ \make@df@tag@@@%
8152   \let\make@df@tag@@\Hy@make@df@tag@@%
8153   \let\make@df@tag@@@ \Hy@make@df@tag@@@%
8154 }{}
```

Only play with `\seteqlabel` if we are using pdftex. Other drivers cause problems; requested by Michael Downes (AMS).

```
8155 \@ifpackagewith{hyperref}{pdftex}{%
8156   \let\H@seteqlabel\@seteqlabel
8157   \def\@seteqlabel#1{%
8158     \H@seteqlabel{#1}%
8159     \xdef\@currentHref{AMS.\the\Hy@linkcounter}%
8160     \Hy@raisedlink{%
8161       \hyper@anchorstart{\@currentHref}\hyper@anchorend
8162     }%
8163   }%
8164 }
```

This code I simply cannot remember what I was trying to achieve. The final result seems to do nothing anyway.

```
\let\H@tagform@\tagform@  
\def\tagform@#1{  
  \maketag@@@\{\hyper@anchor{\@currentHref}{%  
    {(\ignorespaces#1\unskip)}\}}%  
}  
\def\eqref#1{\textup{\H@tagform@\{\ref{#1}\}}}
```

41.1 \addtoreset and \numberwithin patches

\addtoreset puts a counter to the reset list of another counter. After a reset the counter starts again with perhaps already used values. Therefore the hyperref version of the counter print command \theHcounter is redefined in order to add the parent counter.

```
8165 \let\HyOrg@addtoreset\@addtoreset  
8166 \def\@addtoreset#1#2{  
8167   \HyOrg@addtoreset{#1}{#2}{%  
8168   \expandafter\xdef\csname theH#1\endcsname{  
8169     \expandafter\noexpand  
8170       \csname the\@ifundefined{theH#2}{}H#2\endcsname  
8171     .\noexpand\the\noexpand\value{#1}{%  
8172   }%  
8173 }
```

\numberwithin A appropriate definition of hyperref's companion counter (\theH...) is added for correct link names.

```
8174 </package>  
8175 <*check>  
8176 \checkpackage{amsmath}[1999/12/14 - 2000/06/06]  
8177 \checkcommand\newcommand{\numberwithin}[3]{\arabic}{%  
8178   \@ifundefined{c@#2}{\nocounterr{#2}}{  
8179     \@ifundefined{c@#3}{\nocounterr{#3}}{  
8180       \addtoreset{#2}{#3}{%  
8181       \xp\xdef\csname the#2\endcsname{  
8182         \xp\@nx\csname the#3\endcsname.\@nx#1{#2}{%  
8183       }%  
8184     }%  
8185   }%  
8186 }%  
8187 </check>  
8188 <*package>  
8189 \@ifpackageloaded{amsmath}{%  
8190   \@ifpackagelater{amsmath}{1999/12/14}{%  
8191     \renewcommand*{\numberwithin}[3]{\arabic}{%  
8192       \@ifundefined{c@#2}{\nocounterr{#2}}{  
8193         \@ifundefined{c@#3}{\nocounterr{#3}}{  
8194           \HyOrg@addtoreset{#2}{#3}{%  
8195           \xp\xdef\csname the#2\endcsname{  
8196             \xp\@nx\csname the#3\endcsname.\@nx#1{#2}{%  
8197           }%  
8198           \xp\xdef\csname theH#2\endcsname{  
8199             \xp\@nx  
8200               \csname the\@ifundefined{theH#3}{}H#3\endcsname  
8201               .\@nx#1{#2}{%  
8202             }%
```

```

8203      }%
8204      }%
8205      }%
8206  }{%
8207  \Hy@WarningNoLine{%
8208    \string\numberwithin\space of package 'amsmath' %
8209    only fixed\MessageBreak
8210    for version 2000/06/06 v2.12 or newer%
8211  }%
8212  }%
8213 }{}}

```

42 Included figures

Simply intercept the low level graphics package macro.

```

8214 \ifHy@hyperfigures
8215   \let\Hy@Gin@setfile\Gin@setfile
8216   \def\Gin@setfile#1#2#3{%
8217     \hyperimage{#3}{\Hy@Gin@setfile{#1}{#2}{#3}}%
8218   }%
8219 \fi
8220 \Hy@DisableOption{hyperfigures}

```

43 hyperindex entries

Internal command names are prefixed with `\HyInd@`.

Hyper-indexing works crudely, by forcing code onto the end of the index entry with the `|` feature; this puts a hyperlink around the printed page numbers. It will not proceed if the author has already used the `|` specifier for something like emboldening entries. That would make Makeindex fail (cannot have two `|` specifiers). The solution is for the author to use generic coding, and put in the requisite `\hyperpage` in his/her own macros along with the boldness.

This section is poor stuff; it's open to all sorts of abuse. Sensible large projects will design their own indexing macros any bypass this.

```

8221 \ifHy@hyperindex
8222   \def\HyInd@ParenLeft{()%
8223   \def\HyInd@ParenRight{}%
8224   \def\hyperindexformat#1#2{%
8225     \let\HyOrg@hyperpage\hyperpage
8226     \let\hyperpage\@firstofone
8227     #1{\HyOrg@hyperpage{#2}}%
8228     \let\hyperpage\HyOrg@hyperpage
8229   }%
8230   \Hy@nextfalse
8231   \@ifpackageloaded{multind}{\Hy@nexttrue}{}
8232   \@ifpackageloaded{index}{\Hy@nexttrue}{}
8233   \@ifpackageloaded{amsidx}{\Hy@nexttrue}{}
8234   \begingroup
8235   \lccode`|=expandafter`\HyInd@EncapChar\relax
8236   \lccode`/='\\relax
8237   \lowercase{\endgroup
8238   \ifHy@next
8239     \let\HyInd@org@wrindex\@wrindex
8240     \def\@wrindex#1#2{\HyInd@org@wrindex{#1}{#2}||\}%

```

```

8241 \def\HyInd@@wrindex#1#2|#3|#4\\{\%
8242   \ifx\\#3\\%
8243     \HyInd@org@wrindex{#1}{#2|hyperpage}%
8244   \else
8245     \HyInd@@wrindex{#1}{#2}{#3}\\%
8246   \fi
8247 }%
8248 \def\HyInd@@@wrindex#1#2#3#4\\{\%
8249   \def\Hy@temp@A{#3}%
8250   \ifcase0\ifx\Hy@temp@A\HyInd@ParenLeft 1\fi
8251     \ifx\Hy@temp@A\HyInd@ParenRight 1\fi
8252       \relax
8253       \HyInd@org@wrindex{#1}{%
8254         #2|hyperindexformat{/#3#4}}%
8255     }%
8256   \else
8257     \ifx\\#4\\%
8258       \ifx\Hy@temp@A\HyInd@ParenRight
8259         \HyInd@org@wrindex{#1}{#2|#3}%
8260       \else
8261         \HyInd@org@wrindex{#1}{#2|#3hyperpage}%
8262       \fi
8263     \else
8264       \HyInd@org@wrindex{#1}{%
8265         #2|#3hyperindexformat{/#4}}%
8266       }%
8267     \fi
8268   \fi
8269 }%
8270 \else
8271   \def\@wrindex#1{\@wrindex#1||\\}%
8272   \def\@wrindex#1|#2|#3\\{\%
8273     \if@filesw
8274       \ifx\\#2\\%
8275         \protected@write\@indexfile{}{%
8276           \string\indexentry{#1|hyperpage}{\thepage}%
8277         }%
8278       \else
8279         \HyInd@@wrindex{#1}{#2}\\%
8280       \fi
8281     \fi
8282   \endgroup
8283   \@esphack
8284 }%
8285 \def\HyInd@@@wrindex#1#2#3\\{\%
8286   \def\Hy@temp@A{#2}%
8287   \ifcase0\ifx\Hy@temp@A\HyInd@ParenLeft 1\fi
8288     \ifx\Hy@temp@A\HyInd@ParenRight 1\fi
8289       \relax
8290       \protected@write\@indexfile{}{%
8291         \string\indexentry{%
8292           #1|hyperindexformat{/#2#3}}%
8293         }{\thepage}%
8294       }%
8295     \else
8296       \ifx\\#3\\%
8297         \ifx\Hy@temp@A\HyInd@ParenRight

```

```

8298      \protected@write\@indexfile{}{%
8299          \string\indexentry{\#1|\#2}{\thepage}%
8300      }%
8301      \else
8302          \protected@write\@indexfile{}{%
8303              \string\indexentry{\#1|\#2hyperpage}{\thepage}%
8304          }%
8305          \fi
8306      \else
8307          \protected@write\@indexfile{}{%
8308              \string\indexentry{%
8309                  \#1|\#2hyperindexformat{/#3}%
8310                  }{\thepage}%
8311          }%
8312          \fi
8313      \fi
8314  }%
8315  \fi
8316 }%
8317 \fi
8318 \Hy@DisableOption{hyperindex}
8319 \Hy@DisableOption{encap}

```

- \nohyperpage The definition of \nohyperpage is just a precaution. It is used to mark code that does not belong to a page number, but \nohyperpage is never executed.

```
8320 \def\nohyperpage{\#1{#1}}
```

This again is quite flaky, but allow for the common situation of a page range separated by en-rule. We split this into two different hyperlinked pages.

```

8321 \def\hyperpage{\#1{%
8322   \HyInd@hyperpage{\#1\nohyperpage{}}\@nil
8323 }%
8324 \def\HyInd@hyperpage{\#1\nohyperpage{\#2\#3}\@nil{%
8325   \HyInd@hyperpage{\#1}%
8326   \#2%
8327   \def\Hy@temp{\#3}%
8328   \ifx\Hy@temp\@empty
8329     \else
8330       \ltx@ReturnAfterFi{%
8331         \HyInd@hyperpage{\#3}\@nil
8332     }%
8333   \fi
8334 }%
8335 \def\HyInd@hyperpage{\#1{@hyperpage{\#1---\\}}%
8336 \def{@hyperpage{\#1--\#2-\#3}\@{%
8337   \ifx\\#2\\%
8338     @commahyperpage{\#1}%
8339   \else
8340     \HyInd@pagelink{\#1}--\HyInd@pagelink{\#2}%
8341   \fi
8342 }%
8343 \def{@commahyperpage{\#1{@commahyperpage{\#1,\@}}%
8344 \def{@commahyperpage{\#1,\#2,\#3}\@{%
8345   \ifx\\#2\\%
8346     \HyInd@pagelink{\#1}%
8347   \else
8348     \HyInd@pagelink{\#1},\HyInd@pagelink{\#2}%

```

```

8349 \fi
8350 }

The argument of \hyperpage can be empty. And the line breaking algorithm
of Makeindex can introduce spaces. So we have to remove them.

8351 \def\HyInd@pagelink#1{%
8352 \begingroup
8353 \toks@={}%
8354 \HyInd@removespaces#1 \@nil
8355 \endgroup
8356 }
8357 \def\HyInd@removespaces#1 #2\@nil{%
8358 \toks@=\expandafter{\the\toks@#1}%
8359 \ifx\\#2\\%
8360 \edef\x{\the\toks@}%
8361 \ifx\x\empty
8362 \else
8363 \hyperlink{page.\the\toks@}{\the\toks@}%
8364 \fi
8365 \else
8366 \ltx@ReturnAfterFi{%
8367 \HyInd@removespaces#2\@nil
8368 }%
8369 \fi
8370 }

```

44 Compatibility with foiltex

```

8371 \@ifclassloaded{foils}{%
8372 \providecommand*\ext@table{lot}%
8373 \providecommand*\ext@figure{lof}%
8374 }{}}

```

45 Compatibility with seminar slide package

This requires `seminar.bg2`, version 1.6 or later. Contributions by Denis Girou (`denis.girou@idris.fr`).

```

8375 \@ifclassloaded{seminar}{%
8376 \Hy@seminarslidestrue
8377 \providecommand\theHslide{\arabic{slide}}%
8378 }{}%
8379 \Hy@seminarslidesfalse
8380 }
8381 \@ifpackageloaded{slidesec}{%
8382 \providecommand\theHslidesection {\arabic{slidesection}}%
8383 \providecommand\theHslidesubsection{%
8384 \theHslidesection.\arabic{slidesubsection}}%
8385 }%
8386 \def\slide@heading[#1]#2{%
8387 \H@refstepcounter{slidesection}%
8388 \c@addtoreset{slidesubsection}{slidesection}%
8389 \c@addtocontents{los}{%
8390 \protect\l@slide{\the\c@slidesection}{\ignorespaces#1}%
8391 {\c@SCTR}{slideheading.\theslide}%
8392 }%
8393 \def\Hy@tempa{#2}%

```

```

8394 \ifx\Hy@tempa\empty
8395 \else
8396 {%
8397   \edef\@currentlabel{%
8398     \csname p@slidesection\endcsname\theslidesection
8399   }%
8400   \makeslideheading{\#2}%
8401 }
8402 \fi
8403 \gdef\theslideheading{\#1}%
8404 \gdef\theslidesubheading{}%
8405 \ifHy@bookmarksnumbered
8406   \def\Hy@slidetitle{\theslidesection\space \#1}%
8407 \else
8408   \def\Hy@slidetitle{\#1}%
8409 \fi
8410 \ifHy@hypertexnames
8411   \ifHy@naturalnames
8412     \hyper@anchor{slideheading.\theslidesection}{\relax}%
8413     \Hy@writebookmark
8414     {\theslidesection}%
8415     {\Hy@slidetitle}%
8416     {slideheading.\theslidesection}%
8417     {1}%
8418     {toc}%
8419   \else
8420     \hyper@anchor{slideheading.\theHslidesection}{\relax}%
8421     \Hy@writebookmark
8422     {\theslidesection}%
8423     {\Hy@slidetitle}%
8424     {slideheading.\theHslidesection}%
8425     {1}%
8426     {toc}%
8427   \fi
8428 \else
8429   \Hy@GlobalStepCount\Hy@linkcounter
8430   \hyper@anchor{slideheading.\the\Hy@linkcounter}{\relax}%
8431   \Hy@writebookmark
8432   {\theslidesection}%
8433   {\Hy@slidetitle}%
8434   {slideheading.\the\Hy@linkcounter}%
8435   {1}%
8436   {toc}%
8437 \fi
8438 }%
8439 \def\slide@subheading[#1]#2{%
8440   \H@refstepcounter{slidesubsection}%
8441   \addtocontents{los}{%
8442     \protect\l@subslide{\the\c@slidesubsection}{\ignorespaces#1}%
8443     {\@SCTR}{slideheading.\theslidesubsection}%
8444   }%
8445   \def\Hy@tempa{\#2}%
8446   \ifx\Hy@tempa\empty
8447   \else
8448   {%
8449     \edef\@currentlabel{%
8450       \csname p@slidesubsection\endcsname\theslidesubsection

```

```

8451      }%
8452      \makeslidesubheading{\#2}%
8453      }%
8454      \fi
8455      \gdef\theslidesubheading{\#1}%
8456      \ifHy@bookmarksnumbered
8457          \def\Hy@slidetitle{\theslidesubsection\space \#1}%
8458      \else
8459          \def\Hy@slidetitle{\#1}%
8460      \fi
8461      \ifHy@hypertexnames
8462      \ifHy@naturalnames
8463          \hyper@anchor{slideheading.\theslidesubsection}{\relax}%
8464          \Hy@writebookmark
8465              {\theslidesubsection}%
8466              {\Hy@slidetitle}%
8467              {slideheading.\theslidesubsection}%
8468              {2}%
8469              {toc}%
8470      \else
8471          \hyper@anchor{slideheading.\theHslidesubsection}{\relax}%
8472          \Hy@writebookmark
8473              {\theslidesubsection}%
8474              {\Hy@slidetitle}%
8475              {slideheading.\theHslidesubsection}%
8476              {2}%
8477              {toc}%
8478      \fi
8479  \else
8480      \Hy@GlobalStepCount\Hy@linkcounter
8481      \hyper@anchor{slideheading.\the\Hy@linkcounter}{\relax}%
8482      \Hy@writebookmark
8483          {\theslidesubsection}%
8484          {\Hy@slidetitle}%
8485          {slideheading.\the\Hy@linkcounter}%
8486          {1}%
8487          {toc}%
8488  \fi
8489 }%
8490 \providecommand*{\listslidename}{List of Slides}%
8491 \def\listofslides{%
8492     \section*{%
8493         \listslidename
8494         \mkboth{%
8495             \expandafter\MakeUppercase\listslidename
8496         }{%
8497             \expandafter\MakeUppercase\listslidename
8498         }%
8499     }%
8500     \def\l@slide##1##2##3##4{%
8501         \slide@undottedcline{%
8502             \slidenumberline{\#3}{\hyperlink{\#4}{\#2}}{%
8503                 }{%
8504             }%
8505             \let\l@subslide\l@slide
8506             \startlos
8507         }%

```

```

8508 \def\slide@contents{%
8509   \def\l@slide##1##2##3##4{%
8510     \slide@cline{\slidenumberline{##3}{\hyperlink{##4}{##2}}}{##3}%
8511   }%
8512   \let\l@subslide\@gobblefour
8513   \startlos
8514 }%
8515 \def\Slide@contents{%
8516   \def\l@slide##1##2##3##4{%
8517     \ifcase\lslide@flag
8518       \message{##1 ** \the\c@slidesection}%
8519       \ifnum##1>\c@slidesection
8520         \def\lslide@flag{1}%
8521       {%
8522         \large
8523         \slide@cline{%
8524           \slidenumberline{$\rightarrow$\bullet$}%
8525           {\hyperlink{##4}{##2}}%
8526         }{##3}%
8527       }%
8528     \else
8529       {%
8530         \large
8531         \slide@cline{%
8532           \slidenumberline{$\sqrt{\bullet}$}%
8533           {\hyperlink{##4}{##2}}%
8534         }{##3}%
8535       }%
8536     \fi
8537   \or
8538     \def\lslide@flag{2}%
8539   {%
8540     \large
8541     \slide@cline{%
8542       \slidenumberline{$\bullet$}%
8543       {\hyperlink{##4}{##2}}%
8544     }{##3}%
8545   }%
8546   \or
8547   {%
8548     \large
8549     \slide@cline{%
8550       \slidenumberline{$\bullet$}%
8551       {\hyperlink{##4}{##2}}%
8552     }{##3}%
8553   }%
8554   \fi
8555 }%
8556 \def\l@subslide##1##2##3##4{%
8557   \ifnum\lslide@flag=1 %
8558     \undottedtocline{2}{3.8em}{3.2em}{\hyperlink{##4}{##2}}{}%
8559   \fi
8560 }%
8561 \def\lslide@flag{0}%
8562 \startlos
8563 }%
8564 }{}}

```

This breaks TeX4ht, so leave it to last. Emend \csetref to put out a hypertext link as well as its normal text (which is used as an anchor). (\endinput have to be on the same line like \fi, or you have to use \expandafter before.)

```

8565 \ifHy@texht
8566   \expandafter\endinput
8567 \fi
8568 \let\real@csetref\csetref
8569 \def\csetref#1#2#3{%
8570   \ifx#1\relax
8571     \protect\G@refundefinedtrue
8572     \nfss@text{\reset@font\bfseries ??}%
8573     \c@latex@warning{%
8574       Reference '#3' on page \thepage \space undefined%
8575     }%
8576   \else
8577     \expandafter\Hy@csetref@link#1\empty\empty\@nil{#2}%
8578   \fi
8579 }

```

\Hy@csetref@link extracts the reference information entries, because \hyper@link does not expand arguments for the automatic link type detection.

```

8580 \def\Hy@csetref@link#1#2#3#4#5#6\@nil#7{%
8581   \begingroup
8582   \toks0={\hyper@link{#5}{#4}}%
8583   \toks1=\expandafter{\#7{#1}{#2}{#3}{#4}{#5}}%
8584   \edef\x{\endgroup
8585     \the\toks0 {\the\toks1 }}%
8586   }%
8587   \x
8588 }
8589 \def\@pagesetref#1#2#3{%
8590   \ifx#1\relax
8591     \protect\G@refundefinedtrue
8592     \nfss@text{\reset@font\bfseries ??}%
8593     \c@latex@warning{%
8594       Reference '#3' on page \thepage \space undefined%
8595     }%
8596   \else
8597     \protect\hyper@link
8598     {\expandafter\@fifthoffive#1}%
8599     {page.\expandafter\@secondoffive#1}%
8600     {\expandafter\@secondoffive#1}%
8601   \fi
8602 }
8603 
```

```

8604 /*check)
8605 \checklateX
8606 \checkcommand\def\csetref#1#2#3{%
8607   \ifx#1\relax
8608     \protect\G@refundefinedtrue
8609     \nfss@text{\reset@font\bfseries ??}%
8610     \c@latex@warning{%
8611       Reference '#3' on page \thepage\space undefined%
8612     }%
8613   \else
8614     \expandafter#2#1\null
8615   \fi

```

```

8616 }
8617 </check>
8618 {*package}

```

Now some extended referencing. `\ref*` and `\pageref*` are not linked, and `\autoref` prefixes with a tag based on the type.

```

8619 \def\HyRef@StarSetRef#1{%
8620   \begingroup
8621     \Hy@safe@activestru
8622     \edef\x{\#1}%
8623     \onelevel@sanitize\x
8624     \edef\x{\endgroup
8625       \noexpand\HyRef@@StarSetRef
8626       \expandafter\noexpand\csname r@\x\endcsname{\x}%
8627     }%
8628   \x
8629 }
8630 \def\HyRef@@StarSetRef#1#2#3{%
8631   \ifx#1\undefined
8632     \let#1\relax
8633   \fi
8634   \real@setref#1#3{#2}%
8635 }
8636 \def\@refstar#1{%
8637   \HyRef@StarSetRef{\#1}\@firstoffive
8638 }
8639 \def\@pagerefstar#1{%
8640   \HyRef@StarSetRef{\#1}\@secondoffive
8641 }
8642 \def\@namerefstar#1{%
8643   \HyRef@StarSetRef{\#1}\@thirdoffive
8644 }
8645 \Hy@AtBeginDocument{%
8646   \@ifpackageloaded{varioref}{%
8647     \def\@Refstar#1{%
8648       \HyRef@StarSetRef{\#1}\HyRef@MakeUppercaseFirstOfFive
8649     }%
8650     \def\HyRef@MakeUppercaseFirstOfFive#1#2#3#4#5{%
8651       \MakeUppercase#1%
8652     }%
8653     \DeclareRobustCommand*\@Ref{%
8654       \@ifstar\@Refstar\HyRef@Ref
8655     }%
8656     \def\HyRef@Ref#1{%
8657       \hyperref[\#1]{\Ref*\#1}}%
8658     }%
8659     \def\@f#1{%
8660       \leavevemode\unskip\vref@space
8661       \hyperref[\#1]{%
8662         \Ref*\#1}%
8663       \let\vref@space\nobreakspace
8664       \vref@skip[\#1]%
8665     }%
8666   }%
8667   \def\@f#1{%
8668     \leavevemode\unskip\vref@space
8669     \begingroup
8670       \let\T@pageref\@pagerefstar

```

```

8671      \hyperref[{#1}]{%
8672          \ref*{#1}%
8673          \vpageref[\unskip]{#1}%
8674      }%
8675      \endgroup
8676  }{%
8677 }{%
8678 }
8679 \DeclareRobustCommand*\autopageref{%
8680   \@ifstar{%
8681     \HyRef@autopagerefname\pageref*%
8682   }\HyRef@autopageref
8683 }
8684 \def\HyRef@autopageref#1{%
8685   \hyperref[{#1}]{\HyRef@autopagerefname\pageref*{#1}}%
8686 }
8687 \def\HyRef@autopagerefname{%
8688   \ltx@ifundefined{pageautorefname}{%
8689     \ltx@ifundefined{pagename}{%
8690       \Hy@Warning{No autoref name for 'page'}%
8691     }{%
8692       \pagename\nobreakspace
8693     }%
8694   }{%
8695     \pageautorefname\nobreakspace
8696   }%
8697 }

\leavevmode is added to make package wrapfigure happy, if \autoref starts a
paragraph.
8698 \DeclareRobustCommand*\autoref{%
8699   \leavevmode
8700   \@ifstar{\HyRef@autoref\@gobbletwo}{\HyRef@autoref\hyper@link}%
8701 }
8702 \def\HyRef@autoref#1#2{%
8703   \begingroup
8704     \Hy@safe@activestru
8705     \expandafter\HyRef@autosetref\csname r@#2\endcsname{#1}%
8706   \endgroup
8707 }
8708 \def\HyRef@autosetref#1#2#3{%
8709   \HyRef@ShowKeysRef{#2}%
8710   \ifcase 0\ifx#1\relax 1\fi\ifx#1\Hy@variorref@undefined 1\fi\relax
8711     \edef\HyRef@thisref{%
8712       \expandafter\@fourthoffive#1\@empty\@empty\@empty
8713     }%
8714     \expandafter\HyRef@testreftype\HyRef@thisref.\@%
8715     \Hy@safe@activesfalse
8716     #3{%
8717       \expandafter\@fifthoffive#1\@empty\@empty\@empty
8718     }{%
8719       \expandafter\@fourthoffive#1\@empty\@empty\@empty
8720     }{%
8721       \HyRef@currentHtag
8722       \expandafter\@firstoffive#1\@empty\@empty\@empty
8723       \null
8724     }%
8725   \else

```

```

8726   \protect\G@refundefinedtrue
8727   \nfss@text{\reset@font\bfseries ??}%
8728   \C@lateX@warning{%
8729     Reference '#2' on page \thepage\space undefined%
8730   }%
8731   \fi
8732 }
8733 \def\HyRef@testreftype#1.#2\\{%
8734   \ltx@ifundefined{#1autorefname}{%
8735     \ltx@ifundefined{#1name}{%
8736       \HyRef@StripStar#1\\*\\@nil{#1}%
8737     }{\ltx@ifundefined{\HyRef@name autorefname}{%
8738       \ltx@ifundefined{\HyRef@name name}{%
8739         \def\HyRef@currentHtag{}%
8740         \Hy@Warning{No autoref name for '#1'}%
8741       }{%
8742         \edef\HyRef@currentHtag{%
8743           \expandafter\noexpand\csname\HyRef@name name\endcsname
8744           \noexpand~%
8745         }%
8746       }%
8747     }{%
8748       \edef\HyRef@currentHtag{%
8749         \expandafter\noexpand
8750           \csname\HyRef@name autorefname\endcsname
8751             \noexpand~%
8752         }%
8753       }%
8754     }{%
8755       \edef\HyRef@currentHtag{%
8756         \expandafter\noexpand\csname#1name\endcsname
8757           \noexpand~%
8758         }%
8759       }%
8760     }{%
8761       \edef\HyRef@currentHtag{%
8762         \expandafter\noexpand\csname#1autorefname\endcsname
8763           \noexpand~%
8764         }%
8765       }%
8766   }%
8767 \def\HyRef@StripStar#1*\\#2\\@nil#3{%
8768   \def\HyRef@name{#2}%
8769   \ifx\HyRef@name\HyRef@CaseStar
8770     \def\HyRef@name{#1}%
8771   \else
8772     \def\HyRef@name{#3}%
8773   \fi
8774 }
8775 \def\HyRef@CaseStar{*\\}
8776 \def\HyRef@currentHtag{}%

```

Support for package `showkeys`.

\HyRef@showkeysref

```

8777 \let\HyRef@showkeysref\gobble
8778 \def\HyRef@showkeysinit{%
8779   \begingroup\expandafter\expandafter\expandafter\endgroup

```

```

8780 \expandafter\ifx\csname SK@@label\endcsname\relax
8781 \else
8782 \ifx\SK@ref\empty
8783 \else
8784 \def\HyRef@ShowKeysReff%
8785 \SK@\SK@ref
8786 }%
8787 \fi
8788 \fi
8789 }
8790 \@ifpackageloaded{showkeys}{%
8791 \HyRef@ShowKeysInit
8792 }{%
8793 \Hy@AtBeginDocument{%
8794 \@ifpackageloaded{showkeys}{%
8795 \HyRef@ShowKeysInit
8796 }{}}%
8797 }%
8798 }

```

Defaults for the names that \autoref uses.

```

8799 \providetcommand*\AMSAutorefname{\equationautorefname}
8800 \providetcommand*\Hfootnoteautorefname{\footnoteautorefname}
8801 \providetcommand*\Itemautorefname{\itemautorefname}
8802 \providetcommand*\itemautorefname{item}
8803 \providetcommand*\equationautorefname{Equation}
8804 \providetcommand*\footnoteautorefname{footnote}
8805 \providetcommand*\itemautorefname{item}
8806 \providetcommand*\figureautorefname{Figure}
8807 \providetcommand*\tableautorefname{Table}
8808 \providetcommand*\partautorefname{Part}
8809 \providetcommand*\appendixautorefname{Appendix}
8810 \providetcommand*\chapterautorefname{chapter}
8811 \providetcommand*\sectionautorefname{section}
8812 \providetcommand*\subsectionautorefname{subsection}
8813 \providetcommand*\subsubsectionautorefname{subsubsection}
8814 \providetcommand*\paragraphautorefname{paragraph}
8815 \providetcommand*\ subparagraphautorefname{subparagraph}
8816 \providetcommand*\FancyVerbLineautorefname{line}
8817 \providetcommand*\theoremautorefname{Theorem}
8818 \providetcommand*\pageautorefname{page}
8819 </package>

```

46 Configuration files

46.1 PS/PDF strings

Some drivers write PS or PDF strings. These strings are delimited by parentheses, therefore a lonely unmatched parenthesis must be avoided to avoid PS or PDF syntax errors. Also the backslash character itself has to be protected.

\Hy@pstringdef Therefore such strings should be passed through \Hy@pstringdef. The first argument holds a macro for the result, the second argument is the string that needs protecting. Since version 1.30.0 pdfTeX offers \pdfescapestring.

```

8820 {*pdftex | dvipdfm | xetex | vtex | pdfmarkbase | dviwindo}
8821 \begingroup\expandafter\expandafter\expandafter\endgroup

```

```

8822 \expandafter\ifx\csname pdf@escapestring\endcsname\relax
8823   \begingroup
8824     \catcode`|=0 %
8825     \@makeother\\%
8826   |\@firstofone{|}\endgroup
8827   |def|Hy@pstringdef#1#2{%
8828     \begingroup
8829       \edef~{\string~}%
8830       \xdef|Hy@gtemp{\#2}%
8831     \endgroup
8832     \let#1|Hy@gtemp
8833     |\@onelvel@sanitize#1%
8834     |\edef#1{\expandafter|Hy@ExchangeBackslash#1|\@nil}%
8835     |\edef#1{\expandafter|Hy@ExchangeLeftParethesis#1(\@nil}%
8836     |\edef#1{\expandafter|Hy@ExchangeRightParethesis#1)|\@nil}%
8837 }%
8838 |def|Hy@ExchangeBackslash#1\#2|\@nil{%
8839   #1%
8840   |ifx|\#2|\%%
8841   \else
8842     \\%
8843     |ltx@ReturnAfterFi{%
8844       |Hy@ExchangeBackslash#2|\@nil
8845     }%
8846   \fi
8847 }%
8848 }%
8849 \def|Hy@ExchangeLeftParethesis#1(\#2|\@nil{%
8850   #1%
8851   |ifx|\#2\\%
8852   \else
8853     \@backslashchar%
8854     |ltx@ReturnAfterFi{%
8855       |Hy@ExchangeLeftParethesis#2|\@nil
8856     }%
8857   \fi
8858 }%
8859 \def|Hy@ExchangeRightParethesis#1)#+2|\@nil{%
8860   #1%
8861   |ifx|\#2\\%
8862   \else
8863     \@backslashchar%
8864     |ltx@ReturnAfterFi{%
8865       |Hy@ExchangeRightParethesis#2|\@nil
8866     }%
8867   \fi
8868 }%
8869 \else
8870   \def|Hy@pstringdef#1#2{%
8871     \begingroup
8872       \edef~{\string~}%
8873       \xdef|Hy@gtemp{\pdf@escapestring{\#2}}%
8874     \endgroup
8875     \let#1|Hy@gtemp
8876   }%
8877 \fi
8878 </pdftex | dvipdfm | xetex | vtex | pdfmarkbase | dviwindo>

```

46.2 pdftex

```
8879 {*pdftex}
8880 \providecommand*\{XR@ext\}{pdf}
8881 \Hy@setbreaklinks{true}
8882 \def\HyPat@ObjRef{%
8883 [0-9]*[1-9][0-9]* 0 R%
8884 }

This driver is for Han The Thanh's TeX variant which produces PDF directly.
This has new primitives to do PDF things, which usually translate almost directly
to PDF code, so there is a lot of flexibility which we do not at present harness.

Set PDF version if requested by option pdfversion.
• pdfTeX 1.10a, 2003-01-16: \pdfoptionpdfminorversion

• pdfTeX 1.30, 2005-08-081: \pdfminorversion

8885 \let\Hy@pdfminorversion\relax
8886 \begingroup\expandafter\expandafter\expandafter\endgroup
8887 \expandafter\ifx\csname pdfminorversion\endcsname\relax
8888 \begingroup\expandafter\expandafter\expandafter\endgroup
8889 \expandafter\ifx\csname pdfoptionpdfminorversion\endcsname\relax
8890 \else
8891 \def\Hy@pdfminorversion{\pdfoptionpdfminorversion}%
8892 \fi
8893 \else
8894 \def\Hy@pdfminorversion{\pdfminorversion}%
8895 \fi
8896 \@ifundefined{Hy@pdfminorversion}{%
8897 \PackageInfo{hyperref}{%
8898 PDF version is not set, because pdfTeX is too old (<1.10a)}%
8899 }%
8900 }{%
8901 \ifHy@ocgcolorlinks
8902 \ifnum\Hy@pdfminorversion<5 %
8903 \kvsetkeys{Hyp}{pdfversion=1.5}%
8904 \fi
8905 \fi
8906 \ifHy@setpdfversion
8907 \ifnum\Hy@pdfminorversion=\Hy@pdfversion\relax
8908 \else
8909 \Hy@pdfminorversion=\Hy@pdfversion\relax
8910 \fi
8911 \PackageInfo{hyperref}{%
8912 \expandafter\string\Hy@pdfminorversion
8913 :=\number\Hy@pdfversion\space
8914 }%
8915 \fi
8916 \edef\Hy@pdfversion{\number\Hy@pdfminorversion}%
8917 }
8918 \Hy@DisableOption{pdfversion}%

8919 \ifHy@ocgcolorlinks
8920 \pdf@ifdraftmode{}{%
8921 \immediate\pdfobj{%
8922 <<%
8923 /Type/OCG%
8924 /Name(View)%
8925 /Usage<<%
```

```

8926      /Print<<%
8927          /PrintState/OFF%
8928      >>%
8929          /View<<%
8930              /ViewState/ON%
8931          >>%
8932          >>%
8933      >>%
8934  }%
8935 \edef\OBJ@OCG@view{\the\pdflastobj\space 0 R}%
8936 \immediate\pdfobj{%
8937     <<%
8938         /Type/OCG%
8939         /Name(Print)%
8940         /Usage<<%
8941             /Print<<%
8942                 /PrintState/ON%
8943             >>%
8944             /View<<%
8945                 /ViewState/OFF%
8946             >>%
8947             >>%
8948         >>%
8949     }%
8950 \edef\OBJ@OCG@print{\the\pdflastobj\space 0 R}%
8951 \immediate\pdfobj{%
8952     [%
8953         \OBJ@OCG@view\space\OBJ@OCG@print
8954     ]%
8955 }%
8956 \edef\OBJ@OCGs{\the\pdflastobj\space 0 R}%
8957 \pdfcatalog{%
8958     /OCProperties<<%
8959         /OCGs \OBJ@OCGs
8960     /D<<%
8961         /OFF[\OBJ@OCG@print]%
8962         /AS[%]
8963         <<%
8964             /Event/View%
8965             /OCGs \OBJ@OCGs
8966             /Category[/View]%
8967         >>%
8968         <<%
8969             /Event/Print%
8970             /OCGs \OBJ@OCGs
8971             /Category[/Print]%
8972         >>%
8973         <<%
8974             /Event/Export%
8975             /OCGs \OBJ@OCGs
8976             /Category[/Print]%
8977         >>%
8978     ]%
8979     >>%
8980 }%
8981 }%
8982 \begingroup

```

```

8983 \edef\x{\endgroup
8984   \pdfpageresources{%
8985     /Properties<<%
8986       /OCView \OBJ@OCG@view
8987       /OCPrint \OBJ@OCG@print
8988     >>%
8989   }%
8990 }%
8991 \x
8992 }%
8993 \Hy@AtBeginDocument{%
8994   \def\Hy@colorlink#1{%
8995     \begingroup
8996       \ifHy@ocgcolorlinks
8997         \def\Hy@ocgcolor{#1}%
8998         \setbox0=\hbox\bgroup\color@begingroup
8999       \else
9000         \HyColor@UseColor#1%
9001       \fi
9002     }%
9003   \def\Hy@endcolorlink{%
9004     \ifHy@ocgcolorlinks
9005       \color@endgroup\egroup
9006       \mbox{%
9007         \pdfliteral page{/OC/OCPrint BDC}%
9008         \rlap{\copy0}%
9009         \pdfliteral page{/EMC/OC/OCView BDC}%
9010       \begingroup
9011         \expandafter\HyColor@UseColor\Hy@ocgcolor
9012         \box0 %
9013       \endgroup
9014       \pdfliteral page{/EMC}%
9015     }%
9016     \fi
9017   \endgroup
9018 }%
9019 }%
9020 \else
9021   \Hy@DisableOption{ocgcolorlinks}%
9022 \fi

```

First, allow for some changes and additions to pdftex syntax:

```

9023 \def\setpdflinkmargin#1{\pdflinkmargin#1}
9024 \ifx\pdfstartlink\undefined% less than version 14
9025   \let\pdfstartlink\pdfannotlink
9026   \let\pdflinkmargin\@tempdima
9027   \let\pdfxform\pdfform
9028   \let\pdflastxform\pdflastform
9029   \let\pdfrfxform\pdfrefform
9030 \else
9031   \pdflinkmargin1pt %
9032 \fi

```

First set up the default linking

```
9033 \providecommand*\@pdfview{XYZ}
```

First define the anchors:

```
9034 \Hy@WrapperDef\new@pdflink#1{%
9035   \ifhmode
```

```

9036   \@savsf\spacefactor
9037   \fi
9038   \Hy@SaveLastskip
9039   \Hy@VerboseAnchor{\#1}%
9040   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{\#1}}%
9041   \Hy@DestName\Hy@pstringDest\@pdfview
9042   \Hy@RestoreLastskip
9043   \ifhmode
9044     \spacefactor\@savsf
9045   \fi
9046 }
9047 \let\pdf@endanchor\@empty

```

\Hy@DestName Wrap the call of \pdfdest name in \Hy@DestName. Then it can easier be catched by package hypdestopt.

```

9048 \def\Hy@DestName#1#2{%
9049   \pdfdest name{\#1}\#2\relax
9050 }

```

Now the links; the interesting part here is the set of attributes which define how the link looks. We probably want to add a border and color it, but there are other choices. This directly translates to PDF code, so consult the manual for how to change this. We will add an interface at some point.

```

9051 \providecommand*\@pdfborder{0 0 1}
9052 \providecommand*\@pdfborderstyle{}
9053 \def\Hy@undefinedname{UNDEFINED}
9054 \def\find@pdfink#1#2{%
9055   \leavevmode
9056   \protected@edef\Hy@testname{\#2}%
9057   \ifx\Hy@testname\@empty
9058     \Hy@Warning{%
9059       Empty destination name,\MessageBreak
9060       using '\Hy@undefinedname'%
9061     }%
9062   \let\Hy@testname\Hy@undefinedname
9063 \else
9064   \Hy@pstringdef\Hy@testname{%
9065     \expandafter\HyperDestNameFilter\expandafter{\Hy@testname}%
9066   }%
9067 \fi
9068 \Hy@StartlinkName{%
9069   \ifHy@pdflatex /F 4\fi
9070   \Hy@setpdfborder
9071   \ifx\@pdfhighlight\@empty
9072   \else
9073     /H\@pdfhighlight
9074   \fi
9075   \ifx\CurrentBorderColor\relax
9076   \else
9077     /C[\CurrentBorderColor]%
9078   \fi
9079 }\Hy@testname
9080 \expandafter\Hy@colorlink\csname \#1color\endcsname
9081 }
9082 \def\Hy@StartlinkName#1#2{%
9083   \pdfstartlink attr{\#1}goto name{\#2}\relax
9084 }

```

```

9085 \def\close@pdflink{%
9086   \Hy@endcolorlink
9087   \Hy@VerboseLinkStop
9088   \pdfendlink
9089 }
9090 \def\hyper@anchor#1{%
9091   \new@pdflink{\#1}\anchor@spot\pdf@endanchor
9092 }
9093 \def\hyper@anchorstart#1{%
9094   \new@pdflink{\#1}%
9095   \Hy@activeanchortrue
9096 }
9097 \def\hyper@anchorend{%
9098   \pdf@endanchor
9099   \Hy@activeanchorfalse
9100 }
9101 \def\hyper@linkstart#1#2{%
9102   \Hy@VerboseLinkStart{\#1}{\#2}%
9103   \ltx@ifundefined{@#1bordercolor}{%
9104     \let\CurrentBorderColor\relax
9105   }{%
9106     \edef\CurrentBorderColor{\csname @#1bordercolor\endcsname}%
9107   }%
9108   \find@pdflink{\#1}{\#2}%
9109 }
9110 \def\hyper@linkend{\close@pdflink}
9111 \def\hyper@link#1#2#3{%
9112   \Hy@VerboseLinkStart{\#1}{\#2}%
9113   \ltx@ifundefined{@#1bordercolor}{%
9114     \let\CurrentBorderColor\relax
9115   }{%
9116     \edef\CurrentBorderColor{\csname @#1bordercolor\endcsname}%
9117   }%
9118   \find@pdflink{\#1}{\#2}#3\Hy@xspace@end
9119   \close@pdflink
9120 }
9121 \let\CurrentBorderColor\@linkbordercolor
9122 \def\hyper@linkurl#1#2{%
9123   \begingroup
9124     \Hy@pstringdef\Hy@pstringURI{\#2}%
9125     \hyper@chars
9126     \leavevmode
9127     \pdfstartlink
9128     attr{%
9129       \Hy@setpdfborder
9130       \ifx\@pdfhighlight\@empty
9131       \else
9132         /H\@pdfhighlight
9133       \fi
9134       \ifx\@urlbordercolor\relax
9135       \else
9136         /C[\@urlbordercolor]%
9137       \fi
9138     }%
9139     user{%
9140       /Subtype/Link%
9141       \ifHy@pdflatex /F 4\fi

```

```

9142      /A<<%
9143      /Type/Action%
9144      /S/URI%
9145      /URI(\Hy@pstringURI)%
9146      \ifHy@href@ismap
9147          /IsMap true%
9148      \fi
9149      \Hy@href@nextactionraw
9150      >>%
9151  }%
9152  \relax
9153  \Hy@colorlink\@urlcolor#1\Hy@xspace@end
9154  \close@pdflink
9155 \endgroup
9156 }
9157 \def\hyper@linkfile#1#2#3{%
  anchor text, filename, linkname
9158 \begingroup
9159   \def\Hy@pstringF{#2}%
9160   \Hy@CleanupFile\Hy@pstringF
9161   \Hy@pstringdef\Hy@pstringF\Hy@pstringF
9162   \Hy@pstringdef\Hy@pstringD{#3}%
9163   \Hy@MakeRemoteAction
9164   \leavevmode
9165   \pdfstartlink
9166     attr{%
9167       \Hy@setpdfborder
9168       \ifx\@pdfhighlight\@empty
9169         \else
9170           /H\@pdfhighlight
9171         \fi
9172       \ifx\@filebordercolor\relax
9173         \else
9174           /C[\@filebordercolor]%
9175         \fi
9176       }%
9177     user {%
9178       /Subtype/Link%
9179       \ifHy@pdfa /F 4\fi
9180       /A<<%
9181       /F(\Hy@pstringF)%
9182       /S/GoToR%
9183       \Hy@SetNewWindow

```

If #3 is empty, page 0; if its a number, Page number, otherwise a named destination.

```
\afterassignment\xxx\count@=0\foo!%
```

```

\def\xxx#1!{%
\ifx\xxx#1\xxx
  foo was an integer
\else
  it wasnt
\fi}

9184      \ifx\\#3\\%
9185      /D[\Hy@href@page\@pdfremotestartview]%
9186      \else

```

```

9187      /D(\Hy@pstringD)%
9188      \fi
9189      \Hy@href@nextactionraw
9190      >>%
9191      }%
9192      \relax
9193      \Hy@colorlink\@filecolor#1\Hy@xspace@end
9194      \close@pdflink
9195      \endgroup
9196  }
9197 \def\@hyper@launch run:#1\\#2#3{%
9198   \begingroup
9199   \Hy@pstringdef\Hy@pstringF{#1}%
9200   \Hy@pstringdef\Hy@pstringP{#3}%
9201   \leavevmode
9202   \pdfstartlink
9203   attr{%
9204     \Hy@setpdfborder
9205     \ifx\@pdfhighlight\@empty
9206     \else
9207       /H\@pdfhighlight
9208     \fi
9209     \ifx\@runbordercolor\relax
9210     \else
9211       /C[\@runbordercolor]%
9212     \fi
9213   }%
9214   user {%
9215     /Subtype/Link%
9216     \ifHy@pdfa /F 4\fi
9217     /A<<%
9218     /F(\Hy@pstringF)%
9219     /S/Launch%
9220     \Hy@SetNewWindow
9221     \ifx\\#3\\%
9222     \else
9223       /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
9224     \fi
9225     \Hy@href@nextactionraw
9226   >>%
9227 }%
9228   \relax
9229   \Hy@colorlink\@runcolor#2\Hy@xspace@end
9230   \close@pdflink
9231   \endgroup
9232 }

\@pdfproducer
9233 \ifx\@pdfproducer\relax
9234 \begingroup\expandafter\expandafter\expandafter\endgroup
9235 \expandafter\ifx\csname luatexversion\endcsname\relax
9236 \def\@pdfproducer{pdfTeX}%
9237 \ifx\@TeXversion\@undefined
9238 \else
9239 \ifx\@TeXversion\relax
9240 \else
9241 \ifnum\@TeXversion>0 %

```

```

9242      \def\@pdfproducer{pdfeTeX}%
9243      \fi
9244      \fi
9245      \fi
9246      \ifx\pdftexversion\undefined
9247      \else
9248          \ifnum\pdftexversion<100 %
9249              \edef\@pdfproducer{%
9250                  \@pdfproducer
9251                  \the\pdftexversion.\pdftexrevision
9252              }%
9253      \else
9254          \ifnum\pdftexversion<130 %
9255              \edef\@pdfproducer{%
9256                  \@pdfproducer-
9257                  \expandafter\@car\the\pdftexversion\@empty\@nil.%}
9258              \expandafter\@cdr\the\pdftexversion\@empty\@nil
9259                  \pdftexrevision
9260              }%
9261      \else
9262          \ifnum\pdftexversion<140 %
9263          \else
9264              \def\@pdfproducer{pdfTeX}%
9265          \fi
9266          \edef\@pdfproducer{%
9267              \@pdfproducer-
9268              \expandafter\@car\the\pdftexversion\@empty\@nil.%}
9269              \expandafter\@cdr\the\pdftexversion\@empty\@nil.%}
9270                  \pdftexrevision
9271              }%
9272          \fi
9273      \fi
9274      \fi
9275  \else
9276      \begingroup
9277          \count@=\luatexversion
9278          \divide\count@ by 100 %
9279          \edef\x{\the\count@}%
9280          \count@=\x\relax
9281          \multiply\count@ by 100 %
9282          \advance\count@ by \luatexversion
9283          \edef\x{\endgroup
9284              \def\noexpand\@pdfproducer{%
9285                  LuaTeX-\x.\the\count@.\luatexrevision
9286              }%
9287          }%
9288          \x
9289      \fi
9290  \fi

```

\PDF@SetupDox

```

9291 \def\PDF@SetupDoc{%
9292   \ifx\@pdfpagescrop\empty
9293   \else
9294     \edef\process@me{%
9295       \pdfpagesattr={%
9296         /CropBox[\@pdfpagescrop]%
9297         \expandafter\ifx\expandafter\\\\the\pdfpagesattr\\%

```

```

9298      \else
9299          ^^J\the\pdfpagesattr
9300      \fi
9301  }%
9302 }%
9303 \process@me
9304 \fi
9305 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
9306 \pdfcatalog{%
9307 /PageMode/\@pdfpagemode
9308 \ifx\@baseurl\@empty
9309 \else
9310 /URI<</Base(\Hy@pstringB)>>%
9311 \fi
9312 }%
9313 \ifx\@pdfstartpage\@empty
9314 \else
9315 \ifx\@pdfstartview\@empty
9316 \else
9317 openaction goto page\@pdfstartpage\{\@pdfstartview}\%
9318 \fi
9319 \fi
9320 \edef\Hy@temp{%
9321 \ifHy@pdftoolbar\else /HideToolbar true\fi
9322 \ifHy@pdfmenubar\else /HideMenubar true\fi
9323 \ifHy@pdfwindowui\else /HideWindowUI true\fi
9324 \ifHy@pdffitwindow /FitWindow true\fi
9325 \ifHy@pdfcenterwindow /CenterWindow true\fi
9326 \ifHy@pdfdisplaydoctitle /DisplayDocTitle true\fi
9327 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
9328 \Hy@UseNameKey{Direction}\@pdfdirection
9329 \Hy@UseNameKey{ViewArea}\@pdfviewarea
9330 \Hy@UseNameKey{ViewClip}\@pdfviewclip
9331 \Hy@UseNameKey{PrintArea}\@pdfprintarea
9332 \Hy@UseNameKey{PrintClip}\@pdfprintclip
9333 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
9334 \Hy@UseNameKey{Duplex}\@pdfduplex
9335 \ifx\@pdfpicktraybypdfsize\@empty
9336 \else
9337 /PickTrayByPDFSize \@pdfpicktraybypdfsize
9338 \fi
9339 \ifx\@pdfprintpagerange\@empty
9340 \else
9341 /PrintPageRange[\@pdfprintpagerange]\%
9342 \fi
9343 \ifx\@pdfnumcopies\@empty
9344 \else
9345 /NumCopies \@pdfnumcopies
9346 \fi
9347 }%
9348 \pdfcatalog{%
9349 \ifx\Hy@temp\@empty
9350 \else
9351 /ViewerPreferences<<\Hy@temp>>%
9352 \fi
9353 \Hy@UseNameKey{PageLayout}\@pdfpagelayout
9354 \ifx\@pdflang\@empty

```

```

9355     \else
9356         /Lang(\@pdflang)%
9357     \fi
9358 }
9359 }

\PDF@FinishDoc

9360 \def\PDF@FinishDoc{%
9361   \pdf@ifdraftmode{}{%
9362     \Hy@UseMaketitleInfos
9363     \HyInfo@GenerateAddons
9364     \pdfinfo{%
9365       /Author(\@pdffauthor)%
9366       /Title(\@pdftitle)%
9367       /Subject(\@pdfsubject)%
9368       /Creator(\@pdfcreator)%
9369       \ifx\@pdfcreationdate\empty
9370       \else
9371         /CreationDate(\@pdfcreationdate)%
9372       \fi
9373       \ifx\@pdfmoddate\empty
9374       \else
9375         /ModDate(\@pdfmoddate)%
9376       \fi
9377       \ifx\@pdfproducer\relax
9378       \else
9379         /Producer(\@pdfproducer)%
9380       \fi
9381       /Keywords(\@pdfkeywords)%
9382       \ifx\@pdftrapped\empty
9383       \else
9384         /Trapped/\@pdftrapped
9385       \fi
9386       \HyInfo@Addons
9387     }%
9388   }%
9389   \Hy@DisableOption{pdffauthor}%
9390   \Hy@DisableOption{pdftitle}%
9391   \Hy@DisableOption{pdfsubject}%
9392   \Hy@DisableOption{pdfcreator}%
9393   \Hy@DisableOption{pdfcreationdate}%
9394   \Hy@DisableOption{pdfmoddate}%
9395   \Hy@DisableOption{pdfproducer}%
9396   \Hy@DisableOption{pdfkeywords}%
9397   \Hy@DisableOption{pdftrapped}%
9398   \Hy@DisableOption{pdfinfo}%
9399 }

```

\hyper@pagetransition \@pdfpagetransition is initialized with \relax. So it indicates, if option pdfpage-transition is used. First previous /Trans entries are removed. If a new /Trans key exists, it is appended to \pdfpageattr.

```

9400 \def\hyper@pagetransition{%
9401   \ifx\@pdfpagetransition\relax
9402   \else
9403     \expandafter\Hy@RemoveTransPageAttr
9404     \the\pdfpageattr^~J/Trans{}>>\END
9405   \ifx\@pdfpagetransition\empty

```

```

9406   \else
9407     \edef\@processme{%
9408       \global\pdfpageattr{%
9409         \the\pdfpageattr
9410         ^^J/Trans << /S /@\pdfpagetransition\space >>%
9411       }%
9412     }%
9413     \@processme
9414   \fi
9415 \fi
9416 }

```

\Hy@RemoveTransPageAttr Macro \Hy@RemoveTransPageAttr removes a /Trans entry from \pdfpageattr. It is called with the end marker ^^J/Trans{}>>\END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Trans object or the end marker.

```

9417 \gdef\Hy@RemoveTransPageAttr#1^^J/Trans#2#3>>#4\END{%
9418   \ifx\\#2\\%
9419     \global\pdfpageattr{#1}%
9420   \else
9421     \Hy@RemoveTransPageAttr#1#4\END
9422   \fi
9423 }

```

\hyper@pageduration \@pdffageduration is initialized with \relax. So it indicates, if option pdffageduration is used. First previous /Dur entries are removed. If a new /Dur key exists, it is appended to \pdfpageattr.

```

9424 \def\hyper@pageduration{%
9425   \ifx\@pdffageduration\relax
9426   \else
9427     \expandafter
9428     \Hy@RemoveDurPageAttr\the\pdfpageattr^^J/Dur{} \END
9429     \ifx\@pdffageduration\empty
9430     \else
9431       \edef\@processme{%
9432         \global\pdfpageattr{%
9433           \the\pdfpageattr
9434           ^^J/Dur \@pdffageduration\space
9435         }%
9436       }%
9437       \@processme
9438     \fi
9439   \fi
9440 }

```

\Hy@RemoveDurPageAttr Macro \Hy@RemoveDurPageAttr removes a /Dur entry from \pdfpageattr. It is called with the end marker ^^J/Dur{} \END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Dur object or the end marker.

```

9441 \gdef\Hy@RemoveDurPageAttr#1^^J/Dur#2#3 #4\END{%
9442   \ifx\\#2\\%
9443     \global\pdfpageattr{#1}%
9444   \else
9445     \Hy@RemoveDurPageAttr#1#4\END
9446   \fi
9447 }

```

\hyper@pagehidden The boolean value of the key /Hid is stored in switch \ifHy@pdfpagehidden. First previous /Hid entries are removed, then the new one is appended, if the value is true (the PDF default is false).

```

9448 \def\hyper@pagehidden{%
9449   \ifHy@useHidKey
9450     \expandafter
9451     \Hy@RemoveHidPageAttr\the\pdfpageattr^~J/Hid{} \END
9452   \ifHy@pdfpagehidden
9453     \edef\@processme{%
9454       \global\pdfpageattr{%
9455         \the\pdfpageattr
9456         ^~J/Hid true % SPACE
9457       }%
9458     }%
9459   \@processme
9460   \fi
9461 \fi
9462 }
```

\Hy@RemoveHidPageAttr Macro \Hy@RemoveHidPageAttr removes a /Hid entry from \pdfpageattr. It is called with the end marker ^~J/Hid{} \END. The trick is the empty group that does not appear in legal \pdfpageattr code. It appears in argument #2 and shows, whether the parameter text catches a really /Hid object or the end marker.

```

9463 \gdef\Hy@RemoveHidPageAttr#1^~J/Hid#2#3 #4\END{%
9464   \ifx\\#2\\%
9465     \global\pdfpageattr{\#1}%
9466   \else
9467     \Hy@RemoveHidPageAttr#1#4\END
9468   \fi
9469 }

9470 \pdf@ifdraftmode{}{%
9471   \g@addto@macro\Hy@EveryPageHook{%
9472     \hyper@pagetransition
9473     \hyper@pageduration
9474     \hyper@pagehidden
9475   }%
9476 }
```

Also XeTeX support \pdfpagewidth and \pdfpageheight, but it does not provide \pdfhorigin and \pdfvorigin.

```

9477 </pdftex>
9478 (*pdftex | xetex)
9479 \Hy@AtBeginDocument{%
9480   \ifHy@setpagesize
9481     \expandafter\@firstofone
9482   \else
9483     \expandafter\@gobble
9484   \fi
9485 }%
9486 \@ifclassloaded{seminar}{%
9487 (*pdftex)
9488   \setlength{\pdfhorigin}{1truein}%
9489   \setlength{\pdfvorigin}{1truein}%
9490 </pdftex>
9491   \ifportrait
9492     \ifdim\paperwidth=\z@
```

```

9493 \else
9494   \setlength{\pdfpagewidth}{\strip@pt\paperwidth truept}%
9495 \fi
9496 \ifdim\paperheight=\z@
9497 \else
9498   \setlength{\pdfpageheight}{\strip@pt\paperheight truept}%
9499 \fi
9500 \else
9501   \ifdim\paperheight=\z@
9502 \else
9503   \setlength{\pdfpagewidth}{\strip@pt\paperheight truept}%
9504 \fi
9505 \ifdim\paperwidth=\z@
9506 \else
9507   \setlength{\pdfpageheight}{\strip@pt\paperwidth truept}%
9508 \fi
9509 \fi
9510 }{%
9511 \ltx@IfUndefined{stockwidth}{%
9512   \ifdim\paperwidth>\z@
9513     \setlength{\pdfpagewidth}{\paperwidth}%
9514   \fi
9515   \ifdim\paperheight>\z@
9516     \setlength{\pdfpageheight}{\paperheight}%
9517   \fi
9518 }{%
9519   \ifdim\stockwidth>\z@
9520     \setlength{\pdfpagewidth}{\stockwidth}%
9521   \fi
9522   \ifdim\stockheight>\z@
9523     \setlength{\pdfpageheight}{\stockheight}%
9524   \fi
9525 }%
9526 }%
9527 }%
9528 \Hy@DisableOption{setpagesize}%
9529 }
9530 </pdftex | xetex>
9531 <*pdftex>
9532 \def\Acrobatmenu#1#2{%
9533 \Hy@Acrobatmenu{#1}{#2}{%
9534   \leavevmode
9535   \EdefEscapeName\Hy@temp@menu{#1}%
9536   \pdfstartlink
9537     attr{%
9538       \Hy@setpdfborder
9539       \ifx\@pdfhighlight\empty
9540         \else
9541           /H\@pdfhighlight
9542         \fi
9543       \ifx\@menubordercolor\relax
9544         \else
9545           /C[\@menubordercolor]%
9546         \fi
9547     }%
9548     user{%
9549       /Subtype/Link%

```

```

9550     \ifHy@pdfa /F 4\fi
9551     /A<<%
9552     /S/Named%
9553     /N/\Hy@temp@menu
9554     \Hy@href@nextactionraw
9555     >>%
9556   }%
9557   \relax
9558 \Hy@colorlink\@menucolor#2%
9559 \close@pdflink
9560 }%
9561 }

```

46.2.1 Fix for problem with different nesting levels

\AtBeginShipoutFirst adds an additional box layer around the first output page. This disturbs pdfTEX's low level link commands \pdfstartlink and \pdfendlink, if a link is broken across the first and second output page.

The problem could be fixed by replacing \AtBeginShipoutFirst, because the box layer is not necessary for pdfTEX – no \specials need to be inserted. However it's easier to add an additional box level for the pages after the first one. Also \AtBeginShipoutFirst could be invoked independently from hyperref.

Since version 2011/10/05 v1.16 of package ‘atbegshi’ \AtBeginShipoutFirst does not add a additional box layer.

```

9562 \def\Hy@FixNotFirstPage{%
9563   \gdef\Hy@FixNotFirstPage{%
9564     \setbox\AtBeginShipoutBox=\hbox{%
9565       \copy\AtBeginShipoutBox
9566     }%
9567   }%
9568 }
9569 \ltx@ifpackagelater{atbegshi}{2011/10/05}{%
9570 }{%
9571   \AtBeginShipout{\Hy@FixNotFirstPage}%
9572 }
9573 </pdftex>

```

46.3 hypertex

The HyperTEX specification (this is borrowed from an article by Arthur Smith) says that conformant viewers/translators must recognize the following set of \special commands:

```

href: html:<a href = "href_string">
name: html:<a name = "name_string">
end: html:</a>
image: html:<img src = "href_string">
base_name: html:<base href = "href_string">

```

The *href*, *name* and *end* commands are used to do the basic hypertext operations of establishing links between sections of documents. The *image* command is intended (as with current html viewers) to place an image of arbitrary graphical format on the page in the current location. The *base_name* command is be used

to communicate to the *dvi* viewer the full (URL) location of the current document so that files specified by relative URL's may be retrieved correctly.

The *href* and *name* commands must be paired with an *end* command later in the *TEX* file — the *TEX* commands between the two ends of a pair form an *anchor* in the document. In the case of an *href* command, the *anchor* is to be highlighted in the *dvi* viewer, and when clicked on will cause the scene to shift to the destination specified by *href_string*. The *anchor* associated with a *name* command represents a possible location to which other hypertext links may refer, either as local references (of the form *href="#name_string*” with the *name_string* identical to the one in the *name* command) or as part of a URL (of the form *URL#name_string*). Here *href_string* is a valid URL or local identifier, while *name_string* could be any string at all: the only caveat is that ‘’ characters should be escaped with a backslash (\), and if it looks like a URL name it may cause problems.

```
9574 {*hypertex}
9575 \providecommand*\XR@ext}{dvi}
9576 \let\PDF@FinishDoc\ltx@empty
9577 \def\PDF@SetupDoc{%
9578   \ifx\@baseurl\@empty
9579   \else
9580     \special{html:<base href="\@baseurl">}%
9581   \fi
9582 }
9583 \Hy@WrapperDef\hyper@anchor#1{%
9584   \Hy@SaveLastskip
9585   \Hy@VerboseAnchor{#1}%
9586   \begingroup
9587     \let\protect=\string
9588     \hyper@chars
9589     \special{html:<a name=%
9590       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
9591   \endgroup
9592   \Hy@activeanchortrue
9593   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
9594   \special{html:</a>}%
9595   \Hy@activeanchorfalse
9596   \Hy@RestoreLastskip
9597 }
9598 \Hy@WrapperDef\hyper@anchorstart#1{%
9599   \Hy@SaveLastskip
9600   \Hy@VerboseAnchor{#1}%
9601   \begingroup
9602     \hyper@chars
9603     \special{html:<a name=%
9604       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
9605   \endgroup
9606   \Hy@activeanchortrue
9607 }
9608 \def\hyper@anchorend{%
9609   \special{html:</a>}%
9610   \Hy@activeanchorfalse
9611   \Hy@RestoreLastskip
9612 }
9613 \def\curltype{url}
9614 \def\hyper@linkstart#1#2{%
9615   \Hy@VerboseLinkStart{#1}{#2}%

```

```

9616 \expandafter\Hy@colorlink\csname @#1color\endcsname
9617 \def\Hy@tempa{\#1}%
9618 \ifx\Hy@tempa\curltype
9619 \special{html:<a href=\hyper@quote\#2\hyper@quote>}%
9620 \else
9621 \begingroup
9622 \hyper@chars
9623 \special{html:<a href=%
9624 \hyper@quote\#\HyperDestNameFilter{\#2}\hyper@quote}%
9625 \endgroup
9626 \fi
9627 }
9628 \def\hyper@linkend{%
9629 \special{html:</a>}%
9630 \Hy@endcolorlink
9631 }
9632 \def\hyper@linkfile{\#1\#2\#3{%
9633 \hyper@linkurl{\#1}{\Hy@linkfileprefix\#2\ifx\\#3\\else\\#3\fi}}%
9634 }
9635 \def\hyper@linkurl{\#1\#2{%

```

If we want to raise up the final link `\special`, we need to get its height; ask me why L^AT_EX constructs make this totally foul up, and make us revert to basic T_EX. I do not know.

```

9636 \leavevmode
9637 \ifHy@raiselinks
9638 \Hy@SaveSpaceFactor
9639 \Hy@SaveSavedSpaceFactor
9640 \sbox{\tempboxa{\Hy@RestoreSpaceFactor\#1}}%
9641 \Hy@RestoreSavedSpaceFactor
9642 \linkdim\dp\tempboxa
9643 \lower\linkdim\hbox{%
9644 \hyper@chars
9645 \special{html:<a href=\hyper@quote\#2\hyper@quote>}%
9646 }%
9647 \Hy@colorlink\curlcolor
9648 \Hy@RestoreSpaceFactor
9649 \#1%
9650 \Hy@SaveSpaceFactor
9651 \linkdim\ht\tempboxa

```

Because of the interaction with the dvihps processor, we have to subtract a little from the height. This is not clean, or checked. Check with Mark Doyle about what gives here. It may not be needed with the new dvips (Jan 1997).

```

9652 \advance\linkdim by -6.5\p@
9653 \raise\linkdim\hbox{\special{html:</a>}%
9654 \Hy@endcolorlink
9655 \Hy@RestoreSpaceFactor
9656 \else
9657 \begingroup
9658 \hyper@chars
9659 \special{html:<a href=\hyper@quote\#2\hyper@quote>}%
9660 \Hy@colorlink\curlcolor\#1\Hy@xspace@end
9661 \special{html:</a>}%
9662 \Hy@endcolorlink
9663 \endgroup
9664 \fi
9665 }

```

Very poor implementation of \hyper@link without considering #1.

```
9666 \def\hyper@link#1#2#3{%
9667   \Hy@VerboseLinkStart{#1}{#2}%
9668   \hyper@linkurl{#3}{\#\HyperDestNameFilter{#2}}%
9669 }

9670 \def\hyper@image#1#2{%
9671   \begingroup
9672   \hyper@chars
9673   \special{html:<img src=\hyper@quote#1\hyper@quote>}%
9674   \endgroup
9675 }
9676 </hypertex>
9677 {*dviwindo}
```

46.4 dviwindo

[This was developed by David Carlisle]. Within a file dviwindo hyperlinking is used, for external URL's a call to \wwwbrowser is made. (You can define this command before or after loading the hyperref package if the default c:/netscape/netscape is not suitable) Dviwindo could in fact handle external links to dvi files on the same machine without calling a web browser, but that would mean parsing the URL to recognise such, and this is currently not done.

This was more or less blindly copied from the hypertex cfg. For dviwindo, LATEX must specify the size of the active area for links. For some hooks this information is available but for some, the start and end of the link are specified separately in which case a fixed size area of 1000000sp wide by \baselineskip high is used.

```
9678 \providecommand*\XR@ext}{dvi}
9679 \providecommand*\wwwbrowser{c:\string\netscape\string\netscape}
9680 \Hy@WrapperDef\hyper@anchor#1{%
9681   \Hy@SaveLastskip
9682   \Hy@VerboseAnchor{#1}%
9683   \begingroup
9684   \let\protect=\string
9685   \special{mark: #1}%
9686   \endgroup
9687   \Hy@activeanchortrue
9688   \Hy@colorlink@\anchorcolor\anchor@spot\Hy@endcolorlink
9689   \Hy@activeanchorfalse
9690   \Hy@RestoreLastskip
9691 }
9692 \Hy@WrapperDef\hyper@anchorstart#1{%
9693   \Hy@SaveLastskip
9694   \Hy@VerboseAnchor{#1}%
9695   \special{mark: #1}%
9696   \Hy@activeanchortrue
9697 }
9698 \def\hyper@anchorend{%
9699   \Hy@activeanchorfalse
9700   \Hy@RestoreLastskip
9701 }
9702 \def\hyper@linkstart#1#2{%
9703   \Hy@VerboseLinkStart{#1}{#2}%
9704   \expandafter\Hy@colorlink\csname @#1color\endcsname
9705   \special{button: %
```

```

9706    10000000 %
9707    \number\baselineskip\space
9708    #2%
9709  }%
9710 }
9711 \def\hyper@linkend{%
9712   \Hy@endcolorlink
9713 }
9714 \def\hyper@link#1#2#3{%
9715   \Hy@VerboseLinkStart{#1}{#2}%
9716   \leavevmode
9717   \ifHy@raiselinks
9718     \Hy@SaveSpaceFactor
9719     \Hy@SaveSavedSpaceFactor
9720     \sbox{\tempboxa{\Hy@RestoreSpaceFactor#3}}%
9721     \Hy@RestoreSavedSpaceFactor
9722     \linkdim\dp\tempboxa
9723     \lower\linkdim\hbox{%
9724       \special{button: %
9725         \number\wd\tempboxa\space
9726         \number\ht\tempboxa\space
9727         #2%
9728       }%
9729       \expandafter\Hy@colorlink\csname @#1color\endcsname
9730       \Hy@RestoreSpaceFactor
9731       #3\Hy@xspace@end
9732       \Hy@SaveSpaceFactor
9733       \Hy@endcolorlink
9734     }%
9735     \linkdim\ht\tempboxa
9736     \advance\linkdim by -6.5\p@
9737     \raise\linkdim\hbox{ }%
9738     \Hy@RestoreSpaceFactor
9739   \else
9740     \special{button: %
9741       \number\wd\tempboxa\space
9742       \number\ht\tempboxa\space
9743       #2%
9744     }%
9745     \expandafter\Hy@colorlink\csname @#1color\endcsname
9746     #3\Hy@xspace@end
9747     \Hy@endcolorlink
9748   \fi
9749 }
9750 \def\hyper@linkurl#1#2{%
9751   \begingroup
9752   \hyper@chars
9753   \leavevmode
9754   \ifHy@raiselinks
9755     \Hy@SaveSpaceFactor
9756     \Hy@SaveSavedSpaceFactor
9757     \sbox{\tempboxa{\Hy@RestoreSpaceFactor#1}}%
9758     \Hy@RestoreSavedSpaceFactor
9759     \linkdim\dp\tempboxa
9760     \lower\linkdim\hbox{%
9761       \special{button: %
9762         \number\wd\tempboxa\space

```

```

9763      \number\ht\@tempboxa\space
9764      launch: \wwwbrowser\space
9765      #2%
9766      }%
9767      \Hy@colorlink\@curlcolor
9768      \Hy@RestoreSpaceFactor
9769      #1\Hy@xspace@end
9770      \Hy@SaveSpaceFactor
9771      \Hy@endcolorlink
9772      }%
9773      \@linkdim\ht\@tempboxa
9774      \advance\@linkdim by -6.5\p@
9775      \raise\@linkdim\hbox{}%
9776      \Hy@RestoreSpaceFactor
9777      \else
9778      \special{button: %
9779      \number\wd\@tempboxa\space
9780      \number\ht\@tempboxa\space
9781      launch: \wwwbrowser\space
9782      #2%
9783      }%
9784      \Hy@colorlink\@curlcolor
9785      #1\Hy@xspace@end
9786      \Hy@endcolorlink
9787      \fi
9788      \endgroup
9789 }
9790 \def\hyper@linkfile#1#2#3{%
9791   \begingroup
9792   \hyper@chars
9793   \leavevmode
9794   \ifHy@raiselinks
9795     \Hy@SaveSpaceFactor
9796     \Hy@SaveSavedSpaceFactor
9797     \sbox\@tempboxa{\Hy@RestoreSpaceFactor#1}%
9798     \Hy@RestoreSavedSpaceFactor
9799     \@linkdim\dp\@tempboxa
9800     \lower\@linkdim\hbox{%
9801     \special{button: %
9802     \number\wd\@tempboxa\space
9803     \number\ht\@tempboxa\space
9804     #3,%
9805     file: #2%
9806     }%
9807     \Hy@colorlink\@filecolor
9808     \Hy@RestoreSpaceFactor
9809     #1\Hy@xspace@end
9810     \Hy@SaveSpaceFactor
9811     \Hy@endcolorlink
9812     }%
9813     \@linkdim\ht\@tempboxa
9814     \advance\@linkdim by -6.5\p@
9815     \raise\@linkdim\hbox{}%
9816     \Hy@RestoreSpaceFactor
9817     \else
9818     \special{button: %
9819     \number\wd\@tempboxa\space

```

```

9820     \number\ht\@tempboxa\space
9821     #3%
9822     file: #2%
9823   }%
9824   \Hy@colorlink\@filecolor
9825     #1\Hy@xspace@end
9826   \Hy@endcolorlink
9827   \fi
9828 \endgroup
9829 }
9830 \ifx\@pdfproducer\relax
9831 \def\@pdfproducer{dviwindo + Distiller}%
9832 \fi
9833 \HyInfo@AddonUnsupportedtrue
9834 \def\PDF@FinishDoc{%
9835   \Hy@UseMaketitleInfos
9836   \HyInfo@TrappedUnsupported
9837   \special{PDF: Keywords \@pdfkeywords}%
9838   \special{PDF: Title \@pdftitle}%
9839   \special{PDF: Creator \@pdfcreator}%
9840   \ifx\@pdfcreationdate\@empty
9841   \else
9842     \special{PDF: CreationDate \@pdfcreationdate}%
9843   \fi
9844   \ifx\@pdfmoddate\@empty
9845   \else
9846     \special{PDF: ModDate \@pdfmoddate}%
9847   \fi
9848   \special{PDF: Author \@pdfauthor}%
9849   \ifx\@pdfproducer\relax
9850   \else
9851     \special{PDF: Producer \@pdfproducer}%
9852   \fi
9853   \special{PDF: Subject \@pdfsubject}%
9854   \Hy@DisableOption{pdfauthor}%
9855   \Hy@DisableOption{pdftitle}%
9856   \Hy@DisableOption{pdfsubject}%
9857   \Hy@DisableOption{pdfcreator}%
9858   \Hy@DisableOption{pdfcreationdate}%
9859   \Hy@DisableOption{pdfmoddate}%
9860   \Hy@DisableOption{pdfproducer}%
9861   \Hy@DisableOption{pdfkeywords}%
9862   \Hy@DisableOption{pdftrapped}%
9863   \Hy@DisableOption{pdfinfo}%
9864 }
9865 \def\PDF@SetupDoc{%
9866   \ifx\@baseurl\@empty
9867   \else
9868     \special{PDF: Base \@baseurl}%
9869   \fi
9870   \ifx\@pdfpagescrop\@empty\else
9871     \special{PDF: BBox \@pdfpagescrop}%
9872   \fi
9873   \def\Hy@temp{}%
9874   \ifx\@pdfstartpage\@empty
9875   \else
9876     \ifx\@pdfstartview\@empty

```

```

9877 \else
9878   \edef\Hy@temp{%
9879     ,Page=\@pdfstartpage
9880     ,View=\@pdfstartview
9881   }%
9882 \fi
9883 \fi
9884 \edef\Hy@temp{%
9885   \noexpand\pdfmark{%
9886     pdfmark=/DOCVIEW,%
9887     PageMode=/\@pdfpagemode
9888     \Hy@temp
9889   }%
9890 }%
9891 \Hy@temp
9892 \ifx\@pdfpagescrop\@empty
9893 \else
9894   \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
9895 \fi
9896 \edef\Hy@temp{%
9897   \ifHy@pdftoolbar\else /HideToolbar true\fi
9898   \ifHy@pdfmenubar\else /HideMenubar true\fi
9899   \ifHy@pdfwindowui\else /HideWindowUI true\fi
9900   \ifHy@pdffitwindow /FitWindow true\fi
9901   \ifHy@pdfcenterwindow /CenterWindow true\fi
9902   \ifHy@pdfdisplaydoctitle /DisplayDocTitle true\fi
9903   \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
9904   \Hy@UseNameKey{Direction}\@pdfdirection
9905   \Hy@UseNameKey{ViewArea}\@pdfviewarea
9906   \Hy@UseNameKey{ViewClip}\@pdfviewclip
9907   \Hy@UseNameKey{PrintArea}\@pdfprintarea
9908   \Hy@UseNameKey{PrintClip}\@pdfprintclip
9909   \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
9910   \Hy@UseNameKey{Duplex}\@pdfduplex
9911   \ifx\@pdfpicktraybypdfsize\@empty
9912   \else
9913     /PickTrayByPDFSize \@pdfpicktraybypdfsize
9914   \fi
9915   \ifx\@pdfprintpagerange\@empty
9916   \else
9917     /PrintPageRange[\@pdfprintpagerange]%
9918   \fi
9919   \ifx\@pdfnumcopies\@empty
9920   \else
9921     /NumCopies \@pdfnumcopies
9922   \fi
9923 }%
9924 \pdfmark{pdfmark=/PUT,%
9925   Raw={%
9926     \string{Catalog\string}<<%
9927     \ifx\Hy@temp\@empty
9928     \else
9929       /ViewerPreferences<<\Hy@temp>>%
9930     \fi
9931     \Hy@UseNameKey{PageLayout}\@pdfpagelayout
9932     \ifx\@pdflang\@empty
9933     \else

```

```

9934      /Lang(\@pdflang)%
9935      \fi
9936      >>%
9937      }%
9938  }%
9939 }
9940 </dviwindo>
9941 <*dvipdfm | xetex>

```

46.5 dvipdfm/xetex dvi to PDF converter

Provided by Mark Wicks (mwicks@kettering.edu)

```

9942 \providecommand*\XR@ext{pdf}
9943 \Hy@setbreaklinks{true}
9944 \def\HyPat@ObjRef{%
9945   @[^ ]+%
9946 }
9947 \newsavebox{\pdfm@box}
9948 \def\@pdfm@mark#1{\special{pdf:#1}}
9949 \Hy@WrapperDef{\pdfm@dest#1}{%
9950   \Hy@SaveLastskip
9951   \Hy@VerboseAnchor{#1}%
9952   \begingroup
9953     \Hy@Pstringdef\Hy@PstringDest{\HyperDestNameFilter{#1}}%
9954     \def\x{XYZ}%
9955     \ifx\x\@pdfview
9956       \def\x{XYZ @xpos @ypos null}%
9957     \else
9958       \def\x{FitH}%
9959       \ifx\x\@pdfview
9960         \def\x{FitH @ypos}%
9961       \else
9962         \def\x{FitBH}%
9963         \ifx\x\@pdfview
9964           \def\x{FitBH @ypos}%
9965         \else
9966           \def\x{FitV}%
9967           \ifx\x\@pdfview
9968             \def\x{FitV @xpos}%
9969           \else
9970             \def\x{FitBV}%
9971             \ifx\x\@pdfview
9972               \def\x{FitBV @xpos}%
9973             \else
9974               \def\x{Fit}%
9975               \ifx\x\@pdfview
9976                 \let\x\@pdfview
9977               \else
9978                 \def\x{FitB}%
9979                 \ifx\x\@pdfview
9980                   \let\x\@pdfview
9981                 \else
9982                   \def\x{FitR}%
9983                   \ifx\x\@pdfview
9984                     \Hy@Warning{'pdfview=FitR' is not supported}%
9985                     \def\x{XYZ @xpos @ypos null}%
9986                   \else

```

```

9987      \onelevel@sanitize\pdfview
9988      \Hy@Warning{%
9989          Unknown value '\pdfview' for pdfview%
9990      }%
9991      \def\x{XYZ @xpos @ypos null}%
9992      \fi
9993      \fi
9994      \fi
9995      \fi
9996      \fi
9997      \fi
9998      \fi
9999      \fi
10000     \pdfmark{dest (\Hy@pstringDest) [at thispage /x]}%
10001     \endgroup
10002     \Hy@RestoreLastskip
10003 }
10004 \providecommand*\pdfview{XYZ}
10005 \providecommand*\pdfborder{0 0 1}
10006 \providecommand*\pdfborderstyle{}
10007 \def\hyper@anchor#1{%
10008     \pdfmark{dest{\#1}}%
10009 }
10010 \def\hyper@anchorstart#1{%
10011     \Hy@activeanchortrue
10012     \pdfmark{dest{\#1}}%
10013 }
10014 \def\hyper@anchorend{%
10015     \Hy@activeanchorfalse
10016 }
10017 \newcounter{Hy@AnnotLevel}

10018 \ifHy@ocgcolorlinks
10019     \def\OBJ@OCG@view{@OCG@view}%
10020     \pdfmark{%
10021         obj \OBJ@OCG@view <<%
10022             /Type/OCG%
10023             /Name(View)%
10024             /Usage<<%
10025                 /Print<<%
10026                     /PrintState/OFF%
10027                 >>%
10028             /View<<%
10029                 /ViewState/ON%
10030             >>%
10031         >>%
10032     }%
10033 }
10034 \pdfmark{close \OBJ@OCG@view}%
10035 \def\OBJ@OCG@print{@OCG@print}%
10036 \pdfmark{%
10037     obj \OBJ@OCG@print <<%
10038         /Type/OCG%
10039         /Name(Print)%
10040         /Usage<<%
10041             /Print<<%
10042                 /PrintState/ON%
10043             >>%

```

```

10044     /View<<%
10045         /ViewState/Off%
10046     >>%
10047     >>%
10048 }%
10049 \atBeginShipout{%
10050     \setbox\AtBeginShipoutBox=\hbox{%
10051         \copy\AtBeginShipoutBox
10052     \pdfmark{%
10053         obj \OBJ@OCGs [%
10054             \OBJ@OCG@view\space\OBJ@OCG@print
10055         ]%
10056     }%
10057 \pdfmark{close \OBJ@OCGs}%
10058 \pdfmark{%
10059     put @catalog <<%
10060         /OCProperties<<%
10061             /OCGs \OBJ@OCGs
10062         /D<<%
10063             /Off[\OBJ@OCG@print]%
10064             /AS[%
10065                 <<%
10066                     /Event/View%
10067                     /OCGs \OBJ@OCGs
10068                     /Category[/View]%
10069                 >>%
10070                 <<%
10071                     /Event/Print%
10072                     /OCGs \OBJ@OCGs
10073                     /Category[/Print]%
10074                 >>%
10075                 <<%
10076                     /Event/Export%
10077                     /OCGs \OBJ@OCGs
10078                     /Category[/Print]%
10079                 >>%
10080             ]%
10081         >>%
10082     >>%
10083     >>%
10084 }%
10085 \AtBeginShipout{%
10086     \setbox\AtBeginShipoutBox=\hbox{%
10087         \copy\AtBeginShipoutBox
10088     \pdfmark{%
10089         put @resources <<%
10090             /Properties<<%
10091                 /OCView \OBJ@OCG@view
10092                 /OCPrint \OBJ@OCG@print
10093             >>%
10094             >>%
10095         }%
10096     }%
10097 }%
10098 \Hy@AtBeginDocument{%
10099     \def\Hy@colorlink#1{%
10100         \begingroup

```

```

10101 \ifHy@ocgcolorlinks
10102   \def\Hy@ocgcolor{\#1}%
10103   \setbox0=\hbox\bgroup\color@begingroup
10104   \else
10105     \HyColor@UseColor\#1%
10106   \fi
10107 }%
10108 \def\Hy@endcolorlink{%
10109   \ifHy@ocgcolorlinks
10110     \color@endgroup\egroup
10111     \mbox{%
10112       \@pdfm@mark{content /OC/OCPrint BDC}%
10113       \rlap{\copy0}%
10114       \@pdfm@mark{content EMC/OC/OCView BDC}%
10115       \begingroup
10116         \expandafter\HyColor@UseColor\Hy@ocgcolor
10117         \box0 %
10118       \endgroup
10119       \@pdfm@mark{content EMC}%
10120     }%
10121   \fi
10122   \endgroup
10123 }%
10124 }%
10125 \else
10126   \Hy@DisableOption{ocgcolorlinks}%
10127 \fi
10128 \def\Hy@BeginAnnot#1{%
10129   \stepcounter{Hy@AnnotLevel}%
10130   \ifnum\value{Hy@AnnotLevel}=\@ne
10131     #1%
10132   \fi
10133 }
10134 \def\Hy@EndAnnot{%
10135   \ifnum\value{Hy@AnnotLevel}=\@ne
10136     \Hy@endcolorlink
10137     \@pdfm@mark{eann}%
10138   \fi
10139   \addtocounter{Hy@AnnotLevel}\m@ne
10140 }
10141 \def\Hy@undefinedname{UNDEFINED}
10142 \def\hyper@linkstart#1#2{%
10143   \Hy@VerboseLinkStart{\#1}{\#2}%
10144   \leavevmode
10145   \Hy@BeginAnnot{%
10146     \protected@edef\Hy@testname{\#2}%
10147     \ifx\Hy@testname\empty
10148       \Hy@Warning{%
10149         Empty destination name,\MessageBreak
10150         using '\Hy@undefinedname'%
10151       }%
10152       \let\Hy@testname\Hy@undefinedname
10153     \else
10154       \Hy@pstringdef\Hy@testname{%
10155         \expandafter\HyperDestNameFilter\expandafter{%
10156           \Hy@testname
10157         }%

```

```

10158      }%
10159      \fi
10160      \c@pdfm@mark{%
10161          \b@nn<<%
10162          /Type/Annot%
10163          /Subtype/Link%
10164          \ifHy@pdfa /F 4\fi
10165          \Hy@setpdfborder
10166          \expandafter\ifx\csname @#1bordercolor\endcsname\relax
10167          \else
10168              /C[\csname @#1bordercolor\endcsname]%
10169          \fi
10170          /A<<%
10171              /S/GoTo%
10172              /D(\Hy@testname)%
10173              \Hy@chref@nextactionraw
10174          >>%
10175      >>%
10176  }%
10177  \expandafter\Hy@colorlink\csname @#1color\endcsname
10178 }%
10179 }
10180 \def\hyper@linkend{\Hy@EndAnnot}%
10181 \def\hyper@link#1#2#3{%
10182   \hyper@linkstart{#1}{#2}{#3}\Hy@xspace@end\hyper@linkend
10183 }
10184 \def\hyper@linkfile#1#2#3{%
10185   \leavevemode
10186   \Hy@BeginAnnot{%
10187       \def\Hy@pstringF{#2}%
10188       \Hy@CleanupFile\Hy@pstringF
10189       \Hy@pstringdef\Hy@pstringF\Hy@pstringF
10190       \Hy@pstringdef\Hy@pstringD{#3}%
10191       \Hy@MakeRemoteAction
10192       \c@pdfm@mark{%
10193           \b@nn<<%
10194           /Type/Annot%
10195           /Subtype/Link%
10196           \ifHy@pdfa /F 4\fi
10197           \Hy@setpdfborder
10198           \ifx\@filebordercolor\relax
10199           \else
10200               /C[\@filebordercolor]%
10201           \fi
10202           /A<<%
10203               /S/GoToR%
10204               /F(\Hy@pstringF)%
10205               /D%
10206               \ifx\\#3\\%
10207                   [\Hy@chref@page\@pdfremotestartview]%
10208               \else
10209                   (\Hy@pstringD)%
10210               \fi
10211               \Hy@SetNewWindow
10212               \Hy@chref@nextactionraw
10213           >>%
10214       >>%

```

```

10215    }%
10216    \Hy@colorlink\@filecolor
10217  }%
10218  #1\Hy@xspace@end
10219  \Hy@EndAnnot
10220 }
10221 \def\@hyper@launch run:#1\\#2#3{%
10222   filename, anchor text linkname
10223   \leavevmode
10224   \Hy@BeginAnnot{%
10225     \Hy@pstringdef\Hy@pstringF{#1}%
10226     \Hy@pstringdef\Hy@pstringP{#3}%
10227     \@pdfm@mark{%
10228       bann<<%
10229       /Type/Annot%
10230       /Subtype/Link%
10231       \ifHy@pdflatex /F 4\fi
10232       \Hy@setpdfborder
10233       \ifx\@runbordercolor\relax
10234       \else
10235         /C[\@runbordercolor]%
10236       \fi
10237       /A<<%
10238       /F(\Hy@pstringF)%
10239       /S/Launch%
10240       \Hy@SetNewWindow
10241       \ifx\\#3\\%
10242         /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
10243       \fi
10244       \Hy@href@nextactionraw
10245       >>%
10246     >>%
10247   }%
10248   \Hy@colorlink\@runcolor
10249 }%
10250 #2\Hy@xspace@end
10251 \Hy@EndAnnot
10252 }
10253 \def\hyper@linkurl#1#2{%
10254   \leavevmode
10255   \Hy@BeginAnnot{%
10256     \Hy@pstringdef\Hy@pstringURI{#2}%
10257     \@pdfm@mark{%
10258       bann<<%
10259       /Type/Annot%
10260       /Subtype/Link%
10261       \ifHy@pdflatex /F 4\fi
10262       \Hy@setpdfborder
10263       \ifx\@urlbordercolor\relax
10264       \else
10265         /C[\@urlbordercolor]%
10266       \fi
10267       /A<<%
10268       /S/URI%
10269       /URI(\Hy@pstringURI)%
10270       \ifHy@href@ismap
10271         /IsMap true%

```

```

10272      \fi
10273      \Hy@href@nextactionraw
10274      >>%
10275      }%
10276      }%
10277      \Hy@colorlink\curlcolor
10278      }%
10279      #1\Hy@xspace@end
10280      \Hy@EndAnnot
10281  }
10282 \def\Acrobatmenu#1#2{%
10283   \Hy@Acrobatmenu{#1}{#2}{%
10284     \Hy@BeginAnnot{%
10285       \EdefEscapeName\Hy@temp@menu{#1}{%
10286         \pdfmark{%
10287           bann<<%
10288             /Type/Annot{%
10289               /Subtype/Link{%
10290                 \ifHy@pdfa /F 4\fi
10291                 \Hy@setpdfborder
10292                 \ifx\@menubordercolor\relax
10293                   \else
10294                     /C[\@menubordercolor]{%
10295                   \fi
10296                   /A<<%
10297                     /S/Named{%
10298                       /N/\Hy@temp@menu
10299                         \Hy@href@nextactionraw
10300                         >>%
10301                         >>%
10302                         }%
10303                         \Hy@colorlink\menucolor
10304                         }%
10305                         #2\Hy@xspace@end
10306                         \Hy@EndAnnot
10307                         }%
10308  }
10309 \ifx\@pdfproducer\relax
10310 \def\@pdfproducer{dvipdfm}%

```

Detect Xe_EX. However, but xdvipdfmx will overwrite it in the final PDF file.

```

10311 \begingroup\expandafter\expandafter\expandafter\endgroup
10312 \expandafter\ifx\csname XeTeXversion\endcsname\relax
10313 \else
10314   \edef\@pdfproducer{XeTeX \the\XeTeXversion\XeTeXrevision}%
10315 \fi
10316 \fi
10317 \def\PDF@FinishDoc{%
10318   \Hy@UseMaketitleInfos
10319   \HyInfo@GenerateAddons
10320   \pdfmark{%
10321     docinfo<<%
10322       /Title(\@pdftitle)%
10323       /Subject(\@pdfsubject)%
10324       /Creator(\@pdfcreator)%
10325       \ifx\@pdfcreationdate\empty
10326         \else
10327           /CreationDate(\@pdfcreationdate)%

```

```

10328     \fi
10329     \ifx\@pdfmoddate\@empty
10330     \else
10331         /ModDate(\@pdfmoddate)%
10332     \fi
10333     /Author(\@pdfauthor)%
10334     \ifx\@pdfproducer\relax
10335     \else
10336         /Producer(\@pdfproducer)%
10337     \fi
10338     /Keywords(\@pdfkeywords)%
10339     \ifx\@pdftrapped\@empty
10340     \else
10341         /Trapped/\@pdftrapped
10342     \fi
10343     \HyInfo@Addons
10344     >>%
10345   }%
10346   \Hy@DisableOption{pdfauthor}%
10347   \Hy@DisableOption{pdftitle}%
10348   \Hy@DisableOption{pdfsubject}%
10349   \Hy@DisableOption{pdfcreator}%
10350   \Hy@DisableOption{pdfcreationdate}%
10351   \Hy@DisableOption{pdfmoddate}%
10352   \Hy@DisableOption{pdfproducer}%
10353   \Hy@DisableOption{pdfkeywords}%
10354   \Hy@DisableOption{pdftrapped}%
10355   \Hy@DisableOption{pdfinfo}%
10356 }

10357 \def\PDF@SetupDoc{%
10358   \edef\Hy@temp{%
10359     \ifHy@pdftoolbar\else /HideToolbar true\fi
10360     \ifHy@pdfmenubar\else /HideMenubar true\fi
10361     \ifHy@pdfwindowui\else /HideWindowUI true\fi
10362     \ifHy@pdffitwindow /FitWindow true\fi
10363     \ifHy@pdfcenterwindow /CenterWindow true\fi
10364     \ifHy@pdfdisplaydoctitle /DisplayDocTitle true\fi
10365     \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
10366     \Hy@UseNameKey{Direction}\@pdfdirection
10367     \Hy@UseNameKey{ViewArea}\@pdfviewarea
10368     \Hy@UseNameKey{ViewClip}\@pdfviewclip
10369     \Hy@UseNameKey{PrintArea}\@pdfprintarea
10370     \Hy@UseNameKey{PrintClip}\@pdfprintclip
10371     \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
10372     \Hy@UseNameKey{Duplex}\@pdfduplex
10373     \ifx\@pdfpicktraybypdfsize\@empty
10374     \else
10375       /PickTrayByPDFSize \@pdfpicktraybypdfsize
10376     \fi
10377     \ifx\@pdfprintpagerange\@empty
10378     \else
10379       /PrintPageRange[\@pdfprintpagerange]%
10380     \fi
10381     \ifx\@pdfnumcopies\@empty
10382     \else
10383       /NumCopies \@pdfnumcopies
10384     \fi

```

```

10385 }%
10386 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
10387 \@pdfm@mark{%
10388   docview<<%
10389   \ifx\@pdfstartpage\@empty
10390   \else
10391     \ifx\@pdfstartview\@empty
10392     \else
10393       /OpenAction[@page\@pdfstartpage\@pdfstartview]%
10394     \fi
10395   \fi
10396   \ifx\@baseurl\@empty
10397   \else
10398     /URI<</Base(\Hy@pstringB)>>%
10399   \fi
10400   /PageMode/\@pdfpagemode
10401   \ifx\Hy@temp\@empty
10402   \else
10403     /ViewerPreferences<<\Hy@temp>>%
10404   \fi
10405   \Hy@UseNameKey{PageLayout}\@pdfpagelayout
10406   \ifx\@pdflang\@empty
10407   \else
10408     /Lang(\@pdflang)%
10409   \fi
10410   >>%
10411 }%
10412 \ifx\@pdfpagescrop\@empty
10413 \else
10414   \@pdfm@mark{put @pages <</CropBox[\@pdfpagescrop]>>}%
10415 \fi
10416 }
10417 </dvipdfm | xetex>
10418 /*dvipdfm | xetex>

```

\hyper@pagetransition

```

10419 \def\hyper@pagetransition{%
10420   \ifx\@pdfpagetransition\relax
10421   \else
10422     \ifx\@pdfpagetransition\@empty
10423     \else
10424       \special{pdf:put @thispage %
10425         <</Trans<</S/\@pdfpagetransition>>>}%
10426     }%
10427   \fi
10428 \fi
10429 }

```

\hyper@pageduration

```

10430 \def\hyper@pageduration{%
10431   \ifx\@pdfpageduration\relax
10432   \else
10433     \ifx\@pdfpageduration\@empty
10434     \else
10435       \special{pdf:put @thispage %
10436         <</Dur \@pdfpageduration>>}%
10437     }%

```

```

10438     \fi
10439   \fi
10440 }

\hyper@pagehidden
10441 \def\hyper@pagehidden{%
10442   \ifHy@useHidKey
10443     \special{pdf:put @thispage %
10444       <</Hid \ifHy@pdfpagehidden true\else false\fi>>%
10445   }%
10446   \fi
10447 }

10448 \g@addto@macro\Hy@EveryPageBoxHook{%
10449   \hyper@pagetransition
10450   \hyper@pageduration
10451   \hyper@pagehidden
10452 }

10453 </dvipdfm | xetex>

```

Xe^TEX uses pdf^TEX's method `\pdfpagewidth` and `\pdfpageheight` for setting the paper size.

```

10454 <*dvipdfm>
10455 \AtBeginShipoutFirst{%
10456   \ifHy@setpagesize
10457     \begingroup
10458       \@ifundefined{stockwidth}{%
10459         \ifdim\paperwidth>\z@
10460           \ifdim\paperheight>\z@
10461             \special{papersize=\the\paperwidth,\the\paperheight}%
10462           \fi
10463         \fi
10464       }%
10465       \ifdim\stockwidth>\z@
10466         \ifdim\stockheight>\z@
10467           \special{papersize=\the\stockwidth,\the\stockheight}%
10468         \fi
10469       \fi
10470     }%
10471   \endgroup
10472   \fi
10473   \Hy@DisableOption{setpagesize}%
10474 }
10475 </dvipdfm>

```

46.6 VTeX typesetting system

Provided by MicroPress, May 1998. They require VTeX version 6.02 or newer; see <http://www.micropress-inc.com/> for details.

```

10476 <*vtexhtml>
10477 \providecommand*\XR@ext{.htm}
10478 \RequirePackage{vtexhtml}
10479 \newif\ifGLocalurl
10480 \let\PDF@FinishDoc\ltx@empty
10481 \def\PDF@SetupDoc{%
10482   \ifx\@baseurl\@empty
10483   \else

```

```

10484   \special{!direct <base href="\@baseurl">}%
10485   \fi
10486 }
10487 \def\@urlype{url}
10488 \def\hyper@link#1#2#3{%
10489   \Hy@VerboseLinkStart{#1}{#2}%
10490   \leavevmode
10491   \special{!direct <a href=%
10492     \hyper@quote\hyper@hash\HyperDestNameFilter{#2}\hyper@quote>}%
10493   #3\Hy@xspace@end
10494   \special{!direct </a>}%
10495 }
10496 \def\hyper@linkurl#1#2{%
10497   \begingroup
10498   \hyper@chars
10499   \leavevmode
10500   \MathBSuppress=1\relax
10501   \special{!direct <a href=%
10502     \hyper@quote\HyperDestNameFilter{#2}\hyper@quote>}%
10503   #1\Hy@xspace@end
10504   \MathBSuppress=0\relax
10505   \special{!direct </a>}%
10506   \endgroup
10507 }
10508 \def\hyper@linkfile#1#2#3{%
10509   \hyper@linkurl{#1}{\Hy@linkfileprefix#2\ifx\\#3\\else##3\fi}%
10510 }
10511 \def\hyper@linkstart#1#2{%
10512   \Hy@VerboseLinkStart{#1}{#2}%
10513   \def\Hy@tempa{#1}\ifx\Hy@tempa\@urlype
10514     \@Localurltrue
10515     \special{!direct <a href=\hyper@quote#2\hyper@quote>}%
10516   \else
10517     \@Localurlfalse
10518   \begingroup
10519     \hyper@chars
10520     \special{!aref \HyperDestNameFilter{#2}}%
10521   \endgroup
10522   \fi
10523 }
10524 \def\hyper@linkend{%
10525   \if@Localurl
10526     \special{!endaref}%
10527   \else
10528     \special{!direct </a>}%
10529   \fi
10530 }
10531 \Hy@WrapperDef\hyper@anchorstart#1{%
10532   \Hy@SaveLastskip
10533   \Hy@VerboseAnchor{#1}%
10534   \begingroup
10535   \hyper@chars
10536   \special{!aname #1}%
10537   \special{!direct <a name=%
10538     \hyper@quote\HyperDestNameFilter{#1}\hyper@quote>}%
10539   \endgroup
10540   \Hy@activeanchortrue

```

```

10541 }
10542 \def\hyper@anchorend{%
10543   \special{!direct </a>}%
10544   \Hy@activeanchorfalse
10545   \Hy@RestoreLastskip
10546 }
10547 \Hy@WrapperDef\hyper@anchor#1{%
10548   \Hy@SaveLastskip
10549   \Hy@VerboseAnchor{#1}%
10550   \begingroup
10551     \let\protect=\string
10552     \hyper@chars
10553     \leavevmode
10554     \special{!aname #1}%
10555     \special{!direct <a name=%
10556       \hyper@quote\HyperDestNameFilter{#1}\hyper@quote}%
10557   \endgroup
10558   \Hy@activeanchortrue
10559   \bgroup\anchor@spot\egroup
10560   \special{!direct </a>}%
10561   \Hy@activeanchorfalse
10562   \Hy@RestoreLastskip
10563 }
10564 \def\@Form[#1]{%
10565   \Hy@Message{Sorry, TeXpider does not yet support FORMs}%
10566 }
10567 \let\@endForm\ltx@empty
10568 \def\@Gauge[#1]#2#3#4{%
10569   \parameters, label, minimum, maximum
10570   \Hy@Message{Sorry, TeXpider does not yet support FORM gauges}%
10571 \def\@TextField[#1]#2{%
10572   \parameters, label
10573   \Hy@Message{Sorry, TeXpider does not yet support FORM text fields}%
10574 \def\@CheckBox[#1]#2{%
10575   \parameters, label
10576   \Hy@Message{Sorry, TeXpider does not yet support FORM checkboxes}%
10577 \def\@ChoiceMenu[#1]#2#3{%
10578   \parameters, label, choices
10579   \Hy@Message{Sorry, TeXpider does not yet support FORM choice menus}%
10580 \def\@PushButton[#1]#2{%
10581   \parameters, label
10582   \Hy@Message{Sorry, TeXpider does not yet support FORM pushbuttons}%
10583 \def\@Reset[#1]#2{%
10584   \parameters
10585   \Hy@Message{Sorry, TeXpider does not yet support FORMs}%
10586 \def\@Submit[#1]#2{%
10587   \Hy@Message{Sorry, TeXpider does not yet support FORMs}%
10588 }
10589 </vtexhtml>
10590 <*vtex>

```

VTeX version 6.68 supports `\mediawidth` and `\mediaheight`. The `\ifx` construct is better than a `\csname`, because it avoids the definition and the hash table entry of a previous undefined macro.

```

10591 \ifx\mediaheight\undefined
10592 \else
10593   \ifx\mediaheight\relax

```

```

10594 \else
10595   \ifHy@setpagesize
10596     \providecommand*\VTeXInitMediaSize}{%
10597       \ltx@IfUndefined{stockwidth}{%
10598         \ifdim\paperheight>0pt %
10599           \setlength\mediaheight\paperheight
10600         \fi
10601         \ifdim\paperheight>0pt %
10602           \setlength\mediawidth\paperwidth
10603         \fi
10604     }{%
10605       \ifdim\stockheight>0pt %
10606         \setlength\mediaheight\stockheight
10607       \fi
10608       \ifdim\stockwidth>0pt %
10609         \setlength\mediawidth\stockwidth
10610       \fi
10611     }%
10612   }%
10613   \Hy@AtBeginDocument{\VTeXInitMediaSize}%
10614 \fi
10615 \Hy@DisableOption{setpagesize}%
10616 \fi
10617 \fi

```

Older versions of VTeX require xyz in lower case.

```

10618 \providecommand*\@pdfview{xyz}
10619 \providecommand*\@pdfborder{0 0 1}
10620 \providecommand*\@pdfborderstyle{}
10621 \let\CurrentBorderColor\@linkbordercolor
10622 \Hy@WrapperDef\hyper@anchor#1{%
10623   \Hy@SaveLastskip
10624   \Hy@VerboseAnchor{#1}%
10625   \begingroup
10626     \let\protect=\string
10627     \hyper@chars
10628     \special{!aname \HyperDestNameFilter{#1};\@pdfview}%
10629   \endgroup
10630   \Hy@activeanchortrue
10631   \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
10632   \Hy@activeanchorfalse
10633   \Hy@RestoreLastskip
10634 }
10635 \Hy@WrapperDef\hyper@anchorstart#1{%
10636   \Hy@SaveLastskip
10637   \Hy@VerboseAnchor{#1}%
10638   \begingroup
10639     \hyper@chars
10640     \special{!aname \HyperDestNameFilter{#1};\@pdfview}%
10641   \endgroup
10642   \Hy@activeanchortrue
10643 }
10644 \def\hyper@anchorend{%
10645   \Hy@activeanchorfalse
10646   \Hy@RestoreLastskip
10647 }
10648 \def\@urltype{url}
10649 \def\Hy@undefinedname{UNDEFINED}

```

```

10650 \def\hyper@linkstart#1#2{%
10651   \Hy@VerboseLinkStart{#1}{#2}%
10652   \Hy@pstringdef\Hy@pstringURI{#2}%
10653   \expandafter\Hy@colorlink\csname @#1color\endcsname
10654   \ltx@ifundefined{@#1bordercolor}{%
10655     \let\CurrentBorderColor\relax
10656   }{%
10657     \edef\CurrentBorderColor{%
10658       \csname @#1bordercolor\endcsname
10659     }%
10660   }%
10661   \def\Hy@tempa{#1}%
10662   \ifx\Hy@tempa\@urlype
10663     \special{!%
10664       aref <u=/Type/Action/S/URI/URI(\Hy@pstringURI)%
10665       \ifHy@href@ismap
10666         /IsMap true%
10667       \fi
10668       \Hy@href@nextactionraw
10669     >%
10670     a=<%
10671       \ifHy@pdfa /F 4\fi
10672       \Hy@setpdfborder
10673       \ifx\CurrentBorderColor\relax
10674         \else
10675           /C [\CurrentBorderColor]%
10676         \fi
10677       >%
10678     }%
10679   \else
10680     \protected@edef\Hy@testname{#2}%
10681     \ifx\Hy@testname\@empty
10682       \Hy@Warning{%
10683         Empty destination name,\MessageBreak
10684         using '\Hy@undefinedname'%
10685       }%
10686       \let\Hy@testname\Hy@undefinedname
10687     \fi
10688     \special{!%
10689       aref \expandafter\HyperDestNameFilter
10690         \expandafter{\Hy@testname};%
10691     a=<%
10692       \ifHy@pdfa /F 4\fi
10693       \Hy@setpdfborder
10694       \ifx\CurrentBorderColor\relax
10695         \else
10696           /C [\CurrentBorderColor]%
10697         \fi
10698       >%
10699     }%
10700   \fi
10701 }
10702 \def\hyper@linkend{%
10703   \special{!endaref}%
10704   \Hy@endcolorlink
10705 }
10706 \def\hyper@linkfile#1#2#3{%

```

```

10707 \leavevemode
10708 \def\Hy@pstringF{\#2}%
10709 \Hy@CleanupFile\Hy@pstringF
10710 \special{!%
10711   aref <%
10712   \ifnum\Hy@VTeXversion>753 \ifHy@pdfnewwindow n\fi\fi
10713   f=\Hy@pstringF\#3;%
10714   a=<%
10715   \ifHy@pdfa /F 4\fi
10716   \Hy@setpdfborder
10717   \ifx\@filebordercolor\relax
10718   \else
10719     /C [\@filebordercolor]%
10720   \fi
10721 >%
10722 }%
10723 \Hy@colorlink\@filecolor
10724 #1\Hy@xspace@end
10725 \Hy@endcolorlink
10726 \special{!endaref}%
10727 }
10728 \def\hyper@linkurl#1#2{%
10729 \begingroup
10730 \Hy@pstringdef\Hy@pstringURI{\#2}%
10731 \hyper@chars
10732 \leavevemode
10733 \special{!%
10734   aref <u=/Type/Action/S/URI/URI(\Hy@pstringURI)%
10735   \ifHy@href@ismap
10736     /IsMap true%
10737   \fi
10738   \Hy@href@nextactionraw
10739 >%
10740   a=<%
10741   \ifHy@pdfa /F 4\fi
10742   \Hy@setpdfborder
10743   \ifx\@urlbordercolor\relax
10744   \else
10745     /C [\@urlbordercolor]%
10746   \fi
10747 >%
10748 }%
10749 \Hy@colorlink\@curlcolor
10750 #1\Hy@xspace@end
10751 \Hy@endcolorlink
10752 \special{!endaref}%
10753 \endgroup
10754 }
10755 \def\hyper@link#1#2#3{%
10756 \Hy@VerboseLinkStart{\#1}{\#2}%
10757 \ltx@ifundefined{@\#1bordercolor}{%
10758   \let\CurrentBorderColor\relax
10759 }{%
10760   \edef\CurrentBorderColor{\csname @\#1bordercolor\endcsname}%
10761 }%
10762 \leavevemode
10763 \protected@edef\Hy@testname{\#2}%

```

```

10764 \ifx\Hy@testname\@empty
10765   \Hy@Warning{%
10766     Empty destination name,\MessageBreak
10767     using '\Hy@undefinedname'%
10768   }%
10769   \let\Hy@testname\Hy@undefinedname
10770 \fi
10771 \special{!%
10772   aref \expandafter\HyperDestNameFilter
10773     \expandafter{\Hy@testname};%
10774 a=<%
10775   \ifHy@pdfa /F 4\fi
10776   \Hy@setpdfborder
10777   \ifx\CurrentBorderColor\relax
10778   \else
10779     /C [\CurrentBorderColor]%
10780   \fi
10781 >%
10782 }%
10783 \expandafter
10784 \Hy@colorlink\csname \#1color\endcsname
10785 #3\Hy@xspace@end
10786 \Hy@endcolorlink
10787 \special{!endaref}%
10788 }
10789 \def\hyper@image#1#2{%
10790   \hyper@linkurl{#2}{#1}%
10791 }
10792 \def\@hyper@launch run:#1\\#2#3{%
10793   \Hy@pstringdef\Hy@pstringF{#1}%
10794   \Hy@pstringdef\Hy@pstringP{#3}%
10795   \leavevmode
10796   \special{!aref %
10797     <u=%
10798     /Type/Action%
10799     /S/Launch%
10800     /F(\Hy@pstringF)%
10801     \Hy@SetNewWindow
10802     \ifx\\#3\\%
10803     \else
10804       /Win<</F(\Hy@pstringF)/P(\Hy@pstringP)>>%
10805     \fi
10806     \Hy@Chref@nextactionraw
10807   >;%
10808   a=<%
10809     \ifHy@pdfa /F 4\fi
10810     \Hy@setpdfborder
10811     \ifx\@runbordercolor\relax
10812     \else
10813       /C[\@runbordercolor]%
10814     \fi
10815   >%
10816 }%
10817 \Hy@colorlink\@uncolor
10818 #2\Hy@xspace@end
10819 \Hy@endcolorlink
10820 \special{!endaref}%

```

```

10821 }
10822 \def\Acrobatmenu#1#2{%
10823   \EdefEscapeName\Hy@temp@menu{\#1}%
10824   \Hy@Acrobatmenu{\#1}{\#2}{%
10825     \special{!%
10826       aref <u=/S /Named /N /\Hy@temp@menu>;%
10827       a=<%
10828         \ifHy@pdfa /F 4\fi
10829         \Hy@setpdfborder
10830         \ifx\@menubordercolor\relax
10831         \else
10832           /C[\@menubordercolor]%
10833         \fi
10834       >%
10835     }%
10836   \Hy@colorlink\@menucolor
10837   #2\Hy@xspace@end
10838   \Hy@endcolorlink
10839   \special{!endaref}%
10840 }%
10841 }

```

The following code (transition effects) is made by Alex Kostin.

The code below makes sense for VTeX 7.02 or later.

Please never use `\@ifundefined{VTeXversion}{..}{..}` *globally*.

```

10842 \ifnum\Hy@VTeXversion<702 %
10843 \else
10844   \def\hyper@pagetransition{%
10845     \ifx\@pdfpagetransition\relax
10846     \else
10847       \ifx\@pdfpagetransition\empty

```

Standard incantation.

1. Does an old entry have to be deleted? 2. If 1=yes, how to delete?

```

10848   \else
10849     \hvtx@parse@trans\@pdfpagetransition
10850   \fi
10851 \fi
10852 }%

```

I have to write an “honest” parser to convert raw PDF code into VTeX `\special{!trans <transition_effect>}`.

Syntax of VTeX `\special{!trans <transition_effect>}`:

```

<transition_effect> ::= <transition_style>[,<transition_duration>]
<transition_style> ::= <Blinds_effect> | <Box_effect> |
                      <Dissolve_effect> | <Glitter_effect> |
                      <Split_effect> | <Wipe_effect>
<Blinds_effect> ::= B[<effect_dimension>]
<Box_effect> ::= X[<effect_motion>]
<Dissolve_effect> ::= D
<Glitter_effect> ::= G[<effect_direction>]
<Split_effect> ::= S[<effect_motion>][<effect_dimension>]
<Wipe_effect> ::= W[<effect_direction>]
<Replace_effect> ::= R
<effect_direction> ::= <number>
<effect_dimension> ::= H | V
<effect_motion> ::= I | O
<transition_duration> ::= <number>

```

Transition codes:

```
10853 \def\hvtex@trans@effect@Blinds{\def\hvtex@trans@code{B}}%
10854 \def\hvtex@trans@effect@Box{\def\hvtex@trans@code{X}}%
10855 \def\hvtex@trans@effect@Dissolve{\def\hvtex@trans@code{D}}%
10856 \def\hvtex@trans@effect@Glitter{\def\hvtex@trans@code{G}}%
10857 \def\hvtex@trans@effect@Split{\def\hvtex@trans@code{S}}%
10858 \def\hvtex@trans@effect@Wipe{\def\hvtex@trans@code{W}}%
10859 \def\hvtex@trans@effect@R{\def\hvtex@trans@code{R}}%
```

Optional parameters:

```
10860 \def\hvtex@par@dimension{/Dm}%
10861 \def\hvtex@par@direction{/Di}%
10862 \def\hvtex@par@duration{/D}%
10863 \def\hvtex@par@motion{/M}%
```

Tokenizer:

```
10864 \def\hvtex@gettoken{%
10865   \expandafter\hvtex@gettoken@\hvtex@buffer\@nil
10866 }%
```

Notice that tokens in the input buffer must be space delimited.

```
10867 \def\hvtex@gettoken@#1 #2\@nil{%
10868   \edef\hvtex@token{#1}%
10869   \edef\hvtex@buffer{#2}%
10870 }%
10871 \def\hvtex@parse@trans#1{%
```

Initializing code:

```
10872 \let\hvtex@trans@code\@empty
10873 \let\hvtex@param@dimension\@empty
10874 \let\hvtex@param@direction\@empty
10875 \let\hvtex@param@duration\@empty
10876 \let\hvtex@param@motion\@empty
10877 \edef\hvtex@buffer{#1\space}%
```

First token is the PDF transition name without escape.

```
10878 \hvtex@gettoken
10879 \ifx\hvtex@token\@empty
```

Leading space(s)?

```
10880 \ifx\hvtex@buffer\@empty
```

The buffer is empty, nothing to do.

```
10881 \else
10882   \hvtex@gettoken
10883 \fi
10884 \fi
10885 \csname hvtex@trans@effect@\hvtex@token\endcsname
```

Now is time to parse optional parameters.

```
10886 \hvtex@trans@params
10887 }%
```

Reentrant macro to parse optional parameters.

```
10888 \def\hvtex@trans@params{%
10889   \ifx\hvtex@buffer\@empty
10890   \else
10891     \hvtex@gettoken
10892     \let\hvtex@trans@par\hvtex@token
10893     \ifx\hvtex@buffer\@empty
10894     \else
```

```

10895      \hvtex@gettken
10896      \ifx\hvtex@trans@par\hvtex@par@duration
/D is the effect duration in seconds. VTeX special takes it in milliseconds.
10897      \let\hvtex@param@duration\hvtex@token
10898      \else \ifx\hvtex@trans@par\hvtex@par@motion
/M can be either /I or /O
10899      \expandafter\edef\expandafter\hvtex@param@motion%
10900      \expandafter{\expandafter\gobble\hvtex@token}%
10901      \else \ifx\hvtex@trans@par\hvtex@par@dimension
/Dm can be either /H or /V
10902      \expandafter\edef\expandafter\hvtex@param@dimension%
10903      \expandafter{\expandafter\gobble\hvtex@token}%
10904      \else \ifx\hvtex@trans@par\hvtex@par@direction

```

Valid values for /Di are 0, 270, 315 (the Glitter effect) or 0, 90, 180, 270 (the Wipe effect).

```

10905      \let\hvtex@param@direction\hvtex@token
10906      \fi\fi\fi\fi
10907      \fi
10908      \fi
10909      \ifx\hvtex@buffer\@empty
10910      \let\next\hvtex@produce@trans
10911      \else
10912      \let\next\hvtex@trans@params
10913      \fi
10914      \next
10915  }%

```

Merge <transition_effect> and issue the special when possible. Too lazy to validate optional parameters.

```

10916 \def\hvtex@produce@trans{%
10917   \let\vtex@trans@special\@empty
10918   \if S\hvtex@trans@code
10919     \edef\vtex@trans@special{\hvtex@trans@code
10920       \hvtex@param@dimension\hvtex@param@motion}%
10921   \else\if B\hvtex@trans@code
10922     \edef\vtex@trans@special{%
10923       \hvtex@trans@code\hvtex@param@dimension
10924     }%
10925   \else\if X\hvtex@trans@code
10926     \edef\vtex@trans@special{%
10927       \hvtex@trans@code\hvtex@param@motion
10928     }%
10929   \else\if W\hvtex@trans@code
10930     \edef\vtex@trans@special{%
10931       \hvtex@trans@code\hvtex@param@direction
10932     }%
10933   \else\if D\hvtex@trans@code
10934     \let\vtex@trans@special\hvtex@trans@code
10935   \else\if R\hvtex@trans@code
10936     \let\vtex@trans@special\hvtex@trans@code
10937   \else\if G\hvtex@trans@code
10938     \edef\vtex@trans@special{%
10939       \hvtex@trans@code\hvtex@param@direction
10940     }%
10941   \fi\fi\fi\fi\fi\fi

```

```

10942 \ifx\vtex@trans@special\@empty
10943 \else
10944 \ifx\hvtex@param@duration\@empty
10945 \else
10946 \setlength{\dimen@}{\hvtex@param@duration\p@}%

```

I'm not guilty of possible overflow.

```

10947 \multiply\dimen@\@m
10948 \edef\vtex@trans@special{%
10949   \vtex@trans@special,\strip@pt\dimen@
10950 }%
10951 \fi

```

And all the mess is just for this.

```

10952 \special{!trans \vtex@trans@special}%
10953 \fi
10954 }%
10955 \def\hyper@pageduration{%
10956 \ifx\@pdfpageduration\relax
10957 \else
10958 \ifx\@pdfpageduration\@empty
10959 \special{!duration-}%
10960 \else
10961 \special{!duration \@pdfpageduration}%
10962 \fi
10963 \fi
10964 }%
10965 \def\hyper@pagehidden{%
10966 \ifHy@useHidKey
10967 \special{!hidden\ifHy@pdfpagehidden +\else -\fi}%
10968 \fi
10969 }%
10970 \g@addto@macro\Hy@EveryPageBoxHook{%
10971 \hyper@pagetransition
10972 \hyper@pageduration
10973 \hyper@pagehidden
10974 }%
10975 \fi

```

Caution: In opposite to the other drivers, the argument of `\special{!onopen #1}` is a reference name. The VTeX's postscript mode will work with a version higher than 7.0x.

The command `\VTeXOS` is defined since version 7.45. Magic values encode the operating system:

- 1: WinTel
- 2: Linux
- 3: OS/2
- 4: MacOS
- 5: MacOS/X

```

10976 \ifx\@pdfproducer\relax
10977 \def\@pdfproducer{VTeX}%
10978 \ifnum\Hy@VTeXversion>\z@
10979 \count@\VTeXversion
10980 \divide\count@ 100 %
10981 \edef\@pdfproducer{\@pdfproducer\space v\the\count@}%
10982 \multiply\count@ -100 %
10983 \advance\count@\VTeXversion

```

```

10984 \edef\@pdfproducer{%
10985   \@pdfproducer
10986   .\ifnum\count@<10 0\fi\the\count@
10987   \ifx\VTExOS\@undefined\else
10988     \ifnum\VTExOS>0 %
10989     \ifnum\VTExOS<6 %
10990       \space(%
10991       \ifcase\VTExOS
10992         \or Windows\or Linux\or OS/2\or MacOS\or Mac OS/X%
10993       \fi
10994     )%
10995   \fi
10996   \fi
10997 \fi
10998 ,\space
10999 \ifnum\OpMode=\@ne PDF\else PS\fi
11000 \space backend%
11001 \ifx\gemode\@undefined\else
11002   \ifnum\gemode>\z@\space with GeX\fi
11003 \fi
11004 }%
11005 \fi
11006 \fi

```

Current !pdfinfo key syntax:

Key	Field	Type
a	Author	String
b	CropBox	String
c	Creator	String
k	Keywords	String
l	PageLayout	PS
p	PageMode	PS
r	Producer	String
s	Subject	String
t	Title	String
u	URI	PS
v	ViewPreferences	PS

Note: PS objects that are dicts are in <<<...>>> (yuck; no choice).

```

11007 \def\PDF@SetupDoc{%
11008   \ifx\@pdfpagescrop\@empty
11009   \else
11010     \special{!pdfinfo b=<\@pdfpagescrop>}%
11011   \fi
11012   \ifx\@pdfstartpage\@empty
11013   \else
11014     \ifx\@pdfstartview\@empty
11015     \else
11016       \special{!onopen Page\@pdfstartpage}%
11017     \fi
11018   \fi
11019   \special{!pdfinfo p=</\@pdfpagemode>}%
11020   \ifx\@baseurl\@empty
11021   \else
11022     \special{!pdfinfo u=<<</Base (\@baseurl)>>>}%
11023   \fi
11024   \special{!pdfinfo v=<<<%
11025     \ifHy@pdftoolbar\else /HideToolbar true\fi

```

```

11026 \ifHy@pdfmenubar\else /HideMenubar true\fi
11027 \ifHy@pdfwindowui\else /HideWindowUI true\fi
11028 \ifHy@pdffitwindow /FitWindow true\fi
11029 \ifHy@pdfcenterwindow /CenterWindow true\fi
11030 \ifHy@pdfdisplaydoctitle /DisplayDocTitle true\fi
11031 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
11032 \Hy@UseNameKey{Direction}\@pdfdirection
11033 \Hy@UseNameKey{ViewArea}\@pdfviewarea
11034 \Hy@UseNameKey{ViewClip}\@pdfviewclip
11035 \Hy@UseNameKey{PrintArea}\@pdfprintarea
11036 \Hy@UseNameKey{PrintClip}\@pdfprintclip
11037 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
11038 \Hy@UseNameKey{Duplex}\@pdfduplex
11039 \ifx\@pdfpicktraybypdfsize\@empty
11040 \else
11041   /PickTrayByPDFSize \@pdfpicktraybypdfsize
11042 \fi
11043 \ifx\@pdfprintpagerange\@empty
11044 \else
11045   /PrintPageRange[\@pdfprintpagerange]%
11046 \fi
11047 \ifx\@pdfnumcopies\@empty
11048 \else
11049   /NumCopies \@pdfnumcopies
11050 \fi
11051 >>> }%
11052 \ifx\@pdfpagelayout\@empty
11053 \else
11054   \special{!pdfinfo l=</\@pdfpagelayout\space>}%
11055 \fi
11056 }%
11057 \HyInfo@AddonUnsupportedtrue
11058 \define@key{Hyp}{pdfcreationdate}{%
11059   \Hy@Warning{%
11060     VTeX does not support pdfcreationdate.\MessageBreak
11061     Therefore its setting is ignored%
11062   }%
11063 }
11064 \define@key{Hyp}{pdfmoddate}{%
11065   \Hy@Warning{%
11066     VTeX does not support pdfmoddate.\MessageBreak
11067     Therefore its setting is ignored%
11068   }%
11069 }
11070 \def\PDF@FinishDoc{%
11071   \Hy@UseMaketitleInfos
11072   \HyInfo@TrappedUnsupported
11073   \special{!pdfinfo a=<\@pdfauthor>}%
11074   \special{!pdfinfo t=<\@pdftitle>}%
11075   \special{!pdfinfo s=<\@pdfsubject>}%
11076   \special{!pdfinfo c=<\@pdfcreator>}%
11077   \ifx\@pdfproducer\relax
11078   \else
11079     \special{!pdfinfo r=<\@pdfproducer>}%
11080   \fi
11081   \special{!pdfinfo k=<\@pdfkeywords>}%
11082   \Hy@DisableOption{pdfauthor}%

```

```

11083 \Hy@DisableOption{pdftitle}%
11084 \Hy@DisableOption{pdfsubject}%
11085 \Hy@DisableOption{pdfcreator}%
11086 \Hy@DisableOption{pdfcreationdate}%
11087 \Hy@DisableOption{pdfmoddate}%
11088 \Hy@DisableOption{pdfproducer}%
11089 \Hy@DisableOption{pdfkeywords}%
11090 \Hy@DisableOption{pdftrapped}%
11091 \Hy@DisableOption{pdfinfo}%
11092 }
11093 </vtex>

```

46.7 Fix for Adobe bug number 466320

If a destination occurs at the very begin of a page, the destination is moved to the previous page by Adobe Distiller 5. As workaround Adobe suggests:

```

/showpage {
  //showpage
  clippath stroke erasemode
} bind def

```

But unfortunately this fix generates an empty page at the end of the document. Therefore another fix is used by writing some clipped text.

```

11094 <dviwindo>\def\literalps@out{\special{ps:#1}}%
11095 <package>\providecommand*{\Hy@DistillerDestFix}{}
11096 {*pdfmark | dviwindo}
11097 \def\Hy@DistillerDestFix{%
11098   \begingroup
11099     \let\x\literalps@out

```

The fix has to be passed unchanged through GeX, if VTeX in PostScript mode with GeX is used.

```

11100 \ifnum \c@ifundefined{OpMode}{0}{%
11101   \c@ifundefined{gemode}{0}{%
11102     \ifnum\gemode>0 \OpMode\else 0\fi
11103   }>1 %
11104   \def\x##1{%
11105     \immediate\special{!=##1}%
11106   }%
11107 \fi
11108 \x{%
11109   /product where{%
11110     pop %
11111     product(Distiller)search{%
11112       pop pop pop %
11113       version(.)search{%
11114         exch pop exch pop%
11115         (3011)eq{%
11116           gsave %
11117           newpath 0 0 moveto closepath clip%
11118           /Courier findfont 10 scalefont setfont %
11119           72 72 moveto(.)show %
11120           grestore%
11121         }if%
11122       }{pop}ifelse%
11123     }{pop}ifelse%
11124   }if%

```

```

11125    }%
11126  \endgroup
11127 }
11128 </pdfmark | dviwindo>

```

46.8 Direct pdfmark support

Drivers that load `pdfmark.def` have to provide the correct macro definitions of

```

\@pdfproducer   for document information
\literalps@out   PostScript output
\headerps@out   PostScript output that goes in the header area

```

and the correct definitions of the following PostScript procedures:

H.S	start of anchor, link or rect
#1 H.A	end of anchor, argument=baselineskip in pt
#1 H.L	end of link, argument=baselineskip in pt
H.R	end of rect
H.B	raw rect code

```

11129 <*pdfmark>
11130 \Hy@breaklinks@unsupported
11131 \def\HyPat@ObjRef{%
11132  \{\{\}+\}%
11133 }
11134 \Hy@WrapperDef\hyper@anchor#1{%
11135  \Hy@SaveLastskip
11136  \Hy@VerboseAnchor{#1}%
11137  \begingroup
11138  \pdfmark[\anchor@spot]{%
11139   pdfmark=/DEST,%
11140   linktype=anchor,%
11141   View=/\@pdfview \@pdfviewparams,%
11142   DestAnchor={#1}%
11143  }%
11144  \endgroup
11145  \Hy@RestoreLastskip
11146 }
11147 \ltx@ifundefined{hyper@anchorstart}{\endinput}
11148 \Hy@WrapperDef\hyper@anchorstart#1{%
11149  \Hy@SaveLastskip
11150  \Hy@VerboseAnchor{#1}%
11151  \literalps@out{H.S}%
11152  \Hy@AllowHyphens
11153  \xdef\hyper@currentanchor{#1}%
11154  \Hy@activeanchortrue
11155 }
11156 \def\hyper@anchorend{%
11157  \literalps@out{\strip@pt@and@otherjunk\baselineskip\space H.A}%
11158  \pdfmark{%
11159   pdfmark=/DEST,%
11160   linktype=anchor,%
11161   View=/\@pdfview \@pdfviewparams,%
11162   DestAnchor=\hyper@currentanchor,%
11163  }%
11164  \Hy@activeanchorfalse
11165  \Hy@RestoreLastskip

```

```

11166 }
11167 \def\hyper@linkstart#1#2{%
11168   \Hy@VerboseLinkStart{#1}{#2}%
11169   \ifHy@breaklinks
11170   \else
11171     \leavevmode
11172     \ifmmode
11173       \def\Hy@LinkMath{$}%
11174     \else
11175       \let\Hy@LinkMath\ltx@empty
11176     \fi
11177   \Hy@SaveSpaceFactor
11178   \hbox\bgroup
11179   \Hy@RestoreSpaceFactor
11180   \Hy@LinkMath
11181 \fi
11182 \expandafter\Hy@colorlink\csname @#1color\endcsname
11183 \literalps@out{H.S}%
11184 \Hy@AllowHyphens
11185 \xdef\hyper@currentanchor{#2}%
11186 \gdef\hyper@currentlinktype{#1}%
11187 }
11188 \def\hyper@linkend{%
11189   \literalps@out{\strip@pt@and@otherjunk\baselineskip\space H.L}%
11190   \ltx@ifundefined{@\hyper@currentlinktype bordercolor}{%
11191     \let\Hy@tempcolor\relax
11192   }{%
11193     \edef\Hy@tempcolor{%
11194       \csname @\hyper@currentlinktype bordercolor\endcsname
11195     }%
11196   }%
11197 \pdfmark{%
11198   pdfmark=/ANN,%
11199   linktype=link,%
11200   Subtype=/Link,%
11201   PDFAFlags=4,%
11202   Dest=\hyper@currentanchor,%
11203   AcroHighlight=\@pdfhighlight,%
11204   Border=\@pdfborder,%
11205   BorderStyle=\@pdfborderstyle,%
11206   Color=\Hy@tempcolor,%
11207   Raw=H.B%
11208 }%
11209 \Hy@endcolorlink
11210 \ifHy@breaklinks
11211 \else
11212   \Hy@LinkMath
11213   \Hy@SaveSpaceFactor
11214   \egroup
11215   \Hy@RestoreSpaceFactor
11216 \fi
11217 }

```

We have to allow for `\baselineskip` having an optional stretch and shrink (you meet this in slide packages, for instance), so we need to strip off the junk. David Carlisle, of course, wrote this bit of code.

```

11218 \begingroup
11219   \catcode`P=12 %

```

```

11220 \catcode'T=12 %
11221 \lowercase{\endgroup
11222 \gdef\rem@ptetc#1.#2PT#3!{#1\ifnum#2>\z@\#2\fi}%
11223 }
11224 \def\strip@pt@and@otherjunk#1{\expandafter\rem@ptetc\the#1!}

\hyper@pagetransition
11225 \def\hyper@pagetransition{%
11226 \ifx\@pdfpagetransition\relax
11227 \else
11228 \ifx\@pdfpagetransition\@empty
11229 % 1. Does an old entry have to be deleted?
11230 % 2. If 1=yes, how to delete?
11231 \else
11232 \pdfmark{%
11233 pdfmark=/PUT,%
11234 Raw={%
11235 \string{ThisPage\string}%
11236 <</Trans << /S /@pdfpagetransition\space >> >>%
11237 }%
11238 }%
11239 \fi
11240 \fi
11241 }

\hyper@pageduration
11242 \def\hyper@pageduration{%
11243 \ifx\@pdfpageduration\relax
11244 \else
11245 \ifx\@pdfpageduration\@empty
11246 % 1. Does an old entry have to be deleted?
11247 % 2. If 1=yes, how to delete?
11248 \else
11249 \pdfmark{%
11250 pdfmark=/PUT,%
11251 Raw={%
11252 \string{ThisPage\string}%
11253 <</Dur \@pdfpageduration>>%
11254 }%
11255 }%
11256 \fi
11257 \fi
11258 }

\hyper@pagehidden
11259 \def\hyper@pagehidden{%
11260 \ifHy@useHidKey
11261 \pdfmark{%
11262 pdfmark=/PUT,%
11263 Raw={%
11264 \string{ThisPage\string}%
11265 <</Hid \ifHy@pdfpagehidden true\else false\fi>>%
11266 }%
11267 }%
11268 \fi
11269 }

```

```

11270 \g@addto@macro\Hy@EveryPageBoxHook{%
11271   \hyper@pagetransition
11272   \hyper@pageduration
11273   \hyper@pagehidden
11274 }

11275 \def\hyper@image#1#2{%
11276   \hyper@linkurl{#2}{#1}%
11277 }
11278 \def\Hy@undefinedname{UNDEFINED}
11279 \def\hyper@link#1#2#3{%
11280   \Hy@VerboseLinkStart{#1}{#2}%
11281   \ltx@ifundefined{@#1bordercolor}{%
11282     \let\Hy@tempcolor\relax
11283   }{%
11284     \edef\Hy@tempcolor{\csname @#1bordercolor\endcsname}%
11285   }%
11286   \begingroup
11287   \protected@edef\Hy@testname{#2}%
11288   \ifx\Hy@testname\empty
11289     \Hy@Warning{%
11290       Empty destination name,\MessageBreak
11291       using '\Hy@undefinedname'%
11292     }%
11293     \let\Hy@testname\Hy@undefinedname
11294   \fi
11295   \pdfmark{#3}{%
11296     Color=\Hy@tempcolor,%
11297     linktype={#1},%
11298     AcroHighlight=\@pdfhighlight,%
11299     Border=\@pdfborder,%
11300     BorderStyle=\@pdfborderstyle,%
11301     pdfmark=/ANN,%
11302     Subtype=/Link,%
11303     PDFAFlags=4,%
11304     Dest=\Hy@testname
11305   }%
11306   \endgroup
11307 }
11308 \newtoks\pdf@docset
11309 \def\PDF@FinishDoc{%
11310   \Hy@UseMaketitleInfos
11311   \HyInfo@GenerateAddons
11312   \let\Hy@temp\empty
11313   \ifx\@pdfcreationdate\empty
11314     \else
11315       \def\Hy@temp{CreationDate=\@pdfcreationdate,}%
11316     \fi
11317   \ifx\@pdfmoddate\empty
11318     \else
11319       \expandafter\def\expandafter\Hy@temp\expandafter{%
11320         \Hy@temp
11321         ModDate=\@pdfmoddate,%
11322       }%
11323     \fi
11324   \ifx\@pdfproducer\relax
11325     \else
11326       \expandafter\def\expandafter\Hy@temp\expandafter{%

```

```

11327     \Hy@temp
11328     Producer=\@pdfproducer,%
11329   }%
11330   \fi
11331   \expandafter
11332 \pdfmark\expandafter{%
11333   \Hy@temp
11334   pdfmark=/DOCINFO,%
11335   Title=\@pdftitle,%
11336   Subject=\@pdfsubject,%
11337   Creator=\@pdfcreator,%
11338   Author=\@pdfauthor,%
11339   Keywords=\@pdfkeywords,%
11340   Trapped=\@pdftrapped
11341 }%
11342 \ifx\HyInfo@Addons\@empty
11343 \else
11344   \pdfmark{%
11345     pdfmark=/DOCINFO,%
11346     Raw={\HyInfo@Addons}%
11347   }%
11348 \fi
11349 \Hy@DisableOption{pdfauthor}%
11350 \Hy@DisableOption{pdftitle}%
11351 \Hy@DisableOption{pdfsubject}%
11352 \Hy@DisableOption{pdfcreator}%
11353 \Hy@DisableOption{pdfcreationdate}%
11354 \Hy@DisableOption{pdfmoddate}%
11355 \Hy@DisableOption{pdfproducer}%
11356 \Hy@DisableOption{pdfkeywords}%
11357 \Hy@DisableOption{pdftrapped}%
11358 \Hy@DisableOption{pdfinfo}%
11359 }
11360 \def\PDF@SetupDoc{%
11361   \def\Hy@temp{}%
11362   \ifx\@pdfstartpage\@empty
11363   \else
11364     \ifx\@pdfstartview\@empty
11365     \else
11366       \edef\Hy@temp{%
11367         ,Page=\@pdfstartpage
11368         ,View=\@pdfstartview
11369       }%
11370     \fi
11371   \fi
11372   \edef\Hy@temp{%
11373     \noexpand\pdfmark{%
11374       pdfmark=/DOCVIEW,%
11375       PageMode=/\@pdfpagemode
11376       \Hy@temp
11377     }%
11378   }%
11379   \Hy@temp
11380   \ifx\@pdfpagescrop\@empty
11381   \else
11382     \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
11383   \fi

```

```

11384 \edef\Hy@temp{%
11385   \ifHy@pdftoolbar\else /HideToolbar true\fi
11386   \ifHy@pdfmenubar\else /HideMenubar true\fi
11387   \ifHy@pdfwindowui\else /HideWindowUI true\fi
11388   \ifHy@pdffitwindow /FitWindow true\fi
11389   \ifHy@pdfcenterwindow /CenterWindow true\fi
11390   \ifHy@pdfdisplaydoctitle /DisplayDocTitle true\fi
11391   \Hy@UserNameKey{NonFullScreenPageMode}@\pdfnonfullscreenpagemode
11392   \Hy@UserNameKey{Direction}@\pdfdirection
11393   \Hy@UserNameKey{ViewArea}@\pdfviewarea
11394   \Hy@UserNameKey{ViewClip}@\pdfviewclip
11395   \Hy@UserNameKey{PrintArea}@\pdfprintarea
11396   \Hy@UserNameKey{PrintClip}@\pdfprintclip
11397   \Hy@UserNameKey{PrintScaling}@\pdfprintscaling
11398   \Hy@UserNameKey{Duplex}@\pdfduplex
11399   \ifx\@pdfpicktraybypdfsize\empty
11400   \else
11401     /PickTrayByPDFSize@\pdfpicktraybypdfsize
11402   \fi
11403   \ifx\@pdfprintpagerange\empty
11404   \else
11405     /PrintPageRange[\@pdfprintpagerange]%
11406   \fi
11407   \ifx\@pdfnumcopies\empty
11408   \else
11409     /NumCopies@\pdfnumcopies
11410   \fi
11411 }%
11412 \Hy@pstringdef\Hy@pstringB{\@baseurl}%
11413 \pdfmark{%
11414   pdfmark=/PUT,%
11415   Raw={%
11416     \string{Catalog\string}<<%
11417     \ifx\Hy@temp\empty
11418     \else
11419       /ViewerPreferences<<\Hy@temp>>%
11420     \fi
11421     \Hy@UserNameKey{PageLayout}@\pdfpagelayout
11422     \ifx\@pdflang\empty
11423     \else
11424       /Lang(\@pdflang)%
11425     \fi
11426     \ifx\@baseurl\empty
11427     \else
11428       /URI<</Base(\Hy@pstringB)>>%
11429     \fi
11430   >>%
11431 }%
11432 }%
11433 }
11434 </pdfmark>
11435 <*pdfmarkbase>

```

We define a single macro, `pdfmark`, which uses the ‘keyval’ system to define the various allowable keys; these are *exactly* as listed in the `pdfmark` reference for Acrobat 3.0. The only addition is `pdfmark` which specifies the type of `pdfmark` to create (like ANN, LINK etc). The surrounding round and square brackets in the `pdfmark` commands are supplied, but you have to put in / characters as needed

for the values.

```
11436 \newif\ifHy@pdfmarkerror
11437 \def\pdfmark{\@ifnextchar[{\pdfmark@}{\pdfmark@[]}}
11438 \def\pdfmark@[#1]{%
11439   \Hy@pdfmarkerrorfalse
11440   \edef\@processme{\noexpand\pdf@toks={\the\pdf@defaulttoks}}%
11441   \@processme
11442   \let\pdf@type\relax
11443   \kvsetkeys{PDF}{#2}%
11444   \ifHy@pdfmarkerror
11445   \else
11446     \ifx\pdf@type\relax
11447       \Hy@WarningNoLine{no pdfmark type specified in #2!!}%
11448       \ifx\\#1\\%
11449       \else
11450         \pdf@rect{#1}%
11451       \fi
11452     \else
11453       \ifx\\#1\\%
11454         \literalps@outf%
11455         [\the\pdf@toks\space\pdf@type\space pdfmark%
11456       ]%
11457     \else
11458       \ltx@ifundefined{@\pdf@linktype color}{%
11459         \Hy@colorlink\@linkcolor
11460       }{%
11461         \expandafter\Hy@colorlink
11462           \csname@\pdf@linktype color\endcsname
11463       }%
11464       \pdf@rect{#1}%
11465       \literalps@outf%
11466       [\the\pdf@toks\space\pdf@type\space pdfmark%
11467     ]%
11468       \Hy@endcolorlink
11469     \fi
11470   \fi
11471 \fi
11472 }
```

The complicated bit is working out the right enclosing rectangle of some piece of TeX text, needed by the /Rect key. This solution originates with Toby Thain (tobyt@netspace.net.au).

For the case breaklinks is enabled, I have added two hooks, the first one for package setouterhbox, it provides a hopefully better method without setting the text twice.

```
\usepackage[hyperref]{setouterhbox}
```

With the second hook, also you can set the text twice, e.g.:

```
\long\def\Hy@setouterhbox#1#2{\long\def\my@temp{#2}}
\def\Hy@breaklinksunhbox#1{\my@temp}

11473 \newsavebox{\pdf@box}
11474 \providecommand*{\Hy@setouterhbox}{\sbox}
11475 \providecommand*{\Hy@breaklinksunhbox}{\unhbox}
11476 \def\Hy@DEST{/DEST}
11477 \def\pdf@rect#1{%
```

```

11478 \begingroup
11479   \chardef\x=1 %
11480   \def\Hy@temp{\#1}%
11481   \ifx\Hy@temp\ltx@empty
11482     \chardef\x=0 %
11483   \else
11484     \def\y{\anchor@spot}%
11485     \ifx\Hy@temp\y
11486       \def\y{\relax}%
11487     \ifx\anchor@spot\y
11488       \chardef\x=0 %
11489     \fi
11490   \fi
11491 \fi
11492 \expandafter\endgroup
11493 \ifcase\x
11494   \literalps@out{H.S}%
11495   \literalps@out{H.R}%
11496 \else
11497   \leavevmode
11498   \Hy@SaveSpaceFactor
11499   \ifmmode
11500     \def\Hy@LinkMath{$}%
11501   \else
11502     \let\Hy@LinkMath\ltx@empty
11503   \fi
11504   \ifHy@breaklinks
11505     \Hy@setouterhbox\pdf@box{%
11506       \Hy@RestoreSpaceFactor
11507       \Hy@LinkMath
11508       \Hy@AllowHyphens#1\Hy@xspace@end
11509       \Hy@LinkMath
11510       \Hy@SaveSpaceFactor
11511     }%
11512   \else
11513     \sbox\pdf@box{%
11514       \Hy@RestoreSpaceFactor
11515       \Hy@LinkMath
11516       #1\Hy@xspace@end
11517       \Hy@LinkMath
11518       \Hy@SaveSpaceFactor
11519     }%
11520   \fi
11521   \dimen@\ht\pdf@box
11522   \ifdim\dp\pdf@box=\z@
11523     \literalps@out{H.S}%
11524   \else
11525     \lower\dp\pdf@box\hbox{\literalps@out{H.S}}%
11526   \fi

```

If the text has to be horizontal mode stuff then just unbox the saved box like this, which saves executing it twice, which can mess up counters etc (thanks DPC...).

```

11527   \ifHy@breaklinks
11528     \ifhmode
11529       \Hy@breaklinksunhbox\pdf@box
11530     \else
11531       \box\pdf@box
11532     \fi

```

```

11533 \else
11534   \expandafter\box\pdf@box
11535 \fi

```

but if it can have multiple paragraphs you'd need one of these, but in that case the measured box size would be wrong anyway.

```

\ifHy@breaklinks#1\else\box\pdf@box\fi
\ifHy@breaklinks{#1}\else\box\pdf@box\fi

11536 \ifdim\dimen@=\z@
11537   \literalps@out{H.R}%
11538 \else
11539   \raise\dimen@\hbox{\literalps@out{H.R}}%
11540 \fi
11541 \Hy@RestoreSpaceFactor
11542 \fi
11543 \ifx\pdf@type\Hy@DEST
11544 \else
11545   \pdf@addtoksx{H.B}%
11546 \fi
11547 }

```

All the supplied material is stored in a token list; since I do not feel sure I quite understand these, things may not work as expected with expansion. We'll have to experiment.

```

11548 \newtoks\pdf@toks
11549 \newtoks\pdf@defaulttoks
11550 \pdf@defaulttoks={}
11551 \def\pdf@addtoks#1#2{%
11552   \edef\@processme{\pdf@toks{\the\pdf@toks/#2 #1}}%
11553   \@processme
11554 }
11555 \def\pdf@addtoksx#1{%
11556   \edef\@processme{\pdf@toks{\the\pdf@toks\space #1}}%
11557   \@processme
11558 }
11559 \def\PDFdefaults#1{%
11560   \pdf@defaulttoks={#1}%
11561 }

```

This is the list of allowed keys. See the Acrobat manual for an explanation.

```

11562 % what is the type of pdfmark?
11563 \define@key{PDF}{pdfmark}{\def\pdf@type{#1}}
11564 % what is the link type?
11565 \define@key{PDF}{linktype}{\def\pdf@linktype{#1}}
11566 \def\pdf@linktype{link}
11567 % parameter is a stream of PDF
11568 \define@key{PDF}{Raw}{\pdf@addtoksx{#1}}
11569 % parameter is a name
11570 \define@key{PDF}{Action}{\pdf@addtoks{#1}{Action}}
11571 % parameter is a array
11572 \define@key{PDF}{Border}{%
11573   \edef\Hy@temp{#1}%
11574   \ifx\Hy@temp\empty
11575     \else
11576       \pdf@addtoks{[#1]\Hy@BorderArrayPatch}{Border}%
11577   \fi
11578 }

```

```

11579 \let\Hy@BorderArrayPatch\@empty
11580 % parameter is a dictionary
11581 \define@key{PDF}{BorderStyle}{%
11582   \edef\Hy@temp{\#1}%
11583   \ifx\Hy@temp\@empty
11584   \else
11585     \pdf@addtoks{<<\#1>>}{BS}%
11586   \fi
11587 }
11588 % parameter is a array
11589 \define@key{PDF}{Color}{%
11590   \ifx\relax\#1\relax
11591   \else
11592     \pdf@addtoks{[\#1]}{Color}%
11593   \fi
11594 }
11595 % parameter is a string
11596 \define@key{PDF}{Contents}{\pdf@addtoks{(\#1)}{Contents}}
11597 % parameter is a integer
11598 \define@key{PDF}{Count}{\pdf@addtoks{\#1}{Count}}
11599 % parameter is a array
11600 \define@key{PDF}{CropBox}{\pdf@addtoks{[\#1]}{CropBox}}%
11601 % parameter is a string
11602 \define@key{PDF}{DOSFile}{\pdf@addtoks{(\#1)}{DOSFile}}
11603 % parameter is a string or file
11604 \define@key{PDF}{DataSource}{\pdf@addtoks{(\#1)}{DataSource}}
11605 % parameter is a destination
11606 \define@key{PDF}{Dest}{%
11607   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{\#1}}%
11608   \ifx\Hy@pstringDest\@empty
11609     \Hy@pdfmarkerrortrue
11610     \Hy@Warning{Destination with empty name ignored}%
11611   \else
11612     \pdf@addtoks{(\Hy@pstringDest) cvn}{Dest}%
11613   \fi
11614 }
11615 \define@key{PDF}{DestAnchor}{%
11616   \Hy@pstringdef\Hy@pstringDest{\HyperDestNameFilter{\#1}}%
11617   \ifx\Hy@pstringDest\@empty
11618     \Hy@pdfmarkerrortrue
11619     \Hy@Warning{Destination with empty name ignored}%
11620   \else
11621     \pdf@addtoks{(\Hy@pstringDest) cvn}{Dest}%
11622   \fi
11623 }
11624 % parameter is a string
11625 \define@key{PDF}{Dir}{\pdf@addtoks{(\#1)}{Dir}}
11626 % parameter is a string
11627 \define@key{PDF}{File}{\pdf@addtoks{(\#1)}{File}}
11628 % parameter is a int
11629 \define@key{PDF}{Flags}{\pdf@addtoks{\#1}{Flags}}
11630 \define@key{PDF}{PDFAFlags}{%
11631   \ifHy@pdfa
11632     \pdf@addtoks{\#1}{F}%
11633   \fi
11634 }
11635 % parameter is a name

```

```

11636 \define@key{PDF}{AcroHighlight}{%
11637   \begingroup
11638   \edef\x{\#1}%
11639   \expandafter\endgroup\ifx\x\empty
11640   \else
11641   \pdf@addtoks{\#1}{H}%
11642   \fi
11643 }
11644 % parameter is a string
11645 \define@key{PDF}{ID}{\pdf@addtoks{\#1}{ID}}% hash-ok
11646 % parameter is a string
11647 \define@key{PDF}{MacFile}{\pdf@addtoks{\#1}{MacFile}}
11648 % parameter is a string
11649 \define@key{PDF}{ModDate}{\pdf@addtoks{\#1}{ModDate}}
11650 % parameter is a string
11651 \define@key{PDF}{Op}{\pdf@addtoks{\#1}{Op}}
11652 % parameter is a Boolean
11653 \define@key{PDF}{Open}{\pdf@addtoks{\#1}{Open}}
11654 % parameter is a integer or name
11655 \define@key{PDF}{Page}{\pdf@addtoks{\#1}{Page}}
11656 % parameter is a name
11657 \define@key{PDF}{PageMode}{\pdf@addtoks{\#1}{PageMode}}
11658 % parameter is a string
11659 \define@key{PDF}{Params}{\pdf@addtoks{\#1}{Params}}
11660 % parameter is a array
11661 \define@key{PDF}{Rect}{\pdf@addtoks{\#1}{Rect}}% hash-ok
11662 % parameter is a integer
11663 \define@key{PDF}{SrcPg}{\pdf@addtoks{\#1}{SrcPg}}
11664 % parameter is a name
11665 \define@key{PDF}{Subtype}{\pdf@addtoks{\#1}{Subtype}}
11666 % parameter is a string
11667 \define@key{PDF}{Title}{\pdf@addtoks{\#1}{Title}}
11668 % parameter is a string
11669 \define@key{PDF}{Unix}{\pdf@addtoks{\#1}{Unix}}
11670 % parameter is a string
11671 \define@key{PDF}{UnixFile}{\pdf@addtoks{\#1}{UnixFile}}
11672 % parameter is an array
11673 \define@key{PDF}{View}{\pdf@addtoks{\#1}{View}}% hash-ok
11674 % parameter is a string
11675 \define@key{PDF}{WinFile}{\pdf@addtoks{\#1}{WinFile}}

```

These are the keys used in the DOCINFO section.

```

11676 \define@key{PDF}{Author}{\pdf@addtoks{\#1}{Author}}
11677 \define@key{PDF}{Creator}{\pdf@addtoks{\#1}{Creator}}
11678 \define@key{PDF}{CreationDate}{\pdf@addtoks{\#1}{CreationDate}}
11679 \define@key{PDF}{ModDate}{\pdf@addtoks{\#1}{ModDate}}
11680 \define@key{PDF}{Producer}{\pdf@addtoks{\#1}{Producer}}
11681 \define@key{PDF}{Subject}{\pdf@addtoks{\#1}{Subject}}
11682 \define@key{PDF}{Keywords}{\pdf@addtoks{\#1}{Keywords}}
11683 \define@key{PDF}{ModDate}{\pdf@addtoks{\#1}{ModDate}}
11684 \define@key{PDF}{Base}{\pdf@addtoks{\#1}{Base}}
11685 \define@key{PDF}{URI}{\pdf@addtoks{\#1}{URI}}
11686 \define@key{PDF}{Trapped}{%
11687   \edef\Hy@temp{\#1}%
11688   \ifx\Hy@temp\empty
11689   \else
11690   \pdf@addtoks{\#1}{Trapped}%
11691   \fi
}

```

```

11692 }
11693 
```

`</pdfmarkbase>`

```

11695 {*pdfmark}
11696 \def\Acrobatmenu{\#1\#2{%
11697   \EdefEscapeName{Hy@temp@menu{\#1}}%
11698   \Hy@Acrobatmenu{\#1}{\#2}{%
11699     \pdfmark{\#2}{%
11700       linktype=menu,%
11701       pdfmark=/ANN,%
11702       AcroHighlight=\@pdfhighlight,%
11703       Border=\@pdfborder,%
11704       BorderStyle=\@pdfborderstyle,%
11705       Color=\@menubordercolor,%
11706       Action={<</Subtype/Named/N/Hy@temp@menu>>},%
11707       Subtype=/Link,%
11708       PDFAFlags=4%
11709     }%
11710   }%
11711 }

```

And now for some useful examples:

```

11712 \def\PDFNextPage{\@ifnextchar[{\PDFNextPage@}{\PDFNextPage@[]}}
11713 \def\PDFNextPage@[#1]{%
11714   \pdfmark{\#2}{%
11715     #1,%
11716     Border=\@pdfborder,%
11717     BorderStyle=\@pdfborderstyle,%
11718     Color=.2 .1 .5,%
11719     pdfmark=/ANN,%
11720     Subtype=/Link,%
11721     PDFAFlags=4,%
11722     Page=/Next%
11723   }%
11724 }
11725 \def\PDFPreviousPage{%
11726   \@ifnextchar[{\PDFPreviousPage@}{\PDFPreviousPage@[]}%
11727 }
11728 \def\PDFPreviousPage@[#1]{%
11729   \pdfmark{\#2}{%
11730     #1,%
11731     Border=\@pdfborder,%
11732     BorderStyle=\@pdfborderstyle,%
11733     Color=.4 .4 .1,%
11734     pdfmark=/ANN,%
11735     Subtype=/Link,%
11736     PDFAFlags=4,%
11737     Page=/Prev%
11738   }%
11739 }
11740 \def\PDFOpen#1{%
11741   \pdfmark{\#1,pdfmark=/DOCVIEW}%
11742 }

```

This will only work if you use Distiller 2.1 or higher.

```

11743 \def\hyper@linkurl#1#2{%
11744   \begingroup
11745     \Hy@pstringdef{\Hy@pstringURI{\#2}}%

```

```

11746 \hyper@chars
11747 \leavevmode
11748 \pdfmark[{\#1}]{%
11749   pdfmark=/ANN,%
11750   linktype=url,%
11751   AcroHighlight=\@pdfhighlight,%
11752   Border=\@pdfborder,%
11753   BorderStyle=\@pdfborderstyle,%
11754   Color=\@urlbordercolor,%
11755   Action={<<%
11756     /Subtype/URI%
11757     /URI(\Hy@pstringURI)%
11758     \ifHy@href@ismap
11759       /IsMap true%
11760     \fi
11761   >>},%
11762   Subtype=/Link,%
11763   PDFAFlags=4%
11764 }%
11765 \endgroup
11766 }
11767 \def\hyper@linkfile#1#2#3{%
11768 \begingroup
11769 \def\Hy@pstringF{\#2}%
11770 \Hy@CleanupFile\Hy@pstringF
11771 \Hy@pstringdef\Hy@pstringF\Hy@pstringF
11772 \Hy@pstringdef\Hy@pstringD{\#3}%
11773 \Hy@MakeRemoteAction
11774 \leavevmode
11775 \pdfmark[{\#1}]{%
11776   pdfmark=/ANN,%
11777   Subtype=/Link,%
11778   PDFAFlags=4,%
11779   AcroHighlight=\@pdfhighlight,%
11780   Border=\@pdfborder,%
11781   BorderStyle=\@pdfborderstyle,%
11782   linktype=file,%
11783   Color=\@filebordercolor,%
11784   Action={%
11785     <<%
11786     /S/GoToR%
11787     \Hy@SetNewWindow
11788     /F(\Hy@pstringF)%
11789     /D%
11790     \ifx\\#3\\%
11791       [\Hy@href@page\@pdfremotestartview]%
11792     \else
11793       (\Hy@pstringD)cvn%
11794     \fi
11795     \Hy@href@nextactionraw
11796     >>%
11797   }%
11798 }%
11799 \endgroup
11800 }
11801 \def\@hyper@launch run:#1\\#2#3{%
11802 \begingroup

```

```

11803  \Hy@pstringdef\Hy@pstringF{\#1}%
11804  \Hy@pstringdef\Hy@pstringP{\#3}%
11805  \leavevmode
11806  \pdfmark{\#2}{%
11807    pdfmark=/ANN,%
11808    Subtype=/Link,%
11809    PDFAFlags=4,%
11810    AcroHighlight=\@pdfhighlight,%
11811    Border=\@pdfborder,%
11812    BorderStyle=\@pdfborderstyle,%
11813    linktype=run,%
11814    Color=\@runbordercolor,%
11815    Action={%
11816      <<%
11817      /S/Launch%
11818      \Hy@SetNewWindow%
11819      /F(\Hy@pstringF)%
11820      \ifx\\#3\\%
11821      \else%
11822        /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
11823      \fi%
11824      \Hy@href@nextactionraw%
11825    >>%
11826  }%
11827 }%
11828 \endgroup
11829 }
11830 </pdfmark>

```

Unfortunately, some parts of the `pdfmark` PostScript code depend on vagaries of the dvi driver. We isolate here all the problems.

46.9 Rokicki's dvips

`dvips` thinks in 10ths of a big point, its coordinate space is resolution dependent, and its *y* axis starts at the top of the page. Other drivers can and will be different!

The work is done in `SDict`, because we add in some header definitions in a moment.

```

11831 (*dvips)
11832 \providecommand*\XR@ext{pdf}
11833 \let\Hy@raisedlink\ltx@empty
11834 \def\literalps@out#1{\special{ps:SDict begin #1 end}}%
11835 \def\headerps@out#1{\special{! #1}}%
11836 \input{pdfmark.def}%
11837 \ifx\@pdfproducer\relax
11838   \def\@pdfproducer{dvips + Distiller}%
11839 \fi
11840 \providecommand*\@pdfborder{0 0 1}
11841 \providecommand*\@pdfborderstyle{}
11842 \providecommand*\@pdfview{XYZ}
11843 \providecommand*\@pdfviewparams{ H.V}
11844 \def\Hy@BorderArrayPatch{BorderArrayPatch}
11845 \g@addto@macro\Hy@FirstPageHook{%
11846   \headerps@out{%

```

Unless I am going mad, this *appears* to be the relationship between the default coordinate system (PDF), and `dvips`;

```
/DvipsToPDF { .01383701 div Resolution div } def
/PDFToDvips { .01383701 mul Resolution mul } def
```

the latter's coordinates are resolution dependent, but what that .01383701 is, who knows? well, almost everyone except me, I expect...And yes, Maarten Gelderman <mgelderman@econ.vu.nl> points out that its 1/72.27 (the number of points to an inch, big points to inch is 1/72). This also suggests that the code would be more understandable (and exact) if 0.013 div would be replaced by 72.27 mul, so here we go. If this isn't right, I'll revert it.

```
11847 /DvipsToPDF{72.27 mul Resolution div} def%
11848 /PDFToDvips{72.27 div Resolution mul} def%
11849 /BPToDvips{72 div Resolution mul}def%
```

The values inside the /Boder array are not taken literally, but interpreted by ghostscript using the resolution of the dvi driver. I don't know how other distiller programs behaves in this manner.

```
11850 /BorderArrayPatch{%
11851 [exch{%
11852 dup dup type/integertype eq exch type/realtypes eq or%
11853 {BPToDvips}if%
11854 }forall]%
11855 }def%
```

The rectangle around the links starts off *exactly* the size of the box; we will to make it slightly bigger, 1 point on all sides.

```
11856 /HyperBorder {1 PDFToDvips} def%
11857 /H.V {pdf@hoff pdf@voff null} def%
11858 /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%
```

H.S (start of anchor, link, or rect) stores the *x* and *y* coordinates of the current point, in PDF coordinates

```
11859 /H.S {%
11860 currentpoint %
11861 HyperBorder add /pdf@lly exch def %
11862 dup DvipsToPDF 72 add /pdf@hoff exch def %
11863 HyperBorder sub /pdf@llx exch def%
11864 } def%
```

The calculation of upper left *y* is done without raising the point in T_EX, by simply adding on the current \baselineskip to the current *y*. This is usually too much, so we remove a notional 2 points.

We have to see what the current baselineskip is, and convert it to the dvips coordinate system.

Argument: baselineskip in pt. The *x* and *y* coordinates of the current point, minus the baselineskip

```
11865 /H.L {%
11866 2 sub dup%
11867 /HyperBasePt exch def %
11868 PDFToDvips /HyperBaseDvips exch def %
11869 currentpoint %
11870 HyperBaseDvips sub /pdf@ury exch def%
11871 /pdf@urx exch def%
11872 } def%
11873 /H.A {%
11874 H.L %
11875 % |/pdf@voff| = the distance from the top of the page to a point
11876 % |\baselineskip| above the current point in PDF coordinates
```

```

11877     currentpoint exch pop %
11878     vsize 72 sub exch DvipsToPDF %
11879     HyperBasePt sub % baseline skip
11880     sub /pdf@voff exch def%
11881   } def%
11882   /H.R {%
11883     currentpoint %
11884     HyperBorder sub /pdf@ury exch def %
11885     HyperBorder add /pdf@urx exch def %
11886 % |/pdf@voff| = the distance from the top of the page to the current point, in
11887 % PDF coordinates
11888     currentpoint exch pop vsize 72 sub %
11889     exch DvipsToPDF sub /pdf@voff exch def%
11890   } def%
11891 }%
11892 }
11893 \AtBeginShipoutFirst{%
11894   \ifHy@setpagesize
11895     \begingroup
11896       \@ifundefined{stockwidth}{%
11897         \ifdim\paperwidth>\z@
11898           \ifdim\paperheight>\z@
11899             \special{papersize=\the\paperwidth,\the\paperheight}%
11900           \fi
11901         \fi
11902       }{%
11903         \ifdim\stockwidth>\z@
11904           \ifdim\stockheight>\z@
11905             \special{papersize=\the\stockwidth,\the\stockheight}%
11906           \fi
11907         \fi
11908       }%
11909     \endgroup
11910   \fi
11911   \Hy@DisableOption{setpagesize}%
11912 }
11913 </dvips>

```

46.10 VTeX's `vtexpdfmark` driver

This part is derived from the dvips (many names reflect this).

The origin seems to be the same as TeX's origin, 1 in from the left and 1 in downwards from the top. The direction of the y axis is downwards, the opposite of the dvips case. Units seems to be pt or bp.

```

11914 {*vtexpdfmark}
11915 \providecommand*{\XR@ext}{pdf}
11916 \let\Hy@raisedlink\ltx@empty
11917 \def\literalps@out#1{\special{pS:#1}}%
11918 \def\headerps@out#1{\immediate\special{pS:#1}}%
11919 \input{pdfmark.def}%
11920 \ifx\@pdfproducer\relax
11921   \ifnum\OpMode=\@ne
11922     \def\@pdfproducer{VTeX}%
11923   \else
11924     \def\@pdfproducer{VTeX + Distiller}%
11925   \fi
11926 \fi

```

```

11927 \providecommand*\@pdfborder{0 0 1}
11928 \providecommand*\@pdfborderstyle{}
11929 \providecommand*\@pdfview{XYZ}
11930 \providecommand*\@pdfviewparams{ H.V}
11931 \g@addto@macro\Hy@FirstPageHook{%
11932   \headerps@out{%
11933     /vsize {\Hy@pageheight} def%

```

The rectangle around the links starts off *exactly* the size of the box; we will make it slightly bigger, 1 point on all sides.

```

11934   /HyperBorder {1} def%
11935   /H.V {pdf@hoff pdf@voff null} def%
11936   /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%

```

`H.S` (start of anchor, link, or rect) stores the x and y coordinates of the current point, in PDF coordinates: $\text{pdf}@lly = Y_c - \text{HyperBorder}$, $\text{pdf}@hoff = X_c + 72$, $\text{pdf}@llx = X_c - \text{HyperBorder}$

```

11937   /H.S {%
11938     currentpoint %
11939     HyperBorder sub%
11940     /pdf@lly exch def %
11941     dup 72 add /pdf@hoff exch def %
11942     HyperBorder sub%
11943     /pdf@llx exch def%
11944   } def%

```

The x and y coordinates of the current point, minus the `\baselineskip`: $\text{pdf}@ury = Y_c + \text{HyperBasePt} + \text{HyperBorder}$, $\text{pdf}@urx = X_c + \text{HyperBorder}$

```

11945   /H.L {%
11946     2 sub%
11947     /HyperBasePt exch def %
11948     currentpoint %
11949     HyperBasePt add HyperBorder add%
11950     /pdf@ury exch def %
11951     HyperBorder add%
11952     /pdf@urx exch def%
11953   } def%
11954   /H.A {%
11955     H.L %
11956     currentpoint exch pop %
11957     vsize 72 sub exch %
11958     HyperBasePt add add%
11959     /pdf@voff exch def%
11960   } def%

```

$\text{pdf}@ury} = Y_c + \text{HyperBorder}$, $\text{pdf}@urx} = X_c + \text{HyperBorder}$

```

11961   /H.R {%
11962     currentpoint %
11963     HyperBorder add%
11964     /pdf@ury exch def %
11965     HyperBorder add%
11966     /pdf@urx exch def %
11967     currentpoint exch pop vsize 72 sub add%
11968     /pdf@voff exch def%
11969   } def%
11970 }%
11971 }
11972 
```

46.11 Textures

```
11973 {*textures}
11974 \providecommand*\{XR@ext\}{pdf}
```

At the suggestion of Jacques Distler (distler@golem.ph.utexas.edu), try to derive a suitable driver for Textures. This was initially a copy of dvips, with some guesses about Textures behaviour. Ross Moore (ross@maths.mq.edu.au) has added modifications for better compatibility, and to support use of pdfmark.

Start by defining a macro that expands to the end-of-line character. This will be used to format the appearance of PostScript code, to enhance readability, and avoid excessively long lines which might otherwise become broken to bad places.

\Hy@ps@CR The macro \Hy@ps@CR contains the end-of-line character.

```
11975 \begingroup
11976 \obeylines %
11977 \gdef\Hy@ps@CR{\noexpand
11978 }%
11979 \endgroup %
```

Textures has two types of \special command for inserting PostScript code directly into the dvi output. The ‘postscript’ way preserves TeX’s idea of where on the page the \special occurred, but it wraps the contents with a `save-restore` pair, and adjusts the user-space coordinate system for local drawing commands. The ‘rawpostscript’ way simply inserts code, without regard for the location on the page.

Thus, to put arbitrary PostScript coding at a fixed location requires using *both* \special constructions. It works by pushing the device-space coordinates onto the operand stack, where they can be used to transform back to the correct user-space coordinates for the whole page, within a ‘rawpostscript’ \special.

```
11980 \def\literalps@out#1{%
11981 \special{postscript 0 0 transform}%
11982 \special{rawpostscript itransform moveto\Hy@ps@CR #1}%
11983 }%
11984 %
```

The ‘prepostscript’ is a 3rd kind of \special, used for inserting definitions into the dictionaries, before page-building begins. These are to be available for use on all pages.

```
11985 \def\headerps@out#1{%
11986 \special{%
11987 prepostscript TeXdict begin\Hy@ps@CR
11988 #1\Hy@ps@CR
11989 end%
11990 }%
11991 }%
11992 %
```

To correctly support the pdfmark method, for embedding PDF definitions with .ps files in a non-intrusive way, an appropriate definition needs to be made *before* the file `pdfmark.def` is read. Other parameters are best set afterwards.

```
11993 \g@addto@macro\Hy@FirstPageHook{%
11994 \headerps@out{%
11995 /betterpdfmark {%
11996 systemdict begin %
11997 dup /BP eq%
11998 {cleartomark gsave nulldevice []%
```

```

11999 {dup /EP eq%
12000   {cleartomark cleartomark grestore}%
12001   {cleartomark}%
12002   ifelse%
12003 }ifelse %
12004 end%
12005 }def\Hy@ps@CR
12006 __pdfmark__ not{/pdfmark /betterpdfmark load def}if%
12007 }% end of \headerps@out
12008 }% end of \AtBeginShipoutFirst
12009 %
12010 \input{pdfmark.def}%
12011 %
12012 \ifx\@pdfproducer\relax
12013 \def\@pdfproducer{Textures + Distiller}%
12014 \fi
12015 \providecommand*\@pdfborder{0 0 1}
12016 \providecommand*\@pdfborderstyle{}
12017 \providecommand*\@pdfview{XYZ}
12018 \providecommand*\@pdfviewparams{ H.V}
12019 %

```

These are called at the start and end of unboxed links; their job is to leave available PS variables called `pdf@llx pdf@lly pdf@urx pdf@ury`, which are the coordinates of the bounding rectangle of the link, and `pdf@hoff pdf@voff` which are the PDF page offsets. The Rect pair are called at the LL and UR corners of a box known to TeX.

```

12020 \Hy@AtBeginDocument{%
12021 \headerps@out{%

```

Textures lives in normal points, I think. So conversion from one coordinate system to another involves doing nothing.

```

12022 /vsize {\Hy@pageheight} def%
12023 /DvipsToPDF {} def%
12024 /PDFToDvips {} def%
12025 /BPToDvips {} def%
12026 /HyperBorder { 1 PDFToDvips } def\Hy@ps@CR
12027 /H.V {pdf@hoff pdf@voff null} def\Hy@ps@CR
12028 /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def\Hy@ps@CR
12029 /H.S {%
12030   currentpoint %
12031   HyperBorder add /pdf@lly exch def %
12032   dup DvipsToPDF 72 add /pdf@hoff exch def %
12033   HyperBorder sub /pdf@llx exch def%
12034 } def\Hy@ps@CR
12035 /H.L {%
12036   2 sub %
12037   PDFToDvips /HyperBase exch def %
12038   currentpoint %
12039   HyperBase sub /pdf@ury exch def%
12040   /pdf@urx exch def%
12041 } def\Hy@ps@CR
12042 /H.A {%
12043   H.L %
12044   currentpoint exch pop %
12045   vsize 72 sub exch DvipsToPDF %
12046   HyperBase sub % baseline skip
12047   sub /pdf@voff exch def%

```

```

12048 } def\Hy@ps@CR
12049 /H.R {%
12050 currentpoint %
12051 HyperBorder sub /pdf@ury exch def %
12052 HyperBorder add /pdf@urx exch def %
12053 currentpoint exch pop vsize 72 sub %
12054 exch DvipsToPDF sub /pdf@voff exch def%
12055 } def\Hy@ps@CR
12056 }%
12057 }

12058 \Hy@AtBeginDocument{%
12059 \ifHy@colorlinks
12060 \headerps@out{/PDFBorder{/Border [0 0 0]}def}%
12061 \fi
12062 }

```

Textures provides built-in support for HyperTeX specials so this part combines code from `hypertex.def` with what is established by loading `pdfmark.def`, or any other driver.

```

12063 \expandafter\let\expandafter\keepPDF@SetupDoc
12064 \csname PDF@SetupDoc\endcsname
12065 \def\PDF@SetupDoc{%
12066 \ifx\@baseurl\@empty
12067 \else
12068 \special{html:<base href="\@baseurl">}%
12069 \fi
12070 \keepPDF@SetupDoc
12071 }
12072 \Hy@WrapperDef\hyper@anchor{\#1}{%
12073 \Hy@SaveLastskip
12074 \Hy@VerboseAnchor{\#1}%
12075 \begingroup
12076 \let\protect=\string
12077 \special{html:<a name=%
12078 \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote>}%
12079 \endgroup
12080 \Hy@activeanchortrue
12081 \Hy@colorlink\@anchorcolor\anchor@spot\Hy@endcolorlink
12082 \special{html:</a>}%
12083 \Hy@activeanchorfalse
12084 \Hy@RestoreLastskip
12085 }
12086 \Hy@WrapperDef\hyper@anchorstart{\#1}{%
12087 \Hy@SaveLastskip
12088 \Hy@VerboseAnchor{\#1}%
12089 \begingroup
12090 \hyper@chars
12091 \special{html:<a name=%
12092 \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote>}%
12093 \endgroup
12094 \Hy@activeanchortrue
12095 }
12096 \def\hyper@anchorend{%
12097 \special{html:</a>}%
12098 \Hy@activeanchorfalse
12099 \Hy@RestoreLastskip
12100 }

```

```

12101 \def\@urltype{url}
12102 \def\hyper@linkstart#1#2{%
12103   \Hy@VerboseLinkStart{#1}{#2}%
12104   \expandafter\Hy@colorlink\csname @#1color\endcsname
12105   \def\Hy@tempa{#1}%
12106   \ifx\Hy@tempa\@urltype
12107     \special{html:<a href=\hyper@quote#2\hyper@quote>}%
12108   \else
12109     \begingroup
12110       \hyper@chars
12111       \special{%
12112         html:<a href=%
12113           \hyper@quote\#\HyperDestNameFilter{#2}\hyper@quote%}
12114       }%
12115     \endgroup
12116   \fi
12117 }
12118 \def\hyper@linkend{%
12119   \special{html:</a>}%
12120   \Hy@endcolorlink
12121 }
12122 \def\hyper@linkfile#1#2#3{%
12123   \hyper@linkurl{#1}%
12124   \Hy@linkfileprefix#2\ifx\\#3\\else\\#3\fi
12125 }%
12126 }
12127 \def\hyper@linkurl#1#2{%
12128   \leavevemode
12129   \ifHy@raiselinks
12130     \Hy@SaveSpaceFactor
12131     \Hy@SaveSavedSpaceFactor
12132     \sbox{\tempboxa{\Hy@RestoreSpaceFactor#1}}%
12133     \Hy@RestoreSavedSpaceFactor
12134     \linkdim\dp\tempboxa
12135     \lower\linkdim\hbox{%
12136       \hyper@chars
12137       \special{html:<a href=\hyper@quote#2\hyper@quote>}%
12138     }%
12139     \Hy@colorlink\@urlcolor
12140     \Hy@RestoreSpaceFactor
12141     #1\Hy@xspace@end
12142     \Hy@SaveSpaceFactor
12143     \linkdim\ht\tempboxa
12144     \advance\linkdim by -6.5\p@
12145     \raise\linkdim\hbox{\special{html:</a>}}%
12146   \Hy@endcolorlink
12147   \Hy@RestoreSpaceFactor
12148 \else
12149   \begingroup
12150     \hyper@chars
12151     \special{html:<a href=\hyper@quote#2\hyper@quote>}%
12152     \Hy@colorlink\@urlcolor#1\Hy@xspace@end
12153     \special{html:</a>}%
12154     \Hy@endcolorlink
12155   \endgroup
12156 \fi
12157 }

```

Very poor implementation of \hyper@link without considering #1.

```
12158 \def\hyper@link#1#2#3{%
12159   \Hy@VerboseLinkStart{#1}{#2}%
12160   \hyper@linkurl{#3}{\#\HyperDestNameFilter{#2}}%
12161 }
12162 \def\hyper@image#1#2{%
12163   \begingroup
12164   \hyper@chars
12165   \special{html:<img src=\hyper@quote#1\hyper@quote>}%
12166   \endgroup
12167 }
12168 </textures>
```

46.12 dvipsone

```
12169 % \subsection{dvipsone driver}
12170 % Over-ride the default setup macro in pdfmark driver to use Y\&Y
12171 % |\special| commands.
12172 {*dvipsone}
12173 \providecommand*\XR@ext{pdf}
12174 \let\Hy@raisedlink\ltx@empty
12175 \providecommand*\pdfborder{0 0 1}
12176 \providecommand*\pdfborderstyle{}
12177 \def\literalps@out#1{\special{ps:#1}}%
12178 \def\headerps@out#1{\special{headertext=#1}}%
12179 \input{pdfmark.def}%
12180 \ifx\@pdfproducer\relax
12181 \def\@pdfproducer{dvipsone + Distiller}%
12182 \fi
12183 \HyInfo@AddonUnsupportedtrue
12184 \def\PDF@FinishDoc{%
12185   \Hy@UseMaketitleInfos
12186   \HyInfo@TrappedUnsupported
12187   \special{PDF: Keywords \@pdfkeywords}%
12188   \special{PDF: Title \@pdftitle}%
12189   \special{PDF: Creator \@pdfcreator}%
12190   \ifx\@pdfcreationdate\@empty
12191   \else
12192     \special{PDF: CreationDate \@pdfcreationdate}%
12193   \fi
12194   \ifx\@pdfmoddate\@empty
12195   \else
12196     \special{PDF: ModDate \@pdfmoddate}%
12197   \fi
12198   \special{PDF: Author \@pdfauthor}%
12199   \ifx\@pdfproducer\relax
12200   \else
12201     \special{PDF: Producer \@pdfproducer}%
12202   \fi
12203   \special{PDF: Subject \@pdfsubject}%
12204   \Hy@DisableOption{pdfauthor}%
12205   \Hy@DisableOption{pdftitle}%
12206   \Hy@DisableOption{pdfsubject}%
12207   \Hy@DisableOption{pdfcreator}%
12208   \Hy@DisableOption{pdfcreationdate}%
12209   \Hy@DisableOption{pdfmoddate}%
12210   \Hy@DisableOption{pdfproducer}%
}
```

```

12211 \Hy@DisableOption{pdfkeywords}%
12212 \Hy@DisableOption{pdftrapped}%
12213 \Hy@DisableOption{pdfinfo}%
12214 }
12215 \def\PDF@SetupDoc{%
12216 \def\Hy@temp{}%
12217 \ifx\@pdfstartpage\@empty
12218 \else
12219 \ifx\@pdfstartview\@empty
12220 \else
12221 \edef\Hy@temp{%
12222 ,Page=\@pdfstartpage
12223 ,View=\@pdfstartview
12224 }%
12225 \fi
12226 \fi
12227 \edef\Hy@temp{%
12228 \noexpand\pdfmark{%
12229 pdfmark=/DOCVIEW,%
12230 PageMode=/\@pdfpagemode
12231 \Hy@temp
12232 }%
12233 }%
12234 \Hy@temp
12235 \ifx\@pdfpagescrop\@empty
12236 \else
12237 \pdfmark{pdfmark=/PAGES,CropBox=\@pdfpagescrop}%
12238 \fi
12239 \edef\Hy@temp{%
12240 \ifHy@pdftoolbar\else /HideToolbar true\fi
12241 \ifHy@pdfmenubar\else /HideMenubar true\fi
12242 \ifHy@pdfwindowui\else /HideWindowUI true\fi
12243 \ifHy@pdffitwindow /FitWindow true\fi
12244 \ifHy@pdfcenterwindow /CenterWindow true\fi
12245 \ifHy@pdfdisplaydoctitle /DisplayDocTitle true\fi
12246 \Hy@UseNameKey{NonFullScreenPageMode}\@pdfnonfullscreenpagemode
12247 \Hy@UseNameKey{Direction}\@pdfdirection
12248 \Hy@UseNameKey{ViewArea}\@pdfviewarea
12249 \Hy@UseNameKey{ViewClip}\@pdfviewclip
12250 \Hy@UseNameKey{PrintArea}\@pdfprintarea
12251 \Hy@UseNameKey{PrintClip}\@pdfprintclip
12252 \Hy@UseNameKey{PrintScaling}\@pdfprintscaling
12253 \Hy@UseNameKey{Duplex}\@pdfduplex
12254 \ifx\@pdfpicktraybypdfsize\@empty
12255 \else
12256 /PickTrayByPDFSize \@pdfpicktraybypdfsize
12257 \fi
12258 \ifx\@pdfprintpagerange\@empty
12259 \else
12260 /PrintPageRange[\@pdfprintpagerange]%
12261 \fi
12262 \ifx\@pdfnumcopies\@empty
12263 \else
12264 /NumCopies \@pdfnumcopies
12265 \fi
12266 }%
12267 \Hy@pstringdef\Hy@pstringB{\@baseurl}%

```

```

12268 \pdfmark{%
12269   pdfmark=/PUT,%
12270   Raw={%
12271     \string{Catalog\string}<<%
12272     \ifx\Hy@temp\@empty
12273     \else
12274       /ViewerPreferences<<\Hy@temp>>%
12275     \fi
12276     \Hy@UseNameKey{PageLayout}\@pdfpagelayout
12277     \ifx\@pdflang\@empty
12278     \else
12279       /Lang(\@pdflang)%
12280     \fi
12281     \ifx\@baseurl\@empty
12282     \else
12283       /URI<</Base(\Hy@pstringB)>>%
12284     \fi
12285   >>%
12286 }
12287 }%
12288 }
12289 \providecommand*\@pdfview{XYZ}%
12290 \providecommand*\@pdfviewparams{ %
12291   gsave revscl currentpoint grestore %
12292   72 add exch pop null exch null%
12293 }%
12294 \def\Hy@BorderArrayPatch{BorderArrayPatch}

```

These are called at the start and end of unboxed links; their job is to leave available PS variables called `pdf@llx pdf@lly pdf@urx pdf@ury`, which are the coordinates of the bounding rectangle of the link, and `pdf@hoff pdf@voff` which are the PDF page offsets. These latter are currently not used in the dvipsone setup. The Rect pair are called at the LL and UR corners of a box known to `TEX`.

```

12295 \g@addto@macro\Hy@FirstPageHook{%
12296   \headerps@out{%
dvipsone lives in scaled points; does this mean 65536 or 65781?
12297   /DvipsToPDF { 65781 div } def%
12298   /PDFToDvips { 65781 mul } def%
12299   /BPToDvips{65781 mul}def%
12300   /HyperBorder { 1 PDFToDvips } def%
12301   /H.B {/Rect[pdf@llx pdf@lly pdf@urx pdf@ury]} def%

```

The values inside the `/Boder` array are not taken literally, but interpreted by ghostscript using the resolution of the dvi driver. I don't know how other distiller programs behaves in this manner.

```

12302 /BorderArrayPatch{%
12303   [exch{%
12304     dup dup type/integertype eq exch type/realtypes eq or%
12305     {BPToDvips}if%
12306   }forall]%
12307 }def%
12308 /H.S {%
12309   currentpoint %
12310   HyperBorder add /pdf@lly exch def %
12311   dup DvipsToPDF 72 add /pdf@hoff exch def %
12312   HyperBorder sub /pdf@llx exch def%
12313 } def%
12314 /H.L {%

```

```

12315    2 sub %
12316    PDFToDvips /HyperBase exch def %
12317    currentpoint %
12318    HyperBase sub /pdf@ury exch def%
12319    /pdf@urx exch def%
12320    } def%
12321    /H.A {%
12322    H.L %
12323    currentpoint exch pop %
12324    HyperBase sub % baseline skip
12325    DvipsToPDF /pdf@voff exch def%
12326    } def%
12327    /H.R {%
12328    currentpoint %
12329    HyperBorder sub /pdf@ury exch def %
12330    HyperBorder add /pdf@urx exch def %
12331    currentpoint exch pop DvipsToPDF /pdf@voff exch def%
12332    } def%
12333  }%
12334 }
12335 </dvipsone>

```

46.13 TeX4ht

```

12336 <*tex4ht>
12337 \providecommand{\XR@ext}{\html}
12338 \let\Hy@raisedlink\ltx@empty
12339 \@ifpackageloaded{tex4ht}{%
12340   \Hy@InfoNoLine{tex4ht is already loaded}%
12341 }{%
12342   \RequirePackage[htex4ht]{tex4ht}%
12343 }
12344 \hyperlinkfileprefix{%
12345 \let\PDF@FinishDoc\ltx@empty
12346 \def\PDF@SetupDoc{%
12347   \ifx\@baseurl\@empty
12348   \else
12349     \special{t4ht=<base href="\@baseurl">}%
12350   \fi
12351 }
12352 \Hy@WrapperDef\hyper@anchor{\#1}{%
12353   \Hy@SaveLastskip
12354   \Hy@VerboseAnchor{\#1}%
12355   \begingroup
12356     \let\protect=\string
12357     \special{t4ht=<a name=%
12358       \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote>}%
12359   \endgroup
12360   \Hy@activeanchortrue
12361   \Hy@colorlink@\anchorcolor\anchor@spot\Hy@endcolorlink
12362   \special{t4ht=</a>}%
12363   \Hy@activeanchorfalse
12364   \Hy@RestoreLastskip
12365 }
12366 \Hy@WrapperDef\hyper@anchorstart{\#1}{%
12367   \Hy@SaveLastskip
12368   \Hy@VerboseAnchor{\#1}%
12369   \begingroup

```

```

12370   \hyper@chars\special{t4ht=<a name=%
12371       \hyper@quote\HyperDestNameFilter{\#1}\hyper@quote}%
12372   \endgroup
12373   \Hy@activeanchortrue
12374 }
12375 \def\hyper@anchorend{%
12376   \special{t4ht=</a>}%
12377   \Hy@activeanchorfalse
12378   \Hy@RestoreLastskip
12379 }
12380 \def\@urltype{url}
12381 \def\hyper@linkstart#1#2{%
12382   \Hy@VerboseLinkStart{#1}{#2}%
12383   \expandafter\Hy@colorlink\csname @#1color\endcsname
12384   \def\Hy@tempa{#1}%
12385   \ifx\Hy@tempa\@urltype
12386     \special{t4ht=<a href=\hyper@quote#2\hyper@quote}%
12387   \else
12388     \begingroup
12389       \hyper@chars
12390       \special{t4ht=<a href=%
12391           \hyper@quote\#\HyperDestNameFilter{\#2}\hyper@quote}%
12392     \endgroup
12393   \fi
12394 }
12395 \def\hyper@linkend{%
12396   \special{t4ht=</a>}%
12397   \Hy@endcolorlink
12398 }
12399 \def\hyper@linkfile#1#2#3{%
12400   \hyper@linkurl{#1}{\Hy@linkfileprefix#2\ifx\\#3\\ \else##3\fi}%
12401 }
12402 \def\hyper@linkurl#1#2{%
12403   \leavevemode
12404   \ifHy@raiselinks
12405     \Hy@SaveSpaceFactor
12406     \Hy@SaveSavedSpaceFactor
12407     \sbox{\tempboxa{\Hy@RestoreSpaceFactor#1}}%
12408     \Hy@RestoreSavedSpaceFactor
12409     \linkdim\dp\tempboxa
12410     \lower\linkdim\hbox{%
12411       \begingroup
12412         \hyper@chars
12413         \special{%
12414             t4ht=<a href=\hyper@quote#2\hyper@quote}%
12415         }%
12416       \endgroup
12417     }%
12418   \Hy@colorlink\curlcolor
12419   \Hy@RestoreSpaceFactor
12420   #1\Hy@xspace\end
12421   \Hy@SaveSpaceFactor
12422   \Hy@endcolorlink
12423   \linkdim\ht\tempboxa
12424   \advance\linkdim by -6.5\p@
12425   \raise\linkdim\hbox{\special{t4ht=</a>}}%
12426   \Hy@RestoreSpaceFactor

```

```

12427 \else
12428   \begingroup
12429     \hyper@chars
12430     \special{t4ht=<a href=\hyper@quote#2\hyper@quote>}%
12431     \Hy@colorlink\@urlcolor
12432     #1\Hy@xspace@end
12433     \Hy@endcolorlink
12434     \special{t4ht=</a>}%
12435   \endgroup
12436 \fi
12437 }

```

Poor implementation of \hyper@link without considering #1.

```

12438 \def\hyper@link#1#2#3{%
12439   \Hy@VerboseLinkStart{#1}{#2}%
12440   \hyper@linkurl{#3}{\#\HyperDestNameFilter{#2}}%
12441 }
12442 \def\hyper@image#1#2{%
12443   \begingroup
12444     \hyper@chars
12445     \special{t4ht=<img src=\hyper@quote#1\hyper@quote>}%
12446   \endgroup
12447 }
12448 \let\autoref\ref
12449 \ifx \rEfLiNK \UnDef
12450   \def\rEfLiNK #1#2{#2}%
12451 \fi
12452 \let\backref\ltx@gobble

```

Fix for tex4ht.

```

12453 \AtBeginDocument{%
12454   \expandafter
12455   \let\expandafter\Hy@OrgMakeLabel\csname Make:Label\endcsname
12456   \expandafter\def\csname Make:Label\endcsname#1#2{%
12457     \ifhmode
12458       \Hy@SaveSpaceFactor
12459     \else
12460       \global\Hy@SavedSpaceFactor=1000 %
12461     \fi
12462     \Hy@OrgMakeLabel{#1}{%
12463       \Hy@RestoreSpaceFactor
12464       #2\Hy@xspace@end%
12465       \Hy@SaveSpaceFactor
12466     }%
12467     \Hy@RestoreSpaceFactor
12468   }%
12469 }
12470 </tex4ht>
12471 /*tex4htcfg*/
12472 \IfFileExists{\jobname.cfg}{\endinput}{}
12473 \Preamble{html}
12474 \begin{document}%
12475 \EndPreamble
12476 \def\TeX{TeX}
12477 \def\OMEGA{Omega}
12478 \def\LaTeX{La\TeX}
12479 \def\LaTeXe{\LaTeX2e}
12480 \def\TeXe{e\TeX}
12481 \def\MF{Metafont}

```

12482 \def\MP{MetaPost}

12483 </tex4htcfg>

47 Driver-specific form support

47.1 pdfmarks

```
12484 /*pdfmark*/
12485 \long\def\@Form[#1]{%
12486 \g@addto@macro\Hy@FirstPageHook{%
12487 \headerps@out{%
12488 [%}
12489 /_objdef{pdfDocEncoding}%
12490 /type/dict%
12491 /OBJ pdfmark%
12492 [%}
12493 {pdfDocEncoding}%
12494 <<%
12495 /Type/Encoding%
12496 /Differences[%
12497 24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek/ring%
12498 /tilde %
12499 39/quotesingle %
12500 96/grave %
12501 128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
12502 /fraction/guilsinglleft/guilsinglright/minus/perthousand%
12503 /quotedblbase/quotedblleft/quotedblright/quotelleft%
12504 /quoteright/quotesinglbase/trademark/fi/fl/Lslash/OE/Scaron%
12505 /Ydieresis/Zcaron/dotlessi/lslash/oe/scaron/zcaron %
12506 164/currency %
12507 166/brokenbar %
12508 168/dieresis/copyright/ordfeminine %
12509 172/logicalnot/notdef/registered/macron/degree/plusminus%
12510 /twosuperior/threesuperior/acute/mu %
12511 183/periodcentered/cedilla/onesuperior/ordmasculine %
12512 188/onequarter/onehalf/threequarters %
12513 192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
12514 /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave%
12515 /Iacute/Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute%
12516 /Ocircumflex/Otilde/Odieresis/multiply/Oslash/Ugrave%
12517 /Uacute/Ucircumflex/Udieresis/Yacute/Thorn/germandbls%
12518 /agrave/aacute/acircumflex/tilde/adieresis/aring/ae%
12519 /ccedilla/egrave/eacute/ecircumflex/edieresis/igrave%
12520 /iacute/icircumflex/idieresis/eth/ntilde/ograve/oacute%
12521 /ocircumflex/otilde/odieresis/divide/oslash/ugrave/uacute%
12522 /ucircumflex/udieresis/yacute/thorn/ydieresis%
12523 ]%
12524 >>%
12525 /PUT pdfmark%
12526 [%}
12527 /_objdef{ZaDb}%
12528 /type/dict%
12529 /OBJ pdfmark%
12530 [%}
12531 {ZaDb}%
12532 <<%
12533 /Type/Font%
12534 /Subtype/Type1%
```

```
12535 /Name/ZaDb%
12536 /BaseFont/ZapfDingbats%
12537 >>%
12538 /PUT pdfmark%
12539 [% 
12540 /_objdef{Helv}%
12541 /type/dict%
12542 /OBJ pdfmark%
12543 [% 
12544 {Helv}%
12545 <<%
12546 /Type/Font%
12547 /Subtype/Type1%
12548 /Name/Helv%
12549 /BaseFont/Helvetica%
12550 /Encoding{pdfDocEncoding}%
12551 >>%
12552 /PUT pdfmark%
12553 [% 
12554 /_objdef{aform}%
12555 /type/dict%
12556 /OBJ pdfmark%
12557 [% 
12558 /_objdef{afields}%
12559 /type/array%
12560 /OBJ pdfmark%
12561 {%
12562 [% 
12563 /BBox[0 0 100 100]%
12564 /_objdef{Check}%
12565 /BP pdfmark %
12566 1 0 0 setrgbcolor%
12567 /ZapfDingbats 80 selectfont %
12568 20 20 moveto%
12569 (4)show%
12570 [/EP pdfmark%
12571 [% 
12572 /BBox[0 0 100 100]%
12573 /_objdef{Cross}%
12574 /BP pdfmark %
12575 1 0 0 setrgbcolor%
12576 /ZapfDingbats 80 selectfont %
12577 20 20 moveto%
12578 (8)show%
12579 [/EP pdfmark%
12580 [% 
12581 /BBox[0 0 250 100]%
12582 /_objdef{Submit}%
12583 /BP pdfmark %
12584 0.6 setgray %
12585 0 0 250 100 rectfill %
12586 1 setgray %
12587 2 2 moveto %
12588 2 98 lineto %
12589 248 98 lineto %
12590 246 96 lineto %
12591 4 96 lineto %
```

```

12592 4 4 lineto %
12593 fill %
12594 0.34 setgray %
12595 248 98 moveto %
12596 248 2 lineto %
12597 2 2 lineto %
12598 4 4 lineto %
12599 246 4 lineto %
12600 246 96 lineto %
12601 fill%
12602 /Helvetica 76 selectfont %
12603 0 setgray %
12604 8 22.5 moveto%
12605 (Submit)show%
12606 [/EP pdfmark%
12607 [%]
12608 /BBox[0 0 250 100]%
12609 /_objdef{SubmitP}%
12610 /EP pdfmark %
12611 0.6 setgray %
12612 0 0 250 100 rectfill %
12613 0.34 setgray %
12614 2 2 moveto %
12615 2 98 lineto %
12616 248 98 lineto %
12617 246 96 lineto %
12618 4 96 lineto %
12619 4 4 lineto %
12620 fill %
12621 1 setgray %
12622 248 98 moveto %
12623 248 2 lineto %
12624 2 2 lineto %
12625 4 4 lineto %
12626 246 4 lineto %
12627 246 96 lineto %
12628 fill%
12629 /Helvetica 76 selectfont %
12630 0 setgray %
12631 10 20.5 moveto%
12632 (Submit)show%
12633 [/EP pdfmark%
12634 } ?pdfmark%
12635 [%]
12636 {aform}%
12637 <<%
12638 /Fields{afields}%
12639 /DR<<%
12640 /Font<<%
12641 /ZaDb{ZaDb}%
12642 /Helv{Helv}%
12643 >>%
12644 >>%
12645 /DA(/Helv 10 Tf 0 g)%
12646 /CO{corder}%
12647 \ifHy@pdfa
12648 \else

```

```

12649      \ifHyField@NeedAppearances
12650          /NeedAppearances true%
12651      \fi
12652  \fi
12653  >>%
12654 /PUT pdfmark%
12655 [%]
12656 {Catalog}%
12657 <<%
12658 /AcroForm{aform}%
12659 >>%
12660 /PUT pdfmark%
12661 [%]
12662 /_objdef{corder}%
12663 /type/array%
12664 /OBJ pdfmark% dps
12665 }]%
12666 \kvsetkeys{Form}{#1}%
12667 }
12668 \let\@endForm\ltx@empty
12669 \def\@Gauge[#1]#2#3#4{%
  parameters, label, minimum, maximum
  \Hy@Message{Sorry, pdfmark drivers do not support FORM gauges}%
}
12671 }
12672 \def\@TextField[#1]#2{%
  parameters, label
  \def\Fld@name{#2}%
  \let\Fld@default\ltx@empty
  \let\Fld@value\@empty
  \def\Fld@width{\DefaultWidthofText}%
  \def\Fld@height{%
    \ifFld@multiline
      \DefaultHeightofTextMultiline
    \else
      \DefaultHeightofText
    \fi
  }%
  \begingroup
  \expandafter\HyField@SetKeys\expandafter{%
    \DefaultOptionsofText,#1%
  }%
  \HyField@FlagsText
  \ifFld@hidden\def\Fld@width{1sp}\fi
  \ifx\Fld@value\@empty\def\Fld@value{\Fld@default}\fi
  \LayoutTextField{#2}{%
    \leavevmode
    \Hy@escapeform\PDFForm@Text
    \pdfmark[\MakeTextField{\Fld@width}{\Fld@height}]{%
      pdfmark=/ANN,Raw={\PDFForm@Text}%
    }%
  }%
  \endgroup
}
12699 }
12700 \def\@ChoiceMenu[#1]#2#3{%
  parameters, label, choices
  \def\Fld@name{#2}%
  \let\Fld@default\relax
  \let\Fld@value\relax
  \def\Fld@width{\DefaultWidthofChoiceMenu}%
  \def\Fld@height{\DefaultHeightofChoiceMenu}%
}

```

```

12706 \begingroup
12707   \Fld@menulength=0 %
12708   \tempdima\z@
12709   \for\curropt:=#3\do{%
12710     \expandafter\Ifld@checkequals\curropt==\\%
12711     \Hy@StepCount\Fld@menulength
12712     \setwidht{\tempdimb}{\currDisplay}%
12713     \ifdim\tempdimb>\tempdima\tempdima\tempdimb\fi
12714   }%
12715   \advance\tempdima by 15\p@
12716   \begingroup
12717     \HyField@SetKeys{#1}%
12718   \edef\x{\endgroup
12719     \noexpand\expandafter
12720     \noexpand\HyField@SetKeys
12721     \noexpand\expandafter{%
12722       \expandafter\noexpand\csname DefaultOptionsof%
12723         \ifFld@radio
12724           Radio%
12725         \else
12726           \ifFld@combo
12727             \ifFld@popdown
12728               PopdownBox%
12729             \else
12730               ComboBox%
12731             \fi
12732             \else
12733               ListBox%
12734             \fi
12735           \fi
12736         \endcsname
12737       }%
12738   }\x
12739   \HyField@SetKeys{#1}%
12740   \ifFld@hidden\def\Fld@width{1sp}\fi
12741   \ifx\Fld@value\relax
12742     \let\Fld@value\Fld@default
12743   \fi
12744   \LayoutChoiceField{#2}{%
12745     \ifFld@radio
12746       \HyField@FlagsRadioButton
12747       \@@Radio{#3}%
12748     \else
12749       \begingroup
12750         \HyField@FlagsChoice
12751         \ifdim\Fld@width<\tempdima
12752           \ifdim\tempdima<1cm\tempdima1cm\fi
12753           \edef\Fld@width{\the\tempdima}%
12754         \fi
12755         \ifFld@combo
12756           \else
12757             \tempdima=\the\Fld@menulength\Fld@charsize
12758             \advance\tempdima by \Fld@borderwidth bp %
12759             \advance\tempdima by \Fld@borderwidth bp %
12760             \edef\Fld@height{\the\tempdima}%
12761           \fi
12762         \@@Listbox{#3}%

```

```

12763      \endgroup
12764      \fi
12765  }%
12766  \endgroup
12767 }
12768 \def\@Radio#1{%
12769   \Fld@listcount=0 %
12770   \EdefEscapeName\Fld@default{\Fld@default}%
12771   \@for\@curropt:=#1\do{%
12772     \expandafter\Fld@checkequals\@curropt==\\%
12773     \EdefEscapeName\@currValue{\@currValue}%
12774     \Hy@StepCount\Fld@listcount
12775     \@currDisplay\space
12776     \Hy@escapeform\PDFForm@Radio
12777     \pdfmark[\MakeRadioField{\Fld@width}{\Fld@height}]{%
12778       pdfmark=/ANN,%
12779       Raw={%
12780         \PDFForm@Radio /AP <>/N <</\@currValue\space {Check}>> >>%
12781       }%
12782     } % deliberate space between radio buttons
12783   }%
12784 }
12785 \newcount\Fld@listcount
12786 \def\@Listbox#1{%
12787   \HyField@PDFChoices{#1}%
12788   \Hy@escapeform\PDFForm@List
12789   \pdfmark[\MakeChoiceField{\Fld@width}{\Fld@height}]{%
12790     pdfmark=/ANN,Raw={\PDFForm@List}%
12791   }%
12792 }
12793 \def\@PushButton[#1]#2{%
parameters, label
12794   \def\Fld@name{#2}%
12795   \begingroup
12796     \expandafter\HyField@SetKeys\expandafter{%
12797       \DefaultOptionsofPushButton,#1%
12798     }%
12799     \ifHy@pdflatex
12800       \Hy@Error{%
12801         PDF/A: Push button with JavaScript is prohibited%
12802       }%
12803       \LayoutPushButtonField{%
12804         \leavevmode
12805         \MakeButtonField{#2}%
12806       }%
12807     \else
12808       \HyField@FlagsPushButton
12809       \ifFld@hidden\def\Fld@width{1sp}\fi
12810       \LayoutPushButtonField{%
12811         \leavevmode
12812         \Hy@escapeform\PDFForm@Push
12813         \pdfmark[\MakeButtonField{#2}]{%
12814           pdfmark=/ANN,Raw={\PDFForm@Push}%
12815         }%
12816       }%
12817     \fi
12818   \endgroup
12819 }

```

```

12820 \def\@Submit[#1]#2{%
12821   \def\Fld@width{\DefaultWidthofSubmit}%
12822   \def\Fld@height{\DefaultHeightofSubmit}%
12823   \begingroup
12824     \expandafter\HyField@SetKeys\expandafter{%
12825       \DefaultOptionsofSubmit,#1%
12826     }%
12827     \HyField@FlagsPushButton
12828     \HyField@FlagsSubmit
12829     \ifFld@hidden\def\Fld@width{1sp}\fi
12830     \Hy@escapeform\PDFForm@Submit
12831     \pdfmark[\MakeButtonField{#2}]{%
12832       pdfmark=/ANN,%
12833       Raw={\PDFForm@Submit /AP << /N {Submit} /D {SubmitP} >>}%
12834     }%
12835   \endgroup
12836 }
12837 \def\@Reset[#1]#2{%
12838   \def\Fld@width{\DefaultWidthofReset}%
12839   \def\Fld@height{\DefaultHeightofReset}%
12840   \begingroup
12841     \expandafter\HyField@SetKeys\expandafter{%
12842       \DefaultOptionsofReset,#1%
12843     }%
12844     \leavevmode
12845     \ifHy@pdfa
12846       \Hy@Error{%
12847         PDF/A: Reset action is prohibited%
12848       }\@ehc
12849       \MakeButtonField{#2}%
12850     \else
12851       \HyField@FlagsPushButton
12852       \ifFld@hidden\def\Fld@width{1sp}\fi
12853       \Hy@escapeform\PDFForm@Reset
12854       \pdfmark[\MakeButtonField{#2}]{%
12855         pdfmark=/ANN,Raw={\PDFForm@Reset}%
12856       }%
12857     \fi
12858   \endgroup
12859 }%
12860 \def\@CheckBox[#1]#2{%
parameters, label
12861   \def\Fld@name{#2}%
12862   \def\Fld@default{0}%
12863   \begingroup
12864     \def\Fld@width{\DefaultWidthofCheckBox}%
12865     \def\Fld@height{\DefaultHeightofCheckBox}%
12866     \expandafter\HyField@SetKeys\expandafter{%
12867       \DefaultOptionsofCheckBox,#1%
12868     }%
12869     \HyField@FlagsCheckBox
12870     \ifFld@hidden\def\Fld@width{1sp}\fi
12871     \LayoutCheckField{#2}{%
12872       \leavevmode
12873       \Hy@escapeform\PDFForm@Check
12874       \pdfmark[\MakeCheckField{\Fld@width}{\Fld@height}]{%
12875         pdfmark=/ANN,Raw={\PDFForm@Check}%
12876       }%

```

```

12877    }%
12878  \endgroup
12879 }
12880 </pdfmark>

```

47.2 HyperTeX

```

12881 <*hypertex>
12882 \def\@Form[#1]{%
12883   \Hy@Message{Sorry, HyperTeX does not support FORMs}%
12884 }
12885 \let\@endForm\ltx@empty
12886 \def\@Gauge[#1]#2#3#4{%
12887   parameters, label, minimum, maximum
12888   \Hy@Message{Sorry, HyperTeX does not support FORM gauges}%
12889 }
12890 \def\@TextField[#1]#2{%
12891   parameters, label
12892   \Hy@Message{Sorry, HyperTeX does not support FORM text fields}%
12893 }
12894 \def\@CheckBox[#1]#2{%
12895   parameters, label
12896   \Hy@Message{Sorry, HyperTeX does not support FORM checkboxes}%
12897 }
12898 \def\@ChoiceMenu[#1]#2#3{%
12899   parameters, label, choices
12900   \Hy@Message{Sorry, HyperTeX does not support FORM choice menus}%
12901 }
12902 \def\@PushButton[#1]#2{%
12903   parameters, label
12904   \Hy@Message{Sorry, HyperTeX does not support FORM pushbuttons}%
12905 }
12906 }
12907 </hypertex>

```

47.3 TeX4ht

```

12908 <*tex4ht>
12909 \def\@Form[#1]{%
12910   \kvsetkeys{Form}{#1}%
12911   \HCode{<form action="\Form@action" method="\Form@method">}%
12912 }
12913 \def\@endForm{\HCode{</form>}}
12914 \def\@Gauge[#1]#2#3#4{%
12915   parameters, label, minimum, maximum
12916   \Hy@Message{Sorry, TeX4ht does not support gauges}%
12917 }
12918 \def\@TextField[#1]#2{%
12919   let\Hy@reserved@a\empty
12920   \def\Fld@name{#2}%
12921   \let\Fld@default\ltx@empty
12922   \bgroup
12923   \Field@toks={}%
12924   \kvsetkeys{Field}{#1}%
12925   \HCode{<label for="\Fld@name">#2</label>}%
12926   \ifFld@password
12927     \COPasswordField
12928   \else
12929     \COTextField
12929   \fi

```

```

12930 \egroup
12931 }
12932 \def\@PasswordField{%
12933 \HCode{%
12934 <input type="password" %
12935 id="\Fld@name" %
12936 name="\Fld@name" %
12937 \ifFld@hidden type="hidden" \fi
12938 value="\Fld@default" %
12939 \the\Field@toks
12940 >%
12941 }%
12942 }
12943 \def\@TextField{%
12944 \ifFld@multiline
12945 \HCode{<textarea %
12946 \ifFld@readonly readonly \fi
12947 id="\Fld@name" %
12948 name="\Fld@name" %
12949 \ifFld@hidden type="hidden" \fi
12950 \the\Field@toks>%
12951 }%
12952 \Fld@default
12953 \HCode{</textarea>}%
12954 \else
12955 \HCode{<input type="textbox" %
12956 \ifFld@readonly readonly \fi
12957 id="\Fld@name" %
12958 name="\Fld@name" %
12959 \ifFld@hidden type="hidden" \fi
12960 value="\Fld@default" %
12961 \the\Field@toks>%
12962 }%
12963 \fi
12964 }
12965 \def\@ChoiceMenu[#1]#2#3{%
parameters, label, choices
12966 \def\Fld@name{#2}%
12967 \let\Fld@default\ltx@empty
12968 \let\Hy@reserved@a\relax
12969 \begingroup
12970 \expandafter\Fld@findlength#3\\%
12971 \Field@toks={ }%
12972 \kvsetkeys{Field}{#1}%
12973 #2%
12974 \ifFld@radio
12975 \expandafter\@Radio#3\\%
12976 \else
12977 \expandafter\@Menu#3\\%
12978 \fi
12979 \endgroup
12980 }
12981 \def\Fld@findlength#1\\{%
12982 \Fld@menulength=0 %
12983 \@for\@curropt:=#1\do{\Hy@StepCount\Fld@menulength}%
12984 }
12985 \def\@Menu#1\\{%
12986 \HCode{<select size="\the\Fld@menulength" %

```

```

12987   name="\Fld@name" %
12988   \the\Field@toks>%
12989 }%
12990 \@for\@curropt:=#1\do{%
12991   \expandafter\Fld@checkequals\@curropt==\\%
12992   \HCode{<option %
12993     \ifx\@curropt\Fld@default selected \fi
12994     value="@currValue">\@currDisplay</option>%
12995   }%
12996 }%
12997 \HCode{</select>}%
12998 }
12999 \def\@Radio#1\\{%
13000 \@for\@curropt:=#1\do{%
13001   \expandafter\Fld@checkequals\@curropt==\\%
13002   \HCode{<input type="radio" %
13003     \ifx\@curropt\Fld@default checked \fi
13004     name="\Fld@name" %
13005     value="@currValue" %
13006     \the\Field@toks>%
13007   }%
13008   \@currDisplay
13009 }%
13010 }
13011 \def\@PushButton[#1]#2{%
parameters, label
13012 \def\Fld@name{#2}%
13013 \bgroup
13014 \Field@toks={ }%
13015 \kvsetkeys{Field}{#1}%
13016 \HCode{<input type="button" %
13017   name="\Fld@name" %
13018   value="#2" %
13019   \the\Field@toks>%
13020 }%
13021 \HCode{</button>}%
13022 \egroup
13023 }
13024 \def\@Submit[#1]#2{%
13025 \HCode{<button type="submit">#2</button>}%
13026 }
13027 \def\@Reset[#1]#2{%
13028 \HCode{<button type="reset">#2</button>}%
13029 }
13030 \def\@CheckBox[#1]#2{%
parameters, label
13031 \let\Hy@reserved@a\empty
13032 \def\Fld@name{#2}%
13033 \def\Fld@default{0}%
13034 \bgroup
13035 \Field@toks={ }%
13036 \kvsetkeys{Field}{#1}%
13037 \HCode{<input type="checkbox" %
13038   \ifFld@checked checked \fi
13039   \ifFld@disabled disabled \fi
13040   \ifFld@readonly readonly \fi
13041   name="\Fld@name" %
13042   \ifFld@hidden type="hidden" \fi
13043   value="\Fld@default" %

```

```

13044     \the\Field@toks>%
13045     #2%
13046   }%
13047   \egroup
13048 }
13049 </tex4ht>

```

47.4 pdfTeX

```

13050 <*pdftex>
13051 \def\@Gauge[#1]#2#3#4{%
13052   \Hy@Message{Sorry, pdftex does not support FORM gauges}%
13053 }
13054 \def\MakeFieldObject#1#2{\sbox0{#1}%
13055   \immediate\pdfxform0 %
13056   \expandafter\edef\csname #2Object\endcsname{%
13057     \the\pdflastxform\space 0 R%
13058   }%
13059 % \hbox to 0pt{\hskip-\maxdimen\pdfrefxform \the\pdflastxform}%
13060 }%
13061 \let\HyField@afIELDS\ltx@empty
13062 \begingroup\expandafter\expandafter\expandafter\endgroup
13063 \expandafter\ifx\csname pdflastlink\endcsname\relax
13064   \let\HyField@AddToFields\relax
13065   \PackageInfo{hyperref}{%
13066     You need pdfTeX 1.40.0 for setting the /Fields entry.%
13067     \MessageBreak
13068     Adobe Reader/Acrobat accepts an empty /Field array,%
13069     \MessageBreak
13070     but other PDF viewers might complain%
13071   }%
13072 \else
13073   \let\HyField@AuxAddToFields\ltx@gobble
13074   \def\HyField@AfterAuxOpen{\Hy@AtBeginDocument}%
13075   \Hy@AtBeginDocument{%
13076     \if@filesw
13077       \immediate\write\@mainaux{%
13078         \string\providecommand\string\HyField@AuxAddToFields[1]{}}%
13079     }%
13080   \fi
13081   \let\HyField@AfterAuxOpen\@firstofone
13082   \def\HyField@AuxAddToFields#1{%
13083     \xdef\HyField@afIELDS{%
13084       \ifx\HyField@afIELDS\@empty
13085         \else
13086           \HyField@afIELDS
13087           \space
13088         \fi
13089         #1 0 R%
13090     }%
13091   }%
13092 }%
13093 \def\HyField@AddToFields{%
13094   \expandafter\HyField@@AddToFields\expandafter{%
13095     \the\pdflastlink
13096   }%
13097 }%
13098 \def\HyField@@AddToFields#1{%

```

```

13099 \HyField@AfterAuxOpen{%
13100   \if@filesw
13101     \write\@mainaux{%
13102       \string\HyField@AuxAddToFields{\#1}%
13103     }%
13104   \fi
13105 }%
13106 }%
13107 \fi
13108 \def\@Form[#1]{%
13109   \ifundefined{textcolor}{\let\textrcolor\@gobble}{}
13110   \kvsetkeys{Form}{\#1}%
13111   \pdf@ifdraftmode{}{%
13112     \Hy@FormObjects
13113     \ifnum\pdftexversion>13 %
13114       \pdfrefobj\OBJ@pdfdocencoding
13115       \pdfrefobj\OBJ@ZaDb
13116       \pdfrefobj\OBJ@Helv
13117     \fi
13118   \AtVeryEndDocument{%
13119     \immediate\pdfobj{%
13120       <<%
13121       /Fields[\HyField@afIELDS]%
13122       /DR<<%
13123       /Font<<%
13124         /ZaDb \OBJ@ZaDb\space 0 R%
13125         /Helv \OBJ@Helv\space 0 R%
13126       >>%
13127       >>%
13128       /DA(/Helv 10 Tf 0 g)%
13129     \ifHy@pdFA
13130     \else
13131       \ifHyField@NeedAppearances
13132         /NeedAppearances true%
13133       \fi
13134     \fi
13135   >>%
13136 }%
13137   \edef\OBJ@acroform{\the\pdflastobj}%
13138   \pdfcatalog{/AcroForm \OBJ@acroform\space 0 R}%
13139 }%
13140 }%
13141 \MakeFieldObject{%

```

Same as \ding{123} of package pifont.

```

13142   \begingroup
13143     \fontfamily{pzd}%
13144     \fontencoding{U}%
13145     \fontseries{m}%
13146     \fontshape{n}%
13147     \selectfont
13148     \char123 %
13149   \endgroup
13150 }{Ding}%
13151 \MakeFieldObject{%
13152   \fbox{\textcolor{yellow}{\textsf{Submit}}}%
13153 }{Submit}%
13154 \MakeFieldObject{%

```

```

13155   \fbox{\textcolor{yellow}{\textsf{SubmitP}}}}\%
13156 }{\SubmitP}%
13157 }
13158 \let\@endForm\ltx@empty
13159 \def\@TextField[#1]\#2{%
13160   \def\Fld@name{\#2}%
13161   \let\Fld@default\ltx@empty
13162   \let\Fld@value\ltx@empty
13163   \def\Fld@width{\DefaultWidthofText}%
13164   \def\Fld@height{%
13165     \ifFld@multiline
13166       \DefaultHeightofTextMultiline
13167     \else
13168       \DefaultHeightofText
13169     \fi
13170   }%
13171 \begingroup
13172   \expandafter\HyField@SetKeys\expandafter{%
13173     \DefaultOptionsofText,\#1}%
13174   }%
13175   \PDFForm@Name
13176   \HyField@FlagsText
13177   \ifFld@hidden\def\Fld@width{1sp}\fi
13178   \ifx\Fld@value\ltx@empty\def\Fld@value{\Fld@default}\fi
13179   \LayoutTextField{\#2}{%
13180     \leavevmode
13181     \Hy@Escapeform\PDFForm@Text
13182     \pdfstartlink user {\PDFForm@Text}\relax
13183     \MakeTextField{\Fld@width}{\Fld@height}\pdfendlink
13184     \HyField@AddToFields
13185   }%
13186 \endgroup
13187 }
13188 \def\@ChoiceMenu[#1]\#2\#3{%
13189   \def\Fld@name{\#2}%
13190   \let\Fld@default\relax
13191   \let\Fld@value\relax
13192   \def\Fld@width{\DefaultWidthofChoiceMenu}%
13193   \def\Fld@height{\DefaultHeightofChoiceMenu}%
13194 \begingroup
13195   \Fld@menulength=0 %
13196   \tempdima\z@
13197   \for\curropt:=\#3\do{%
13198     \expandafter\Fld@checkequals\curropt==\%
13199     \Hy@StepCount\Fld@menulength
13200     \settowidth{\tempdimb}{\currDisplay}%
13201     \ifdim\tempdimb>\tempdima\tempdima\tempdimb\fi
13202   }%
13203   \advance\tempdima by 15\p@
13204 \begingroup
13205   \HyField@SetKeys{\#1}%
13206   \edef\x{\endgroup
13207     \noexpand\expandafter
13208     \noexpand\HyField@SetKeys
13209     \noexpand\expandafter{%
13210       \expandafter\noexpand\csname DefaultOptionsof%
13211         \ifFld@radio

```

```

13212      Radio%
13213      \else
13214          \ifFld@combo
13215              \ifFld@popdown
13216                  PopdownBox%
13217              \else
13218                  ComboBox%
13219              \fi
13220          \else
13221              ListBox%
13222          \fi
13223      \fi
13224  \endcsname
13225  }%
13226 }\x
13227 \HyField@SetKeys{#1}%
13228 \PDFForm@Name
13229 \ifFld@hidden\def\Fld@width{1sp}\fi
13230 \ifx\Fld@value\relax
13231     \let\Fld@value\Fld@default
13232 \fi
13233 \LayoutChoiceField{#2}{%
13234     \ifFld@radio
13235         \HyField@FlagsRadioButton
13236         \@@Radio{#3}%
13237     \else
13238         \begin{group}
13239             \HyField@FlagsChoice
13240             \ifdim\Fld@width<@\tempdima
13241                 \ifdim@\tempdima<1cm@\tempdima1cm\fi
13242                 \edef\Fld@width{\the@\tempdima}%
13243             \fi
13244             \ifFld@combo
13245             \else
13246                 @tempdima=\the\Fld@menulength\Fld@charsize
13247                 \advance@\tempdima by \Fld@borderwidth bp %
13248                 \advance@\tempdima by \Fld@borderwidth bp %
13249                 \edef\Fld@height{\the@\tempdima}%
13250             \fi
13251             \@@Listbox{#3}%
13252         \end{group}
13253     \fi
13254 }%
13255 \endgroup
13256 }
13257 \def\@@Radio#1{%
13258     \Fld@listcount=0 %
13259     \EdefEscapeName\Fld@default{\Fld@default}%
13260     \for\curropt:=#1\do{%
13261         \expandafter\Fld@checkequals\curropt==\\%
13262         \EdefEscapeName\currValue{\currValue}%
13263         \Hy@StepCount\Fld@listcount
13264         \currDisplay\space
13265         \leavevmode
13266         \Hy@escapeform\PDFForm@Radio
13267     \pdfstartlink user {%
13268         \PDFForm@Radio

```

```

13269      /AP<<%
13270          /N<<%
Laurent.Guilope@math.univ-nantes.fr (Laurent Guillope) persuades me that this
was wrong: /\Fld@name\the\Fld@listcount. But I leave it here to remind me
that it is untested.
13271          /\@currValue\space \DingObject
13272      >>%
13273      >>%
13274  }%
13275  \relax
13276  \MakeRadioField{\Fld@width}{\Fld@height}\pdfendlink
13277  \ifnum\Fld@listcount=1 %
13278      \HyField@AddToFields
13279  \fi
13280  \space % deliberate space between radio buttons
13281 }%
13282 }
13283 \newcount\Fld@listcount
13284 \def\@@Listbox#1{%
13285   \HyField@PDFChoices{#1}%
13286   \leavevmode
13287   \Hy@escapeform\PDFForm@List
13288   \pdfstartlink user {\PDFForm@List}\relax
13289   \MakeChoiceField{\Fld@width}{\Fld@height}%
13290   \pdfendlink
13291   \HyField@AddToFields
13292 }
13293 \def\@PushButton[#1]#2{%
parameters, label
13294 \def\Fld@name{#2}%
13295 \begingroup
13296   \expandafter\HyField@SetKeys\expandafter{%
13297     \DefaultOptionsofPushButton,#1}%
13298 }%
13299 \PDFForm@Name
13300 \ifHy@pdfa
13301   \Hy@Error{%
13302     PDF/A: Push button with JavaScript is prohibited%
13303   }@\ehc
13304   \LayoutPushButtonField{%
13305     \leavevmode
13306     \MakeButtonField{#2}%
13307   }%
13308 \else
13309   \HyField@FlagsPushButton
13310   \ifFld@hidden\def\Fld@width{1sp}\fi
13311   \LayoutPushButtonField{%
13312     \leavevmode
13313     \Hy@escapeform\PDFForm@Push
13314     \pdfstartlink user {\PDFForm@Push}\relax
13315     \MakeButtonField{#2}%
13316     \pdfendlink
13317     \HyField@AddToFields
13318   }%
13319 \fi
13320 \endgroup
13321 }
13322 \def\@Submit[#1]#2{%

```

```

13323 \def\Fld@width{\DefaultWidthofSubmit}%
13324 \def\Fld@height{\DefaultHeightofSubmit}%
13325 \begingroup
13326 \expandafter\HyField@SetKeys\expandafter{%
13327   \DefaultOptionsofSubmit,#1%
13328 }%
13329 \HyField@FlagsPushButton
13330 \HyField@FlagsSubmit
13331 \ifFld@hidden\def\Fld@width{1sp}\fi
13332 \leavevmode
13333 \Hy@escapeform\PDFForm@Submit
13334 \pdfstartlink user {%
13335   \PDFForm@Submit
13336   /AP<</N \SubmitObject/D \SubmitPObject>>%
13337 }%
13338 \relax
13339 \MakeButtonField{#2}%
13340 \pdfendlink
13341 \HyField@AddToFields
13342 \endgroup
13343 }
13344 \def\@Reset[#1]#2{%
13345 \def\Fld@width{\DefaultWidthofReset}%
13346 \def\Fld@height{\DefaultHeightofReset}%
13347 \begingroup
13348 \expandafter\HyField@SetKeys\expandafter{%
13349   \DefaultOptionsofReset,#1%
13350 }%
13351 \leavevmode
13352 \ifHy@pdfa
13353 \Hy@Error{%
13354   PDF/A: Reset action is prohibited%
13355 }@\ehc
13356 \MakeButtonField{#2}%
13357 \else
13358 \HyField@FlagsPushButton
13359 \ifFld@hidden\def\Fld@width{1sp}\fi
13360 \Hy@escapeform\PDFForm@Reset
13361 \pdfstartlink user {\PDFForm@Reset}\relax
13362 \MakeButtonField{#2}%
13363 \pdfendlink
13364 \HyField@AddToFields
13365 \fi
13366 \endgroup
13367 }
13368 \def\@CheckBox[#1]#2{%
parameters, label
13369 \def\Fld@name{#2}%
13370 \def\Fld@default{0}%
13371 \begingroup
13372 \def\Fld@width{\DefaultWidthofCheckBox}%
13373 \def\Fld@height{\DefaultHeightofCheckBox}%
13374 \expandafter\HyField@SetKeys\expandafter{%
13375   \DefaultOptionsofCheckBox,#1%
13376 }%
13377 \PDFForm@Name
13378 \HyField@FlagsCheckBox
13379 \ifFld@hidden\def\Fld@width{1sp}\fi

```

```

13380 \LayoutCheckField{#2}{%
13381   \leavevmode
13382   \Hy@escapeform\PDFForm@Check
13383   \pdfstartlink user {\PDFForm@Check}\relax
13384   \MakeCheckField{\Fld@width}{\Fld@height}%
13385   \pdfendlink
13386   \HyField@AddToFields
13387 }%
13388 \endgroup
13389 }
13390 \def\Hy@FormObjects{%
13391   \pdfobj {%
13392     <<%
13393     /Type/Encoding%
13394     /Differences{%
13395       24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek%
13396       /ring/tilde %
13397       39/quotesingle %
13398       96/grave %
13399       128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
13400       /fraction/guilingleft/guilingleft/minus/perthousand%
13401       /quotedblbase/quotedblleft/quotedblright/quotelleft%
13402       /quoteright/quotesinglbase/trademark/fi/fl/Lslash/OE%
13403       /Scaron/Ydieresis/Zcaron/dotlessi/lslash/oe/scaron/zcaron %
13404       164/currency %
13405       166/brokenbar %
13406       168/dieresis/copyright/ordfeminine %
13407       172/logicalnot/.notdef/registered/macron/degree/plusminus%
13408       /twosuperior/threesuperior/acute/mu %
13409       183/periodcentered/cedilla/onesuperior/ordmasculine %
13410       188/onequarter/onehalf/threequarters %
13411       192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
13412       /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave%
13413       /Iacute/Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute%
13414       /Ocircumflex/Otilde/Odieresis/multiply/Oslash/Ugrave%
13415       /Uacute/Ucircumflex/Udieresis/Yacute/Thorn/germandbls%
13416       /agrave/aacute/acircumflex/tilde/adieresis/aring/ae%
13417       /ccedilla/egrave/eacute/ecircumflex/edieresis/igrave%
13418       /iacute/icircumflex/idieresis/eth/ntilde/ograve/oacute%
13419       /ocircumflex/otilde/odieresis/divide/oslash/ugrave%
13420       /uacute/ucircumflex/udieresis/yacute/thorn/ydieresis%
13421     }%
13422     >>%
13423   }%
13424   \xdef\OBJ@pdfdocencoding{\the\pdflastobj}%
13425   \pdfobj{%
13426     <<%
13427     /Type/Font%
13428     /Subtype/Type1%
13429     /Name/ZaDb%
13430     /BaseFont/ZapfDingbats%
13431     >>%
13432   }%
13433   \xdef\OBJ@ZaDb{\the\pdflastobj}%
13434   \pdfobj{%
13435     <<%
13436     /Type/Font%

```

```

13437   /Subtype/Type1%
13438   /Name/Helv%
13439   /BaseFont/Helvetica%
13440   /Encoding \OBJ@pdfdocencoding\space 0 R%
13441   >>%
13442 }%
13443 \xdef\OBJ@Helv{\the\pdflastobj}%
13444 \global\let\Hy@FormObjects\relax
13445 }
13446 
```

47.5 dvipdfm, xetex

D. P. Story adapted the pdf_{TEX} forms part for dvipdfm, of which version 0.12.7b or higher is required because of a bug.

```
13447 {*dvipdfm | xetex}
```

```
\@Gauge
```

```

13448 \def\@Gauge[#1]#2#3#4{%
13449   parameters, label, minimum, maximum
13450 }
```

```
\@Form
```

```

13451 \def\@Form[#1]{%
13452   \@ifundefined{textcolor}{\let\textrcolor\gobble}{%
13453     \kvsetkeys{Form}{#1}%
13454     \Hy@FormObjects
13455     \@pdfm@mark{obj @afields []}%
13456     \@pdfm@mark{obj @corder []}%
13457     \@pdfm@mark{%
13458       obj @aform <<%
13459         /Fields @afields%
13460         /DR<<%
13461           /Font<<%
13462             /ZaDb @OBJZaDb%
13463             /Helv @OBJHelv%
13464           >>%
13465         >>%
13466         /DA(/Helv 10 Tf 0 g)%
13467         /CO @corder%
13468         \ifHy@pdfa
13469           \else
13470             \ifHyField@NeedAppearances
13471               /NeedAppearances true%
13472             \fi
13473           \fi
13474         >>%
13475     }%
13476     \@pdfm@mark{put @catalog <</AcroForm @aform>>}%
13477 }
```

```
\@endForm
```

```
13478 \let\@endForm\ltx@empty
```

\dvipdfm@setdim \dvipdfm@setdim sets dimensions for ann using \pdfm@box.

```

13479 \def\dvipdfm@setdim{%
13480   height \the\ht\pdfm@box\space
```

```

13481   width \the\wd\pdfm@box\space
13482   depth \the\dp\pdfm@box\space
13483 }

\HyField@AnnotCount
13484 \newcount\HyField@AnnotCount
13485 \HyField@AnnotCount=\z@

\HyField@AdvanceAnnotCount
13486 \def\HyField@AdvanceAnnotCount{%
13487   \global\advance\HyField@AnnotCount\@ne
13488 }

\HyField@TheAnnotCount
13489 \def\HyField@TheAnnotCount{%
13490   \the\HyField@AnnotCount
13491 }

\@TextField
13492 \def\@TextField[#1]#2{%
  parameters, label
13493   \def\Fld@name{#2}%
13494   \let\Fld@default\ltx@empty
13495   \let\Fld@value\@empty
13496   \def\Fld@width{\DefaultWidthofText}%
13497   \def\Fld@height{%
13498     \ifFld@multiline
13499       \DefaultHeightofTextMultiline
13500     \else
13501       \DefaultHeightofText
13502     \fi
13503   }%
13504   \begingroup
13505     \expandafter\HyField@SetKeys\expandafter{%
13506       \DefaultOptionsofText,#1%
13507     }%
13508     \PDFForm@Name
13509     \HyField@FlagsText
13510     \ifFld@hidden\def\Fld@width{1sp}\fi
13511     \ifx\Fld@value\@empty\def\Fld@value{\Fld@default}\fi
13512     \setbox\pdfm@box=\hbox{%
13513       \MakeTextField{\Fld@width}{\Fld@height}%
13514     }%
13515     \HyField@AdvanceAnnotCount
13516     \LayoutTextField{#2}{%
13517       \leavevmode
13518       \Hy@escapeform\PDFForm@Text
13519       \pdfm@mark{%
13520         ann @text\HyField@TheAnnotCount\space
13521         \dvipdfm@setdim << \PDFForm@Text >>%
13522       }%
13523     }%
13524     \unhbox\pdfm@box
13525     \pdfm@mark{put @fields @text\HyField@TheAnnotCount}%
13526     % record in @fields array
13527   \endgroup
13528 }

```

```

\@ChoiceMenu
13529 \def\@ChoiceMenu[#1]#2#3{%
13530   \def\Fld@name{#2}%
13531   \let\Fld@default\relax
13532   \let\Fld@value\relax
13533   \def\Fld@width{\DefaultWidthofChoiceMenu}%
13534   \def\Fld@height{\DefaultHeightofChoiceMenu}%
13535   \begingroup
13536     \Fld@menulength=0 %
13537     \tempdima\z@
13538     \for\curropt:=#3\do{%
13539       \expandafter\If@checkeq\curropt==\%
13540       \Hy@StepCount\Fld@menulength
13541       \settowidth{\tempdimb}{\currDisplay}%
13542       \ifdim\tempdimb>\tempdima\tempdima\tempdimb\fi
13543     }%
13544     \advance\tempdima by 15\p@
13545     \begingroup
13546       \HyField@SetKeys{#1}%
13547     \edef\x{\endgroup
13548       \noexpand\expandafter
13549       \noexpand\HyField@SetKeys
13550       \noexpand\expandafter{%
13551         \expandafter\noexpand\csname DefaultOptions\%
13552           \ifFld@radio
13553             Radio%
13554           \else
13555             \ifFld@combo
13556               \ifFld@popdown
13557                 PopdownBox%
13558               \else
13559                 ComboBox%
13560               \fi
13561             \else
13562               ListBox%
13563             \fi
13564           \fi
13565         \endcsname
13566       }%
13567     }\x
13568     \HyField@SetKeys{#1}%
13569     \PDFForm@Name
13570     \ifFld@hidden\def\Fld@width{1sp}\fi
13571     \ifx\Fld@value\relax
13572       \let\Fld@value\Fld@default
13573     \fi
13574     \LayoutChoiceField{#2}{%
13575       \ifFld@radio
13576         \HyField@FlagsRadioButton
13577         \@@Radio{#3}%
13578       \else
13579         \begingroup
13580           \HyField@FlagsChoice
13581           \ifdim\Fld@width<\tempdima
13582             \ifdim\tempdima<1cm\tempdima1cm\fi
13583             \edef\Fld@width{\the\tempdima}%
13584           \fi

```

```

13585     \ifFld@combo
13586     \else
13587         \c@tempdima=\the\fld@menulength\fld@charsize
13588         \advance\c@tempdima by \fld@borderwidth bp %
13589         \advance\c@tempdima by \fld@borderwidth bp %
13590         \edef\fld@height{\the\c@tempdima}%
13591     \fi
13592     \c@Listbox{#3}%
13593     \endgroup
13594     \fi
13595 }%
13596 \endgroup
13597 }

\c@Radio
13598 \def\c@Radio#1{%
13599   \fld@listcount=0 %
13600   \EdefEscapeName\fld@default{\fld@default}%
13601   \setbox\pdfm@box=\hbox{%
13602     \MakeRadioField{\fld@width}{\fld@height}%
13603   }%
13604   \c@for\curropt:=#1\do{%
13605     \expandafter\fld@checkequals\curropt==\%
13606     \EdefEscapeName\currValue{\currValue}%
13607     \Hy@StepCount\fld@listcount
13608     \currDisplay\space
13609     \leavevmode
13610     \Hy@escapeform\PDFForm@Radio
13611     \ifnum\fld@listcount=1 %
13612       \HyField@AdvanceAnnotCount
13613     \fi
13614     \pdfm@mark{%
13615       ann %
13616       \ifnum\fld@listcount=1 %
13617         @radio\HyField@TheAnnotCount%
13618       \space
13619     \fi
13620     \dvipdfm@setdim
13621     <<%
13622     \PDFForm@Radio
13623     /AP<</N<</\currValue /null>>>%
13624     >>%
13625   }%
13626   \unhcopy\pdfm@box\space% deliberate space between radio buttons
13627   \ifnum\fld@listcount=1 %
13628     \pdfm@mark{%
13629       put @fields @radio\HyField@TheAnnotCount
13630     }%
13631   \fi
13632 }%
13633 }

\fld@listcount
13634 \newcount\fld@listcount

\c@Listbox
13635 \def\c@Listbox#1{%

```

```

13636 \HyField@PDFChoices{#1}%
13637 \setbox\pdfm@box=\hbox{%
13638   \MakeChoiceField{\Fld@width}{\Fld@height}%
13639 }%
13640 \leavevmode
13641 \Hy@escapeform\PDFForm@List
13642 \HyField@AdvanceAnnotCount
13643 \@pdfm@mark{%
13644   ann @list\HyField@TheAnnotCount\space
13645   \dvipdfm@setdim
13646   <<\PDFForm@List>>%
13647 }%
13648 \unhbox\pdfm@box
13649 \@pdfm@mark{put @fields @list\HyField@TheAnnotCount}%
13650 }

\@PushButton
13651 \def\@PushButton[#1]#2{%
13652   \def\Fld@name{#2}%
13653   \begingroup
13654     \expandafter\HyField@SetKeys\expandafter{%
13655       \DefaultOptionsofPushButton,#1}%
13656   }%
13657   \PDFForm@Name
13658   \ifHy@pdfa
13659     \Hy@Error{%
13660       PDF/A: Push button with JavaScript is prohibited}%
13661   } \elseh
13662   \LayoutPushButtonField{%
13663     \leavevmode
13664     \MakeButtonField{#2}%
13665   }%
13666 \else
13667   \setbox\pdfm@box=\hbox{\MakeButtonField{#2}}%
13668   \HyField@FlagsPushButton
13669   \ifFld@hidden\def\Fld@width{1sp}\fi
13670   \HyField@AdvanceAnnotCount
13671   \LayoutPushButtonField{%
13672     \leavevmode
13673     \Hy@escapeform\PDFForm@Push
13674     \@pdfm@mark{%
13675       ann @push\HyField@TheAnnotCount\space
13676       \dvipdfm@setdim
13677       <<\PDFForm@Push>>%
13678     }%
13679   }%
13680   \unhbox\pdfm@box
13681   \@pdfm@mark{put @fields @push\HyField@TheAnnotCount}%
13682 } \fi
13683 \endgroup
13684 }

\@Submit
13685 \def\@Submit[#1]#2{%
13686   \def\Fld@width{\DefaultWidthofSubmit}%
13687   \def\Fld@height{\DefaultHeightofSubmit}%
13688   \begingroup

```

```

13689  \expandafter\HyField@SetKeys\expandafter{%
13690    \DefaultOptionsofSubmit,#1%
13691  }%
13692  \HyField@FlagsPushButton
13693  \HyField@FlagsSubmit
13694  \ifFld@hidden\def\Fld@width{1sp}\fi
13695  \setbox\pdfm@box=\hbox{\MakeButtonField{#2}}%
13696  \leavevmode
13697  \Hy@escapeform\PDFForm@Submit
13698  \HyField@AdvanceAnnotCount
13699  \@pdfm@mark{%
13700    ann @submit\HyField@TheAnnotCount\space
13701    \dvipdfm@setdim
13702    <<\PDFForm@Submit>>%
13703  }%
13704  \unhbox\pdfm@box%
13705  \@pdfm@mark{put @fields @submit\HyField@TheAnnotCount}%
13706  \endgroup
13707 }

\@Reset
13708 \def\@Reset[#1]#2{%
13709  \def\Fld@width{\DefaultWidthofReset}%
13710  \def\Fld@height{\DefaultHeightofReset}%
13711  \begingroup
13712  \expandafter\HyField@SetKeys\expandafter{%
13713    \DefaultOptionsofReset,#1%
13714  }%
13715  \leavevmode
13716  \ifHy@pd़fa
13717    \Hy@Error{%
13718      PDF/A: Reset action is prohibited%
13719    }@\ehc
13720    \MakeButtonField{#2}%
13721  \else
13722    \HyField@FlagsPushButton
13723    \ifFld@hidden\def\Fld@width{1sp}\fi
13724    \setbox\pdfm@box=\hbox{\MakeButtonField{#2}}%
13725    \Hy@escapeform\PDFForm@Reset
13726    \HyField@AdvanceAnnotCount
13727    \@pdfm@mark{%
13728      ann @reset\HyField@TheAnnotCount\space
13729      \dvipdfm@setdim
13730      <<\PDFForm@Reset>>%
13731    }%
13732    \unhbox\pdfm@box
13733    \@pdfm@mark{put @fields @reset\HyField@TheAnnotCount}%
13734  \fi
13735  \endgroup
13736 }

\@CheckBox
13737 \def\@CheckBox[#1]#2{%
parameters, label
13738  \def\Fld@name{#2}%
13739  \def\Fld@default{0}%
13740  \begingroup
13741    \def\Fld@width{\DefaultWidthofCheckBox}%

```

```

13742 \def\Flde@height{\DefaultHeightofCheckBox}%
13743 \expandafter\HyField@SetKeys\expandafter{%
13744   \DefaultOptionsofCheckBox,#1%
13745 }%
13746 \PDFForm@Name
13747 \HyField@FlagsCheckBox
13748 \ifFlde@hidden\def\Flde@width{1sp}\fi
13749 \setbox\pdfm@box=\hbox{%
13750   \MakeCheckField{\Flde@width}{\Flde@height}%
13751 }%
13752 \HyField@AdvanceAnnotCount
13753 \LayoutCheckField{#2}{%
13754   \leavevmode
13755   \Hy@escapeform\PDFForm@Check
13756   \pdfm@mark{%
13757     ann @check\HyField@TheAnnotCount\space
13758     \dvi pdfm@setdim
13759     <<\PDFForm@Check>>%
13760   }%
13761   \unhbox\pdfm@box
13762   \pdfm@mark{put @afields @check\HyField@TheAnnotCount}%
13763 }%
13764 \endgroup
13765 }

13766 \def\Hy@FormObjects{%
13767   \pdfm@mark{obj @OBJpdfdocencoding}%
13768   <<%
13769   /Type/Encoding%
13770   /Differences{%
13771     24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek/ring/tilde %
13772     39/quotesingle %
13773     96/grave %
13774     128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin%
13775     /fraction/guilsinglleft/guilsinglright/minus/perthousand%
13776     /quotedblbase/quotedblleft/quotedblright/quotelleft/quoteright%
13777     /quotesinglbase/trademark/fi/fl/Lslash/OE/Scaron/Ydieresis%
13778     /Zcaron/dotlessi/lslash/oe/scaron/zcaron %
13779     164/currency %
13780     166/brokenbar %
13781     168/dieresis/copyright/ordfeminine %
13782     172/logicalnot/.notdef/registered/macron/degree/plusminus%
13783     /twosuperior/threesuperior/acute/mu %
13784     183/periodcentered/cedilla/onesuperior/ordmasculine %
13785     188/onequarter/onehalf/threequarters %
13786     192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE%
13787     /Ccedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave/Iacute%
13788     /Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute/Ocircumflex%
13789     /Otilde/Odieresis/multiply/Oslash/Ugrave/Uacute/Ucircumflex%
13790     /Udieresis/Yacute/Thorn/germandbls/agrave/aacute/acircumflex%
13791     /atilde/adieresis/aring/ae/cedilla/egrave/eacute%
13792     /ecircumflex/edieresis/igrave/iacute/icircumflex/idieresis%
13793     /eth/ntilde/ograve/oacute/ocircumflex/otilde/odieresis%
13794     /divide/oslash/ugrave/uacute/ucircumflex/udieresis/yacute%
13795     /thorn/ydieresis%
13796   }%
13797   >>%
13798 }%

```

```

13799  \@pdfm@mark{obj @OBJZaDb%
13800    <<%
13801      /Type/Font%
13802      /Subtype/Type1%
13803      /Name/ZaDb%
13804      /BaseFont/ZapfDingbats%
13805    >>%
13806  }%
13807  \@pdfm@mark{obj @OBJHelv%
13808    <<%
13809      /Type/Font%
13810      /Subtype/Type1%
13811      /Name/Helv%
13812      /BaseFont/Helvetica%
13813      /Encoding @OBJpdfdocencoding%
13814    >>%
13815  }%
13816  \global\let\Hy@FormObjects\relax
13817 }
13818 ⟨/dvipdfm | xetex⟩

```

47.6 Common forms part

```

13819 ⟨*pdfform⟩

\Hy@escapestring
13820 \begingroup\expandafter\expandafter\expandafter\endgroup
13821 \expandafter\ifx\csname pdfescapestring\endcsname\relax
13822   \let\Hy@escapestring\@firstofone
13823   \def\Hy@escapeform#1{%
13824     \ifHy@pdfescapeform
13825       \def\Hy@escapestring##1{%
13826         \noexpand\Hy@escapestring{\noexpand##1}%
13827       }%
13828       \edef\Hy@temp{#1}%
13829       \expandafter\Hy@escapeform\Hy@temp\Hy@escapestring{}@\nil
13830       \def\Hy@escapestring##1{%
13831         \@ifundefined{Hy@esc@\string##1}{%
13832           ##1%
13833           \ThisShouldNotHappen
13834         }{%
13835           \csname Hy@esc@\string##1\endcsname
13836         }%
13837       }%
13838     \else
13839       \let\Hy@escapestring\@firstofone
13840     \fi
13841   }%
13842   \def\Hy@escapeform#1\Hy@escapestring##3@\nil{%
13843     \ifx\##3\%
13844     \else
13845       \expandafter
13846       \Hy@pstringdef\csname Hy@esc@\string##2\endcsname{##2}%
13847       \ltx@ReturnAfterFi{%
13848         \Hy@escapeform##3@\nil
13849       }%
13850     \fi
13851   }%

```

```

13852 \else
13853   \def\Hy@escapeform#1{%
13854     \ifHy@pdfescapeform
13855       \let\Hy@escapestring\pdfescapestring
13856     \else
13857       \let\Hy@escapestring\@firstofone
13858     \fi
13859   }%
13860   \Hy@escapeform{}%
13861 \fi

\PDFForm@Name
13862 \def\PDFForm@Name{%
13863   \PDFForm@@Name\Fld@name
13864   \ifx\Fld@altname\relax
13865   \else
13866     \PDFForm@@Name\Fld@altname
13867   \fi
13868   \ifx\Fld@mappingname\relax
13869   \else
13870     \PDFForm@@Name\Fld@mappingname
13871   \fi
13872 }

\PDFForm@@Name
13873 \def\PDFForm@@Name#1{%
13874   \begingroup
13875     \ifnum\Hy@pdfversion<5 % implementation note 117, PDF spec 1.7
13876       \ifHy@unicode
13877         \Hy@unicodedefalse
13878       \fi
13879     \fi
13880     \HyPsd@XeTeXBigChartrue
13881     \pdfstringdef\Hy@gtemp#1%
13882   \endgroup
13883   \let#1\Hy@gtemp
13884 }

\Fld@additionalactions
13885 \def\Fld@additionalactions{%
K input (keystroke) format
13886   \ifx\Fld@keystroke@code\empty
13887   \else
13888     /K<</S/JavaScript/JS(\Hy@escapestring{\Fld@keystroke@code})>>%
13889   \fi
F display format
13890   \ifx\Fld@format@code\empty
13891   \else
13892     /F<</S/JavaScript/JS(\Hy@escapestring{\Fld@format@code})>>%
13893   \fi
V validation
13894   \ifx\Fld@validate@code\empty
13895   \else
13896     /V<</S/JavaScript/JS(\Hy@escapestring{\Fld@validate@code})>>%
13897   \fi

```

```

C calculation
13898  \ifx\Fld@calculate@code\@empty
13899  \else
13900  /C<</S/JavaScript/JS(\Hy@escapestring{\Fld@calculate@code})>>%
13901  \fi

Fo receiving the input focus
13902  \ifx\Fld@onfocus@code\@empty
13903  \else
13904  /Fo<</S/JavaScript/JS(\Hy@escapestring{\Fld@onfocus@code})>>%
13905  \fi

Bl loosing the input focus (blurred)
13906  \ifx\Fld@onblur@code\@empty
13907  \else
13908  /Bl<</S/JavaScript/JS(\Hy@escapestring{\Fld@onblur@code})>>%
13909  \fi

D pressing the mouse button (down)
13910  \ifx\Fld@onmousedown@code\@empty
13911  \else
13912  /D<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmousedown@code})>>%
13913  \fi

U releasing the mouse button (up)
13914  \ifx\Fld@onmouseup@code\@empty
13915  \else
13916  /U<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmouseup@code})>>%
13917  \fi

E cursor enters the annotation's active area.
13918  \ifx\Fld@onenter@code\@empty
13919  \else
13920  /E<</S/JavaScript/JS(\Hy@escapestring{\Fld@onenter@code})>>%
13921  \fi

X cursor exits the annotation's active area.
13922  \ifx\Fld@onexit@code\@empty
13923  \else
13924  /X<</S/JavaScript/JS(\Hy@escapestring{\Fld@onexit@code})>>%
13925  \fi
13926 }
13927 \def\Fld@additionalactions{%
13928 \if-\Fld@additionalactions-%
13929 \else
13930   \ifHy@pdfa
13931   \else
13932     /AA<<\Fld@additionalactions>>%
13933   \fi
13934 \fi
13935 }

\Fld@annotnames
13936 \def\Fld@annotnames{%
13937 /T(\Fld@name)%
13938 \ifx\Fld@altname\relax
13939 \else
13940 /TU(\Fld@altname)%
13941 \fi

```

```

13942 \ifx\Fld@mappingname\relax
13943 \else
13944 /TM(\Fld@mappingname)%
13945 \fi
13946 }

\PDFForm@Check

13947 \def\PDFForm@Check{%
13948 /Subtype/Widget%
13949 \Fld@annotflags
13950 \Fld@annotnames
13951 /FT/Btn%
13952 \Fld@flags
13953 /Q \Fld@align
13954 /BS<</W \Fld@borderwidth /S/\Fld@borderstyle>>%
13955 /MK<<%
13956 \ifnum\Fld@rotation=\z@
13957 \else
13958 /R \Fld@rotation
13959 \fi
13960 \ifx\Fld@bordercolor\relax
13961 \else
13962 /BC[\Fld@bordercolor]%
13963 \fi
13964 \ifx\Fld@bcolor\relax
13965 \else
13966 /BG[\Fld@bcolor]%
13967 \fi
13968 /CA(\Hy@escapestring{\Fld@cbsymbol})%
13969 >>%
13970 /DA(/ZaDb \strip@pt\Fld@charsize\space Tf%
13971 \ifx\Fld@color\empty\else\space\Fld@color\fi)%
13972 /H/P%
13973 \ifFld@checked /V/Yes\else /V/Off\fi
13974 \Fld@additionalactions
13975 }

```

```

\PDFForm@Push

13976 \ifHy@pdfa
13977 \else
13978 \def\PDFForm@Push{%
13979 /Subtype/Widget%
13980 \Fld@annotflags
13981 \Fld@annotnames
13982 /FT/Btn%
13983 \Fld@flags
13984 /H/P%
13985 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
13986 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
13987 \ifx\Fld@bordercolor\relax\else 1\fi
13988 \space
13989 \else
13990 /MK<<%
13991 \ifnum\Fld@rotation=\z@
13992 \else
13993 /R \Fld@rotation
13994 \fi

```

```

13995      \ifx\Fld@bordercolor\relax
13996      \else
13997          /BC[\Fld@bordercolor]%
13998      \fi
13999      >>%
14000      \fi
14001      /A<</S/JavaScript/JS(\Hy@escapestring{\Fld@onclick@code})>>%
14002      \Fld@additionalactions
14003  }%
14004 \fi

\PDFForm@List
14005 \def\PDFForm@List{%
14006   /Subtype/Widget%
14007   \Fld@annotflags
14008   \Fld@annotnames
14009   /FT/Ch%
14010   \Fld@flags
14011   /Q \Fld@align
14012   /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
14013   \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
14014       \ifx\Fld@bordercolor\relax\else 1\fi
14015       \ifx\fld@bcolor\relax \else 1\fi
14016       \space
14017   \else
14018     /MK<<%
14019     \ifnum\Fld@rotation=\z@
14020     \else
14021       /R \Fld@rotation
14022     \fi
14023     \ifx\Fld@bordercolor\relax
14024     \else
14025       /BC[\Fld@bordercolor]%
14026     \fi
14027     \ifx\Fld@bcolor\relax
14028     \else
14029       /BG[\Fld@bcolor]%
14030     \fi
14031     >>%
14032   \fi
14033   /DA(/Helv \strip@pt\Fld@charsize\space Tf%
14034     \ifx\Fld@color\@empty\else\space\Fld@color\fi)%
14035   \Fld@choices
14036   \Fld@additionalactions
14037 }

\PDFForm@Radio
14038 \def\PDFForm@Radio{%
14039   /Subtype/Widget%
14040   \Fld@annotflags
14041   \Fld@annotnames
14042   /FT/Btn%
14043   \Fld@flags
14044   /H/P%
14045   /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
14046   /MK<<%
14047     \ifnum\Fld@rotation=\z@

```

```

14048 \else
14049   /R \Fld@rotation
14050 \fi
14051 \ifx\Fld@bordercolor\relax
14052 \else
14053   /BC[\Fld@bordercolor]%
14054 \fi
14055 \ifx\Fld@bcolor\relax
14056 \else
14057   /BG[\Fld@bcolor]%
14058 \fi
14059 /CA(\Fld@radiosymbol)%
14060 >>%
14061 /DA(/ZaDb \strip@pt\Fld@charsize\space Tf%
14062   \ifx\Fld@color\@empty\else\space\Fld@color\fi)%
14063 \ifx\@currValue\Fld@default
14064   /V/\Fld@default
14065   /DV/\Fld@default
14066 \else
14067   /V/Off%
14068   /DV/Off%
14069 \fi
14070 \Fld@additionalactions
14071 }

```

\PDFForm@Text

```

14072 \def\PDFForm@Text{%
14073   /Subtype/Widget%
14074   \Fld@annotflags
14075   \Fld@annotnames
14076   /FT/Tx%
14077   \Fld@flags
14078   /Q \Fld@align
14079   /BS<</W \Fld@borderwidth\space /S /\Fld@borderstyle>>%
14080 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
14081   \ifx\Fld@bordercolor\relax\else 1\fi
14082   \ifx\Fld@bcolor\relax    \else 1\fi
14083   \space
14084 \else
14085   /MK<<%
14086     \ifnum\Fld@rotation=\z@
14087     \else
14088       /R \Fld@rotation
14089     \fi
14090     \ifx\Fld@bordercolor\relax
14091     \else
14092       /BC[\Fld@bordercolor]%
14093     \fi
14094     \ifx\Fld@bcolor\relax
14095     \else
14096       /BG[\Fld@bcolor]%
14097     \fi
14098   >>%
14099 \fi
14100 /DA(/Helv \strip@pt\Fld@charsize\space Tf%
14101   \ifx\Fld@color\@empty\else\space\Fld@color\fi)%
14102 /DV(\Hy@escapestring{\Fld@default})%
14103 /V(\Hy@escapestring{\Fld@value})%

```

```

14104 \Fld@additionalactions
14105 \ifnum\Fld@maxlen>\z@/MaxLen \Fld@maxlen \fi
14106 }

\PDFForm@Submit

14107 \def\PDFForm@Submit{%
14108 /Subtype/Widget%
14109 \Fld@annotflags
14110 \Fld@annotnames
14111 /FT/Btn%
14112 \Fld@flags
14113 /H/P%
14114 /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
14115 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
14116 \ifx\Fld@bordercolor\relax\else 1\fi
14117 \space
14118 \else
14119 /MK<<%
14120 \ifnum\Fld@rotation=\z@
14121 \else
14122 /R \Fld@rotation
14123 \fi
14124 \ifx\Fld@bordercolor\relax
14125 \else
14126 /BC[\Fld@bordercolor]%
14127 \fi
14128 >>%
14129 \fi
14130 /A<<%
14131 /S/SubmitForm%
14132 /F<<%
14133 /FS/URL%
14134 /F(\Hy@escapestring{\Form@action})%
14135 >>%
14136 \Fld@submitflags
14137 >>%
14138 \Fld@additionalactions
14139 }

```

```

\PDFForm@Reset

14140 \ifHy@pdfa
14141 \else
14142 \def\PDFForm@Reset{%
14143 /Subtype/Widget%
14144 \Fld@annotflags
14145 \Fld@annotnames
14146 /FT/Btn%
14147 \Fld@flags
14148 /H/P%
14149 /DA(/Helv \strip@pt\Fld@charsize\space Tf 0 0 1 rg)%
14150 \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
14151 \ifx\Fld@bordercolor\relax\else 1\fi
14152 \space
14153 \else
14154 /MK<<%
14155 \ifnum\Fld@rotation=\z@
14156 \else

```

```

14157      /R \Fld@rotation
14158      \fi
14159      \ifx\Fld@bordercolor\relax
14160      \else
14161      /BC[\Fld@bordercolor]%
14162      \fi
14163 %   /CA (Clear)
14164 %   /AC (Done)
14165     >>%
14166     \fi
14167     /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
14168     /A<</S/ResetForm>>%
14169     \Fld@additionalactions
14170   }%
14171 \fi

14172 </pdfform>
14173 <*package>

```

48 Bookmarks in the PDF file

This was originally developed by Yannis Haralambous (it was the separate `repere.sty`); it needed the `repere` or `makebook.pl` post-processor to work properly. Now redundant, as it is done entirely in L^AT_EX macros.

To write out the current section title, and its rationalized number, we have to intercept the `\@sect` command, which is rather dangerous. But how else to see the information we need? We do the *same* for `\@ssect`, giving anchors to unnumbered sections. This allows things like bibliographies to get bookmarks when used with a manual `\addcontentsline`

```

14174 \def\phantomsection{%
14175   \Hy@MakeCurrentHrefAuto{section}*}%
14176   \Hy@raisedlink{\hyper@anchorstart{\@currentHref}\hyper@anchorend}%
14177 }
14178 </package>

```

48.1 Bookmarks

```
14179 <*outlines>
```

This section was written by Heiko Oberdiek; the code replaces an earlier version by David Carlisle.

The first part of bookmark code is in section 6. Further documentation is available as paper and slides of the talk, that Heiko Oberdiek has given at the EuroTeX'99 meeting in Heidelberg. See `paper.pdf` and `slides.pdf` in the `doc` directory of `hyperref`.

When using the right-to-left typesetting based on ε-T_EX, the order of the `\BOOKMARK` commands written to the `\@outlinefile` could appear wrong, because of mis-feature of ε-T_EX's implementation (that it processes the shipped outlines left-to-right, instead of the order in which they appear in the document). The wrong order will appear when the file contains two bookmarks on the same line typeset right-to-left.

To work around this problem, the `bookmark@seq@number` counter is used to write the bookmark's sequential number into a comment in the `\@outlinefile`, which could be used to post-process it to achieve the proper ordering of `\BOOKMARK` commands in that file.

```

14180 \def\Hy@writebookmark#1#2#3#4#5{%
14181   % section number, text, label, level, file
14182   \ifx\WriteBookmarks\relax%
14183   \else
14184     \ifnum#4>\Hy@bookmarksdepth\relax
14185     \else
14186       \@@writetorep{#1}{#2}{#3}{#4}{#5}%
14187     \fi
14188   \fi
14189 }
14190 \def\Hy@currentbookmarklevel{0}
14191 \def\Hy@numberline#1{#1 }
14192 \def\@@writetorep#1#2#3#4#5{%
14193   \begingroup
14194   \edef\Hy@tempa{#5}%
14195   \ifx\Hy@tempa\Hy@bookmarkstype
14196     \edef\Hy@level{#4}%
14197     \ifx\Hy@levelcheck Y%
14198       \atempcnta\Hy@level\relax
14199       \advance\atempcnta by -1 %
14200       \ifnum\Hy@currentbookmarklevel<\atempcnta
14201         \advance\atempcnta by -\Hy@currentbookmarklevel\relax
14202         \advance\atempcnta by 1 %
14203         \Hy@Warning{%
14204           Difference (\the\atempcnta) between bookmark levels is %
14205           greater \MessageBreak than one, level fixed%
14206         }%
14207         \atempcnta\Hy@currentbookmarklevel
14208         \advance\atempcnta by 1 %
14209         \edef\Hy@level{\the\atempcnta}%
14210       \fi
14211     \else
14212       \global\let\Hy@levelcheck Y%
14213     \fi
14214     \global\let\Hy@currentbookmarklevel\Hy@level
14215     \atempcnta\Hy@level\relax
14216     \expandafter\xdef\csname Parent\Hy@level\endcsname{#3}%
14217     \advance\atempcnta by -1 %
14218     \edef\Hy@tempa{#3}%
14219     \edef\Hy@tempb{\csname Parent\the\atempcnta\endcsname}%
14220     \ifx\Hy@tempa\Hy@tempb
14221       \Hy@Warning{%
14222         The anchor of a bookmark and its parent's must not%
14223         \MessageBreak be the same. Added a new anchor%
14224       }%
14225       \phantomsection
14226     \fi
14227   \ifHy@bookmarksnumbered
14228     \let\numberline\Hy@numberline
14229     \let\booknumberline\Hy@numberline
14230     \let\partnumberline\Hy@numberline
14231     \let\chapternumberline\Hy@numberline
14232   \else
14233     \let\numberline@gobble
14234     \let\booknumberline@gobble
14235     \let\partnumberline@gobble
14236     \let\chapternumberline@gobble

```

```

14237   \fi
14238   \HyPsd@XeTeXBigChartrue
14239   \pdfstringdef{\Hy@tempa}{\#2}%
14240   \HyPsd@SanitizeForOutFile{\Hy@tempa}
14241   \if@filesw
14242     \stepcounter{bookmark@seq@number}%
14243     \@ifundefined{@outlinefile}{%
14244       }{%
14245         \protected@write{\@outlinefile}{%
14246           \protect\BOOKMARK
14247             [\Hy@level][\@bookmarkopenstatus{\Hy@level}]{\#3}%
14248             {\Hy@tempa}{\Hy@tempb}%
14249             \percentchar\space\thebookmark@seq@number
14250           }%
14251       }%
14252     \fi
14253   \fi
14254 \endgroup
14255 }
14256 \newcounter{bookmark@seq@number}

14257 \begingroup
14258   \lccode`='={%
14259     \lccode`'='}%
14260   \lccode`1=\z@
14261   \lccode`2=\z@
14262   \lccode`3=\z@
14263   \lccode`5=\z@
14264   \lccode`7=\z@
14265   \lccode`\#==\z@
14266   \lccode`\-=\z@
14267   \lccode`\{=\z@
14268   \lccode`\}=\z@
14269 \lowercase{%
14270   \endgroup
14271   \def\HyPsd@SanitizeForOutFile#1{%
14272     \onelevel@sanitize{\Hy@tempa}
14273     \escapechar`\\%
14274     \edef\Hy@tempa{%
14275       \expandafter\HyPsd@SanitizeOut@BraceLeft\Hy@tempa(\@nil
14276     }%
14277     \edef\Hy@tempa{%
14278       \expandafter\HyPsd@SanitizeOut@BraceRight\Hy@tempa)\@nil
14279     }%
14280   }%
14281   \def\HyPsd@SanitizeOut@BraceLeft#1(#2\@nil{%
14282     #1%
14283     \ifx\#2\\%
14284       \expandafter\ltx@gobble
14285     \else
14286       \expandafter\ltx@firstofone
14287     \fi
14288   }%
14289   \string\173%
14290   \HyPsd@SanitizeOut@BraceLeft#2\@nil
14291 }%
14292 }%
14293 \def\HyPsd@SanitizeOut@BraceRight#1){#2\@nil{%

```

```

14294  #1%
14295  \ifx\\#2\\%
14296  \expandafter\ltx@gobble
14297  \else
14298  \expandafter\ltx@firstofone
14299  \fi
14300  \%
14301  \string\175%
14302  \HyPsd@SanitizeOut@BraceRight#2\@nil
14303  }%
14304 }%
14305 }

```

In the call of \BOOKMARK the braces around #4 are omitted, because it is not likely, that the level number contains].

```

14306 \newcommand{\currentpdfbookmark}{%
14307  \pdfbookmark[\Hy@currentbookmarklevel]{%
14308 }{%
14309 \newcommand{\subpdfbookmark}{%
14310  \@tempcnta\Hy@currentbookmarklevel
14311  \Hy@StepCount\@tempcnta
14312  \expandafter\pdfbookmark\expandafter[\the\@tempcnta]{%
14313 }{%
14314 \newcommand{\belowpdfbookmark}[2]{%
14315  \@tempcnta\Hy@currentbookmarklevel
14316  \Hy@StepCount\@tempcnta
14317  \expandafter\pdfbookmark\expandafter[\the\@tempcnta]{#1}{#2}{%
14318  \advance\@tempcnta by -1 %
14319  \xdef\Hy@currentbookmarklevel{\the\@tempcnta}{%
14320 }

```

Tobias Oetiker rightly points out that we need a way to force a bookmark entry. So we introduce \pdfbookmark, with two parameters, the title, and a symbolic name. By default this is at level 1, but we can reset that with the optional first argument.

```

14321 \renewcommand\pdfbookmark[3][0]{%
14322  \Hy@writebookmark{}{#2}{#3.#1}{#1}{toc}%
14323  \hyper@anchorstart{#3.#1}\hyper@anchorend
14324 }%
14325 \def\BOOKMARK{%
14326  \@ifnextchar[{ \BOOKMARK}{\@CBOOKMARK[1][-]}%
14327 }%
14328 \def\@BOOKMARK[#1]{%
14329  \@ifnextchar[{ \@CBOOKMARK[{#1}]}{\@CBOOKMARK[{#1}][-]}%
14330 }

```

The macros for calculating structure of outlines are derived from those by Petr Olsak used in the texinfopdf macros.

48.1.1 Rerun warning

```

\Hy@OutlineRerunCheck
14331 \RequirePackage{rerunfilecheck}[2009/12/10]
14332 \def\Hy@OutlineRerunCheck{%
14333  \RerunFileCheck{\jobname.out}{%
14334   \immediate\closeout\outlinefile
14335 }{%
14336  Rerun to get outlines right\MessageBreak
14337  or use package 'bookmark'%
14338 }

```

14339 }

48.1.2 Driver stuff

The VTEX section was written originally by VTEX, but then amended by Denis Girou (denis.girou@idris.fr), then by Taco Hoekwater (taco.hoekwater@wkcap.nl). The problem is that VTEX, with its close integration of the PDF backend, does look at the contents of bookmarks, escaping \ and the like.

```
14340 {*vtex}
14341 \newcount\@serial@counter\@serial@counter=1\relax
\hv@pdf@char Plain octal codes doesn't work with versions below 6.50. So for early versions hex numbers have to be used. It would be possible to program this instead of the large \ifcase, but I'm too lazy to sort that out now.
14342 \begingroup
14343 \catcode`'=12 %
14344 \ifnum\Hy@VTeXversion<650 %
14345 \catcode`\#=12 %
14346 \gdef\hv@pdf@char#1#2#3{%
14347 \char
14348 \ifcase#1#2#3 %
14349 "00\or"01\or"02\or"03\or"04\or"05\or"06\or"07%
14350 \or"08\or"09\or"0A\or"0B\or"0C\or"0D\or"0E\or"0F%
14351 \or"10\or"11\or"12\or"13\or"14\or"15\or"16\or"17%
14352 \or"18\or"19\or"1A\or"1B\or"1C\or"1D\or"1E\or"1F%
14353 \or"20\or"21\or"22\or"23\or"24\or"25\or"26\or"27%
14354 \or"28\or"29\or"2A\or"2B\or"2C\or"2D\or"2E\or"2F%
14355 \or"30\or"31\or"32\or"33\or"34\or"35\or"36\or"37%
14356 \or"38\or"39\or"3A\or"3B\or"3C\or"3D\or"3E\or"3F%
14357 \or"40\or"41\or"42\or"43\or"44\or"45\or"46\or"47%
14358 \or"48\or"49\or"4A\or"4B\or"4C\or"4D\or"4E\or"4F%
14359 \or"50\or"51\or"52\or"53\or"54\or"55\or"56\or"57%
14360 \or"58\or"59\or"5A\or"5B\or"5C\or"5D\or"5E\or"5F%
14361 \or"60\or"61\or"62\or"63\or"64\or"65\or"66\or"67%
14362 \or"68\or"69\or"6A\or"6B\or"6C\or"6D\or"6E\or"6F%
14363 \or"70\or"71\or"72\or"73\or"74\or"75\or"76\or"77%
14364 \or"78\or"79\or"7A\or"7B\or"7C\or"7D\or"7E\or"7F%
14365 \or"80\or"81\or"82\or"83\or"84\or"85\or"86\or"87%
14366 \or"88\or"89\or"8A\or"8B\or"8C\or"8D\or"8E\or"8F%
14367 \or"90\or"91\or"92\or"93\or"94\or"95\or"96\or"97%
14368 \or"98\or"99\or"9A\or"9B\or"9C\or"9D\or"9E\or"9F%
14369 \or"A0\or"A1\or"A2\or"A3\or"A4\or"A5\or"A6\or"A7%
14370 \or"A8\or"A9\or"AA\or"AB\or"AC\or"AD\or"AE\or"AF%
14371 \or"B0\or"B1\or"B2\or"B3\or"B4\or"B5\or"B6\or"B7%
14372 \or"B8\or"B9\or"BA\or"BB\or"BC\or"BD\or"BE\or"BF%
14373 \or"C0\or"C1\or"C2\or"C3\or"C4\or"C5\or"C6\or"C7%
14374 \or"C8\or"C9\or"CA\or"CB\or"CC\or"CD\or"CE\or"CF%
14375 \or"D0\or"D1\or"D2\or"D3\or"D4\or"D5\or"D6\or"D7%
14376 \or"D8\or"D9\or"DA\or"DB\or"DC\or"DD\or"DE\or"DF%
14377 \or"E0\or"E1\or"E2\or"E3\or"E4\or"E5\or"E6\or"E7%
14378 \or"E8\or"E9\or"EA\or"EB\or"EC\or"ED\or"EE\or"EF%
14379 \or"F0\or"F1\or"F2\or"F3\or"F4\or"F5\or"F6\or"F7%
14380 \or"F8\or"F9\or"FA\or"FB\or"FC\or"FD\or"FE\or"FF%
14381 \fi
14382 }%
14383 \else
```

```

14384     \gdef\hv@pdf@char{\char'}%
14385     \fi
14386 \endgroup

\@@BOOKMARK
14387 \def\@@BOOKMARK[#1][#2]{%
14388   \expandafter\edef\csname @count@\#3\endcsname{%
14389     \the\@serial@counter
14390   }%
14391   \edef\@mycount{\the\@serial@counter}%
14392   \Hy@StepCount\@serial@counter
14393   \edef\@parcount{%
14394     \expandafter\ifx\csname @count@\#5\endcsname\relax
14395       0%
14396     \else
14397       \csname @count@\#5\endcsname
14398     \fi
14399   }%
14400   \immediate\special{%
14401     !outline \HyperDestNameFilter{#3};p=\@parcount,i=\@mycount,%
14402     s=\ifx#2-c\else o\fi,t=#4%
14403   }%
14404 }%

```

```

\ReadBookmarks
14405 \def\ReadBookmarks{%
14406   \begingroup
14407   \def\0{\hv@pdf@char 0}%
14408   \def\1{\hv@pdf@char 1}%
14409   \def\2{\hv@pdf@char 2}%
14410   \def\3{\hv@pdf@char 3}%
14411   \def\{{}%
14412   \def\}{}
14413   \def\do##1{%
14414     \ifnum\catcode'##1=\active
14415       \makeother##1%
14416     \else
14417       \ifnum\catcode'##1=6 %
14418         \makeother##1%
14419       \fi
14420     \fi
14421   }%
14422   \dospecials
14423   \Hy@safe@activestru
14424   \InputIfFileExists{\jobname.out}{}{%
14425   \endgroup
14426   \ifx\WriteBookmarks\relax
14427   \else
14428     \if@filesw
14429       \newwrite\@outlinefile
14430       \Hy@OutlineRerunCheck
14431       \immediate\openout\@outlinefile=\jobname.out\relax
14432       \ifHy@typexml
14433         \immediate\write\@outlinefile{<relaxxml>\relax}%
14434       \fi
14435     \fi
14436   \fi
14437 }

```

```

14438 </vtex>
14439 <!*vtex>
14440 \def\ReadBookmarks{%
14441   \pdf@ifdraftmode{}{%
14442     \begingroup
14443     \def\do##1{%
14444       \ifnum\catcode'##1=\active
14445         \makeother##1%
14446       \else
14447         \ifnum\catcode'##1=6 %
14448           \makeother##1%
14449         \fi
14450       \fi
14451     }%
14452     \dospecials
14453     \Hy@safe@activestru e
14454     \escapechar='\\%
14455     \def\@@BOOKMARK[##1][##2]##3##4##5{%
14456       \calc@bm@number{##5}%
14457     }%
14458     \InputIfFileExists{\jobname.out}{ }{ }%
14459     \ifx\WriteBookmarks\relax
14460       \global\let\WriteBookmarks\relax
14461     \fi
14462     \def\@@BOOKMARK[##1][##2]##3##4##5{%
14463       \def\Hy@temp{##4}%
14464   (*pdftex)
14465     \Hy@pstringdef\Hy@pstringName{\HyperDestNameFilter{##3}}%
14466     \Hy@OutlineName{}{\Hy@pstringName{%
14467       ##2\check@bm@number{##3}}%
14468     }{%
14469       \expandafter\strip@prefix\meaning\Hy@temp
14470     }%
14471 /(*pdftex)
14472 (*pdfmark)
14473   \pdfmark{%
14474     pdfmark=/OUT,%
14475     Count={##2\check@bm@number{##3}},%
14476     Dest={##3},%
14477     Title=\expandafter\strip@prefix\meaning\Hy@temp
14478   }%
14479 /(*pdfmark)
14480 (*dvipdfm | xetex)
14481   \Hy@pstringdef\Hy@pstringName{\HyperDestNameFilter{##3}}%
14482   \c@pdfm@mark{%
14483     outline \ifHy@DvipdfmxOutlineOpen
14484       %
14485       \ifnum##21>\z@
14486       \else
14487         %
14488       \fi
14489       %
14490     \fi
14491     ##1<<%
14492     /Title(\expandafter\strip@prefix\meaning\Hy@temp)%
14493     /A<<%
14494     /S/GoTo%

```

```

14495      /D(\Hy@pstringName)%
14496      >>%
14497      >>%
14498      }%
14499 </dvipdfm | xetex>
14500      }%
14501      \begingroup
14502      \def\WriteBookmarks{0}%
14503      \InputIfFileExists{\jobname.out}{}{}%
14504      \endgroup
14505      \%{\escapechar\m@ne\InputIfFileExists{\jobname.out}{}{}%
14506      \endgroup
14507      }%
14508 \ifx\WriteBookmarks\relax
14509 \else
14510   \if@filesw
14511     \newwrite\@outlinefile
14512     \Hy@OutlineRerunCheck
14513     \immediate\openout\@outlinefile=\jobname.out\relax
14514     \ifHy@typexml
14515       \immediate\write\@outlinefile{<relaxxml>\relax}%
14516     \fi
14517   \fi
14518 \fi
14519 }
14520 <*pdftex>
14521 \def\Hy@OutlineName#1#2#3#4{%
14522   \pdfoutline goto name{\#2}count{\#3}{\#4}%
14523 }
14524 </pdftex>
14525 \def\check@bm@number#1{%
14526   \expandafter\ifx\csname B_#1\endcsname\relax
14527     0%
14528   \else
14529     \csname B_#1\endcsname
14530   \fi
14531 }
14532 \def\calc@bm@number#1{%
14533   \tempcnta=\check@bm@number{#1}\relax
14534   \advance\tempcnta by 1 %
14535   \expandafter\xdef\csname B_#1\endcsname{\the\tempcnta}%
14536 }
14537 </!vtex>
14538 \ifHy@implicit
14539 \else
14540   \expandafter\endinput
14541 \fi
14542 </outlines>
14543 <*outlines | hypertex>
14544 \newlength\Hy@SectionHShift
14545 \def\Hy@SectionAnchorHref#1{%
14546   \ifx\protect\@typeset@protect
14547     \Hy@@SectionAnchor{#1}%
14548   \fi
14549 }
14550 \DeclareRobustCommand*\Hy@@SectionAnchor}[1]{%

```

```

14551 \leavevemode
14552 \hbox to 0pt{%
14553 \kern-\Hy@SectionHShift
14554 \Hy@raisedlink{%
14555 \hyper@anchorstart{\#1}\hyper@anchorend
14556 }%
14557 \hss
14558 }%
14559 }
14560 \let\H@old@ssect\@ssect
14561 \def\@ssect#1#2#3#4#5{%
14562 \Hy@MakeCurrentHrefAuto{section*}%
14563 \setlength{\Hy@SectionHShift}{#1}%
14564 \begingroup
14565 \toks@{\H@old@ssect{#1}{#2}{#3}{#4}}%
14566 \toks\tw@{\expandafter{%
14567 \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
14568 #5}%
14569 }%
14570 \edef\x{\endgroup
14571 \the\toks@{\the\toks\tw@}%
14572 }\x
14573 }
14574 \let\H@old@schapter\@schapter
14575 \def\@schapter#1{%
14576 \begingroup
14577 \let\@mkboth\@gobbletwo
14578 \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
14579 \Hy@raisedlink{%
14580 \hyper@anchorstart{\@currentHref}\hyper@anchorend
14581 }%
14582 \endgroup
14583 \H@old@schapter{#1}%
14584 }

```

If there is no chapter number (`\frontmatter` or `\backmatter`) then the counting by `\refstepcounter{chapter}` is not executed, so there will be no destination for `\ddcontentsline`. So `\@chapter` is overloaded to avoid this:

```

14585 \ltx@ifundefined{@chapter}{}{%
14586 \let\Hy@org@chapter\@chapter
14587 \def\@chapter{%
14588 \def\Hy@next{%
14589 \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
14590 \Hy@raisedlink{%
14591 \hyper@anchorstart{\@currentHref}\hyper@anchorend
14592 }%
14593 }%
14594 \ifnum\c@sectiondepth>\m@ne
14595 \ltx@ifundefined{if@mainmatter}%
14596 \iftrue{\csname if@mainmatter\endcsname}%
14597 \let\Hy@next\relax
14598 \fi
14599 \fi
14600 \Hy@next
14601 \Hy@org@chapter
14602 }%
14603 }

```

```

14604 \let\H@old@part\@part
14605 \begingroup\expandafter\expandafter\expandafter\endgroup
14606 \expandafter\ifx\csname chapter\endcsname\relax
14607   \let\Hy@secnum@part\z@
14608 \else
14609   \let\Hy@secnum@part\m@ne
14610 \fi
14611 \def\@part{%
14612   \ifnum\Hy@secnum@part>\c@secnumdepth
14613     \phantomsection
14614   \fi
14615   \H@old@part
14616 }
14617 \let\H@old@s part\@s part
14618 \def\@s part#1{%
14619   \Hy@MakeCurrentHrefAuto{part*}%
14620   \Hy@raisedlink{%
14621     \hyper@anchorstart{\@currentHref}\hyper@anchorend
14622   }%
14623   \H@old@s part{#1}%
14624 }
14625 \let\H@old@s sect\@s sect
14626 \def\@sect#1#2#3#4#5#6[#7]#8{%
14627   \ifnum #2>\c@secnumdepth
14628     \expandafter\@firstoftwo
14629   \else
14630     \expandafter\@secondoftwo
14631   \fi
14632 {%
14633   \Hy@MakeCurrentHrefAuto{section*}%
14634   \setlength{\Hy@SectionHShift}{#3}%
14635   \begingroup
14636     \toks@{\H@old@s sect{#1}{#2}{#3}{#4}{#5}{#6}[{#7}]}%
14637     \toks@{\expandafter{%
14638       \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
14639       #8}%
14640     }%
14641     \edef\x{\endgroup
14642       \the\toks@{\the\toks@{\tw@}}%
14643     }\x
14644   {%
14645     \H@old@s sect{#1}{#2}{#3}{#4}{#5}{#6}[{#7}]{#8}%
14646   }%
14647 }
14648 </outlines | hypertex>
14649 <*outlines>
14650 \expandafter\def\csname Parent-4\endcsname{}
14651 \expandafter\def\csname Parent-3\endcsname{}
14652 \expandafter\def\csname Parent-2\endcsname{}
14653 \expandafter\def\csname Parent-1\endcsname{}
14654 \expandafter\def\csname Parent0\endcsname{}
14655 \expandafter\def\csname Parent1\endcsname{}
14656 \expandafter\def\csname Parent2\endcsname{}
14657 \expandafter\def\csname Parent3\endcsname{}
14658 \expandafter\def\csname Parent4\endcsname{}
14659 </outlines>

```

49 Compatibility with koma-script classes

14660 {*outlines | hypertex}

Hard-wire in an unpleasant over-ride of komascript ‘scrbook’ class for Tobias Isenberg (Tobias.Isenberg@gmx.de). With version 6.71b the hack is also applied to ‘scrreprt’ class and is removed for koma-script versions since 2001/01/01, because Markus Kohm supports hyperref in komascript.

```
14661 \def\Hy@tempa{%
14662   \def\@addchap[##1]##2{%
14663     \typeout{##2}%
14664     \if@twoside
14665       \c@mkboth{##1}{}%
14666     \else
14667       \c@mkboth{}{##1}%
14668     \fi
14669     \addtocontents{lof}{\protect\addvspace{10\p@}}%
14670     \addtocontents{lot}{\protect\addvspace{10\p@}}%
14671     \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
14672     \Hy@raisedlink{%
14673       \hyper@anchorstart{\@currentHref}\hyper@anchorend
14674     }%
14675     \if@twocolumn
14676       \atopnewpage[\makeschapterhead{##2}]%
14677     \else
14678       \makeschapterhead{##2}%
14679       \afterheading
14680     \fi
14681     \addcontentsline{toc}{chapter}{##1}%
14682   }%
14683 }
14684 \@ifclassloaded{scrbook}{%
14685   \ifclasslater{scrbook}{2001/01/01}{%
14686     \let\Hy@tempa\empty
14687   }%
14688 }%
14689 \ifclassloaded{scrreprt}{%
14690   \ifclasslater{scrreprt}{2001/01/01}{%
14691     \let\Hy@tempa\empty
14692   }%
14693 }%
14694 \let\Hy@tempa\empty
14695 }%
14696 }%
14697 \Hy@tempa
14698 
```

50 Encoding definition files for encodings of PDF strings

This was contributed by Heiko Oberdiek.

50.1 PD1 encoding

```
14699 {*pd1enc}
14700 \DeclareFontEncoding{PD1}{}{}
```

Accents

```
14701 \DeclareTextAccent{\'}{PD1}{\textasciigrave}
14702 \DeclareTextAccent{\'}{PD1}{\textacute}
14703 \DeclareTextAccent{\^}{PD1}{\textasciicircum}
14704 \DeclareTextAccent{\~}{PD1}{\texttilde}
14705 \DeclareTextAccent{\"}{PD1}{\textasciidieresis}
14706 \DeclareTextAccent{\r}{PD1}{\textring}
14707 \DeclareTextAccent{\v}{PD1}{\textasciicaron}
14708 \DeclareTextAccent{\.}{PD1}{\textdotaccent}
14709 \DeclareTextAccent{\c}{PD1}{\textcedilla}
14710 \DeclareTextAccent{\=}{PD1}{\textasciimacron}
14711 \DeclareTextAccent{\b}{PD1}{\textmacronbelow}
14712 \DeclareTextAccent{\d}{PD1}{\textdotbelow}
14713 \DeclareTextCompositeCommand{\'}{PD1}{\@empty}{\textasciigrave}
14714 \DeclareTextCompositeCommand{\'}{PD1}{\@empty}{\textacute}
14715 \DeclareTextCompositeCommand{\^}{PD1}{\@empty}{\textasciicircum}
14716 \DeclareTextCompositeCommand{\~}{PD1}{\@empty}{\texttilde}
14717 \DeclareTextCompositeCommand{\"}{PD1}{\@empty}{\textasciidieresis}
14718 \DeclareTextCompositeCommand{\r}{PD1}{\@empty}{\textring}
14719 \DeclareTextCompositeCommand{\v}{PD1}{\@empty}{\textasciicaron}
14720 \DeclareTextCompositeCommand{\.}{PD1}{\@empty}{\textdotaccent}
14721 \DeclareTextCompositeCommand{\c}{PD1}{\@empty}{\textcedilla}
14722 \DeclareTextCompositeCommand{\=}{PD1}{\@empty}{\textasciimacron}
14723 \DeclareTextCompositeCommand{\b}{PD1}{\@empty}{\textmacronbelow}
14724 \DeclareTextCompositeCommand{\d}{PD1}{\@empty}{\textdotbelow}
14725 \DeclareTextCompositeCommand{\'}{PD1}{\ }{\textasciigrave}
14726 \DeclareTextCompositeCommand{\'}{PD1}{\ }{\textacute}
14727 \DeclareTextCompositeCommand{\^}{PD1}{\ }{\textasciicircum}
14728 \DeclareTextCompositeCommand{\~}{PD1}{\ }{\texttilde}
14729 \DeclareTextCompositeCommand{\\"}{PD1}{\ }{\textasciidieresis}
14730 \DeclareTextCompositeCommand{\r}{PD1}{\ }{\textring}
14731 \DeclareTextCompositeCommand{\v}{PD1}{\ }{\textasciicaron}
14732 \DeclareTextCompositeCommand{\.}{PD1}{\ }{\textdotaccent}
14733 \DeclareTextCompositeCommand{\c}{PD1}{\ }{\textcedilla}
14734 \DeclareTextCompositeCommand{\=}{PD1}{\ }{\textasciimacron}
14735 \DeclareTextCompositeCommand{\b}{PD1}{\ }{\textmacronbelow}
14736 \DeclareTextCompositeCommand{\d}{PD1}{\ }{\textdotbelow}
14737 \DeclareTextCommand{\k}{PD1}[1]{\TextSymbolUnavailable{\k{\#1}}{\#1}}
14738 \DeclareTextCommand{\t}{PD1}[1]{\TextSymbolUnavailable{\t{\#1}}{\#1}}
14739 \DeclareTextCommand{\newtie}{PD1}[1]{\%}
14740 \TextSymbolUnavailable{\newtie{\#1}}{\#1\%}
14741 }
```

Special white space escape characters not for use in bookmarks but for other PDF strings.

```
14742 % U+0009 (CHARACTER TABULATION)
14743 \DeclareTextCommand{\textHT}{PD1}{\011} % U+0009
14744 % U+000A (LINE FEED)
14745 \DeclareTextCommand{\textLF}{PD1}{\012} % U+000A
14746 % U+000D (CARRIAGE RETURN)
14747 \DeclareTextCommand{\textCR}{PD1}{\015} % U+000D
```

Accent glyph names

```
14748 % U+02D8 BREVE; breve
14749 \DeclareTextCommand{\textasciibreve}{PD1}{\030} % U+02D8
14750 % U+02C7 CARON; caron
14751 \DeclareTextCommand{\textasciicaron}{PD1}{\031} % U+02C7
14752 % U+02C6 MODIFIER LETTER CIRCUMFLEX ACCENT; circumflex
14753 \DeclareTextCommand{\textcircumflex}{PD1}{\032} % U+02C6
```

```

14754 % U+02D9 DOT ABOVE; dotaccent
14755 \DeclareTextCommand{\textdotaccent}{\PD1}{\033}% U+02D9
14756 % U+02DD DOUBLE ACUTE ACCENT; hungarumlaut
14757 \DeclareTextCommand{\texthungarumlaut}{\PD1}{\034}% U+02DD
14758 % U+02DB OGONEK; ogonek
14759 \DeclareTextCommand{\textogonek}{\PD1}{\035}% U+02DB
14760 % U+02DA RING ABOVE; ring
14761 \DeclareTextCommand{\textring}{\PD1}{\036}% U+02DA
14762 % U+02DC SMALL TILDE; ilde, *tilde
14763 \DeclareTextCommand{\texttilde}{\PD1}{\037}% U+02DC
\040: U+0020 SPACE; *space, spacehackarabic
\041: U+0021 EXCLAMATION MARK; exclam
14764 % U+0022 QUOTATION MARK; quotedbl
14765 \DeclareTextCommand{\textquotedbl}{\PD1}{\string"}% \042 U+0022
14766 % U+0023 NUMBER SIGN; numbersign
14767 \DeclareTextCommand{\textnumbersign}{\PD1}{\043}% U+0023
14768 % U+0024 DOLLAR SIGN; dollar
14769 \DeclareTextCommand{\textdollar}{\PD1}{\044}% U+0024
14770 % U+0025 PERCENT SIGN; percent
14771 \DeclareTextCommand{\textpercent}{\PD1}{\045}% U+0025
14772 % U+0026 AMPERSAND; ampersand
14773 \DeclareTextCommand{\textampersand}{\PD1}{\046}% U+0026
\047: U+0027 APOSTROPHE; quotesingle

14774 % U+0028 LEFT PARENTHESIS; parenleft
14775 \DeclareTextCommand{\textparenleft}{\PD1}{\string(}% \050 U+0028
14776 % U+0029 RIGHT PARENTHESIS; parenright
14777 \DeclareTextCommand{\textparenright}{\PD1}{\string)}% \051 U+0029
\052: U+002A ASTERISK; asterisk
\053: U+002B PLUS SIGN; plus
\054: U+002C COMMA; comma
\055: U+002D HYPHEN-MINUS; hyphen
\056: U+002E FULL STOP; period
14778 % U+002E FULL STOP; period
14779 \DeclareTextCommand{\textdotbelow}{\PD1}{.}% \056 U+002E
\057: U+002F SOLIDUS; slash
\060: U+0030 DIGIT ZERO; zero
...
\071: U+0039 DIGIT NINE; nine
\072: U+003A COLON; colon
\073: U+003B SEMICOLON; semicolon
14780 % U+003C LESS-THAN SIGN; less
14781 \DeclareTextCommand{\textless}{\PD1}{<}% \074 U+003C
\075: U+003D EQUALS SIGN; equal
14782 % U+003E GREATER-THAN SIGN; greater
14783 \DeclareTextCommand{\textgreater}{\PD1}{>}% \076 U+003E
\077: U+003F QUESTION MARK; question
\100: U+0040 COMMERCIAL AT; at
\101: U+0041 LATIN CAPITAL LETTER A; A
...
\132: U+005A LATIN CAPITAL LETTER Z; Z
\133: U+005B LEFT SQUARE BRACKET; bracketleft
14784 % U+005C REVERSE SOLIDUS; backslash
14785 \DeclareTextCommand{\textbackslash}{\PD1}{\134}% U+005C

```

```

14786 % "U+2216 SET MINUS" simulated by "U+005C REVERSE SOLIDUS"
14787 \DeclareTextCommand{\textsetminus}{\textbackslash}
\135: U+005D RIGHT SQUARE BRACKET; bracketright
14788 % U+005E CIRCUMFLEX ACCENT; asciicircum
14789 \DeclareTextCommand{\textasciicircum}{\textbackslash}{\136}% U+005E
14790 % U+005F LOW LINE; underscore
14791 \DeclareTextCommand{\textunderscore}{\textbackslash}{\137}% U+005F
14792 \DeclareTextCommand{\textmacronbelow}{\textbackslash}{\137}% U+005F
14793 % U+0060 GRAVE ACCENT; grave
14794 \DeclareTextCommand{\textasciigrave}{\textbackslash}{\140}% U+0060
\141: U+0061 LATIN SMALL LETTER A; a
...
\150: U+0068 LATIN SMALL LETTER H; h
14795 % U+0069 LATIN SMALL LETTER I; i
14796 \DeclareTextCompositeCommand{.}{\textbackslash}{\151}{\151}% U+0069
\152: U+006A LATIN SMALL LETTER J; j
...
\172: U+007A LATIN SMALL LETTER Z; z
14797 % U+007B LEFT CURLY BRACKET; braceleft
14798 \DeclareTextCommand{\textbraceleft}{\textbackslash}{\173}% U+007B
14799 % U+007C VERTICAL LINE; *bar, verticalbar
14800 \DeclareTextCommand{\textbar}{\textbackslash}{\174}% U+007C
14801 % U+007D RIGHT CURLY BRACKET; braceright
14802 \DeclareTextCommand{\textbraceright}{\textbackslash}{\175}% U+007D
14803 % U+007E TILDE; asciitilde
14804 \DeclareTextCommand{\textasciitilde}{\textbackslash}{\176}% U+007E
Slot \177 (0x7F) is undefined in PDFDocEncoding.
14805 % U+2022 BULLET; bullet
14806 \DeclareTextCommand{\textbullet}{\textbackslash}{\200}% U+2022
14807 % U+2020 DAGGER; dagger
14808 \DeclareTextCommand{\textdagger}{\textbackslash}{\201}% U+2020
14809 % U+2021 DOUBLE DAGGER; daggerdbl; \ddagger (LaTeX)
14810 \DeclareTextCommand{\textdaggerdbl}{\textbackslash}{\202}% U+2021
14811 \DeclareTextCommand{\textddagger}{\textbackslash}{\textdaggerdbl}
14812 % U+2026 HORIZONTAL ELLIPSIS; ellipsis
14813 \DeclareTextCommand{\textellipsis}{\textbackslash}{\203}% U+2026
14814 % U+2014 EM DASH; emdash
14815 \DeclareTextCommand{\textemdash}{\textbackslash}{\204}% U+2014
14816 % U+2013 EN DASH; endash
14817 \DeclareTextCommand{\textendash}{\textbackslash}{\205}% U+2013
14818 % U+0192 LATIN SMALL LETTER F WITH HOOK; florin
14819 \DeclareTextCommand{\textflorin}{\textbackslash}{\206}% U+0192
14820 % U+2044 FRACTION SLASH; fraction
14821 \DeclareTextCommand{\textfractionsolidus}{\textbackslash}{\207}% U+2044
14822 % U+2039 SINGLE LEFT-POINTING ANGLE QUOTATION MARK; guil-
    singleft
14823 \DeclareTextCommand{\guilsingleft}{\textbackslash}{\210}% U+2039
14824 % U+203A SINGLE RIGHT-POINTING ANGLE QUOTATION MARK; guil-
    singright
14825 \DeclareTextCommand{\guilsingright}{\textbackslash}{\211}% U+203A
14826 % U+2212 MINUS SIGN; minus
14827 \DeclareTextCommand{\textminus}{\textbackslash}{\212}% U+2212
14828 % U+2030 PER MILLE SIGN; perthousand
14829 \DeclareTextCommand{\textperthousand}{\textbackslash}{\213}% U+2030
14830 % U+201E DOUBLE LOW-9 QUOTATION MARK; quotedblbase
14831 \DeclareTextCommand{\quotedblbase}{\textbackslash}{\214}% U+201E

```

```

14832 % U+201C LEFT DOUBLE QUOTATION MARK; quotedblleft
14833 \DeclareTextCommand{\textquotedblleft}{\PD1}{\215}% U+201C
14834 % U+201D RIGHT DOUBLE QUOTATION MARK; quotedblright
14835 \DeclareTextCommand{\textquotedblright}{\PD1}{\216}% U+201D
14836 % U+2018 LEFT SINGLE QUOTATION MARK; quoteleft
14837 \DeclareTextCommand{\textquotleft}{\PD1}{\217}% U+2018
14838 % U+2019 RIGHT SINGLE QUOTATION MARK; quoteright
14839 \DeclareTextCommand{\textquotright}{\PD1}{\220}% U+2019
14840 % U+201A SINGLE LOW-9 QUOTATION MARK; quotesinglbase
14841 \DeclareTextCommand{\quotesinglbase}{\PD1}{\221}% U+201A
14842 % U+2122 TRADE MARK SIGN; trademark
14843 \DeclareTextCommand{\texttrademark}{\PD1}{\222}% U+2122
14844 % U+FB01 LATIN SMALL LIGATURE FI; fi
14845 \DeclareTextCommand{\textfi}{\PD1}{\223}% U+FB01
14846 % U+FB02 LATIN SMALL LIGATURE FL; fl
14847 \DeclareTextCommand{\textfl}{\PD1}{\224}% U+FB02
14848 % U+0141 LATIN CAPITAL LETTER L WITH STROKE; lslash
14849 \DeclareTextCommand{\L}{\PD1}{\225}% U+0141
14850 % U+0152 LATIN CAPITAL LIGATURE OE; oe
14851 \DeclareTextCommand{\OE}{\PD1}{\226}% U+0152
14852 % U+0160 LATIN CAPITAL LETTER S WITH CARON; scaron
14853 \DeclareTextCompositeCommand{\v}{\PD1}{S}{\227}% U+0160
14854 % U+0178 LATIN CAPITAL LETTER Y WITH DIAERESIS; ydieresis
14855 \DeclareTextCompositeCommand{\Y}{\PD1}{Y}{\230}% U+0178
14856 \DeclareTextCommand{\IJ}{\PD1}{\230}
14857 % U+017D LATIN CAPITAL LETTER Z WITH CARON; zcaron
14858 \DeclareTextCompositeCommand{\v}{\PD1}{Z}{\231}% U+017D
14859 % U+0131 LATIN SMALL LETTER DOTLESS I; dotlessi
14860 \DeclareTextCommand{\i}{\PD1}{\232}% U+0131
14861 % U+0142 LATIN SMALL LETTER L WITH STROKE; lslash
14862 \DeclareTextCommand{\l}{\PD1}{\233}% U+0142
14863 % U+0153 LATIN SMALL LIGATURE OE; oe
14864 \DeclareTextCommand{\oe}{\PD1}{\234}% U+0153
14865 % U+0161 LATIN SMALL LETTER S WITH CARON; scaron
14866 \DeclareTextCompositeCommand{\v}{\PD1}{s}{\235}% U+0161
14867 % U+017E LATIN SMALL LETTER Z WITH CARON; zcaron
14868 \DeclareTextCompositeCommand{\v}{\PD1}{z}{\236}% U+017E

Slot \237 (0x9F) is not defined in PDFDocEncoding.
The euro \240 is inserted in version 1.3 of the pdf specification.
14869 % U+20AC EURO SIGN; *Euro, euro
14870 \DeclareTextCommand{\texteuro}{\PD1}{\240}% U+20AC
14871 % U+00A1 INVERTED EXCLAMATION MARK; exclamdown
14872 \DeclareTextCommand{\texTEXCLAMDOWN}{\PD1}{\241}% U+00A1
14873 % U+00A2 CENT SIGN; cent
14874 \DeclareTextCommand{\textcent}{\PD1}{\242}% U+00A2
14875 % U+00A3 POUND SIGN; sterling
14876 \DeclareTextCommand{\textsterling}{\PD1}{\243}% U+00A3
14877 % U+00A4 CURRENCY SIGN; currency
14878 \DeclareTextCommand{\textcurrency}{\PD1}{\244}% U+00A4
14879 % U+00A5 YEN SIGN; yen
14880 \DeclareTextCommand{\textyen}{\PD1}{\245}% U+00A5
14881 % U+00A6 BROKEN BAR; brokenbar
14882 \DeclareTextCommand{\textbrokenbar}{\PD1}{\246}% U+00A6
14883 % U+00A7 SECTION SIGN; section
14884 \DeclareTextCommand{\textsection}{\PD1}{\247}% U+00A7
14885 % U+00A8 DIAERESIS; dieresis
14886 \DeclareTextCommand{\textasciidieresis}{\PD1}{\250}% U+00A8

```

```

14887 % U+00A9 COPYRIGHT SIGN; copyright
14888 \DeclareTextCommand{\textcopyright}{\PD1}{\251} % U+00A9
14889 % U+00AA FEMININE ORDINAL INDICATOR; ordfeminine
14890 \DeclareTextCommand{\textordfeminine}{\PD1}{\252} % U+00AA
14891 % U+00AB LEFT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
     motleft
14892 \DeclareTextCommand{\guillemotleft}{\PD1}{\253} % U+00AB
14893 % U+00AC NOT SIGN; logicalnot
14894 \DeclareTextCommand{\textlogicalnot}{\PD1}{\254} % U+00AC
14895 \DeclareTextCommand{\textnot}{\PD1}{\254} % logical not

No glyph \255 in PDFDocEncoding.
14896 % U+00AE REGISTERED SIGN; registered
14897 \DeclareTextCommand{\textregistered}{\PD1}{\256} % U+00AE
14898 % U+00AF MACRON; *macron, overscore
14899 \DeclareTextCommand{\textasciimacron}{\PD1}{\257} % U+00AF
14900 % U+00B0 DEGREE SIGN; degree
14901 \DeclareTextCommand{\textdegree}{\PD1}{\260} % U+00B0
14902 % U+00B1 PLUS-MINUS SIGN; plusminus
14903 \DeclareTextCommand{\textplusminus}{\PD1}{\261} % U+00B1
14904 % U+00B2 SUPERSCRIPT TWO; twosuperior
14905 \DeclareTextCommand{\texttwosuperior}{\PD1}{\262} %* U+00B2
14906 % U+00B3 SUPERSCRIPT THREE; threesuperior
14907 \DeclareTextCommand{\textthreesuperior}{\PD1}{\263} %* U+00B3
14908 % U+00B4 ACUTE ACCENT; acute
14909 \DeclareTextCommand{\textacute}{\PD1}{\264} % U+00B4
14910 % U+00B5 MICRO SIGN; mu, mu1
14911 \DeclareTextCommand{\textmu}{\PD1}{\265} % U+00B5
14912 % U+00B6 PILCROW SIGN; paragraph
14913 \DeclareTextCommand{\textparagraph}{\PD1}{\266} % U+00B6
14914 % U+00B7 MIDDLE DOT; middot, *periodcentered
14915 \DeclareTextCommand{\textperiodcentered}{\PD1}{\267} % U+00B7
14916 % U+00B8 CEDILLA; cedilla
14917 \DeclareTextCommand{\textcedilla}{\PD1}{\270} % U+00B8
14918 % U+00B9 SUPERSCRIPT ONE; onesuperior
14919 \DeclareTextCommand{\textonesuperior}{\PD1}{\271} %* U+00B9
14920 % U+00BA MASCULINE ORDINAL INDICATOR; ordmasculine
14921 \DeclareTextCommand{\textordmasculine}{\PD1}{\272} % U+00BA
14922 % U+00BB RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK; guille-
     motright
14923 \DeclareTextCommand{\guillemotright}{\PD1}{\273} % U+00BB
14924 % U+00BC VULGAR FRACTION ONE QUARTER; onequarter
14925 \DeclareTextCommand{\textonequarter}{\PD1}{\274} % U+00BC
14926 % U+00BD VULGAR FRACTION ONE HALF; onehalf
14927 \DeclareTextCommand{\textonehalf}{\PD1}{\275} % U+00BD
14928 % U+00BE VULGAR FRACTION THREE QUARTERS; threequarters
14929 \DeclareTextCommand{\textthreequarters}{\PD1}{\276} % U+00BE
14930 % U+00BF INVERTED QUESTION MARK; questiondown
14931 \DeclareTextCommand{\textquestiondown}{\PD1}{\277} % U+00BF
14932 % U+00C0 LATIN CAPITAL LETTER A WITH GRAVE; Agrave
14933 \DeclareTextCompositeCommand{\'}{\PD1}{A}{\300} % U+00C0
14934 % U+00C1 LATIN CAPITAL LETTER A WITH ACUTE; Aacute
14935 \DeclareTextCompositeCommand{\'}{\PD1}{A}{\301} % U+00C1
14936 % U+00C2 LATIN CAPITAL LETTER A WITH CIRCUMFLEX; Acircumflex
14937 \DeclareTextCompositeCommand{\^}{\PD1}{A}{\302} % U+00C2
14938 % U+00C3 LATIN CAPITAL LETTER A WITH TILDE; Atilde
14939 \DeclareTextCompositeCommand{\~}{\PD1}{A}{\303} % U+00C3
14940 % U+00C4 LATIN CAPITAL LETTER A WITH DIAERESIS; Adieresis

```

```

14941 \DeclareTextCompositeCommand{\"}{PD1}{A}{\304}% U+00C4
14942 % U+00C5 LATIN CAPITAL LETTER A WITH RING ABOVE; Aring
14943 \DeclareTextCompositeCommand{\r}{PD1}{A}{\305}% U+00C5
14944 % U+00C6 LATIN CAPITAL LETTER AE; AE
14945 \DeclareTextCommand{\AE}{PD1}{\306}% U+00C6
14946 % U+00C7 LATIN CAPITAL LETTER C WITH CEDILLA; Ccedilla
14947 \DeclareTextCompositeCommand{\c}{PD1}{C}{\307}% U+00C7
14948 % U+00C8 LATIN CAPITAL LETTER E WITH GRAVE; Egrave
14949 \DeclareTextCompositeCommand{\'}{PD1}{E}{\310}% U+00C8
14950 % U+00C9 LATIN CAPITAL LETTER E WITH ACUTE; Eacute
14951 \DeclareTextCompositeCommand{\'}{PD1}{E}{\311}% U+00C9
14952 % U+00CA LATIN CAPITAL LETTER E WITH CIRCUMFLEX; Ecircumflex
14953 \DeclareTextCompositeCommand{\^}{PD1}{E}{\312}% U+00CA
14954 % U+00CB LATIN CAPITAL LETTER E WITH DIAERESIS; Edieresis
14955 \DeclareTextCompositeCommand{\"}{PD1}{E}{\313}% U+00CB
14956 % U+00CC LATIN CAPITAL LETTER I WITH GRAVE; Igrave
14957 \DeclareTextCompositeCommand{\{}{PD1}{I}{\314}% U+00CC
14958 % U+00CD LATIN CAPITAL LETTER I WITH ACUTE; Iacute
14959 \DeclareTextCompositeCommand{\'}{PD1}{I}{\315}% U+00CD
14960 % U+00CE LATIN CAPITAL LETTER I WITH CIRCUMFLEX; Icircumflex
14961 \DeclareTextCompositeCommand{\^}{PD1}{I}{\316}% U+00CE
14962 % U+00CF LATIN CAPITAL LETTER I WITH DIAERESIS; Idieresis
14963 \DeclareTextCompositeCommand{\'}{PD1}{I}{\317}% U+00CF
14964 % U+00D0 LATIN CAPITAL LETTER ETH; Eth
14965 \DeclareTextCommand{\DH}{PD1}{\320}% U+00D0
14966 \DeclareTextCommand{\DJ}{PD1}{\320}% U+00D0
14967 % U+00D1 LATIN CAPITAL LETTER N WITH TILDE; Ntilde
14968 \DeclareTextCompositeCommand{\~}{PD1}{N}{\321}% U+00D1
14969 % U+00D2 LATIN CAPITAL LETTER O WITH GRAVE; Ograve
14970 \DeclareTextCompositeCommand{\{}{PD1}{O}{\322}% U+00D2
14971 % U+00D3 LATIN CAPITAL LETTER O WITH ACUTE; Oacute
14972 \DeclareTextCompositeCommand{\'}{PD1}{O}{\323}% U+00D3
14973 % U+00D4 LATIN CAPITAL LETTER O WITH CIRCUMFLEX; Ocircumflex
14974 \DeclareTextCompositeCommand{\^}{PD1}{O}{\324}% U+00D4
14975 % U+00D5 LATIN CAPITAL LETTER O WITH TILDE; Otilde
14976 \DeclareTextCompositeCommand{\~}{PD1}{O}{\325}% U+00D5
14977 % U+00D6 LATIN CAPITAL LETTER O WITH DIAERESIS; Odieresis
14978 \DeclareTextCompositeCommand{\"}{PD1}{O}{\326}% U+00D6
14979 % U+00D7 MULTIPLICATION SIGN; multiply
14980 \DeclareTextCommand{\textmultiply}{PD1}{\327}% U+00D7
14981 % U+00D8 LATIN CAPITAL LETTER O WITH STROKE; Oslash
14982 \DeclareTextCommand{\O}{PD1}{\330}% U+00D8
14983 % U+00D9 LATIN CAPITAL LETTER U WITH GRAVE; Ugrave
14984 \DeclareTextCompositeCommand{\{}{PD1}{U}{\331}% U+00D9
14985 % U+00DA LATIN CAPITAL LETTER U WITH ACUTE; Uacute
14986 \DeclareTextCompositeCommand{\'}{PD1}{U}{\332}% U+00DA
14987 % U+00DB LATIN CAPITAL LETTER U WITH CIRCUMFLEX; Ucircumflex
14988 \DeclareTextCompositeCommand{\^}{PD1}{U}{\333}% U+00DB
14989 % U+00DC LATIN CAPITAL LETTER U WITH DIAERESIS; Udieresis
14990 \DeclareTextCompositeCommand{\"}{PD1}{U}{\334}% U+00DC
14991 % U+00DD LATIN CAPITAL LETTER Y WITH ACUTE; Yacute
14992 \DeclareTextCompositeCommand{\'}{PD1}{Y}{\335}% U+00DD
14993 % U+00DE LATIN CAPITAL LETTER THORN; Thorn; \TH, \Thorn (wasysym)
14994 \DeclareTextCommand{\TH}{PD1}{\336}% U+00DE
14995 \DeclareTextCommand{\textThorn}{PD1}{\336}/* U+00DE
14996 % U+00DF LATIN SMALL LETTER SHARP S; germandbls
14997 \DeclareTextCommand{\ss}{PD1}{\337}% U+00DF

```

```

14998 % U+00E0 LATIN SMALL LETTER A WITH GRAVE; agrave
14999 \DeclareTextCompositeCommand{\`}{PD1}{a}{\340}% U+00E0
15000 % U+00E1 LATIN SMALL LETTER A WITH ACUTE; aacute
15001 \DeclareTextCompositeCommand{\'}{PD1}{a}{\341}% U+00E1
15002 % U+00E2 LATIN SMALL LETTER A WITH CIRCUMFLEX; acircumflex
15003 \DeclareTextCompositeCommand{\^}{PD1}{a}{\342}% U+00E2
15004 % U+00E3 LATIN SMALL LETTER A WITH TILDE; atilde
15005 \DeclareTextCompositeCommand{\~}{PD1}{a}{\343}% U+00E3
15006 % U+00E4 LATIN SMALL LETTER A WITH DIAERESIS; adieresis
15007 \DeclareTextCompositeCommand{\"}{PD1}{a}{\344}% U+00E4
15008 % U+00E5 LATIN SMALL LETTER A WITH RING ABOVE; aring
15009 \DeclareTextCompositeCommand{\r}{PD1}{a}{\345}% U+00E5
15010 % U+00E6 LATIN SMALL LETTER AE; ae
15011 \DeclareTextCommand{\ae}{PD1}{\346}% U+00E6
15012 % U+00E7 LATIN SMALL LETTER C WITH CEDILLA; ccedilla
15013 \DeclareTextCompositeCommand{\c}{PD1}{c}{\347}% U+00E7
15014 % U+00E8 LATIN SMALL LETTER E WITH GRAVE; egrave
15015 \DeclareTextCompositeCommand{\`}{PD1}{e}{\350}% U+00E8
15016 % U+00E9 LATIN SMALL LETTER E WITH ACUTE; eacute
15017 \DeclareTextCompositeCommand{\'}{PD1}{e}{\351}% U+00E9
15018 % U+00EA LATIN SMALL LETTER E WITH CIRCUMFLEX; ecircumflex
15019 \DeclareTextCompositeCommand{\^}{PD1}{e}{\352}% U+00EA
15020 % U+00EB LATIN SMALL LETTER E WITH DIAERESIS; edieresis
15021 \DeclareTextCompositeCommand{\\"}{PD1}{e}{\353}% U+00EB
15022 % U+00EC LATIN SMALL LETTER I WITH GRAVE; igrave
15023 \DeclareTextCompositeCommand{\`}{PD1}{i}{\354}% U+00EC
15024 \DeclareTextCompositeCommand{\'}{PD1}{i}{\354}% U+00EC
15025 % U+00ED LATIN SMALL LETTER I WITH ACUTE; iacute
15026 \DeclareTextCompositeCommand{\'}{PD1}{i}{\355}% U+00ED
15027 \DeclareTextCompositeCommand{\\"}{PD1}{i}{\355}% U+00ED
15028 % U+00EE LATIN SMALL LETTER I WITH CIRCUMFLEX; icircumflex
15029 \DeclareTextCompositeCommand{\^}{PD1}{i}{\356}% U+00EE
15030 \DeclareTextCompositeCommand{\^}{PD1}{i}{\356}% U+00EE
15031 % U+00EF LATIN SMALL LETTER I WITH DIAERESIS; idieresis
15032 \DeclareTextCompositeCommand{\\"}{PD1}{i}{\357}% U+00EF
15033 \DeclareTextCompositeCommand{\\"}{PD1}{i}{\357}% U+00EF
15034 % U+00F0 LATIN SMALL LETTER ETH; eth
15035 \DeclareTextCommand{\dh}{PD1}{\360}% U+00F0
15036 % U+00F1 LATIN SMALL LETTER N WITH TILDE; ntilde
15037 \DeclareTextCompositeCommand{\~}{PD1}{n}{\361}% U+00F1
15038 % U+00F2 LATIN SMALL LETTER O WITH GRAVE; ograve
15039 \DeclareTextCompositeCommand{\`}{PD1}{o}{\362}% U+00F2
15040 % U+00F3 LATIN SMALL LETTER O WITH ACUTE; oacute
15041 \DeclareTextCompositeCommand{\'}{PD1}{o}{\363}% U+00F3
15042 % U+00F4 LATIN SMALL LETTER O WITH CIRCUMFLEX; ocircumflex
15043 \DeclareTextCompositeCommand{\^}{PD1}{o}{\364}% U+00F4
15044 % U+00F5 LATIN SMALL LETTER O WITH TILDE; otilde
15045 \DeclareTextCompositeCommand{\~}{PD1}{o}{\365}% U+00F5
15046 % U+00F6 LATIN SMALL LETTER O WITH DIAERESIS; odieresis
15047 \DeclareTextCompositeCommand{\\"}{PD1}{o}{\366}% U+00F6
15048 % U+00F7 DIVISION SIGN; divide
15049 \DeclareTextCommand{\textdivide}{PD1}{\367}% U+00F7
15050 % U+00F8 LATIN SMALL LETTER O WITH STROKE; oslash
15051 \DeclareTextCommand{\o}{PD1}{\370}% U+00F8
15052 % U+00F9 LATIN SMALL LETTER U WITH GRAVE; ugrave
15053 \DeclareTextCompositeCommand{\`}{PD1}{u}{\371}% U+00F9
15054 % U+00FA LATIN SMALL LETTER U WITH ACUTE; uacute

```

```

15055 \DeclareTextCompositeCommand{\'}{PD1}{u}{\372}%
15056 % U+00FB LATIN SMALL LETTER U WITH CIRCUMFLEX; ucircumflex
15057 \DeclareTextCompositeCommand{\^}{PD1}{u}{\373}%
15058 % U+00FC LATIN SMALL LETTER U WITH DIAERESIS; udieresis
15059 \DeclareTextCompositeCommand{\"}{PD1}{u}{\374}%
15060 % U+00FD LATIN SMALL LETTER Y WITH ACUTE; yacute
15061 \DeclareTextCompositeCommand{\{}{PD1}{y}{\375}%
15062 % U+00FE LATIN SMALL LETTER THORN; thorn; \th, \thorn (wasysym)
15063 \DeclareTextCommand{\th}{PD1}{\376}%
15064 \DeclareTextCommand{\textthorn}{PD1}{\376}%
15065 % U+00FF LATIN SMALL LETTER Y WITH DIAERESIS; ydieresis
15066 \DeclareTextCompositeCommand{\"}{PD1}{y}{\377}%
15067 \DeclareTextCommand{\ij}{PD1}{\377}%
15068 \DeclareTextCommand{\SS}{PD1}{SS}
15069 \DeclareTextCommand{\textcelsius}{PD1}{\textdegree C}
Aliases (german.sty)
15070 \DeclareTextCommand{\textglqq}{PD1}{\quotedblbase}
15071 \DeclareTextCommand{\textgrqq}{PD1}{\textquotedblleft}
15072 \DeclareTextCommand{\textglq}{PD1}{\quotesinglbase}
15073 \DeclareTextCommand{\textgrq}{PD1}{\textquotelleft}
15074 \DeclareTextCommand{\textflqq}{PD1}{\guillemotleft}
15075 \DeclareTextCommand{\textfrqq}{PD1}{\guillemotright}
15076 \DeclareTextCommand{\textflq}{PD1}{\guilsingleleft}
15077 \DeclareTextCommand{\textfrq}{PD1}{\guilsinglright}
Aliases (math names)
15078 \DeclareTextCommand{\textneg}{PD1}{\textlogicalnot}
15079 \DeclareTextCommand{\texttimes}{PD1}{\textmultiply}
15080 \DeclareTextCommand{\textdiv}{PD1}{\textdivide}
15081 \DeclareTextCommand{\textpm}{PD1}{\textplusminus}
15082 \DeclareTextCommand{\textcdot}{PD1}{\textperiodcentered}
15083 \DeclareTextCommand{\textbeta}{PD1}{\ss}
Polish aliases. PDF encoding does not have the characters, but it is useful to Poles to have the plain letters regardless. Requested by Wojciech Myszka (W.Myszka@immt.pwr.wroc.pl).
15084 \DeclareTextCompositeCommand{\k}{PD1}{a}{a}%
15085 \DeclareTextCompositeCommand{\'}{PD1}{c}{c}%
15086 \DeclareTextCompositeCommand{\k}{PD1}{e}{e}%
15087 \DeclareTextCompositeCommand{\'}{PD1}{n}{n}%
15088 \DeclareTextCompositeCommand{\'}{PD1}{s}{s}%
15089 \DeclareTextCompositeCommand{\'}{PD1}{z}{z}%
15090 \DeclareTextCompositeCommand{\.}{PD1}{z}{z}%
15091 \DeclareTextCompositeCommand{\k}{PD1}{A}{A}%
15092 \DeclareTextCompositeCommand{\'}{PD1}{C}{C}%
15093 \DeclareTextCompositeCommand{\k}{PD1}{E}{E}%
15094 \DeclareTextCompositeCommand{\'}{PD1}{N}{N}%
15095 \DeclareTextCompositeCommand{\'}{PD1}{S}{S}%
15096 \DeclareTextCompositeCommand{\'}{PD1}{Z}{Z}%
15097 \DeclareTextCompositeCommand{\.}{PD1}{Z}{Z}%
15098 
```

50.2 PU encoding

```

15099 /*puenc*/
15100 \DeclareFontEncoding{PU}{}{}
```

50.2.1 NFSS2 accents

```
15101 % U+0300 COMBINING GRAVE ACCENT; gravecmb, *gravecomb
15102 \DeclareTextCommand{\'}{\PU}[1]{#1\83\000}% U+0300
15103 % U+0301 COMBINING ACUTE ACCENT; acutecmb, *acutecomb
15104 \DeclareTextCommand{\'}{\PU}[1]{#1\83\001}% U+0301
15105 % U+0302 COMBINING CIRCUMFLEX ACCENT; circumflexcmb
15106 \DeclareTextCommand{\~}{\PU}[1]{#1\83\002}% U+0302
15107 % U+0303 COMBINING TILDE; tildecmb, *tildecomb
15108 \DeclareTextCommand{\~}{\PU}[1]{#1\83\003}% U+0303
15109 % U+0304 COMBINING MACRON; macroncmb
15110 \DeclareTextCommand{\=}{\PU}[1]{#1\83\004}% U+0304
15111 % U+0306 COMBINING BREVE; brevecmb
15112 \DeclareTextCommand{\u}{\PU}[1]{#1\83\006}% U+0306
15113 \DeclareTextCommand{\U}{\PU}[1]{#1\83\006}% U+0306
15114 % U+0307 COMBINING DOT ABOVE; dotaccentcmb
15115 \DeclareTextCommand{\.}{\PU}[1]{#1\83\007}% U+0307
15116 % U+0308 COMBINING DIAERESIS; dieresiscmb
15117 \DeclareTextCommand{\"}{\PU}[1]{#1\83\010}% U+0308
15118 % U+030A COMBINING RING ABOVE; ringcmb
15119 \DeclareTextCommand{\r}{\PU}[1]{#1\83\012}% U+030A
15120 % U+030B COMBINING DOUBLE ACUTE ACCENT; hungarumlautcmb
15121 \DeclareTextCommand{\H}{\PU}[1]{#1\83\013}% U+030B
15122 % U+030C COMBINING CARON; caroncmb
15123 \DeclareTextCommand{\v}{\PU}[1]{#1\83\014}% U+030C
15124 % U+030F COMBINING DOUBLE GRAVE ACCENT; dblgravecmb
15125 \DeclareTextCommand{\G}{\PU}[1]{#1\83\017}% U+030F
15126 \DeclareTextCommand{\C}{\PU}[1]{#1\83\017}% U+030F
15127 % U+0311 COMBINING INVERTED BREVE; breveinvertedcmb
15128 \DeclareTextCommand{\textinvbreve}{\PU}[1]{#1\83\021}% U+0311
15129 % U+0323 COMBINING DOT BELOW; dotbelowcmb, *dotbelowcomb
15130 \DeclareTextCommand{\d}{\PU}[1]{#1\83\043}% U+0323
15131 % U+0324 COMBINING DIAERESIS BELOW; dieresisbelowcmb; \textsubum-
laut (tipa)
15132 \DeclareTextCommand{\textsubumlaut}{\PU}[1]{#1\83\044}% U+0324
15133 % U+0325 COMBINING RING BELOW; ringbelowcmb; \textsubring (tipa)
15134 \DeclareTextCommand{\textsubring}{\PU}[1]{#1\83\045}% U+0325
15135 % U+0327 COMBINING CEDILLA; cedillacmb
15136 \DeclareTextCommand{\c}{\PU}[1]{#1\83\047}% U+0327
15137 % U+0328 COMBINING OGONEK; ogonekcmb
15138 \DeclareTextCommand{\k}{\PU}[1]{#1\83\050}% U+0328
15139 % U+032D COMBINING CIRCUMFLEX ACCENT BELOW;
15140 % \textsubcircum (tipa)
15141 \DeclareTextCommand{\textsubcircum}{\PU}[1]{#1\83\055}% U+032D
15142 % U+032E COMBINING BREVE BELOW; brevebelowcmb
15143 \DeclareTextCommand{\textsubbreve}{\PU}[1]{#1\83\056}% U+032E
15144 % U+0330 COMBINING TILDE BELOW; tildebelowcmb; \textsubtilde (tipa)
15145 \DeclareTextCommand{\textsubtilde}{\PU}[1]{#1\83\060}% U+0330
15146 % U+0331 COMBINING MACRON BELOW; macronbelowcmb
15147 \DeclareTextCommand{\b}{\PU}[1]{#1\83\061}% U+0331
15148 % U+0361 COMBINING DOUBLE INVERTED BREVE; breveinverteddou-
blecmb
15149 \DeclareTextCommand{\t}{\PU}[1]{#1\83\141}% U+0361
15150 % U+20DD COMBINING ENCLOSING CIRCLE
15151 \DeclareTextCommand{\textcircled}{\PU}[1]{#1\9040\335}% U+20DD

    Double accents.
15152 \DeclareTextCommand{\textacutemacron}{\PU}[1]{#1\83\001\83\004}
```

```

15153 \DeclareTextCommand{\textgravemacron}{PU}[1]{#1\83\000\83\004}
    \empty is an artefact of the NFSS2 machinery, it gets inserted for empty
    arguments and spaces.
15154 \DeclareTextCompositeCommand{\'}{PU}{\empty}{\textasciigrave}
15155 \DeclareTextCompositeCommand{\'}{PU}{\empty}{\textacute}
15156 \DeclareTextCompositeCommand{\`}{PU}{\empty}{\textasciicircum}
15157 \DeclareTextCompositeCommand{\-}{PU}{\empty}{\texttilde}
15158 \DeclareTextCompositeCommand{\"}{PU}{\empty}{\textasciidieresis}
15159 \DeclareTextCompositeCommand{\r}{PU}{\empty}{\textring}
15160 \DeclareTextCompositeCommand{\v}{PU}{\empty}{\textasciicaron}
15161 \DeclareTextCompositeCommand{\.}{PU}{\empty}{\textdotaccent}
15162 \DeclareTextCompositeCommand{\c}{PU}{\empty}{\textcedilla}
15163 \DeclareTextCompositeCommand{\u}{PU}{\empty}{\textasciibreve}
15164 \DeclareTextCompositeCommand{\G}{PU}{\empty}{\textdoublegrave}
15165 \DeclareTextCompositeCommand{\=}{PU}{\empty}{\textasciimacron}
15166 \DeclareTextCompositeCommand{\H}{PU}{\empty}{\texthungarumlaut}
15167 \DeclareTextCompositeCommand{\k}{PU}{\empty}{\textogonek}
15168 \DeclareTextCompositeCommand{\textinbreve}{PU}{\empty}{{\ 83\021}}
15169 \DeclareTextCompositeCommand{\textsubumlaut}{PU}{\empty}{{\ 83\044}}
15170 \DeclareTextCompositeCommand{\textsubring}{PU}{\empty}{\textringlow}
15171 \DeclareTextCompositeCommand{\textsubcircum}{PU}{\empty}{\textcircumlow}
15172 \DeclareTextCompositeCommand{\textsubbreve}{PU}{\empty}{{\ 83\056}}
15173 \DeclareTextCompositeCommand{\textsubtilde}{PU}{\empty}{\texttildebelow}
15174 \DeclareTextCompositeCommand{\b}{PU}{\empty}{\textmacronbelow}
15175 \DeclareTextCompositeCommand{\d}{PU}{\empty}{\textdotbelow}
15176 \DeclareTextCompositeCommand{\t}{PU}{\empty}{\texttie}
15177 \DeclareTextCompositeCommand{\newtie}{PU}{\empty}{\textnewtie}
15178 \DeclareTextCompositeCommand{\textcircled}{PU}{\empty}{\textbigcircle}
15179 \DeclareTextCompositeCommand{\textacutemacron}{PU}{\empty}{{\ 83\001\83\004}}
15180 \DeclareTextCompositeCommand{\textgravemacron}{PU}{\empty}{{\ 83\000\83\004}}
15181 \DeclareTextCompositeCommand{\'}{PU}{\ }{\textasciigrave}
15182 \DeclareTextCompositeCommand{\'}{PU}{\ }{\textacute}
15183 \DeclareTextCompositeCommand{\`}{PU}{\ }{\textasciicircum}
15184 \DeclareTextCompositeCommand{\-}{PU}{\ }{\texttilde}
15185 \DeclareTextCompositeCommand{\"}{PU}{\ }{\textasciidieresis}
15186 \DeclareTextCompositeCommand{\r}{PU}{\ }{\textring}
15187 \DeclareTextCompositeCommand{\v}{PU}{\ }{\textasciicaron}
15188 \DeclareTextCompositeCommand{\.}{PU}{\ }{\textdotaccent}
15189 \DeclareTextCompositeCommand{\c}{PU}{\ }{\textcedilla}
15190 \DeclareTextCompositeCommand{\u}{PU}{\ }{\textasciibreve}
15191 \DeclareTextCompositeCommand{\G}{PU}{\ }{\textdoublegrave}
15192 \DeclareTextCompositeCommand{\=}{PU}{\ }{\textasciimacron}
15193 \DeclareTextCompositeCommand{\H}{PU}{\ }{\texthungarumlaut}
15194 \DeclareTextCompositeCommand{\k}{PU}{\ }{\textogonek}
15195 \DeclareTextCompositeCommand{\textinbreve}{PU}{\ }{{\ 83\021}}
15196 \DeclareTextCompositeCommand{\textsubumlaut}{PU}{\ }{{\ 83\044}}
15197 \DeclareTextCompositeCommand{\textsubring}{PU}{\ }{\textringlow}
15198 \DeclareTextCompositeCommand{\textsubcircum}{PU}{\ }{\textcircumlow}
15199 \DeclareTextCompositeCommand{\textsubbreve}{PU}{\ }{{\ 83\056}}
15200 \DeclareTextCompositeCommand{\textsubtilde}{PU}{\ }{\texttildebelow}
15201 \DeclareTextCompositeCommand{\b}{PU}{\ }{\textmacronbelow}
15202 \DeclareTextCompositeCommand{\d}{PU}{\ }{\textdotbelow}
15203 \DeclareTextCompositeCommand{\t}{PU}{\ }{\texttie}
15204 \DeclareTextCompositeCommand{\newtie}{PU}{\ }{\textnewtie}
15205 \DeclareTextCompositeCommand{\textcircled}{PU}{\ }{\textbigcircle}
15206 \DeclareTextCompositeCommand{\textacutemacron}{PU}{\ }{{\ 83\001\83\004}}

```

```

15207 \DeclareTextCompositeCommand{\textgravemacron}{PU}{{\ }{{\ \v{83}\000\83\004}}}

Accents for capitals (see encoding TS1)
15208 \DeclareTextCommand{\capitalcedilla}{PU}[1]{\c{\#1}}
15209 \DeclareTextCommand{\capitalogonek}{PU}[1]{\k{\#1}}
15210 \DeclareTextCommand{\capitalgrave}{PU}[1]{\'{\#1}}
15211 \DeclareTextCommand{\capitalacute}{PU}[1]{\'{\#1}}
15212 \DeclareTextCommand{\capitalcircumflex}{PU}[1]{\^{\#1}}
15213 \DeclareTextCommand{\capitaltilde}{PU}[1]{\~{\#1}}
15214 \DeclareTextCommand{\capitaldieresis}{PU}[1]{\"{\#1}}
15215 \DeclareTextCommand{\capitalhungarumlaut}{PU}[1]{\H{\#1}}
15216 \DeclareTextCommand{\capitalring}{PU}[1]{\r{\#1}}
15217 \DeclareTextCommand{\capitalcaron}{PU}[1]{\v{\#1}}
15218 \DeclareTextCommand{\capitalbreve}{PU}[1]{\u{\#1}}
15219 \DeclareTextCommand{\capitalmacron}{PU}[1]{\={\#1}}
15220 \DeclareTextCommand{\capitaldotaccent}{PU}[1]{\.{\#1}}
15221 \DeclareTextCommand{\capitaltie}{PU}[1]{\t{\#1}}
15222 \DeclareTextCommand{\capitalnewtie}{PU}[1]{\newtie{\#1}}

```

50.2.2 Basic Latin: U+0000 to U+007F

Special white space escape characters.

```

15223 % U+0009 (CHARACTER TABULATION)
15224 \DeclareTextCommand{\textHT}{PU}{\80\011}% U+0009
15225 % U+000A (LINE FEED)
15226 \DeclareTextCommand{\textLF}{PU}{\80\012}% U+000A
15227 % U+000D (CARRIAGE RETURN)
15228 \DeclareTextCommand{\textCR}{PU}{\80\015}% U+000D
\80\040: U+0020 SPACE; space, spacehackarabic
\80\041: U+0021 EXCLAMATION MARK; exclam
15229 % U+0022 QUOTATION MARK; quotedbl
15230 \DeclareTextCommand{\textquotedbl}{PU}{\string"}% \80\042 U+0022
15231 % U+0023 NUMBER SIGN; numbersign
15232 \DeclareTextCommand{\textnumbersign}{PU}{\80\043}% U+0023
15233 % U+0024 DOLLAR SIGN; dollar
15234 \DeclareTextCommand{\textdollar}{PU}{\80\044}% U+0024
15235 %* \textdollar -> \mathdollar
15236 % U+0025 PERCENT SIGN; percent
15237 \DeclareTextCommand{\textpercent}{PU}{\80\045}% U+0025
15238 % U+0026 AMPERSAND; ampersand
15239 \DeclareTextCommand{\textampersand}{PU}{\80\046}% U+0026
15240 %* \textampersand -> \binampersand (stmaryrd)
15241 %* \textampersand -> \with (cmll)
15242 % U+0027 APOSTROPHE; quotesingle
15243 \DeclareTextCommand{\textquotesingle}{PU}{\80\047}% U+0027
15244 % U+0028 LEFT PARENTHESIS; parenleft
15245 \DeclareTextCommand{\textparenleft}{PU}{\80\050}% U+0028
15246 % U+0029 RIGHT PARENTHESIS; parenright
15247 \DeclareTextCommand{\textparenright}{PU}{\80\051}% U+0029
15248 % U+002A ASTERISK; asterisk
15249 \DeclareTextCommand{\textasteriskcentered}{PU}{\80\052}% U+002A (?)

\80\053: U+002B PLUS SIGN; plus
\80\054: U+002C COMMA; comma
\80\055: U+002D HYPHEN-MINUS; hyphen
\80\056: U+002E FULL STOP; period
\80\057: U+002F SOLIDUS; slash
\80\060: U+0030 DIGIT ZERO; zero

```

```

...
\80\071: U+0039 DIGIT NINE; nine
\80\072: U+003A COLON; colon
\80\073: U+003B SEMICOLON; semicolon
15250 % U+003C LESS-THAN SIGN; less
15251 \DeclareTextCommand{\textless}{\PU}{<}% \80\074 U+003C
\80\075: U+003D EQUALS SIGN; equal
15252 % U+003E GREATER-THAN SIGN; greater
15253 \DeclareTextCommand{\textgreater}{\PU}{>}% \80\076 U+003E
\80\077: U+003F QUESTION MARK; question
\80\100: U+0040 COMMERCIAL AT; at
\80\101: U+0041 LATIN CAPITAL LETTER A; A
...
\80\132: U+005A LATIN CAPITAL LETTER Z; Z
\80\133: U+005B LEFT SQUARE BRACKET; bracketleft
15254 % U+005C REVERSE SOLIDUS; backslash
15255 \DeclareTextCommand{\textbackslash}{\PU}{\80\134}% U+005C
\80\135: U+005D RIGHT SQUARE BRACKET; bracketright
15256 % U+005E CIRCUMFLEX ACCENT; asciicircum
15257 \DeclareTextCommand{\textasciicircum}{\PU}{\80\136}% U+005E
15258 % U+005F LOW LINE; underscore
15259 \DeclareTextCommand{\textunderscore}{\PU}{\80\137}% U+005F
15260 %* \textunderscore -> \mathunderscore (LaTeX)
15261 % U+0060 GRAVE ACCENT; grave
15262 \DeclareTextCommand{\textasciigrave}{\PU}{\80\140}% U+0060
\80\141: U+0061 LATIN SMALL LETTER A; a
...
\80\150: U+0068 LATIN SMALL LETTER H; h
15263 % U+0069 LATIN SMALL LETTER I; i
15264 \DeclareTextCompositeCommand{.}{\PU}{i}{i} % \80\151 U+0069
15265 \DeclareTextCompositeCommand{.}{\PU}{i}{i} % \80\151 U+0069
\80\152: U+006A LATIN SMALL LETTER J; j
...
\80\172: U+007A LATIN SMALL LETTER Z; z
15266 % U+007B LEFT CURLY BRACKET; braceleft
15267 \DeclareTextCommand{\textbraceleft}{\PU}{\80\173}% U+007B
15268 % U+007C VERTICAL LINE; *bar, verticalbar
15269 \DeclareTextCommand{\textbar}{\PU}{|}% \80\174 U+007C
15270 %* \textbar -> \textvertline (tipa)
15271 % U+007D RIGHT CURLY BRACKET; braceright
15272 \DeclareTextCommand{\textbraceright}{\PU}{\80\175}% U+007D
15273 % U+007E TILDE; asciitilde
15274 \DeclareTextCommand{\textasciitilde}{\PU}{\80\176}% U+007E

```

50.2.3 Latin-1 Supplement: U+0080 to U+00FF

```

\80\240: U+00A0 NO-BREAK SPACE; nbspace, nonbreakingspace
15275 % U+00A1 INVERTED EXCLAMATION MARK; exclamdown
15276 \DeclareTextCommand{\textexclamdown}{\PU}{\80\241}% U+00A1
15277 % U+00A2 CENT SIGN; cent
15278 \DeclareTextCommand{\textcent}{\PU}{\80\242}% U+00A2
15279 % U+00A3 POUND SIGN; sterling
15280 \DeclareTextCommand{\textsterling}{\PU}{\80\243}% U+00A3

```

15281 %* \textsterling -> \mathsterling (LaTeX)
15282 %* \textsterling -> \pounds (LaTeX)
15283 % U+00A4 CURRENCY SIGN; currency
15284 \DeclareTextCommand{\textcurrency}{\PU}{\text{\textcircled{80}\textcircled{244}}}% U+00A4
15285 % U+00A5 YEN SIGN; yen
15286 \DeclareTextCommand{\textyen}{\PU}{\text{\textcircled{80}\textcircled{245}}}% U+00A5
15287 % U+00A6 BROKEN BAR; brokenbar
15288 \DeclareTextCommand{\textbrokenbar}{\PU}{\text{\textcircled{80}\textcircled{246}}}% U+00A6
15289 %* \textbrokenbar -> \brokenvert (wasysym)
15290 % U+00A7 SECTION SIGN; section
15291 \DeclareTextCommand{\textsection}{\PU}{\text{\textcircled{80}\textcircled{247}}}% U+00A7
15292 %* \textsection -> \mathsection (LaTeX)
15293 %* \textsection -> \S (LaTeX)
15294 % U+00A8 DIAERESIS; dieresis
15295 \DeclareTextCommand{\textasciidieresis}{\PU}{\text{\textcircled{80}\textcircled{250}}}% U+00A8
15296 % U+00A9 COPYRIGHT SIGN; copyright
15297 \DeclareTextCommand{\textcopyright}{\PU}{\text{\textcircled{80}\textcircled{251}}}%* U+00A9
15298 % U+00AA FEMININE ORDINAL INDICATOR; ordfeminine
15299 \DeclareTextCommand{\textordfeminine}{\PU}{\text{\textcircled{80}\textcircled{252}}}% U+00AA
15300 % U+00AB LEFT-POINTING DOUBLE ANGLE QUOTATION MARK; guillemotleft
15301 \DeclareTextCommand{\guillemotleft}{\PU}{\text{\textcircled{80}\textcircled{253}}}% U+00AB
15302 % U+00AC NOT SIGN; logicalnot
15303 \DeclareTextCommand{\textlogicalnot}{\PU}{\text{\textcircled{80}\textcircled{254}}}% U+00AC
15304 \DeclareTextCommand{\textlnot}{\PU}{\text{\textcircled{80}\textcircled{254}}}% U+00AC

\text{\textcircled{80}\textcircled{255}}: U+00AD SOFT HYPHEN; sfthyphen, softhyphen
15305 % U+00AE REGISTERED SIGN; registered
15306 \DeclareTextCommand{\textregistered}{\PU}{\text{\textcircled{80}\textcircled{256}}}% U+00AE
15307 % U+00AF MACRON; *macron, overscore
15308 \DeclareTextCommand{\textasciimacron}{\PU}{\text{\textcircled{80}\textcircled{257}}}% U+00AF
15309 % U+00B0 DEGREE SIGN; degree
15310 \DeclareTextCommand{\textdegree}{\PU}{\text{\textcircled{80}\textcircled{260}}}% U+00B0
15311 % U+00B1 PLUS-MINUS SIGN; plusminus
15312 \DeclareTextCommand{\textplusminus}{\PU}{\text{\textcircled{80}\textcircled{261}}}% U+00B1
15313 % U+00B2 SUPERSCRIPT TWO; twosuperior
15314 \DeclareTextCommand{\texttwosuperior}{\PU}{\text{\textcircled{80}\textcircled{262}}}%* U+00B2
15315 % U+00B3 SUPERSCRIPT THREE; threesuperior
15316 \DeclareTextCommand{\textthreesuperior}{\PU}{\text{\textcircled{80}\textcircled{263}}}%* U+00B3
15317 % U+00B4 ACUTE ACCENT; acute
15318 \DeclareTextCommand{\textacute}{\PU}{\text{\textcircled{80}\textcircled{264}}}% U+00B4
15319 \DeclareTextCommand{\textasciiacute}{\PU}{\text{\textcircled{80}\textcircled{264}}}% U+00B4
15320 % U+00B5 MICRO SIGN; mu, mu1
15321 \DeclareTextCommand{\textmu}{\PU}{\text{\textcircled{80}\textcircled{265}}}% U+00B5
15322 % U+00B6 PILCROW SIGN; paragraph
15323 \DeclareTextCommand{\textparagraph}{\PU}{\text{\textcircled{80}\textcircled{266}}}% U+00B6
15324 %* \textparagraph -> \mathparagraph (LaTeX)
15325 % U+00B7 MIDDLE DOT; middot, *periodcentered
15326 \DeclareTextCommand{\textperiodcentered}{\PU}{\text{\textcircled{80}\textcircled{267}}}% U+00B7
15327 % U+00B8 CEDILLA; cedilla
15328 \DeclareTextCommand{\textcedilla}{\PU}{\text{\textcircled{80}\textcircled{270}}}% U+00B8
15329 % U+00B9 SUPERSCRIPT ONE; onesuperior
15330 \DeclareTextCommand{\textonesuperior}{\PU}{\text{\textcircled{80}\textcircled{271}}}%* U+00B9
15331 % U+00BA MASCULINE ORDINAL INDICATOR; ordmasculine
15332 \DeclareTextCommand{\textordmasculine}{\PU}{\text{\textcircled{80}\textcircled{272}}}% U+00BA
15333 % U+00BB RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK; guillemotright
15334 \DeclareTextCommand{\guillemotright}{\PU}{\text{\textcircled{80}\textcircled{273}}}% U+00BB

```

15335 % U+00BC VULGAR FRACTION ONE QUARTER; onequarter
15336 \DeclareTextCommand{\textonequarter}{PU}{\80\274}%
15337 % U+00BD VULGAR FRACTION ONE HALF; onehalf
15338 \DeclareTextCommand{\textonehalf}{PU}{\80\275}%
15339 % U+00BE VULGAR FRACTION THREE QUARTERS; threequarters
15340 \DeclareTextCommand{\textthreequarters}{PU}{\80\276}%
15341 % U+00BF INVERTED QUESTION MARK; questiondown
15342 \DeclareTextCommand{\textquestiondown}{PU}{\80\277}%
15343 % U+00C0 LATIN CAPITAL LETTER A WITH GRAVE; Agrave
15344 \DeclareTextCompositeCommand{\`}{PU}{A}{\80\300}%
15345 % U+00C1 LATIN CAPITAL LETTER A WITH ACUTE; Aacute
15346 \DeclareTextCompositeCommand{\'}{PU}{A}{\80\301}%
15347 % U+00C2 LATIN CAPITAL LETTER A WITH CIRCUMFLEX; Acircumflex
15348 \DeclareTextCompositeCommand{\^}{PU}{A}{\80\302}%
15349 % U+00C3 LATIN CAPITAL LETTER A WITH TILDE; Atilde
15350 \DeclareTextCompositeCommand{\~}{PU}{A}{\80\303}%
15351 % U+00C4 LATIN CAPITAL LETTER A WITH DIAERESIS; Adieresis
15352 \DeclareTextCompositeCommand{\"}{PU}{A}{\80\304}%
15353 % U+00C5 LATIN CAPITAL LETTER A WITH RING ABOVE; Aring
15354 \DeclareTextCompositeCommand{\r}{PU}{A}{\80\305}%
15355 % U+00C6 LATIN CAPITAL LETTER AE; AE
15356 \DeclareTextCommand{\AE}{PU}{\80\306}%
15357 % U+00C7 LATIN CAPITAL LETTER C WITH CEDILLA; Ccedilla
15358 \DeclareTextCompositeCommand{\c}{PU}{C}{\80\307}%
15359 % U+00C8 LATIN CAPITAL LETTER E WITH GRAVE; Egrave
15360 \DeclareTextCompositeCommand{\`}{PU}{E}{\80\310}%
15361 % U+00C9 LATIN CAPITAL LETTER E WITH ACUTE; Eacute
15362 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\311}%
15363 % U+00CA LATIN CAPITAL LETTER E WITH CIRCUMFLEX; Ecircumflex
15364 \DeclareTextCompositeCommand{\^}{PU}{E}{\80\312}%
15365 % U+00CB LATIN CAPITAL LETTER E WITH DIAERESIS; Edieresis
15366 \DeclareTextCompositeCommand{\"}{PU}{E}{\80\313}%
15367 % U+00CC LATIN CAPITAL LETTER I WITH GRAVE; Igrave
15368 \DeclareTextCompositeCommand{\`}{PU}{I}{\80\314}%
15369 % U+00CD LATIN CAPITAL LETTER I WITH ACUTE; Iacute
15370 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\315}%
15371 % U+00CE LATIN CAPITAL LETTER I WITH CIRCUMFLEX; Icircumflex
15372 \DeclareTextCompositeCommand{\^}{PU}{I}{\80\316}%
15373 % U+00CF LATIN CAPITAL LETTER I WITH DIAERESIS; Idieresis
15374 \DeclareTextCompositeCommand{\"}{PU}{I}{\80\317}%
15375 % U+00D0 LATIN CAPITAL LETTER ETH; Eth
15376 \DeclareTextCommand{\DH}{PU}{\80\320}%
15377 % U+00D1 LATIN CAPITAL LETTER N WITH TILDE; Ntilde
15378 \DeclareTextCompositeCommand{\~}{PU}{N}{\80\321}%
15379 % U+00D2 LATIN CAPITAL LETTER O WITH GRAVE; Ograve
15380 \DeclareTextCompositeCommand{\`}{PU}{O}{\80\322}%
15381 % U+00D3 LATIN CAPITAL LETTER O WITH ACUTE; Oacute
15382 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\323}%
15383 % U+00D4 LATIN CAPITAL LETTER O WITH CIRCUMFLEX; Ocircumflex
15384 \DeclareTextCompositeCommand{\^}{PU}{O}{\80\324}%
15385 % U+00D5 LATIN CAPITAL LETTER O WITH TILDE; Otilde
15386 \DeclareTextCompositeCommand{\~}{PU}{O}{\80\325}%
15387 % U+00D6 LATIN CAPITAL LETTER O WITH DIAERESIS; Odieresis
15388 \DeclareTextCompositeCommand{\"}{PU}{O}{\80\326}%
15389 % U+00D7 MULTIPLICATION SIGN; multiply
15390 \DeclareTextCommand{\textmultiply}{PU}{\80\327}%
15391 %-* \textmultiply -> \vartimes (stmaryrd)

```

```

15392 % U+00D8 LATIN CAPITAL LETTER O WITH STROKE; Oslash
15393 \DeclareTextCommand{\O}{\PU}{\80\330}% U+00D8
15394 % U+00D9 LATIN CAPITAL LETTER U WITH GRAVE; Ugrave
15395 \DeclareTextCompositeCommand{\`}{\PU}{U}{\80\331}% U+00D9
15396 % U+00DA LATIN CAPITAL LETTER U WITH ACUTE; Uacute
15397 \DeclareTextCompositeCommand{\'}{\PU}{U}{\80\332}% U+00DA
15398 % U+00DB LATIN CAPITAL LETTER U WITH CIRCUMFLEX; Ucircumflex
15399 \DeclareTextCompositeCommand{\^}{\PU}{U}{\80\333}% U+00DB
15400 % U+00DC LATIN CAPITAL LETTER U WITH DIAERESIS; Udieresis
15401 \DeclareTextCompositeCommand{\"}{\PU}{U}{\80\334}% U+00DC
15402 % U+00DD LATIN CAPITAL LETTER Y WITH ACUTE; Yacute
15403 \DeclareTextCompositeCommand{\'}{\PU}{Y}{\80\335}% U+00DD
15404 % U+00DE LATIN CAPITAL LETTER THORN; Thorn; \TH, \Thorn (wasysym)
15405 \DeclareTextCommand{\TH}{\PU}{\80\336}% U+00DE
15406 \DeclareTextCommand{\textThorn}{\PU}{\80\336}/* U+00DE
15407 % U+00DF LATIN SMALL LETTER SHARP S; germandbls
15408 \DeclareTextCommand{\ss}{\PU}{\80\337}% U+00DF
15409 % U+00E0 LATIN SMALL LETTER A WITH GRAVE; agrave
15410 \DeclareTextCompositeCommand{\`}{\PU}{a}{\80\340}% U+00E0
15411 % U+00E1 LATIN SMALL LETTER A WITH ACUTE; aacute
15412 \DeclareTextCompositeCommand{\'}{\PU}{a}{\80\341}% U+00E1
15413 % U+00E2 LATIN SMALL LETTER A WITH CIRCUMFLEX; acircumflex
15414 \DeclareTextCompositeCommand{\^}{\PU}{a}{\80\342}% U+00E2
15415 % U+00E3 LATIN SMALL LETTER A WITH TILDE; atilde
15416 \DeclareTextCompositeCommand{\~}{\PU}{a}{\80\343}% U+00E3
15417 % U+00E4 LATIN SMALL LETTER A WITH DIAERESIS; adieresis
15418 \DeclareTextCompositeCommand{\"}{\PU}{a}{\80\344}% U+00E4
15419 % U+00E5 LATIN SMALL LETTER A WITH RING ABOVE; aring
15420 \DeclareTextCompositeCommand{\r}{\PU}{a}{\80\345}% U+00E5
15421 % U+00E6 LATIN SMALL LETTER AE; ae
15422 \DeclareTextCommand{\ae}{\PU}{\80\346}% U+00E6
15423 % U+00E7 LATIN SMALL LETTER C WITH CEDILLA; ccedilla
15424 \DeclareTextCompositeCommand{\c}{\PU}{c}{\80\347}% U+00E7
15425 % U+00E8 LATIN SMALL LETTER E WITH GRAVE; egrave
15426 \DeclareTextCompositeCommand{\`}{\PU}{e}{\80\350}% U+00E8
15427 % U+00E9 LATIN SMALL LETTER E WITH ACUTE; eacute
15428 \DeclareTextCompositeCommand{\'}{\PU}{e}{\80\351}% U+00E9
15429 % U+00EA LATIN SMALL LETTER E WITH CIRCUMFLEX; ecircumflex
15430 \DeclareTextCompositeCommand{\^}{\PU}{e}{\80\352}% U+00EA
15431 % U+00EB LATIN SMALL LETTER E WITH DIAERESIS; edieresis
15432 \DeclareTextCompositeCommand{\"}{\PU}{e}{\80\353}% U+00EB
15433 % U+00EC LATIN SMALL LETTER I WITH GRAVE; igrave
15434 \DeclareTextCompositeCommand{\`}{\PU}{i}{\80\354}% U+00EC
15435 \DeclareTextCompositeCommand{\'}{\PU}{i}{\80\354}% U+00EC
15436 % U+00ED LATIN SMALL LETTER I WITH ACUTE; iacute
15437 \DeclareTextCompositeCommand{\'}{\PU}{i}{\80\355}% U+00ED
15438 \DeclareTextCompositeCommand{\'}{\PU}{\i}{\80\355}% U+00ED
15439 % U+00EE LATIN SMALL LETTER I WITH CIRCUMFLEX; icircumflex
15440 \DeclareTextCompositeCommand{\^}{\PU}{i}{\80\356}% U+00EE
15441 \DeclareTextCompositeCommand{\^}{\PU}{\i}{\80\356}% U+00EE
15442 % U+00EF LATIN SMALL LETTER I WITH DIAERESIS; idieresis
15443 \DeclareTextCompositeCommand{\\"}{\PU}{i}{\80\357}% U+00EF
15444 \DeclareTextCompositeCommand{\\"}{\PU}{\i}{\80\357}% U+00EF
15445 % U+00F0 LATIN SMALL LETTER ETH; eth
15446 \DeclareTextCommand{\dh}{\PU}{\80\360}% U+00F0
15447 /* \dh -> \eth (wsuipa, phonetic)
15448 % U+00F1 LATIN SMALL LETTER N WITH TILDE; ntilde

```

```

15449 \DeclareTextCompositeCommand{\~}{PU}{n}{\80\361}% U+00F1
15450 % U+00F2 LATIN SMALL LETTER O WITH GRAVE; ograve
15451 \DeclareTextCompositeCommand{\'}{PU}{o}{\80\362}% U+00F2
15452 % U+00F3 LATIN SMALL LETTER O WITH ACUTE; oacute
15453 \DeclareTextCompositeCommand{\~}{PU}{o}{\80\363}% U+00F3
15454 % U+00F4 LATIN SMALL LETTER O WITH CIRCUMFLEX; ocircumflex
15455 \DeclareTextCompositeCommand{\^}{PU}{o}{\80\364}% U+00F4
15456 % U+00F5 LATIN SMALL LETTER O WITH TILDE; otilde
15457 \DeclareTextCompositeCommand{\~}{PU}{o}{\80\365}% U+00F5
15458 % U+00F6 LATIN SMALL LETTER O WITH DIAERESIS; odieresis
15459 \DeclareTextCompositeCommand{\"}{PU}{o}{\80\366}% U+00F6
15460 % U+00F7 DIVISION SIGN; divide
15461 \DeclareTextCommand{\textdivide}{PU}{\80\367}% U+00F7
15462 % U+00F8 LATIN SMALL LETTER O WITH STROKE; oslash
15463 \DeclareTextCommand{\o}{PU}{\80\370}% U+00F8
15464 % U+00F9 LATIN SMALL LETTER U WITH GRAVE; ugrave
15465 \DeclareTextCompositeCommand{\~}{PU}{u}{\80\371}% U+00F9
15466 % U+00FA LATIN SMALL LETTER U WITH ACUTE; uacute
15467 \DeclareTextCompositeCommand{\~}{PU}{u}{\80\372}% U+00FA
15468 % U+00FB LATIN SMALL LETTER U WITH CIRCUMFLEX; ucircumflex
15469 \DeclareTextCompositeCommand{\^}{PU}{u}{\80\373}% U+00FB
15470 % U+00FC LATIN SMALL LETTER U WITH DIAERESIS; udieresis
15471 \DeclareTextCompositeCommand{\\"}{PU}{u}{\80\374}% U+00FC
15472 % U+00FD LATIN SMALL LETTER Y WITH ACUTE; yacute
15473 \DeclareTextCompositeCommand{\~}{PU}{y}{\80\375}% U+00FD
15474 % U+00FE LATIN SMALL LETTER THORN; thorn;
15475 % \th, \thorn (wasysym), \texthorn (tipa)
15476 \DeclareTextCommand{\th}{PU}{\80\376}% U+00FE
15477 \DeclareTextCommand{\texthorn}{PU}{\80\376}/* U+00FE
15478 % U+00FF LATIN SMALL LETTER Y WITH DIAERESIS; ydieresis
15479 \DeclareTextCompositeCommand{\\"}{PU}{y}{\80\377}% U+00FF

```

50.2.4 Latin Extended-A: U+0080 to U+017F

```

15480 % U+0100 LATIN CAPITAL LETTER A WITH MACRON; Amacron
15481 \DeclareTextCompositeCommand{\=}{PU}{A}{\81\000}% U+0100
15482 % U+0101 LATIN SMALL LETTER A WITH MACRON; amacron
15483 \DeclareTextCompositeCommand{\=}{PU}{a}{\81\001}% U+0101
15484 % U+0102 LATIN CAPITAL LETTER A WITH BREVE; Abreve
15485 \DeclareTextCompositeCommand{\u}{PU}{A}{\81\002}% U+0102
15486 % U+0103 LATIN SMALL LETTER A WITH BREVE; breve
15487 \DeclareTextCompositeCommand{\u}{PU}{a}{\81\003}% U+0103
15488 % U+0104 LATIN CAPITAL LETTER A WITH OGONEK; Aogonek
15489 \DeclareTextCompositeCommand{\k}{PU}{A}{\81\004}% U+0104
15490 % U+0105 LATIN SMALL LETTER A WITH OGONEK; aogonek
15491 \DeclareTextCompositeCommand{\k}{PU}{a}{\81\005}% U+0105
15492 % U+0106 LATIN CAPITAL LETTER C WITH ACUTE; Cacute
15493 \DeclareTextCompositeCommand{\'}{PU}{C}{\81\006}% U+0106
15494 % U+0107 LATIN SMALL LETTER C WITH ACUTE; cacute
15495 \DeclareTextCompositeCommand{\'}{PU}{c}{\81\007}% U+0107
15496 % U+0108 LATIN CAPITAL LETTER C WITH CIRCUMFLEX; Ccircumflex
15497 \DeclareTextCompositeCommand{\^}{PU}{C}{\81\010}% U+0108
15498 % U+0109 LATIN SMALL LETTER C WITH CIRCUMFLEX; ccircumflex
15499 \DeclareTextCompositeCommand{\^}{PU}{c}{\81\011}% U+0109
15500 % U+010A LATIN CAPITAL LETTER C WITH DOT ABOVE; Cdot, Cdotacc-
15501 \DeclareTextCompositeCommand{\.}{PU}{C}{\81\012}% U+010A

```

```

15502 % U+010B LATIN SMALL LETTER C WITH DOT ABOVE; cdot, cdotaccent
15503 \DeclareTextCompositeCommand{\.}{PU}{c}{\81\013}% U+010B
15504 % U+010C LATIN CAPITAL LETTER C WITH CARON; Ccaron
15505 \DeclareTextCompositeCommand{\v}{PU}{C}{\81\014}% U+010C
15506 % U+010D LATIN SMALL LETTER C WITH CARON; ccaron
15507 \DeclareTextCompositeCommand{\v}{PU}{c}{\81\015}% U+010D
15508 % U+010E LATIN CAPITAL LETTER D WITH CARON; Dcaron
15509 \DeclareTextCompositeCommand{\v}{PU}{D}{\81\016}% U+010E
15510 % U+010F LATIN SMALL LETTER D WITH CARON; dcaron
15511 \DeclareTextCompositeCommand{\v}{PU}{d}{\81\017}% U+010F
15512 % U+0110 LATIN CAPITAL LETTER D WITH STROKE; Dcroat, Dslash
15513 \DeclareTextCommand{\DJ}{PU}{\81\020}% U+0110
15514 % U+0111 LATIN SMALL LETTER D WITH STROKE; dcroat, dmacron;
15515 % \textcrd (tipa)
15516 \DeclareTextCommand{\dj}{PU}{\81\021}% U+0111
15517 \DeclareTextCommand{\textcrd}{PU}{\81\021}% U+0111
15518 %* \textcrd -> \crossd (wsuipa)
15519 % An alternate glyph with the stroke through the bowl:
15520 %* \textcrd -> \textbard (tipa)
15521 %* \textcrd -> \bard (wsuipa)
15522 % U+0112 LATIN CAPITAL LETTER E WITH MACRON; Emacron
15523 \DeclareTextCompositeCommand{\=}{PU}{E}{\81\022}% U+0112
15524 % U+0113 LATIN SMALL LETTER E WITH MACRON; emacron
15525 \DeclareTextCompositeCommand{\=}{PU}{e}{\81\023}% U+0113
15526 % U+0114 LATIN CAPITAL LETTER E WITH BREVE; Ebreve
15527 \DeclareTextCompositeCommand{\u}{PU}{E}{\81\024}% U+0114
15528 % U+0115 LATIN SMALL LETTER E WITH BREVE; ebreve
15529 \DeclareTextCompositeCommand{\u}{PU}{e}{\81\025}% U+0115
15530 % U+0116 LATIN CAPITAL LETTER E WITH DOT ABOVE; Edot, Edotaccent
15531 \DeclareTextCompositeCommand{\.}{PU}{E}{\81\026}% U+0116
15532 % U+0117 LATIN SMALL LETTER E WITH DOT ABOVE; edot, edotaccent
15533 \DeclareTextCompositeCommand{\.}{PU}{e}{\81\027}% U+0117
15534 % U+0118 LATIN CAPITAL LETTER E WITH OGONEK; Eogonek
15535 \DeclareTextCompositeCommand{\k}{PU}{E}{\81\030}% U+0118
15536 % U+0119 LATIN SMALL LETTER E WITH OGONEK; eogonek
15537 \DeclareTextCompositeCommand{\k}{PU}{e}{\81\031}% U+0119
15538 % U+011A LATIN CAPITAL LETTER E WITH CARON; Ecaron
15539 \DeclareTextCompositeCommand{\v}{PU}{E}{\81\032}% U+011A
15540 % U+011B LATIN SMALL LETTER E WITH CARON; ecaron
15541 \DeclareTextCompositeCommand{\v}{PU}{e}{\81\033}% U+011B
15542 % U+011C LATIN CAPITAL LETTER G WITH CIRCUMFLEX; Gcircumflex
15543 \DeclareTextCompositeCommand{\^}{PU}{G}{\81\034}% U+011C
15544 % U+011D LATIN SMALL LETTER G WITH CIRCUMFLEX; gcircumflex
15545 \DeclareTextCompositeCommand{\^}{PU}{g}{\81\035}% U+011D
15546 % U+011E LATIN CAPITAL LETTER G WITH BREVE; Gbreve
15547 \DeclareTextCompositeCommand{\u}{PU}{G}{\81\036}% U+011E
15548 % U+011F LATIN SMALL LETTER G WITH BREVE; gbreve
15549 \DeclareTextCompositeCommand{\u}{PU}{g}{\81\037}% U+011F
15550 % U+0120 LATIN CAPITAL LETTER G WITH DOT ABOVE; Gdot, Gdotaccent
15551 \DeclareTextCompositeCommand{\.}{PU}{G}{\81\040}% U+0120
15552 % U+0121 LATIN SMALL LETTER G WITH DOT ABOVE; gdot, gdotaccent
15553 \DeclareTextCompositeCommand{\.}{PU}{g}{\81\041}% U+0121
15554 % U+0122 LATIN CAPITAL LETTER G WITH CEDILLA; Gcedilla, Gcommaaccent
15555 \DeclareTextCompositeCommand{\c}{PU}{G}{\81\042}% U+0122
15556 % U+0123 LATIN SMALL LETTER G WITH CEDILLA; gcedilla, gcommaaccent

```

```

15557 \DeclareTextCompositeCommand{\c}{PU}{g}{\81\043}% U+0123
15558 % U+0124 LATIN CAPITAL LETTER H WITH CIRCUMFLEX; Hcircumflex
15559 \DeclareTextCompositeCommand{\^}{PU}{H}{\81\044}% U+0124
15560 % U+0125 LATIN SMALL LETTER H WITH CIRCUMFLEX; hcircumflex
15561 \DeclareTextCompositeCommand{\^}{PU}{h}{\81\045}% U+0125
15562 % U+0126 LATIN CAPITAL LETTER H WITH STROKE; Hbar
15563 \DeclareTextCommand{\textHslash}{PU}{\81\046}% U+0126
15564 % U+0127 LATIN SMALL LETTER H WITH STROKE; hbar; \hbar (AmS)
15565 \DeclareTextCommand{\texthbar}{PU}{\81\047}%* U+127
15566 %* \texthbar -> \textcrh (tipa)
15567 %* \texthbar -> \crossh (wsuipa)
15568 %* \texthbar -> \planck (phonetic)
15569 % U+0128 LATIN CAPITAL LETTER I WITH TILDE; Itilde
15570 \DeclareTextCompositeCommand{\~}{PU}{I}{\81\050}% U+0128
15571 % U+0129 LATIN SMALL LETTER I WITH TILDE; itilde
15572 \DeclareTextCompositeCommand{\~}{PU}{i}{\81\051}% U+0129
15573 \DeclareTextCompositeCommand{\~}{PU}{\i}{\81\051}% U+0129
15574 % U+012A LATIN CAPITAL LETTER I WITH MACRON; Imacron
15575 \DeclareTextCompositeCommand{\=}{PU}{I}{\81\052}% U+012A
15576 % U+012B LATIN SMALL LETTER I WITH MACRON; imacron
15577 \DeclareTextCompositeCommand{\=}{PU}{i}{\81\053}% U+012B
15578 \DeclareTextCompositeCommand{\=}{PU}{\i}{\81\053}% U+012B
15579 % U+012C LATIN CAPITAL LETTER I WITH BREVE; Ibreve
15580 \DeclareTextCompositeCommand{\u}{PU}{I}{\81\054}% U+012C
15581 % U+012D LATIN SMALL LETTER I WITH BREVE; ibreve
15582 \DeclareTextCompositeCommand{\u}{PU}{i}{\81\055}% U+012D
15583 \DeclareTextCompositeCommand{\u}{PU}{\i}{\81\055}% U+012D
15584 % U+012E LATIN CAPITAL LETTER I WITH OGONEK; Iogonek
15585 \DeclareTextCompositeCommand{\k}{PU}{I}{\81\056}% U+012E
15586 % U+012F LATIN SMALL LETTER I WITH OGONEK; iogonek
15587 \DeclareTextCompositeCommand{\k}{PU}{i}{\81\057}% U+012F
15588 \DeclareTextCompositeCommand{\k}{PU}{\i}{\81\057}% U+012F
15589 % U+0130 LATIN CAPITAL LETTER I WITH DOT ABOVE; Idot, Idotaccent
15590 \DeclareTextCompositeCommand{\.}{PU}{I}{\81\060}% U+0130
15591 % U+0131 LATIN SMALL LETTER DOTLESS I; dotlessi
15592 \DeclareTextCommand{\i}{PU}{\81\061}% U+0131
15593 % U+0132 LATIN CAPITAL LIGATURE IJ; IJ
15594 \DeclareTextCommand{\IJ}{PU}{\81\062}% U+0132
15595 % U+0133 LATIN SMALL LIGATURE IJ; ij
15596 \DeclareTextCommand{\ij}{PU}{\81\063}% U+0133
15597 % U+0134 LATIN CAPITAL LETTER J WITH CIRCUMFLEX; Jcircumflex
15598 \DeclareTextCompositeCommand{\^}{PU}{J}{\81\064}% U+0134
15599 % U+0135 LATIN SMALL LETTER J WITH CIRCUMFLEX; jcircumflex
15600 \DeclareTextCompositeCommand{\^}{PU}{j}{\81\065}% U+0135
15601 \DeclareTextCompositeCommand{\^}{PU}{\j}{\81\065}% U+0135
15602 % U+0136 LATIN CAPITAL LETTER K WITH CEDILLA; Kcedilla, Kcommaaccent
15603 \DeclareTextCompositeCommand{\c}{PU}{K}{\81\066}% U+0136
15604 % U+0137 LATIN SMALL LETTER K WITH CEDILLA; kcedilla, kcommaaccent
15605 \DeclareTextCompositeCommand{\c}{PU}{k}{\81\067}% U+0137

```

The canonical name of U+0138, small letter kra, would be \textkgreenlandic, following the glyph naming convention. However latex/base/inputenc.dtx has chosen \textkra.

```

15606 % U+0138 LATIN SMALL LETTER KRA; kgreenlandic
15607 \DeclareTextCommand{\textkra}{PU}{\81\070}% U+0138
15608 % U+0139 LATIN CAPITAL LETTER L WITH ACUTE; Lacute
15609 \DeclareTextCompositeCommand{\'}{PU}{L}{\81\071}% U+0139

```

```

15610 % U+013A LATIN SMALL LETTER L WITH ACUTE; lacute
15611 \DeclareTextCompositeCommand{\'}{\PU}{l}{\81\072}% U+013A
15612 % U+013B LATIN CAPITAL LETTER L WITH CEDILLA; lcedilla, lcommaaccent
15613 \DeclareTextCompositeCommand{\c}{\PU}{L}{\81\073}% U+013B
15614 % U+013C LATIN SMALL LETTER L WITH CEDILLA; lcedilla, lcommaaccent
15615 \DeclareTextCompositeCommand{\c}{\PU}{l}{\81\074}% U+013C
15616 % U+013D LATIN CAPITAL LETTER L WITH CARON; lcaron
15617 \DeclareTextCompositeCommand{\v}{\PU}{L}{\81\075}% U+013D
15618 % U+013E LATIN SMALL LETTER L WITH CARON; lcaron
15619 \DeclareTextCompositeCommand{\v}{\PU}{l}{\81\076}% U+013E

There seems to be no variants of letters 'L' and 'l' with a dot above (reasonable).
Therefore the \. accent is reused instead of making a separate accent macro
\textmiddledot.

15620 % U+013F LATIN CAPITAL LETTER L WITH MIDDLE DOT; ldot, ldotaccent
15621 \DeclareTextCompositeCommand{\.}{\PU}{L}{\81\077}% U+013F
15622 % U+0140 LATIN SMALL LETTER L WITH MIDDLE DOT; ldot, ldotaccent
15623 \DeclareTextCompositeCommand{\.}{\PU}{l}{\81\100}% U+0140
15624 % U+0141 LATIN CAPITAL LETTER L WITH STROKE; lslash
15625 \DeclareTextCommand{\L}{\PU}{\81\101}% U+0141
15626 % U+0142 LATIN SMALL LETTER L WITH STROKE; lslash
15627 \DeclareTextCommand{\l}{\PU}{\81\102}% U+0142
15628 % U+0143 LATIN CAPITAL LETTER N WITH ACUTE; Nacute
15629 \DeclareTextCompositeCommand{\'}{\PU}{N}{\81\103}% U+0143
15630 % U+0144 LATIN SMALL LETTER N WITH ACUTE; nacute
15631 \DeclareTextCompositeCommand{\'}{\PU}{n}{\81\104}% U+0144
15632 % U+0145 LATIN CAPITAL LETTER N WITH CEDILLA; Ncedilla, Ncommaaccent
15633 \DeclareTextCompositeCommand{\c}{\PU}{N}{\81\105}% U+0145
15634 % U+0146 LATIN SMALL LETTER N WITH CEDILLA; ncedilla, ncommaaccent
15635 \DeclareTextCompositeCommand{\c}{\PU}{n}{\81\106}% U+0146
15636 % U+0147 LATIN CAPITAL LETTER N WITH CARON; Ncaron
15637 \DeclareTextCompositeCommand{\v}{\PU}{N}{\81\107}% U+0147
15638 % U+0148 LATIN SMALL LETTER N WITH CARON; ncaron
15639 \DeclareTextCompositeCommand{\v}{\PU}{n}{\81\110}% U+0148
15640 % U+0149 LATIN SMALL LETTER N PRECEDED BY APOSTROPHE; napostrophe, quoterright
15641 \DeclareTextCommand{\textnapostrophe}{\PU}{\81\111}% U+0149
15642 % U+014A LATIN CAPITAL LETTER ENG; Eng
15643 \DeclareTextCommand{\NG}{\PU}{\81\112}% U+014A
15644 % U+014B LATIN SMALL LETTER ENG; eng
15645 \DeclareTextCommand{\ng}{\PU}{\81\113}% U+014B
15646 %* \ng -> \eng (wsuipa)
15647 %* \ng -> \engma (phonetic)
15648 % U+014C LATIN CAPITAL LETTER O WITH MACRON; Omacron
15649 \DeclareTextCompositeCommand{\=}{\PU}{O}{\81\114}% U+014C
15650 % U+014D LATIN SMALL LETTER O WITH MACRON; omacron
15651 \DeclareTextCompositeCommand{\=}{\PU}{o}{\81\115}% U+014D
15652 % U+014E LATIN CAPITAL LETTER O WITH BREVE; Obreve
15653 \DeclareTextCompositeCommand{\u}{\PU}{O}{\81\116}% U+014E
15654 % U+014F LATIN SMALL LETTER O WITH BREVE; obreve
15655 \DeclareTextCompositeCommand{\u}{\PU}{o}{\81\117}% U+014F
15656 % U+0150 LATIN CAPITAL LETTER O WITH DOUBLE ACUTE; Odbla-
15657 \DeclareTextCompositeCommand{\H}{\PU}{O}{\81\120}% U+0150

```

```

15658 % U+0151 LATIN SMALL LETTER O WITH DOUBLE ACUTE; odoubleacute, ohungarumlaut
15659 \DeclareTextCompositeCommand{\H}{PU}{o}{\81\121}% U+0151
15660 % U+0152 LATIN CAPITAL LIGATURE OE; oe
15661 \DeclareTextCommand{\OE}{PU}{\81\122}% U+0152
15662 % U+0153 LATIN SMALL LIGATURE OE; oe
15663 \DeclareTextCommand{\oe}{PU}{\81\123}% U+0153
15664 % U+0154 LATIN CAPITAL LETTER R WITH ACUTE; Racute
15665 \DeclareTextCompositeCommand{\R}{PU}{R}{\81\124}% U+0154
15666 % U+0155 LATIN SMALL LETTER R WITH ACUTE; racute
15667 \DeclareTextCompositeCommand{\r}{PU}{r}{\81\125}% U+0155
15668 % U+0156 LATIN CAPITAL LETTER R WITH CEDILLA; Rcedilla, Rcommaaccent
15669 \DeclareTextCompositeCommand{\c}{PU}{R}{\81\126}% U+0156
15670 % U+0157 LATIN SMALL LETTER R WITH CEDILLA; rcedilla, rcommaaccent
15671 \DeclareTextCompositeCommand{\c}{PU}{r}{\81\127}% U+0157
15672 % U+0158 LATIN CAPITAL LETTER R WITH CARON; Rcaron
15673 \DeclareTextCompositeCommand{\v}{PU}{R}{\81\130}% U+0158
15674 % U+0159 LATIN SMALL LETTER R WITH CARON; rcaron
15675 \DeclareTextCompositeCommand{\v}{PU}{r}{\81\131}% U+0159
15676 % U+015A LATIN CAPITAL LETTER S WITH ACUTE; Sacute
15677 \DeclareTextCompositeCommand{\v}{PU}{S}{\81\132}% U+015A
15678 % U+015B LATIN SMALL LETTER S WITH ACUTE; sacute
15679 \DeclareTextCompositeCommand{\v}{PU}{s}{\81\133}% U+015B
15680 % U+015C LATIN CAPITAL LETTER S WITH CIRCUMFLEX; Scircumflex
15681 \DeclareTextCompositeCommand{\^}{PU}{S}{\81\134}% U+015C
15682 % U+015D LATIN SMALL LETTER S WITH CIRCUMFLEX; scircumflex
15683 \DeclareTextCompositeCommand{\^}{PU}{s}{\81\135}% U+015D
15684 % U+015E LATIN CAPITAL LETTER S WITH CEDILLA; Scedilla
15685 \DeclareTextCompositeCommand{\c}{PU}{S}{\81\136}% U+015E
15686 % U+015F LATIN SMALL LETTER S WITH CEDILLA; scedilla
15687 \DeclareTextCompositeCommand{\c}{PU}{s}{\81\137}% U+015F
15688 % U+0160 LATIN CAPITAL LETTER S WITH CARON; Scaron
15689 \DeclareTextCompositeCommand{\v}{PU}{S}{\81\140}% U+0160
15690 % U+0161 LATIN SMALL LETTER S WITH CARON; scaron
15691 \DeclareTextCompositeCommand{\v}{PU}{s}{\81\141}% U+0161
15692 % U+0162 LATIN CAPITAL LETTER T WITH CEDILLA; Tcedilla, Tcommaaccent
15693 \DeclareTextCompositeCommand{\c}{PU}{T}{\81\142}% U+0162
15694 % U+0163 LATIN SMALL LETTER T WITH CEDILLA; tcedilla, tcommaaccent
15695 \DeclareTextCompositeCommand{\c}{PU}{t}{\81\143}% U+0163
15696 % U+0164 LATIN CAPITAL LETTER T WITH CARON; Tcaron
15697 \DeclareTextCompositeCommand{\v}{PU}{T}{\81\144}% U+0164
15698 % U+0165 LATIN SMALL LETTER T WITH CARON; tcaron
15699 \DeclareTextCompositeCommand{\v}{PU}{t}{\81\145}% U+0165
15700 % U+0166 LATIN CAPITAL LETTER T WITH STROKE; Tbar
15701 \DeclareTextCommand{\textTslash}{PU}{\81\146}% U+0166
15702 % U+0167 LATIN SMALL LETTER T WITH STROKE; tbar
15703 \DeclareTextCommand{\textTtslash}{PU}{\81\147}% U+0167
15704 % U+0168 LATIN CAPITAL LETTER U WITH TILDE; Utilde
15705 \DeclareTextCompositeCommand{\~}{PU}{U}{\81\150}% U+0168
15706 % U+0169 LATIN SMALL LETTER U WITH TILDE; utilde
15707 \DeclareTextCompositeCommand{\~}{PU}{u}{\81\151}% U+0169
15708 % U+016A LATIN CAPITAL LETTER U WITH MACRON; Umacron
15709 \DeclareTextCompositeCommand{\=}{PU}{U}{\81\152}% U+016A
15710 % U+016B LATIN SMALL LETTER U WITH MACRON; umacron
15711 \DeclareTextCompositeCommand{\=}{PU}{u}{\81\153}% U+016B

```

```

15712 % U+016C LATIN CAPITAL LETTER U WITH BREVE; Ubreve
15713 \DeclareTextCompositeCommand{\u}{PU}{U}{\81\154}% U+016C
15714 % U+016D LATIN SMALL LETTER U WITH BREVE; ubreve
15715 \DeclareTextCompositeCommand{\u}{PU}{u}{\81\155}% U+016D
15716 % U+016E LATIN CAPITAL LETTER U WITH RING ABOVE; Uring
15717 \DeclareTextCompositeCommand{\r}{PU}{U}{\81\156}% U+016E
15718 % U+016F LATIN SMALL LETTER U WITH RING ABOVE; uring
15719 \DeclareTextCompositeCommand{\r}{PU}{u}{\81\157}% U+016F
15720 % U+0170 LATIN CAPITAL LETTER U WITH DOUBLE ACUTE; Udoubleacute, Uhungarumlaut
15721 \DeclareTextCompositeCommand{\H}{PU}{U}{\81\160}% U+0170
15722 % U+0171 LATIN SMALL LETTER U WITH DOUBLE ACUTE; udoubleacute, uhungarumlaut
15723 \DeclareTextCompositeCommand{\H}{PU}{u}{\81\161}% U+0171
15724 % U+0172 LATIN CAPITAL LETTER U WITH OGONEK; Uogonek
15725 \DeclareTextCompositeCommand{\k}{PU}{U}{\81\162}% U+0172
15726 % U+0173 LATIN SMALL LETTER U WITH OGONEK; uogonek
15727 \DeclareTextCompositeCommand{\k}{PU}{u}{\81\163}% U+0173
15728 % U+0174 LATIN CAPITAL LETTER W WITH CIRCUMFLEX; Wcircumflex
15729 \DeclareTextCompositeCommand{\^}{PU}{W}{\81\164}% U+0174
15730 % U+0175 LATIN SMALL LETTER W WITH CIRCUMFLEX; wcircumflex
15731 \DeclareTextCompositeCommand{\^}{PU}{w}{\81\165}% U+0175
15732 % U+0176 LATIN CAPITAL LETTER Y WITH CIRCUMFLEX; Ycircumflex
15733 \DeclareTextCompositeCommand{\^}{PU}{Y}{\81\166}% U+0176
15734 % U+0177 LATIN SMALL LETTER Y WITH CIRCUMFLEX; ycircumflex
15735 \DeclareTextCompositeCommand{\^}{PU}{y}{\81\167}% U+0177
15736 % U+0178 LATIN CAPITAL LETTER Y WITH DIAERESIS; Ydieresis
15737 \DeclareTextCompositeCommand{\"}{PU}{Y}{\81\170}% U+0178
15738 % U+0179 LATIN CAPITAL LETTER Z WITH ACUTE; Zacute
15739 \DeclareTextCompositeCommand{\'}{PU}{Z}{\81\171}% U+0179
15740 % U+017A LATIN SMALL LETTER Z WITH ACUTE; zacute
15741 \DeclareTextCompositeCommand{\'}{PU}{z}{\81\172}% U+017A
15742 % U+017B LATIN CAPITAL LETTER Z WITH DOT ABOVE; Zdot, Zdotaccent
15743 \DeclareTextCompositeCommand{\.}{PU}{Z}{\81\173}% U+017B
15744 % U+017C LATIN SMALL LETTER Z WITH DOT ABOVE; zdot, zdotaccent
15745 \DeclareTextCompositeCommand{\.}{PU}{z}{\81\174}% U+017C
15746 % U+017D LATIN CAPITAL LETTER Z WITH CARON; Zcaron
15747 \DeclareTextCompositeCommand{\v}{PU}{Z}{\81\175}% U+017D
15748 % U+017E LATIN SMALL LETTER Z WITH CARON; zcaron
15749 \DeclareTextCompositeCommand{\v}{PU}{z}{\81\176}% U+017E
15750 % U+017F LATIN SMALL LETTER LONG S; longs, slong
15751 \DeclareTextCommand{\textlongs}{PU}{\81\177}% U+017F

```

50.2.5 Latin Extended-B: U+0180 to U+024F

```

15752 % U+0180 LATIN SMALL LETTER B WITH STROKE; bstroke; \textcrb (tipa)
15753 \DeclareTextCommand{\textcrb}{PU}{\81\200}% U+0180
15754 %* \textcrb -> \crossb (wsipa)
15755 % An alternate glyph with the stroke through the bowl:
15756 %* \textcrb -> \textbarb (tipa)
15757 %* \textcrb -> \barb (wsipa)
15758 % U+0181 LATIN CAPITAL LETTER B WITH HOOK; Bhook; \hausaB (phonetic)
15759 \DeclareTextCommand{\texthausaB}{PU}{\81\201} %* U+0181
15760 % U+0188 LATIN SMALL LETTER C WITH HOOK; chook; \texthtc (tipa)
15761 \DeclareTextCommand{\texthtc}{PU}{\81\210}% U+0188
15762 % U+018A LATIN CAPITAL LETTER D WITH HOOK; Dhook; \hausaD (phonetic)

```

```

15763 \DeclareTextCommand{\texthausaD}{PU}{\81\212}/* U+018A
15764 % U+018E LATIN CAPITAL LETTER REVERSED E; Ereversed
15765 \DeclareTextCommand{\textEreversed}{PU}{\81\216}/* U+018E
15766 \DeclareTextCommand{\textrevE}{PU}{\81\216}/* U+018E
15767 % U+0192 LATIN SMALL LETTER F WITH HOOK; florin
15768 \DeclareTextCommand{\textflorin}{PU}{\81\222}/* U+0192
15769 % U+0195 LATIN SMALL LETTER HV; hv; \texthvlig (tipa)
15770 \DeclareTextCommand{\texthvlig}{PU}{\81\225}/* U+0195
15771 /* \texthvlig -> \hv (wsuipa)
15772 % U+0198 LATIN CAPITAL LETTER K WITH HOOK; Khook; \hausaK (phonetic)
15773 \DeclareTextCommand{\texthausaK}{PU}{\81\230}/* U+0198
15774 % U+0199 LATIN SMALL LETTER K WITH HOOK; khook; \texthtk (tipa)
15775 \DeclareTextCommand{\texthtk}{PU}{\81\231}/* U+0199
15776 /* \texthtk -> \hausak (phonetic)
15777 % U+019A LATIN SMALL LETTER L WITH BAR; lbar;
15778 % \textbarl (tipa), \barl (wsuipa)
15779 \DeclareTextCommand{\textbarl}{PU}{\81\232}/* U+019A
15780 % U+019B LATIN SMALL LETTER LAMBDA WITH STROKE/
15781 % LATIN SMALL LETTER BARRED LAMBDA; lambdastroke;
15782 % \textcrlambda (tipa)
15783 \DeclareTextCommand{\textcrlambda}{PU}{\81\233}/* U+019B
15784 /* \textcrlambda -> \crossnilambda (wsuipa)
15785 /* \textcrlambda -> \barlambda (phonetic)
15786 /* \textcrlambda -> \lambdabar (txfonts/pxfonts)
15787 /* \textcrlambda -> \lambdaslash (txfonts/pxfonts)
15788 % U+019E LATIN SMALL LETTER N WITH LONG RIGHT LEG; nleight-long;
15789 % \textnrleg (tipx)
15790 \DeclareTextCommand{\textPUnrleg}{PU}{\81\236}/* U+019E
15791 /* \textPUnrleg -> \textnrleg (tipx)
15792 % U+01A5 LATIN SMALL LETTER P WITH HOOK; phook; \texthtp (tipa)
15793 \DeclareTextCommand{\texthtp}{PU}{\81\245}/* U+01A5
15794 % U+01AB LATIN SMALL LETTER T WITH PALATAL HOOK; tpalatalhook;
15795 % \textlhookt (tipa)
15796 \DeclareTextCommand{\textlhookt}{PU}{\81\253}/* U+01AB
15797 % U+01AD LATIN SMALL LETTER T WITH HOOK; thook; \texthtt (tipa)
15798 \DeclareTextCommand{\texthtt}{PU}{\81\255}/* U+01AD
15799 % U+01B9 LATIN SMALL LETTER EZH REVERSED/
15800 % LATIN SMALL LETTER REVERSED YOGH; \textrevyogh (tipa)
15801 \DeclareTextCommand{\textrevyogh}{PU}{\81\271}/* U+01B9
15802 % U+01BB LATIN LETTER TWO WITH STROKE; twostroke; \textcrtwo (tipa)
15803 \DeclareTextCommand{\textcrtwo}{PU}{\81\273}/* U+01BB
15804 % U+01BE LATIN LETTER INVERTED GLOTTAL STOP WITH STROKE;
15805 % glottalinvertedstroke; \textcrinvglotstop (tipa)
15806 \DeclareTextCommand{\textcrinvglotstop}{PU}{\81\276}/* U+01BE
15807 % U+01BF LATIN LETTER WYNN; wynn; \textwynn (tipa)
15808 \DeclareTextCommand{\textwynn}{PU}{\81\277}/* U+01BF
15809 % U+01C0 LATIN LETTER DENTAL CLICK/LATIN LETTER PIPE; clickdental;
15810 % \textpipe (tipa)
15811 \DeclareTextCommand{\textpipe}{PU}{\81\300}/* U+01C0
15812 /* \textpipe -> \textpipevar (tipx)
15813 % U+01C1 LATIN LETTER LATERAL CLICK/LATIN LETTER
15814 % DOUBLE PIPE; clicklateral; \textdoublepipe (tipa)
15815 \DeclareTextCommand{\textdoublepipe}{PU}{\81\301}/* U+01C1
15816 /* \textdoublepipe -> \textdoublepipevar (tipx)

```

```

15817 % U+01C2 LATIN LETTER ALVEOLAR CLICK/LATIN LETTER PIPE DOU-
BLE BAR;
15818 % clickalveolar; \textdoublebarpipe (tipa)
15819 \DeclareTextCommand{\textdoublebarpipe}{\PU}{\81\302}% U+01C2
15820 %* \textdoublebarpipe -> \textdoublebarpipevar (tipx)
15821 % U+01CD LATIN CAPITAL LETTER A WITH CARON; Acaron
15822 \DeclareTextCompositeCommand{\v}{\PU}{A}{\81\315}% U+01CD
15823 % U+01CE LATIN SMALL LETTER A WITH CARON; acaron
15824 \DeclareTextCompositeCommand{\v}{\PU}{a}{\81\316}% U+01CE
15825 % U+01CF LATIN CAPITAL LETTER I WITH CARON; Icaron
15826 \DeclareTextCompositeCommand{\v}{\PU}{I}{\81\317}% U+01CF
15827 % U+01D0 LATIN SMALL LETTER I WITH CARON; icaron
15828 \DeclareTextCompositeCommand{\v}{\PU}{i}{\81\320}% U+01D0
15829 \DeclareTextCompositeCommand{\v}{\PU}{i}{\81\320}% U+01D0
15830 % U+01D1 LATIN CAPITAL LETTER O WITH CARON; Ocaron
15831 \DeclareTextCompositeCommand{\v}{\PU}{O}{\81\321}% U+01D1
15832 % U+01D2 LATIN SMALL LETTER O WITH CARON; ocaron
15833 \DeclareTextCompositeCommand{\v}{\PU}{o}{\81\322}% U+01D2
15834 % U+01D3 LATIN CAPITAL LETTER U WITH CARON; Ucaron
15835 \DeclareTextCompositeCommand{\v}{\PU}{U}{\81\323}% U+01D3
15836 % U+01D4 LATIN SMALL LETTER U WITH CARON; ucaron
15837 \DeclareTextCompositeCommand{\v}{\PU}{u}{\81\324}% U+01D4
15838 % U+01DD LATIN SMALL LETTER TURNED E; eturned; \inve (wasysym)
15839 \DeclareTextCommand{\textinve}{\PU}{\81\335} %* U+01DD
15840 % U+01E4 LATIN CAPITAL LETTER G WITH STROKE; Gstroke
15841 \DeclareTextCommand{\textGslash}{\PU}{\81\344}% U+01E4
15842 % U+01E5 LATIN SMALL LETTER G WITH STROKE; gstroke
15843 \DeclareTextCommand{\textgslash}{\PU}{\81\345}% U+01E5
15844 %* \textgslash -> \textcrg (tipa)
15845 % U+01E6 LATIN CAPITAL LETTER G WITH CARON; Gcaron
15846 \DeclareTextCompositeCommand{\v}{\PU}{G}{\81\346}% U+01E6
15847 % U+01E7 LATIN SMALL LETTER G WITH CARON; gcaron
15848 \DeclareTextCompositeCommand{\v}{\PU}{g}{\81\347}% U+01E7
15849 % U+01E8 LATIN CAPITAL LETTER K WITH CARON; Kcaron
15850 \DeclareTextCompositeCommand{\v}{\PU}{K}{\81\350}% U+01E8
15851 % U+01E9 LATIN SMALL LETTER K WITH CARON; kcaron
15852 \DeclareTextCompositeCommand{\v}{\PU}{k}{\81\351}% U+01E9
15853 % U+01EA LATIN CAPITAL LETTER O WITH OGONEK; Oogonek
15854 \DeclareTextCompositeCommand{\k}{\PU}{O}{\81\352}% U+01EA
15855 % U+01EB LATIN SMALL LETTER O WITH OGONEK; oogonek
15856 \DeclareTextCompositeCommand{\k}{\PU}{o}{\81\353}% U+01EB
15857 % U+01F0 LATIN SMALL LETTER J WITH CARON; jcaron
15858 \DeclareTextCompositeCommand{\v}{\PU}{j}{\81\360}% U+01F0
15859 \DeclareTextCompositeCommand{\v}{\PU}{j}{\81\360}% U+01F0
15860 % U+01F4 LATIN CAPITAL LETTER G WITH ACUTE; Gacute
15861 \DeclareTextCompositeCommand{\v}{\PU}{G}{\81\364}% U+01F4
15862 % U+01F5 LATIN SMALL LETTER G WITH ACUTE; gacute
15863 \DeclareTextCompositeCommand{\v}{\PU}{g}{\81\365}% U+01F5
15864 % U+01F8 LATIN CAPITAL LETTER N WITH GRAVE
15865 \DeclareTextCompositeCommand{\v}{\PU}{N}{\81\370}% U+01F8
15866 % U+01F9 LATIN SMALL LETTER N WITH GRAVE
15867 \DeclareTextCompositeCommand{\v}{\PU}{n}{\81\371}% U+01F9
15868 % U+01FC LATIN CAPITAL LETTER AE WITH ACUTE; AEacute
15869 \DeclareTextCompositeCommand{\v}{\PU}{AE}{\81\374}% U+01FC
15870 % U+01FD LATIN SMALL LETTER AE WITH ACUTE; aeacute
15871 \DeclareTextCompositeCommand{\v}{\PU}{ae}{\81\375}% U+01FD
15872 % U+01FE LATIN CAPITAL LETTER O WITH STROKE AND ACUTE;

```

```

15873 % *Oslashacute, Ostrokeacute
15874 \DeclareTextCompositeCommand{\'}{\PU}{\O}{\81\376}{ U+01FE
15875 % U+01FF LATIN SMALL LETTER O WITH STROKE AND ACUTE;
15876 % *oslashacute, ostrokeacute
15877 \DeclareTextCompositeCommand{\'}{\PU}{\o}{\81\377}{ U+01FF
15878 % U+0200 LATIN CAPITAL LETTER A WITH DOUBLE GRAVE; Adblgrave
15879 \DeclareTextCompositeCommand{\G}{\PU}{\A}{\82\000}{ U+0200
15880 % U+0201 LATIN SMALL LETTER A WITH DOUBLE GRAVE; adblgrave
15881 \DeclareTextCompositeCommand{\G}{\PU}{\a}{\82\001}{ U+0201
15882 % U+0204 LATIN CAPITAL LETTER E WITH DOUBLE GRAVE; Edblgrave
15883 \DeclareTextCompositeCommand{\G}{\PU}{\E}{\82\004}{ U+0204
15884 % U+0205 LATIN SMALL LETTER E WITH DOUBLE GRAVE; edblgrave
15885 \DeclareTextCompositeCommand{\G}{\PU}{\e}{\82\005}{ U+0205
15886 % U+0206 LATIN CAPITAL LETTER E WITH INVERTED BREVE; Einvert-
edbreve
15887 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\E}{\82\006}{ U+0206
15888 % U+0207 LATIN SMALL LETTER E WITH INVERTED BREVE; einverted-
breve
15889 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\e}{\82\007}{ U+0207
15890 % U+0208 LATIN CAPITAL LETTER I WITH DOUBLE GRAVE; Idblgrave
15891 \DeclareTextCompositeCommand{\G}{\PU}{\I}{\82\010}{ U+0208
15892 % U+0209 LATIN SMALL LETTER I WITH DOUBLE GRAVE; idblgrave
15893 \DeclareTextCompositeCommand{\G}{\PU}{\i}{\82\011}{ U+0209
15894 \DeclareTextCompositeCommand{\G}{\PU}{\i}{\82\011}{ U+0209
15895 % U+020A LATIN CAPITAL LETTER I WITH INVERTED BREVE; Inverted-
breve
15896 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\I}{\82\012}{ U+020A
15897 % U+020B LATIN SMALL LETTER I WITH INVERTED BREVE; iinverted-
breve
15898 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\i}{\82\013}{ U+020B
15899 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\i}{\82\013}{ U+020B
15900 % U+020C LATIN CAPITAL LETTER O WITH DOUBLE GRAVE; Odblgrave
15901 \DeclareTextCompositeCommand{\G}{\PU}{\O}{\82\014}{ U+020C
15902 % U+020D LATIN SMALL LETTER O WITH DOUBLE GRAVE; odblgrave
15903 \DeclareTextCompositeCommand{\G}{\PU}{\o}{\82\015}{ U+020D
15904 % U+020E LATIN CAPITAL LETTER O WITH INVERTED BREVE; Oinvert-
edbreve
15905 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\O}{\82\016}{ U+020E
15906 % U+020F LATIN SMALL LETTER O WITH INVERTED BREVE; oinverted-
breve
15907 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\o}{\82\017}{ U+020F
15908 % U+0210 LATIN CAPITAL LETTER R WITH DOUBLE GRAVE; Rdblgrave
15909 \DeclareTextCompositeCommand{\G}{\PU}{\R}{\82\020}{ U+0210
15910 % U+0211 LATIN SMALL LETTER R WITH DOUBLE GRAVE; rdblgrave
15911 \DeclareTextCompositeCommand{\G}{\PU}{\r}{\82\021}{ U+0211
15912 % U+0214 LATIN CAPITAL LETTER U WITH DOUBLE GRAVE; Udblgrave
15913 \DeclareTextCompositeCommand{\G}{\PU}{\U}{\82\024}{ U+0214
15914 % U+0215 LATIN SMALL LETTER U WITH DOUBLE GRAVE; udblgrave
15915 \DeclareTextCompositeCommand{\G}{\PU}{\u}{\82\025}{ U+0215
15916 % U+0216 LATIN CAPITAL LETTER U WITH INVERTED BREVE; Uinvert-
edbreve
15917 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\U}{\82\026}{ U+0216
15918 % U+0217 LATIN SMALL LETTER U WITH INVERTED BREVE; uninverted-
breve
15919 \DeclareTextCompositeCommand{\textinvbreve}{\PU}{\u}{\82\027}{ U+0217
15920 % U+021E LATIN CAPITAL LETTER H WITH CARON
15921 \DeclareTextCompositeCommand{\v}{\PU}{\H}{\82\036}{ U+021E

```

```

15922 % U+021F LATIN SMALL LETTER H WITH CARON
15923 \DeclareTextCompositeCommand{\v}{PU}{h}{\82\037}% U+021F
15924 % U+0221 LATIN SMALL LETTER D WITH CURL; \textctd (tipa)
15925 \DeclareTextCommand{\textctd}{PU}{\82\041}% U+0221
15926 % U+0225 LATIN SMALL LETTER Z WITH HOOK; \textcommatailz (tipa)
15927 \DeclareTextCommand{\textcommatailz}{PU}{\82\045}% U+0225
15928 % U+0226 LATIN CAPITAL LETTER A WITH DOT ABOVE
15929 \DeclareTextCompositeCommand{\.}{PU}{A}{\82\046}% U+0226
15930 % U+0227 LATIN SMALL LETTER A WITH DOT ABOVE
15931 \DeclareTextCompositeCommand{\.}{PU}{a}{\82\047}% U+0227
15932 % U+0228 LATIN CAPITAL LETTER E WITH CEDILLA
15933 \DeclareTextCompositeCommand{\c}{PU}{E}{\82\050}% U+0228
15934 % U+0229 LATIN SMALL LETTER E WITH CEDILLA
15935 \DeclareTextCompositeCommand{\c}{PU}{e}{\82\051}% U+0229
15936 % U+022E LATIN CAPITAL LETTER O WITH DOT ABOVE
15937 \DeclareTextCompositeCommand{\.}{PU}{O}{\82\056}% U+022E
15938 % U+022F LATIN SMALL LETTER O WITH DOT ABOVE
15939 \DeclareTextCompositeCommand{\.}{PU}{o}{\82\057}% U+022F
15940 % U+0232 LATIN CAPITAL LETTER Y WITH MACRON
15941 \DeclareTextCompositeCommand{\=}{PU}{Y}{\82\062}% U+0232
15942 % U+0233 LATIN SMALL LETTER Y WITH MACRON
15943 \DeclareTextCompositeCommand{\=}{PU}{y}{\82\063}% U+0233
15944 % U+0235 LATIN SMALL LETTER N WITH CURL; \textctn (tipa)
15945 \DeclareTextCommand{\textctn}{PU}{\82\065}% U+0235
15946 % U+0236 LATIN SMALL LETTER T WITH CURL; \textctt (tipa)
15947 \DeclareTextCommand{\textctt}{PU}{\82\066}% U+0236
15948 % U+0237 LATIN SMALL LETTER DOTLESS J
15949 \DeclareTextCommand{\j}{PU}{\82\067}% U+0237
15950 % U+0238 LATIN SMALL LETTER DB DIGRAPH; \textdbligh (tipx)
15951 \DeclareTextCommand{\textPUDbligh}{PU}{\82\070}% U+0238
15952 %* \textPUDbligh -> \textdbligh (tipx)
15953 % U+0239 LATIN SMALL LETTER QP DIGRAPH; \textqpligh (tipx)
15954 \DeclareTextCommand{\textPUqpligh}{PU}{\82\071}% U+0239
15955 %* \textPUqpligh -> \textqpligh (tipx)
15956 % U+023C LATIN SMALL LETTER C WITH STROKE; \slashc (wsuipa)
15957 \DeclareTextCommand{\textslashc}{PU}{\82\074}%* U+023C
15958 %* \textslashc -> \textcentoldstyle (textcomp)
15959 % With bar instead of stroke:
15960 %* \textslashc -> \textbarc (tipa)

```

50.2.6 IPA Extensions: U+0250 to U+02AF

```

15961 % U+0250 LATIN SMALL LETTER TURNED A; aturned; \textturna (tipa)
15962 \DeclareTextCommand{\textturna}{PU}{\82\120}% U+250
15963 %* \textturna -> \inva (wasysym)
15964 % U+0251 LATIN SMALL LETTER ALPHA/LATIN SMALL LETTER
15965 % SCRIPT A; ascript; \textscripta (tipa), \scripta (wsuipa)
15966 \DeclareTextCommand{\textscripta}{PU}{\82\121}%* U+251
15967 %* \textscripta -> \vara (phonetic)
15968 % U+0252 LATIN SMALL LETTER TURNED ALPHA; ascriptturned;
15969 % \textturnscripta (tipa)
15970 \DeclareTextCommand{\textturnscripta}{PU}{\82\122}% U+252
15971 %* \textturnscripta -> \invscripta (wsuipa)
15972 %* \textturnscripta -> \rotvara (phonetic)
15973 % U+0253 LATIN CAPITAL LETTER B WITH HOOK; bhook; \texthtb (tipa)
15974 \DeclareTextCommand{\texthtb}{PU}{\82\123}% U+253
15975 %* \texthtb -> \hookb (wsuipa)
15976 %* \texthtb -> \hausab (phonetic)

```

```

15977 % U+0254 LATIN SMALL LETTER OPEN O; oopen;
15978 % \textopeno (tipa), \openo (wasysym)
15979 \DeclareTextCommand{\textopeno}{\PU}{\82\124} %* U+0254
15980 %* \textopeno -> \varopeno (phonetic)
15981 % U+0255 LATIN SMALL LETTER C WITH CURL; ccurl; \textctc (tipa)
15982 \DeclareTextCommand{\textctc}{\PU}{\82\125} %* U+0255
15983 %* \textctc -> \curlyc (wsipa)
15984 % U+0256 LATIN SMALL LETTER D WITH TAIL; dtail; \textrtaild (tipa)
15985 \DeclareTextCommand{\textrtaild}{\PU}{\82\126} %* U+0256
15986 %* \textrtaild -> \taild (wsipa)
15987 % U+0257 LATIN SMALL LETTER D WITH HOOK; dhook; \texthtd (tipa)
15988 \DeclareTextCommand{\texthtd}{\PU}{\82\127} %* U+0257
15989 %* \texthtd -> \hookd (wsipa)
15990 %* \texthtd -> \hausad (phonetic)
15991 % U+0258 LATIN SMALL LETTER REVERSED E; ereversed;
15992 % \textreve (tipa), \reve (wsipa)
15993 \DeclareTextCommand{\textreve}{\PU}{\82\130} %* U+0258
15994 % U+0259 LATIN SMALL LETTER SCHWA; schwa;
15995 % \textschwa (tipa), \schwa (wsipa, phonetic)
15996 \DeclareTextCommand{\textschwa}{\PU}{\82\131} %* U+0259
15997 % U+025A LATIN SMALL LETTER SCHWA WITH HOOK; schwahook;
15998 % \textrhookschwa (tipa)
15999 \DeclareTextCommand{\textrhookschwa}{\PU}{\82\132} %* U+025A
16000 %* \textrhookschwa -> \er (wsipa)
16001 % U+025B LATIN SMALL LETTER OPEN E/LATIN SMALL LETTER EP-
    SILON; eopen;
16002 % \niepsilon (wsipa)
16003 \DeclareTextCommand{\textniepsilon}{\PU}{\82\133} %* U+025B
16004 %* \textniepsilon -> \epsi (phonetic)
16005 % U+025C LATIN SMALL LETTER REVERSED OPEN E; eopenreversed;
16006 % \textrevepsilon (tipa), \revepsilon (wsipa)
16007 \DeclareTextCommand{\textrevepsilon}{\PU}{\82\134} %* U+025C
16008 % U+025D LATIN SMALL LETTER REVERSED OPEN E WITH HOOK; eopen-
    reversedhook;
16009 % \textrhookrevepsilon (tipa)
16010 \DeclareTextCommand{\textrhookrevepsilon}{\PU}{\82\135} %* U+025D
16011 %* \textrhookrevepsilon -> \hookrevepsilon (wsipa)
16012 % U+025E LATIN SMALL LETTER CLOSED REVERSED OPEN E; eopenre-
    versedclosed;
16013 % \textcloserevepsilon (tipa)
16014 \DeclareTextCommand{\textcloserevepsilon}{\PU}{\82\136} %* U+025E
16015 %* \textcloserevepsilon -> \closedrevepsilon (wsipa)
16016 % U+025F LATIN SMALL LETTER DOTLESS J WITH STROKE; jdotted-
    lessstroke;
16017 % \textbardotlessj (tipa)
16018 \DeclareTextCommand{\textbardotlessj}{\PU}{\82\137} %* U+025F
16019 %* \textbardotlessj -> \barj (phonetic)
16020 % U+0260 LATIN SMALL LETTER G WITH HOOK; ghook; \texthtg (tipa)
16021 \DeclareTextCommand{\texthtg}{\PU}{\82\140} %* U+0260
16022 %* \texthtg -> \hookg (wsipa)
16023 % U+0261 LATIN SMALL LETTER SCRIPT G; gscript;
16024 % \textscriptg (tipa), \scriptg (wsipa)
16025 \DeclareTextCommand{\textscriptg}{\PU}{\82\141} %* U+0261
16026 %* \textscriptg -> \varg (phonetic)
16027 % U+0262 LATIN LETTER SMALL CAPITAL G; \textscg (tipa), \scg (wsipa)
16028 \DeclareTextCommand{\textscg}{\PU}{\82\142} %* U+0262
16029 % U+0263 LATIN SMALL LETTER GAMMA; gammalatinsmall;

```

```

16030 % \ipagamma (wsuipa), \vod (phonetic)
16031 \DeclareTextCommand{\textipagamma}{\PU}{\82\143}%
16032 %* \textipagamma -> \vod (phonetic)
16033 % U+0264 LATIN SMALL LETTER RAMS HORN; ramshorn;
16034 % \babymu (wsuipa)
16035 \DeclareTextCommand{\textbabymu}{\PU}{\82\144}%
16036 % U+0265 LATIN SMALL LETTER TURNED H; hturned; \textturnh (tipa)
16037 \DeclareTextCommand{\textturnh}{\PU}{\82\145}%
16038 %* \textturnh -> \invh (wsuipa)
16039 %* \textturnh -> \udesc (phonetic)
16040 % U+0266 LATIN SMALL LETTER H WITH HOOK; hhook; \texthth (tipa)
16041 \DeclareTextCommand{\texthth}{\PU}{\82\146}%
16042 %* \texthth -> \hookh (wsuipa)
16043 %* \texthth -> \voicedh (phonetic)
16044 % U+0267 LATIN SMALL LETTER HENG WITH HOOK; henghook; \textheng (tipa)
16045 \DeclareTextCommand{\textheng}{\PU}{\82\147}%
16046 %* \textheng -> \hookheng (wsuipa)
16047 % U+0268 LATIN SMALL LETTER I WITH STROKE;
16048 % \textbari (tipa), \bari (wsuipa)
16049 \DeclareTextCommand{\textbari}{\PU}{\82\150}%
16050 %* \textbari -> \bari (phonetic)
16051 % U+0269 LATIN SMALL LETTER IOTA; iotalatin; \niota (wsuipa)
16052 \DeclareTextCommand{\textniota}{\PU}{\82\151}%
16053 %* \textniota -> \vari (phonetic)
16054 % U+026A LATIN LETTER SMALL CAPITAL I; \textsci (tipa), \sci (wsuipa)
16055 \DeclareTextCommand{\textsci}{\PU}{\82\152}%
16056 % U+026B LATIN SMALL LETTER L WITH MIDDLE TILDE; lmiddletilde;
16057 % \texttilde (tipa)
16058 \DeclareTextCommand{\texttilde}{\PU}{\82\153}%
16059 %* \texttilde -> \tildel (wsuipa)
16060 % U+026C LATIN SMALL LETTER L WITH BELT; lbelt; \textbeltl (tipa)
16061 \DeclareTextCommand{\textbeltl}{\PU}{\82\154}%
16062 %* \textbeltl -> \latfric (wsuipa)
16063 % U+026D LATIN SMALL LETTER L WITH RETROFLEX HOOK;
16064 % \hookretroflex; \textrtaill (tipa)
16065 \DeclareTextCommand{\textrtaill}{\PU}{\82\155}%
16066 %* \textrtaill -> \taill (wsuipa)
16067 % U+026E LATIN SMALL LETTER LEZH; lezh; \textlyoghl (tipa)
16068 \DeclareTextCommand{\textlyoghl}{\PU}{\82\156}%
16069 %* \textlyoghl -> \lz (wsuipa)
16070 % U+026F LATIN SMALL LETTER TURNED M; mturned; \textturnm (tipa)
16071 \DeclareTextCommand{\textturnm}{\PU}{\82\157}%
16072 %* \textturnm -> \invm (wsuipa)
16073 %* \textturnm -> \rotm (phonetic)
16074 % U+0270 LATIN SMALL LETTER TURNED M WITH LONG LEG; mlongleg-
16075 turned;
16076 % \textturnmrleg (tipa)
16077 \DeclareTextCommand{\textturnmrleg}{\PU}{\82\160}%
16078 % U+0271 LATIN SMALL LETTER M WITH HOOK; mhook; \textltailm (tipa)
16079 \DeclareTextCommand{\textltailm}{\PU}{\82\161}%
16080 %* \textltailm -> \labdentalnas (wsuipa)
16081 %* \textltailm -> \emgma (phonetic)
16082 % U+0272 LATIN SMALL LETTER N WITH LEFT HOOK; nhookleft; \textltailn (tipa)
16083 \DeclareTextCommand{\textltailn}{\PU}{\82\162}%

```

```

16084 %* \textltailn -> \nj (wsuipa)
16085 %* \textltailn -> \enya (phonetic)
16086 % U+0273 LATIN SMALL LETTER N WITH RETROFLEX HOOK;
16087 % nhookretroflex; \textrtailn (tipa)
16088 \DeclareTextCommand{\textrtailn}{PU}{\82\163}% U+0273
16089 %* \textrtailn -> \tailn (wsuipa)
16090 % U+0274 LATIN LETTER SMALL CAPITAL N; \textscn (tipa), \scn (wsuipa)
16091 \DeclareTextCommand{\textscn}{PU}{\82\164}%* U+0274
16092 % U+0275 LATIN CAPITAL LETTER O WITH MIDDLE TILDE/
16093 % LATIN CAPITAL LETTER BARRED O; obarred;
16094 % \textbaro (tipa), \baro (wsuipa)
16095 \DeclareTextCommand{\textbaro}{PU}{\82\165}%* U+0275
16096 % U+0276 LATIN LETTER SMALL CAPITAL OE; \textscoelig (tipa)
16097 \DeclareTextCommand{\textscoelig}{PU}{\82\166}% U+0276
16098 % U+0277 LATIN SMALL LETTER CLOSED OMEGA; omegalatinclosed;
16099 % \textcloseomega (tipa)
16100 \DeclareTextCommand{\textcloseomega}{PU}{\82\167}% U+0277
16101 %* \textcloseomega -> \closedniomega (wsuipa)
16102 %* \textcloseomega -> \varomega (phonetic)
16103 % U+0278 LATIN SMALL LETTER PHI; philatin; \nphi (wsuipa)
16104 \DeclareTextCommand{\textnphi}{PU}{\82\170}%* U+0278
16105 % U+0279 LATIN SMALL LETTER TURNED R; rturned; \textturnr (tipa)
16106 \DeclareTextCommand{\textturnr}{PU}{\82\171}% U+0279
16107 %* \textturnr -> \invr (wsuipa)
16108 %* \textturnr -> \rotr (phonetic)
16109 % U+027A LATIN SMALL LETTER TURNED R WITH LONG LEG;
16110 % rlonglegturned; \textturnlonglegr (tipa)
16111 \DeclareTextCommand{\textturnlonglegr}{PU}{\82\172}% U+027A
16112 %* \textturnlonglegr -> \invlegr (wsuipa)
16113 % U+027B LATIN SMALL LETTER TURNED R WITH HOOK; rhoookturned;
16114 % \textturnrrtail (tipa)
16115 \DeclareTextCommand{\textturnrrtail}{PU}{\82\173}% U+027B
16116 %* \textturnrrtail -> \tailinvr (wsuipa)
16117 % U+027C LATIN SMALL LETTER R WITH LONG LEG; rlongleg; \textlonglegr (tipa)
16118 \DeclareTextCommand{\textlonglegr}{PU}{\82\174}%* U+027C
16119 %* \textlonglegr -> \legr (wsuipa)
16120 % U+027D LATIN SMALL LETTER R WITH TAIL; rhoook; \textrtailr (tipa)
16121 \DeclareTextCommand{\textrtailr}{PU}{\82\175}% U+027D
16122 %* \textrtailr -> \tailr (wsuipa)
16123 % U+027E LATIN SMALL LETTER R WITH FISHHOOK; rfishhook;
16124 % \textfishhookr (tipa)
16125 \DeclareTextCommand{\textfishhookr}{PU}{\82\176}% U+027E
16126 %* \textfishhookr -> \flapr (wsuipa)
16127 %* \textfishhookr -> \flap (phonetic)
16128 % U+027F LATIN SMALL LETTER REVERSED R WITH FISHHOOK; rfish-
16129 % hookreversed;
16130 % \textlhtlongi (tipa)
16131 \DeclareTextCommand{\textlhtlongi}{PU}{\82\177}% U+027F
16132 % U+0280 LATIN LETTER SMALL CAPITAL R; \textscr (tipa), \scr (wsuipa)
16133 % U+0281 LATIN LETTER SMALL CAPITAL INVERTED R; Rsmallinverted;
16134 % \textinvscr (tipa), \invscr (wsuipa)
16135 \DeclareTextCommand{\textinvscr}{PU}{\82\201}%* U+0281
16136 % U+0282 LATIN SMALL LETTER S WITH HOOK; shook; \textrtails (tipa)
16137 \DeclareTextCommand{\textrtails}{PU}{\82\202}% U+0282
16138 %* \textrtails -> \tails (wsuipa)

```

```

16139 % U+0283 LATIN SMALL LETTER ESH; esh; \textesh (tipa), \esh (wsuipa)
16140 \DeclareTextCommand{\textesh}{\PU}{\82\203}%
16141 % U+0284 LATIN SMALL LETTER DOTLESS J WITH STROKE AND HOOK;
16142 % dotlessjstrokehook; \texthtbardotlessj (tipa)
16143 \DeclareTextCommand{\texthtbardotlessj}{\PU}{\82\204}%
16144 % U+0285 LATIN SMALL LETTER SQUAT REVERSED ESH; eshsquatre-
16145 % versed;
16146 \textvibyi (tipa)
16147 \DeclareTextCommand{\textvibyi}{\PU}{\82\205}%
16148 % U+0286 LATIN SMALL LETTER ESH WITH CURL; eshcurl; \textctesh (tipa)
16149 \DeclareTextCommand{\textctesh}{\PU}{\82\206}%
16150 % \textctesh -> \curlyesh (wsuipa)
16151 \DeclareTextCommand{\textturnt}{\PU}{\82\207}%
16152 % \textturnt -> \clickt (wsuipa)
16153 % U+0288 LATIN SMALL LETTER T WITH RETROFLEX HOOK; tretroflex-
16154 % hook;
16155 \textrtailt (tipa)
16156 \DeclareTextCommand{\textrtailt}{\PU}{\82\210}%
16157 % U+0289 LATIN SMALL LETTER U BAR; ubar;
16158 % \textbaru (tipa), \baru (wsuipa)
16159 \DeclareTextCommand{\textbaru}{\PU}{\82\211}%
16160 % \textbaru -> \ubar (phonetic)
16161 % U+028A LATIN SMALL LETTER UPSILON; \niupsilon (wsuipa)
16162 \DeclareTextCommand{\textniupsilon}{\PU}{\82\212}%
16163 % \textniupsilon -> \rotOmega (phonetic)
16164 % U+028B LATIN SMALL LETTER V WITH HOOK/LATIN SMALL LET-
16165 % TER SCRIPT V;
16166 \textscriptv (tipa), \scriptv (wsuipa)
16167 % U+028C LATIN SMALL LETTER TURNED V; vturned; \textturnv (tipa)
16168 \DeclareTextCommand{\textturnv}{\PU}{\82\214}%
16169 % \textturnv -> \invv (wsuipa)
16170 % \textturnv -> \pwedge (phonetic)
16171 % U+028D LATIN SMALL LETTER TURNED W; wturned; \textturnw (tipa)
16172 \DeclareTextCommand{\textturnw}{\PU}{\82\215}%
16173 % \textturnw -> \invw (wsuipa)
16174 % \textturnw -> \rotw (phonetic)
16175 % U+028E LATIN SMALL LETTER TURNED Y; yturned; \textturny (tipa)
16176 \DeclareTextCommand{\textturny}{\PU}{\82\216}%
16177 % \textturny -> \invy (wsuipa)
16178 % \textturny -> \roty (phonetic)
16179 % U+028F LATIN LETTER SMALL CAPITAL Y; \textscy (tipa), \scy (wsuipa)
16180 \DeclareTextCommand{\textscy}{\PU}{\82\217}%
16181 % U+0290 LATIN SMALL LETTER Z WITH RETROFLEX HOOK; zretroflex-
16182 % hook;
16183 \textrtailz (tipa)
16184 % \textrtailz -> \tailz (wsuipa)
16185 % U+0291 LATIN SMALL LETTER Z WITH CURL; zcurl; \textctz (tipa)
16186 \DeclareTextCommand{\textctz}{\PU}{\82\221}%
16187 % \textctz -> \curlyz (wsuipa)
16188 % U+0292 LATIN SMALL LETTER EZH/LATIN SMALL LETTER YOGH; ezh;
16189 % \textyogh (tipa), \yogh (wsuipa)
16190 \DeclareTextCommand{\textyogh}{\PU}{\82\222}%

```

```

16191 % U+0293 LATIN SMALL LETTER EZH WITH CURL/LATIN SMALL LET-
TER YOGH CURL;
16192 % ezhcurl; \textctyogh (tipa)
16193 \DeclareTextCommand{\textctyogh}{PU}{\82\223}% U+0293
16194 %* \textctyogh -> \curlyyogh (wsipa)
16195 % U+0294 LATIN LETTER GLOTTAL STOP; glottalstop;
16196 % \textglotstop (tipa), \glotstop (wsipa)
16197 \DeclareTextCommand{\textglotstop}{PU}{\82\224}%* U+0294
16198 %* \textglotstop -> \ejective (wsipa)
16199 %* \textglotstop -> \glottal (phonetic)
16200 % U+0295 LATIN LETTER PHARYNGEAL VOICED FRICATIVE/
16201 % LATIN LETTER REVERSED GLOTTAL STOP; glottalstopreversed;
16202 % \textrevglotstop (tipa), \revglotstop (wsipa)
16203 \DeclareTextCommand{\textrevglotstop}{PU}{\82\225}%* U+0295
16204 %* \textrevglotstop -> \reveject (wsipa)
16205 % U+0296 LATIN LETTER INVERTED GLOTTAL STOP; glottalstopinverted;
16206 % \textinvglotstop (tipa), \invglotstop (wsipa)
16207 \DeclareTextCommand{\textinvglotstop}{PU}{\82\226}%* U+0296
16208 % U+0297 LATIN LETTER STRETCHED C; cstretched; \textstretchc (tipa)
16209 \DeclareTextCommand{\textstretchc}{PU}{\82\227}% U+0297
16210 %* \textstretchc -> \clickc (wsipa)
16211 %* \textstretchc -> \textstretchcvar (tipx)
16212 % U+0298 LATIN LETTER BILABIAL CLICK; bilabialclick;
16213 % \textbullseye (tipa)
16214 \DeclareTextCommand{\textbullseye}{PU}{\82\230}% U+0298
16215 %* \textbullseye -> \clickb (wsipa)
16216 %* \textbullseye -> \textObullseye (tipx)
16217 % U+0299 LATIN LETTER SMALL CAPITAL B; \textscb (tipa)
16218 \DeclareTextCommand{\textscb}{PU}{\82\231}% U+0299
16219 % U+029A LATIN SMALL LETTER CLOSED OPEN E; eopenclosed;
16220 % \textclosepsilon (tipa)
16221 \DeclareTextCommand{\textclosepsilon}{PU}{\82\232}% U+029A
16222 % U+029B LATIN LETTER SMALL CAPITAL G WITH HOOK; Gsmallhook;
16223 % \texthtscg (tipa)
16224 \DeclareTextCommand{\texthtscg}{PU}{\82\233}% U+029B
16225 % U+029C LATIN LETTER SMALL CAPITAL H; \textsch (tipa)
16226 \DeclareTextCommand{\textsch}{PU}{\82\234}% U+029C
16227 % U+029D LATIN SMALL LETTER J WITH CROSSED-TAIL; jcrossed-
tail; \textcdj (tipa)
16228 \DeclareTextCommand{\textctj}{PU}{\82\235}% U+029D
16229 %* \textctj -> \textctjvar (tipx)
16230 % U+029E LATIN SMALL LETTER TURNED K; kturned; \textturnk (tipa)
16231 \DeclareTextCommand{\textturnk}{PU}{\82\236}% U+029E
16232 %* \textturnk -> \textturnsck (tipx)
16233 % U+029F LATIN LETTER SMALL CAPITAL L; \textsc (tipa)
16234 \DeclareTextCommand{\textsc}{PU}{\82\237}% U+029F
16235 % U+02A0 LATIN SMALL LETTER Q WITH HOOK; qhook; \texthtq (tipa)
16236 \DeclareTextCommand{\texthtq}{PU}{\82\240}% U+02A0
16237 % U+02A1 LATIN LETTER GLOTTAL STOP WITH STROKE; glottalstop-
stroke;
16238 % \textbarglotstop (tipa)
16239 \DeclareTextCommand{\textbarglotstop}{PU}{\82\241}% U+02A1
16240 % U+02A2 LATIN LETTER REVERSED GLOTTAL STOP WITH STROKE/
16241 % LATIN LETTER REVERSED GLOTTAL STOP BAR; glottalstopstrokere-
versed;
16242 % \textbarrevglotstop (tipa)
16243 \DeclareTextCommand{\textbarrevglotstop}{PU}{\82\242}% U+02A2

```

```

16244 % U+02A3 LATIN SMALL LETTER DZ DIGRAPH; dzaltone; \textdzlig (tipa)
16245 \DeclareTextCommand{\textdzlig}{PU}{\82\243}% U+02A3
16246 %* \textdzlig -> \dz (wsupipa)
16247 % U+02A4 LATIN SMALL LETTER DEZH DIGRAPH; dezh; \textdyogh-
    lig (tipa)
16248 \DeclareTextCommand{\textdyoghlig}{PU}{\82\244}% U+02A4
16249 % U+02A5 LATIN SMALL LETTER DZ DIGRAPH WITH CURL; dzcurl;
16250 % \textdctzlig (tipa)
16251 \DeclareTextCommand{\textdctzlig}{PU}{\82\245}% U+02A5
16252 % U+02A6 LATIN SMALL LETTER TS DIGRAPH; ts; \texttslig (tipa)
16253 \DeclareTextCommand{\texttslig}{PU}{\82\246}% U+02A6
16254 % U+02A7 LATIN SMALL LETTER TESH DIGRAPH; tesh; \textteshlig (tipa)
16255 \DeclareTextCommand{\textteshlig}{PU}{\82\247}% U+02A7
16256 %* \textteshlig -> \tesh (wsupipa)
16257 % U+02A8 LATIN SMALL LETTER TC DIGRAPH WITH CURL; tcurl;
16258 % \texttctclig (tipa)
16259 \DeclareTextCommand{\texttctclig}{PU}{\82\250}% U+02A8
16260 % U+02AE LATIN SMALL LETTER TURNED H WITH FISHHOOK;
16261 % \textlhtlongy (tipa)
16262 \DeclareTextCommand{\textlhtlongy}{PU}{\82\256}% U+02AE
16263 % U+02AF LATIN SMALL LETTER TURNED H WITH FISHHOOK AND TAIL;
16264 % \textvibyy (tipa)
16265 \DeclareTextCommand{\textvibyy}{PU}{\82\257}% U+02AF

```

50.2.7 Spacing Modifier Letters: U+02B0 to U+02FF

```

16266 % U+02BD MODIFIER LETTER REVERSED COMMA;
16267 % commareversedmod, afii64937; \textrevapostrophe (tipa)
16268 \DeclareTextCommand{\textrevapostrophe}{PU}{\82\275}% U+02BD
16269 % U+02C0 MODIFIER LETTER GLOTTAL STOP; glottalstopmod;
16270 % \textraiseglotstop (tipa)
16271 \DeclareTextCommand{\textraiseglotstop}{PU}{\82\300}% U+02C0
16272 % U+02C2 MODIFIER LETTER LEFT ARROWHEAD; arrowheadleftmod;
16273 % \textlptr (tipa)
16274 \DeclareTextCommand{\textlptr}{PU}{\82\302}% U+02C2
16275 % U+02C3 MODIFIER LETTER RIGHT ARROWHEAD; arrowheadrightmod;
16276 % \textrptr (tipa)
16277 \DeclareTextCommand{\textrptr}{PU}{\82\303}% U+02C3
16278 % U+02C7 CARON; caron
16279 \DeclareTextCommand{\textasciicaron}{PU}{\82\307}% U+02C7
16280 % U+02C8 MODIFIER LETTER VERTICAL LINE; verticalinemod;
16281 % \textprimstress (tipa)
16282 \DeclareTextCommand{\textprimstress}{PU}{\82\308}% U+02C8
16283 % U+02CC MODIFIER LETTER LOW VERTICAL LINE; verticalineelowmod;
16284 % \textsecstress (tipa)
16285 \DeclareTextCommand{\textsecstress}{PU}{\82\314}% U+02CC
16286 % U+02D0 MODIFIER LETTER TRIANGULAR COLON; colontriangularmod;
16287 % \textlengthmark (tipa)
16288 \DeclareTextCommand{\textlengthmark}{PU}{\82\320}% U+02D0
16289 % U+02D1 MODIFIER LETTER HALF TRIANGULAR COLON; colontriangu-
    larhalfmod;
16290 % \texthalflength (tipa)
16291 \DeclareTextCommand{\texthalflength}{PU}{\82\321}% U+02D1
16292 % U+02D8 BREVE; breve
16293 \DeclareTextCommand{\textasciibreve}{PU}{\82\330}% U+02D8
16294 % U+02D9 DOT ABOVE; dotaccent
16295 \DeclareTextCommand{\textdotaccent}{PU}{\82\331}% U+02D9
16296 % U+02DA RING ABOVE; ring

```

```

16297 \DeclareTextCommand{\textstring}{PU}{\82\332}% U+02DA
16298 % U+02DB OGONEK; ogonek
16299 \DeclareTextCommand{\textogonek}{PU}{\82\333}% U+02DB
16300 % U+02DC SMALL TILDE; ilde, *tilde
16301 \DeclareTextCommand{\texttilde}{PU}{\82\334}% U+02DC
16302 % U+02DD DOUBLE ACUTE ACCENT; hungarumlaut
16303 \DeclareTextCommand{\texthungarumlaut}{PU}{\82\335}% U+02DD
16304 \DeclareTextCommand{\textacutedbl}{PU}{\texthungarumlaut}% U+02DD
16305 % U+02F3 MODIFIER LETTER LOW RING
16306 \DeclareTextCommand{\textringlow}{PU}{\82\363}% U+02F3
16307 % U+02F5 MODIFIER LETTER MIDDLE DOUBLE GRAVE ACCENT
16308 \DeclareTextCommand{\textgravedbl}{PU}{\82\365}% U+02F5
16309 % U+02F7 MODIFIER LETTER LOW TILDE
16310 \DeclareTextCommand{\texttildelow}{PU}{\82\367}% U+02F7
16311 % U+02F9 MODIFIER LETTER BEGIN HIGH TONE; \textopencorner (tipa)
16312 \DeclareTextCommand{\textopencorner}{PU}{\82\371}% U+02F9
16313 % U+02FA MODIFIER LETTER END HIGH TONE; \textcorner (tipa)
16314 \DeclareTextCommand{\textcorner}{PU}{\82\372}% U+02FA

```

50.2.8 Combining Diacritical Marks: U+0300 to U+036F

```

16315 % U+030F COMBINING DOUBLE GRAVE ACCENT; dblgravecmb
16316 \DeclareTextCommand{\textdoublegrave}{PU}{\83\017}% U+030F
16317 % U+0311 COMBINING INVERTED BREVE; breveinvertedcmb
16318 \DeclareTextCommand{\textnewtie}{PU}{\83\021}% U+0311
16319 % U+0323 COMBINING DOT BELOW; dotbelowcmb, *dotbelowcomb
16320 \DeclareTextCommand{\textdotbelow}{PU}{\83\043}% U+0323
16321 % U+0331 COMBINING MACRON BELOW; macronbelowcmb
16322 \DeclareTextCommand{\textmacronbelow}{PU}{\83\061}% U+0331
16323 % U+0361 COMBINING DOUBLE INVERTED BREVE; breveinverteddou-
blecmb
16324 \DeclareTextCommand{\texttie}{PU}{\83\141}% U+0361

```

50.2.9 Greek and Coptic: U+0370 to U+03FF

```

16325 % U+0374 GREEK NUMERAL SIGN; numeralsigngreek
16326 \DeclareTextCommand{\textnumeralsigngreek}{PU}{\83\164}% U+0374
16327 % U+0375 GREEK LOWER NUMERAL SIGN; numeralsignlowergreek
16328 \DeclareTextCommand{\textnumeralsignlowergreek}{PU}{\83\165}% U+0375
16329 % U+0386 GREEK CAPITAL LETTER ALPHA WITH TONOS; Alphatonos
16330 \DeclareTextCompositeCommand{\textAlpha}{PU}{\83\206}% U+0386
16331 % U+0388 GREEK CAPITAL LETTER EPSILON WITH TONOS; Epsilontonos
16332 \DeclareTextCompositeCommand{\textEpsilon}{PU}{\83\210}% U+0388
16333 % U+0389 GREEK CAPITAL LETTER ETA WITH TONOS; Etatonos
16334 \DeclareTextCompositeCommand{\textEta}{PU}{\83\211}% U+0389
16335 % U+038A GREEK CAPITAL LETTER IOTA WITH TONOS; Iotatonos
16336 \DeclareTextCompositeCommand{\textIota}{PU}{\83\212}% U+038A
16337 % U+038C GREEK CAPITAL LETTER OMECRON WITH TONOS; Omi-
crontonos
16338 \DeclareTextCompositeCommand{\textOmicron}{PU}{\83\214}% U+038C
16339 % U+038E GREEK CAPITAL LETTER UPSILON WITH TONOS; Upsilon tonos
16340 \DeclareTextCompositeCommand{\textUpsilon}{PU}{\83\216}% U+038E
16341 % U+038F GREEK CAPITAL LETTER OMEGA WITH TONOS; Omegatonos
16342 \DeclareTextCompositeCommand{\textOmega}{PU}{\83\217}% U+038F
16343 % U+0390 GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS;
16344 % iota dieresis tonos
16345 \DeclareTextCompositeCommand{\textIota}{PU}{\textIotadieresesis}{\83\220}% U+0390
16346 % U+0391 GREEK CAPITAL LETTER ALPHA; Alpha
16347 \DeclareTextCommand{\textAlpha}{PU}{\83\221}% U+0391

```

```

16348 % U+0392 GREEK CAPITAL LETTER BETA; Beta
16349 \DeclareTextCommand{\textBeta}{\PU}{\83\222}% U+0392
16350 % U+0393 GREEK CAPITAL LETTER GAMMA; Gamma; \Gamma (LaTeX)
16351 \DeclareTextCommand{\textGamma}{\PU}{\83\223}/* U+0393
16352 % U+0394 GREEK CAPITAL LETTER DELTA; Deltagreek, *Delta; \Delta (La-
TeX)
16353 \DeclareTextCommand{\textDelta}{\PU}{\83\224}/* U+0394
16354 % U+0395 GREEK CAPITAL LETTER EPSILON; Epsilon
16355 \DeclareTextCommand{\textEpsilon}{\PU}{\83\225}% U+0395
16356 % U+0396 GREEK CAPITAL LETTER ZETA; Zeta
16357 \DeclareTextCommand{\textZeta}{\PU}{\83\226}% U+0396
16358 % U+0397 GREEK CAPITAL LETTER ETA; Eta
16359 \DeclareTextCommand{\textEta}{\PU}{\83\227}% U+0397
16360 % U+0398 GREEK CAPITAL LETTER THETA; Theta; \Theta (LaTeX)
16361 \DeclareTextCommand{\textTheta}{\PU}{\83\230}/* U+0398
16362 % U+0399 GREEK CAPITAL LETTER IOTA; Iota
16363 \DeclareTextCommand{\textIota}{\PU}{\83\231}% U+0399
16364 % U+039A GREEK CAPITAL LETTER KAPPA; Kappa
16365 \DeclareTextCommand{\textKappa}{\PU}{\83\232}% U+039A
16366 % U+039B GREEK CAPITAL LETTER LAMDA; Lambda; \Lambda (LaTeX)
16367 \DeclareTextCommand{\textLambda}{\PU}{\83\233}/* U+039B
16368 % U+039C GREEK CAPITAL LETTER MU; Mu
16369 \DeclareTextCommand{\textMu}{\PU}{\83\234}% U+039C
16370 % U+039D GREEK CAPITAL LETTER NU; Nu
16371 \DeclareTextCommand{\textNu}{\PU}{\83\235}% U+039D
16372 % U+039E GREEK CAPITAL LETTER XI; Xi; \Xi (LaTeX)
16373 \DeclareTextCommand{\textXi}{\PU}{\83\236}/* U+039E
16374 % U+039F GREEK CAPITAL LETTER OMICRON; Omicron
16375 \DeclareTextCommand{\textOmicron}{\PU}{\83\237}% U+039F
16376 % U+03A0 GREEK CAPITAL LETTER PI; Pi
16377 \DeclareTextCommand{\textPi}{\PU}{\83\240}/* U+03A0
16378 % U+03A1 GREEK CAPITAL LETTER RHO; Rho
16379 \DeclareTextCommand{\textRho}{\PU}{\83\241}% U+03A1
16380 % U+03A3 GREEK CAPITAL LETTER SIGMA; Sigma; \Sigma (LaTeX)
16381 \DeclareTextCommand{\textSigma}{\PU}{\83\243}/* U+03A3
16382 % U+03A4 GREEK CAPITAL LETTER TAU; Tau
16383 \DeclareTextCommand{\textTau}{\PU}{\83\244}% U+03A4
16384 % U+03A5 GREEK CAPITAL LETTER UPSILON; Upsilon; \Upsilon (LaTeX)
16385 \DeclareTextCommand{\textUpsilon}{\PU}{\83\245}/* U+03A5
16386 % U+03A6 GREEK CAPITAL LETTER PHI; Phi; \Phi (LaTeX)
16387 \DeclareTextCommand{\textPhi}{\PU}{\83\246}/* U+03A6
16388 % U+03A7 GREEK CAPITAL LETTER CHI; Chi
16389 \DeclareTextCommand{\textChi}{\PU}{\83\247}% U+03A7
16390 % U+03A8 GREEK CAPITAL LETTER PSI; Psi; \Psi (LaTeX)
16391 \DeclareTextCommand{\textPsi}{\PU}{\83\250}/* U+03A8
16392 % U+03A9 GREEK CAPITAL LETTER OMEGA; Omegagreek, *Omega;
16393 % \Omega (LaTeX)
16394 \DeclareTextCommand{\textOmega}{\PU}{\83\251}/* U+03A9
16395 % U+03AA GREEK CAPITAL LETTER IOTA WITH DIALYTIKA; Iotadieresis
16396 \DeclareTextCommand{\textIotadieresis}{\PU}{\83\252}% U+03AA
16397 \DeclareTextCompositeCommand{\textIota}{\PU}{\textIotadieresis}{\83\252}% U+03AA
16398 % U+03AB GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA; Up-
silondieresis
16399 \DeclareTextCompositeCommand{\textUpsilon}{\PU}{\textUpsilon}{\83\253}% U+03AB
16400 % U+03AC GREEK SMALL LETTER ALPHA WITH TONOS; alphatonos
16401 \DeclareTextCompositeCommand{\textAlpha}{\PU}{\textAlphatonos}{\83\254}/* U+03AC
16402 % U+03AD GREEK SMALL LETTER EPSILON WITH TONOS; epsilontonos

```

```

16403 \DeclareTextCompositeCommand{\'}{PU}{\textepsilon}{\83\255}% U+03AD
16404 % U+03AE GREEK SMALL LETTER ETA WITH TONOS; etatonos
16405 \DeclareTextCompositeCommand{\'}{PU}{\texteta}{\83\256}% U+03AE
16406 % U+03AF GREEK SMALL LETTER IOTA WITH TONOS; iotaTONOS
16407 \DeclareTextCompositeCommand{\'}{PU}{\textiota}{\83\257}% U+03AF
16408 % U+03B0 GREEK SMALL LETTER UPSILON WITH DIALYTIKA
16409 % AND TONOS; upsilonDieresis
16410 \DeclareTextCompositeCommand{\'}{PU}{\textupsilonacute}{\83\260}% U+03B0
16411 % U+03B1 GREEK SMALL LETTER ALPHA; alpha; \alpha (LaTeX)
16412 \DeclareTextCommand{\textalpha}{PU}{\83\261}/* U+03B1
16413 % U+03B2 GREEK SMALL LETTER BETA; beta; \beta (LaTeX)
16414 \DeclareTextCommand{\textbeta}{PU}{\83\262}/* U+03B2
16415 % U+03B3 GREEK SMALL LETTER GAMMA; gamma; \gamma (LaTeX)
16416 \DeclareTextCommand{\textgamma}{PU}{\83\263}/* U+03B3
16417 % U+03B4 GREEK SMALL LETTER DELTA; delta; \delta (LaTeX)
16418 \DeclareTextCommand{\textdelta}{PU}{\83\264}/* U+03B4
16419 % U+03B5 GREEK SMALL LETTER EPSILON; epsilon; \epsilon (LaTeX)
16420 \DeclareTextCommand{\textepsilon}{PU}{\83\265}/* U+03B5
16421 % U+03B6 GREEK SMALL LETTER ZETA; zeta; \zeta (LaTeX)
16422 \DeclareTextCommand{\textzeta}{PU}{\83\266}/* U+03B6
16423 % U+03B7 GREEK SMALL LETTER ETA; eta; \eta (LaTeX)
16424 \DeclareTextCommand{\texteta}{PU}{\83\267}/* U+03B7
16425 % U+03B8 GREEK SMALL LETTER THETA; theta; \theta (LaTeX)
16426 \DeclareTextCommand{\texttheta}{PU}{\83\270}/* U+03B8
16427 % U+03B9 GREEK SMALL LETTER IOTA; iota; \iota (LaTeX)
16428 \DeclareTextCommand{\textiota}{PU}{\83\271}/* U+03B9
16429 % U+03BA GREEK SMALL LETTER KAPPA; kappa; \kappa (LaTeX)
16430 \DeclareTextCommand{\textkappa}{PU}{\83\272}/* U+03BA
16431 % U+03BB GREEK SMALL LETTER LAMDA; lambda; \lambda (LaTeX)
16432 \DeclareTextCommand{\textlambda}{PU}{\83\273}/* U+03BB
16433 % U+03BC GREEK SMALL LETTER MU; mugreek, *mu; \mu (LaTeX)
16434 \DeclareTextCommand{\textmu}{PU}{\83\274}/* U+03BC
16435 % U+03BD GREEK SMALL LETTER NU; nu; \nu (LaTeX)
16436 \DeclareTextCommand{\textnu}{PU}{\83\275}/* U+03BD
16437 % U+03BE GREEK SMALL LETTER XI; xi; \xi (LaTeX)
16438 \DeclareTextCommand{\textxi}{PU}{\83\276}/* U+03BE
16439 % U+03BF GREEK SMALL LETTER OMEGON; omicron
16440 \DeclareTextCommand{\textomicron}{PU}{\83\277}% U+03BF
16441 % U+03C0 GREEK SMALL LETTER PI; pi; \pi (LaTeX)
16442 \DeclareTextCommand{\textpi}{PU}{\83\300}/* U+03C0
16443 % U+03C1 GREEK SMALL LETTER RHO; rho; \rho (LaTeX)
16444 \DeclareTextCommand{\textrho}{PU}{\83\301}/* U+03C1
16445 % U+03C2 GREEK SMALL LETTER FINAL SIGMA; *sigma1, sigmafinal
16446 \DeclareTextCommand{\textvarsigma}{PU}{\83\302}/* U+03C2
16447 % U+03C3 GREEK SMALL LETTER SIGMA; sigma; \sigma (LaTeX)
16448 \DeclareTextCommand{\textsigma}{PU}{\83\303}/* U+03C3
16449 % U+03C4 GREEK SMALL LETTER TAU; tau; \tau (LaTeX)
16450 \DeclareTextCommand{\texttau}{PU}{\83\304}/* U+03C4
16451 % U+03C5 GREEK SMALL LETTER UPSILON; upsilon; \upsilon (LaTeX)
16452 \DeclareTextCommand{\textupsilon}{PU}{\83\305}/* U+03C5
16453 % U+03C6 GREEK SMALL LETTER PHI; phi; \phi (LaTeX)
16454 \DeclareTextCommand{\textphi}{PU}{\83\306}/* U+03C6
16455 % U+03C7 GREEK SMALL LETTER CHI; chi; \chi (LaTeX)
16456 \DeclareTextCommand{\textchi}{PU}{\83\307}/* U+03C7
16457 % U+03C8 GREEK SMALL LETTER PSI; psi; \psi (LaTeX)
16458 \DeclareTextCommand{\textpsi}{PU}{\83\310}/* U+03C8
16459 % U+03C9 GREEK SMALL LETTER OMEGA; omega; \omega (LaTeX)

```

```

16460 \DeclareTextCommand{\textomega}{\PU}{\83\311}/* U+03C9
16461 % U+03CA GREEK SMALL LETTER IOTA WITH DIALYTIKA; iota dieresis
16462 \DeclareTextCompositeCommand{"}{\PU}{\textiota}{\83\312} % U+03CA
16463 % U+03CB GREEK SMALL LETTER UPSILON WITH DIALYTIKA; up-
    silondieresis
16464 \DeclareTextCompositeCommand{"}{\PU}{\textupsilon}{\83\313} % U+03CB
16465 % U+03CC GREEK SMALL LETTER OMICRON WITH TONOS; omicron tonos
16466 \DeclareTextCompositeCommand{'}{\PU}{\textomicron}{\83\314} % U+03CC
16467 % U+03CD GREEK SMALL LETTER UPSILON WITH TONOS; upsilon tonos
16468 \DeclareTextCommand{\textupsilonacute}{\PU}{\83\315} % U+03CD
16469 \DeclareTextCompositeCommand{'}{\PU}{\textupsilon}{\83\315} % U+03CD
16470 % U+03CE GREEK SMALL LETTER OMEGA WITH TONOS; omega tonos
16471 \DeclareTextCompositeCommand{'}{\PU}{\textomega}{\83\316} % U+03CE
16472 % U+03DA GREEK LETTER STIGMA; Stigmagreek
16473 \DeclareTextCommand{\textStigmagreek}{\PU}{\83\332} % U+03DA
16474 % U+03DB GREEK SMALL LETTER STIGMA
16475 \DeclareTextCommand{\textstigmagreek}{\PU}{\83\333} % U+03DB
16476 % U+03DC GREEK LETTER DIGAMMA; Digammagreek
16477 \DeclareTextCommand{\textDigammagreek}{\PU}{\83\334} % U+03DC
16478 % U+03DD GREEK SMALL LETTER DIGAMMA
16479 \DeclareTextCommand{\textdigammagreek}{\PU}{\83\335} % U+03DD
16480 /* \textdigammagreek -> \digamma (AmS)
16481 % U+03DE GREEK LETTER KOPPA; Koppagreek
16482 \DeclareTextCommand{\textKoppagreek}{\PU}{\83\336} % U+03DE
16483 % U+03DF GREEK SMALL LETTER KOPPA
16484 \DeclareTextCommand{\textkoppagreek}{\PU}{\83\337} % U+03DF
16485 % U+03E0 GREEK LETTER SAMPI; Sampigreek
16486 \DeclareTextCommand{\textSampigreek}{\PU}{\83\340} % U+03E0
16487 % U+03E1 GREEK SMALL LETTER SAMPI
16488 \DeclareTextCommand{\textsampigreek}{\PU}{\83\341} % U+03E1
16489 % U+03F6 GREEK REVERSED LUNATE EPSILON SYMBOL;
16490 % \backepsilon (AmS)
16491 \DeclareTextCommand{\textbackepsilon}{\PU}{\83\366} % U+03F6

```

50.2.10 Cyrillic: U+0400 to U+04FF

Thanks to Vladimir Volovich (vvv@vvv.vsu.ru) for the help with the Cyrillic glyph names.

```

16492 % U+0400 CYRILLIC CAPITAL LETTER IE WITH GRAVE
16493 \DeclareTextCompositeCommand{}{\PU}{\CYRE}{\84\000} % U+0400
16494 % U+0401 CYRILLIC CAPITAL LETTER IO; Iocyrillic, *afii10023
16495 \DeclareTextCommand{\CYRYO}{\PU}{\84\001} % U+0401
16496 \DeclareTextCompositeCommand{"}{\PU}{\CYRE}{\84\001} % ???
16497 % U+0402 CYRILLIC CAPITAL LETTER DJE; Djecyrillic, *afii10051
16498 \DeclareTextCommand{\CYRDJE}{\PU}{\84\002} % U+0402
16499 % U+0403 CYRILLIC CAPITAL LETTER GJE; Gjecyrillic, *afii10052
16500 \DeclareTextCompositeCommand{'}{\PU}{\CYRG}{\84\003} % U+0403
16501 % U+0404 CYRILLIC CAPITAL LETTER UKRAINIAN IE; Ecyrillic, *afii10053
16502 \DeclareTextCommand{\CYRIE}{\PU}{\84\004} % U+0404
16503 % U+0405 CYRILLIC CAPITAL LETTER DZE; Dzecyrillic, *afii10054
16504 \DeclareTextCommand{\CYRDZE}{\PU}{\84\005} % U+0405
16505 % U+0406 CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I;
16506 % Icyrillic, *afii10055
16507 \DeclareTextCommand{\CYRII}{\PU}{\84\006} % U+0406
16508 % U+0407 CYRILLIC CAPITAL LETTER YI; Yicyrillic, *afii10056
16509 \DeclareTextCommand{\CYRYI}{\PU}{\84\007} % U+0407
16510 \DeclareTextCompositeCommand{"}{\PU}{\CYRII}{\84\007} % U+0407
16511 % U+0408 CYRILLIC CAPITAL LETTER JE; Jecyrillic, *afii10057

```

```
16512 \DeclareTextCommand{\CYRJE}{PU}{\84\010}% U+0408
16513 % U+0409 CYRILLIC CAPITAL LETTER LJE; Ljecyrillic, *afii10058
16514 \DeclareTextCommand{\CYRLJE}{PU}{\84\011}% U+0409
16515 % U+040A CYRILLIC CAPITAL LETTER NJE; Njecyrillic, *afii10059
16516 \DeclareTextCommand{\CYRNJE}{PU}{\84\012}% U+040A
16517 % U+040B CYRILLIC CAPITAL LETTER TSHE; Tshecyrillic, *afii10060
16518 \DeclareTextCommand{\CYRTSHE}{PU}{\84\013}% U+040B
16519 % U+040C CYRILLIC CAPITAL LETTER KJE; Kjecyrillic, *afii10061
16520 \DeclareTextCompositeCommand{\CYRK}{PU}{\84\014}% U+040C
16521 % U+040D CYRILLIC CAPITAL LETTER I WITH GRAVE
16522 \DeclareTextCompositeCommand{\CYRI}{PU}{\84\015}% U+040D
16523 % U+040E CYRILLIC CAPITAL LETTER SHORT U; Ushortcyrillic, *afii10062
16524 \DeclareTextCommand{\CYRUSHRT}{PU}{\84\016}% U+040E
16525 \DeclareTextCompositeCommand{\CYRU}{PU}{\84\016}% U+040E
16526 % U+040F CYRILLIC CAPITAL LETTER DZHE; Dzhecyrillic, *afii10145
16527 \DeclareTextCommand{\CYRDZHE}{PU}{\84\017}% U+040F
16528 % U+0410 CYRILLIC CAPITAL LETTER A; Acyrillic, *afii10017
16529 \DeclareTextCommand{\CYRA}{PU}{\84\020}% U+0410
16530 % U+0411 CYRILLIC CAPITAL LETTER BE; Becyrillic, *afii10018
16531 \DeclareTextCommand{\CYRB}{PU}{\84\021}% U+0411
16532 % U+0412 CYRILLIC CAPITAL LETTER VE; Vecyrillic, *afii10019
16533 \DeclareTextCommand{\CYRV}{PU}{\84\022}% U+0412
16534 % U+0413 CYRILLIC CAPITAL LETTER GHE; Gecyrillic, *afii10020
16535 \DeclareTextCommand{\CYRG}{PU}{\84\023}% U+0413
16536 % U+0414 CYRILLIC CAPITAL LETTER DE; Decyrillic, *afii10021
16537 \DeclareTextCommand{\CYRD}{PU}{\84\024}% U+0414
16538 % U+0415 CYRILLIC CAPITAL LETTER IE; Iecyrillic, *afii10022
16539 \DeclareTextCommand{\CYRE}{PU}{\84\025}% U+0415
16540 % U+0416 CYRILLIC CAPITAL LETTER ZHE; Zhecyrillic, *afii10024
16541 \DeclareTextCommand{\CYRZH}{PU}{\84\026}% U+0416
16542 % U+0417 CYRILLIC CAPITAL LETTER ZE; Zecyrillic, *afii10025
16543 \DeclareTextCommand{\CYRZ}{PU}{\84\027}% U+0417
16544 % U+0418 CYRILLIC CAPITAL LETTER I; Iicyrillic, *afii10026
16545 \DeclareTextCommand{\CYRI}{PU}{\84\030}% U+0418
16546 % U+0419 CYRILLIC CAPITAL LETTER SHORT I; Iishortcyrillic, *afii10027
16547 \DeclareTextCommand{\CYRISHRT}{PU}{\84\031}% U+0419
16548 \DeclareTextCompositeCommand{\CYRI}{PU}{\84\031}% U+0419
16549 % U+041A CYRILLIC CAPITAL LETTER KA; Kacyrillic, *afii10028
16550 \DeclareTextCommand{\CYRK}{PU}{\84\032}% U+041A
16551 % U+041B CYRILLIC CAPITAL LETTER EL; Elcyrillic, *afii10029
16552 \DeclareTextCommand{\CYRL}{PU}{\84\033}% U+041B
16553 % U+041C CYRILLIC CAPITAL LETTER EM; Emcyrillic, *afii10030
16554 \DeclareTextCommand{\CYRM}{PU}{\84\034}% U+041C
16555 % U+041D CYRILLIC CAPITAL LETTER EN; Encyrillic, *afii10031
16556 \DeclareTextCommand{\CYRN}{PU}{\84\035}% U+041D
16557 % U+041E CYRILLIC CAPITAL LETTER O; Ocyrillic, *afii10032
16558 \DeclareTextCommand{\CYRO}{PU}{\84\036}% U+041E
16559 % U+041F CYRILLIC CAPITAL LETTER PE; Pecyrillic, *afii10033
16560 \DeclareTextCommand{\CYRP}{PU}{\84\037}% U+041F
16561 % U+0420 CYRILLIC CAPITAL LETTER ER; Ercyrillic, *afii10034
16562 \DeclareTextCommand{\CYRR}{PU}{\84\040}% U+0420
16563 % U+0421 CYRILLIC CAPITAL LETTER ES; Escyrillic, *afii10035
16564 \DeclareTextCommand{\CYRS}{PU}{\84\041}% U+0421
16565 % U+0422 CYRILLIC CAPITAL LETTER TE; Tecyrillic, *afii10036
16566 \DeclareTextCommand{\CYRT}{PU}{\84\042}% U+0422
16567 % U+0423 CYRILLIC CAPITAL LETTER U; Ucyrillic, *afii10037
16568 \DeclareTextCommand{\CYRU}{PU}{\84\043}% U+0423
```

```

16569 % U+0424 CYRILLIC CAPITAL LETTER EF; Efçyrillic, *afii10038
16570 \DeclareTextCommand{\CYRF}{\PU}{\84\044}% U+0424
16571 % U+0425 CYRILLIC CAPITAL LETTER HA; Khacyrillic, *afii10039
16572 \DeclareTextCommand{\CYRH}{\PU}{\84\045}% U+0425
16573 % U+0426 CYRILLIC CAPITAL LETTER TSE; Tsecyryllic, *afii10040
16574 \DeclareTextCommand{\CYRC}{\PU}{\84\046}% U+0426
16575 % U+0427 CYRILLIC CAPITAL LETTER CHE; Cheçyrillic, *afii10041
16576 \DeclareTextCommand{\CYRCH}{\PU}{\84\047}% U+0427
16577 % U+0428 CYRILLIC CAPITAL LETTER SHA; Shacyrillic, *afii10042
16578 \DeclareTextCommand{\CYRSH}{\PU}{\84\050}% U+0428
16579 % U+0429 CYRILLIC CAPITAL LETTER SHCHA; Shchacyrillic, *afii10043
16580 \DeclareTextCommand{\CYRSHCH}{\PU}{\84\051}% U+0429
16581 % U+042A CYRILLIC CAPITAL LETTER HARD SIGN;
16582 % Hardsignçyrillic, *afii10044
16583 \DeclareTextCommand{\CYRHRDSN}{\PU}{\84\052}% U+042A
16584 % U+042B CYRILLIC CAPITAL LETTER YERU; Yericyrillic, *afii10045
16585 \DeclareTextCommand{\CYRERY}{\PU}{\84\053}% U+042B
16586 % U+042C CYRILLIC CAPITAL LETTER SOFT SIGN;
16587 % Softsignçyrillic, *afii10046
16588 \DeclareTextCommand{\CYRSFTSN}{\PU}{\84\054}% U+042C
16589 % U+042D CYRILLIC CAPITAL LETTER E; Ereversedçyrillic, *afii10047
16590 \DeclareTextCommand{\CYREREV}{\PU}{\84\055}% U+042D
16591 % U+042E CYRILLIC CAPITAL LETTER YU; IUçyrillic, *afii10048
16592 \DeclareTextCommand{\CYRYU}{\PU}{\84\056}% U+042E
16593 % U+042F CYRILLIC CAPITAL LETTER YA; IAçyrillic, *afii10049
16594 \DeclareTextCommand{\CYRYA}{\PU}{\84\057}% U+042F
16595 % U+0430 CYRILLIC SMALL LETTER A; acyryllic, *afii10065
16596 \DeclareTextCommand{\cyra}{\PU}{\84\060}% U+0430
16597 % U+0431 CYRILLIC SMALL LETTER BE; *afii10066, bçecyryllic
16598 \DeclareTextCommand{\cyrb}{\PU}{\84\061}% U+0431
16599 % U+0432 CYRILLIC SMALL LETTER VE; *afii10067, vecyryllic
16600 \DeclareTextCommand{\cyrv}{\PU}{\84\062}% U+0432
16601 % U+0433 CYRILLIC SMALL LETTER GHE; *afii10068, gecyryllic
16602 \DeclareTextCommand{\cyrg}{\PU}{\84\063}% U+0433
16603 % U+0434 CYRILLIC SMALL LETTER DE; *afii10069, decyryllic
16604 \DeclareTextCommand{\cyrd}{\PU}{\84\064}% U+0434
16605 % U+0435 CYRILLIC SMALL LETTER IE; *afii10070, iecyryllic
16606 \DeclareTextCommand{\cyre}{\PU}{\84\065}% U+0435
16607 % U+0436 CYRILLIC SMALL LETTER ZHE; *afii10072, zheçyryllic
16608 \DeclareTextCommand{\cyrzh}{\PU}{\84\066}% U+0436
16609 % U+0437 CYRILLIC SMALL LETTER ZE; *afii10073, zçecyryllic
16610 \DeclareTextCommand{\cyrz}{\PU}{\84\067}% U+0437
16611 % U+0438 CYRILLIC SMALL LETTER I; *afii10074, iiçyryllic
16612 \DeclareTextCommand{\cyri}{\PU}{\84\070}% U+0438
16613 % U+0439 CYRILLIC SMALL LETTER SHORT I; *afii10075, iiçhortçyryllic
16614 \DeclareTextCommand{\cyrishrt}{\PU}{\84\071}% U+0439
16615 \DeclareTextCompositeCommand{\U}{\PU}{\cyri}{\84\071}% U+0439
16616 % U+043A CYRILLIC SMALL LETTER KA; *afii10076, kacçyryllic
16617 \DeclareTextCommand{\cyrk}{\PU}{\84\072}% U+043A
16618 % U+043B CYRILLIC SMALL LETTER EL; *afii10077, elçyryllic
16619 \DeclareTextCommand{\cyrI}{\PU}{\84\073}% U+043B
16620 % U+043C CYRILLIC SMALL LETTER EM; *afii10078, emçyryllic
16621 \DeclareTextCommand{\cyrm}{\PU}{\84\074}% U+043C
16622 % U+043D CYRILLIC SMALL LETTER EN; *afii10079, encyryllic
16623 \DeclareTextCommand{\cyrn}{\PU}{\84\075}% U+043D
16624 % U+043E CYRILLIC SMALL LETTER O; *afii10080, oçyryllic
16625 \DeclareTextCommand{\cyro}{\PU}{\84\076}% U+043E

```

```

16626 % U+043F CYRILLIC SMALL LETTER PE; *afii10081, pecyrillic
16627 \DeclareTextCommand{\cyrp}{PU}{\84\077}% U+043F
16628 % U+0440 CYRILLIC SMALL LETTER ER; *afii10082, ercyrillic
16629 \DeclareTextCommand{\cyrr}{PU}{\84\100}% U+0440
16630 % U+0441 CYRILLIC SMALL LETTER ES; *afii10083, escyrillic
16631 \DeclareTextCommand{\cyrs}{PU}{\84\101}% U+0441
16632 % U+0442 CYRILLIC SMALL LETTER TE; *afii10084, tecyrillic
16633 \DeclareTextCommand{\cyrt}{PU}{\84\102}% U+0442
16634 % U+0443 CYRILLIC SMALL LETTER U; *afii10085, ucyrilllic
16635 \DeclareTextCommand{\cyru}{PU}{\84\103}% U+0443
16636 % U+0444 CYRILLIC SMALL LETTER EF; *afii10086, efcyrillic
16637 \DeclareTextCommand{\cyrf}{PU}{\84\104}% U+0444
16638 % U+0445 CYRILLIC SMALL LETTER HA; *afii10087, khacyrillic
16639 \DeclareTextCommand{\cyrh}{PU}{\84\105}% U+0445
16640 % U+0446 CYRILLIC SMALL LETTER TSE; *afii10088, tsecyrillic
16641 \DeclareTextCommand{\cyrc}{PU}{\84\106}% U+0446
16642 % U+0447 CYRILLIC SMALL LETTER CHE; *afii10089, checyrillic
16643 \DeclareTextCommand{\cyrch}{PU}{\84\107}% U+0447
16644 % U+0448 CYRILLIC SMALL LETTER SHA; *afii10090, shacyrilllic
16645 \DeclareTextCommand{\cyrsh}{PU}{\84\110}% U+0448
16646 % U+0449 CYRILLIC SMALL LETTER SHCHA; *afii10091, shchacyrilllic
16647 \DeclareTextCommand{\cyrshch}{PU}{\84\111}% U+0449
16648 % U+044A CYRILLIC SMALL LETTER HARD SIGN; *afii10092, hardsigncyrillic
16649 \DeclareTextCommand{\cyrhrdsn}{PU}{\84\112}% U+044A
16650 %* \cyrhrdsn -> \hardsign (tipa)
16651 % U+044B CYRILLIC SMALL LETTER YERU; *afii10093, yericyrilllic
16652 \DeclareTextCommand{\cyrery}{PU}{\84\113}% U+044B
16653 % U+044C CYRILLIC SMALL LETTER SOFT SIGN; *afii10094, softsigncyrillic
16654 \DeclareTextCommand{\cyrsftsn}{PU}{\84\114}% U+044C
16655 %* \cyrsftsn -> \softsign (tipa)
16656 % U+044D CYRILLIC SMALL LETTER E; *afii10095, ereversedcyrillic
16657 \DeclareTextCommand{\cyrerev}{PU}{\84\115}% U+044D
16658 % U+044E CYRILLIC SMALL LETTER YU; *afii10096, iucyrillic
16659 \DeclareTextCommand{\cyryu}{PU}{\84\116}% U+044E
16660 % U+044F CYRILLIC SMALL LETTER YA; *afii10097, iacyrillic
16661 \DeclareTextCommand{\cyrya}{PU}{\84\117}% U+044F
16662 % U+0450 CYRILLIC SMALL LETTER IE WITH GRAVE
16663 \DeclareTextCompositeCommand{\'}{PU}{\cyre}{\84\120}% U+0450
16664 % U+0451 CYRILLIC SMALL LETTER IO; *afii10071, iocyrillic
16665 \DeclareTextCommand{\cyryo}{PU}{\84\121}% U+0451
16666 \DeclareTextCompositeCommand{\'}{PU}{\cyre}{\84\121}% U+0451
16667 % U+0452 CYRILLIC SMALL LETTER DJE; *afii10099, djecyrillic
16668 \DeclareTextCommand{\cyrdje}{PU}{\84\122}% U+0452
16669 % U+0453 CYRILLIC SMALL LETTER GJE; *afii10100, gjecyrillic
16670 \DeclareTextCompositeCommand{\'}{PU}{\cyrg}{\84\123}% U+0453
16671 % U+0454 CYRILLIC SMALL LETTER UKRAINIAN IE; *afii10101, ecyrillic
16672 \DeclareTextCommand{\cyrie}{PU}{\84\124}% U+0454
16673 % U+0455 CYRILLIC SMALL LETTER DZE; *afii10102, dzecyrillic
16674 \DeclareTextCommand{\cyrdze}{PU}{\84\125}% U+0455
16675 % U+0456 CYRILLIC SMALL LETTER BYELORUSSIAN-UKRAINIAN I;
16676 % *afii10103, icyrillic
16677 \DeclareTextCommand{\cyrii}{PU}{\84\126}% U+0456
16678 % U+0457 CYRILLIC SMALL LETTER YI; *afii10104, yicyrillic
16679 \DeclareTextCommand{\cyrii}{PU}{\84\127}% U+0457
16680 \DeclareTextCompositeCommand{\'}{PU}{\cyrii}{\84\127}% U+0457
16681 % U+0458 CYRILLIC SMALL LETTER JE; *afii10105, jecyrillic

```

16682 \DeclareTextCommand{\cyrje}{PU}{\84\130}% U+0458
16683 % U+0459 CYRILLIC SMALL LETTER LJE; *afii10106, ljecyrillic
16684 \DeclareTextCommand{\cyrlje}{PU}{\84\131}% U+0459
16685 % U+045A CYRILLIC SMALL LETTER NJE; *afii10107, njecyrillic
16686 \DeclareTextCommand{\cyrnje}{PU}{\84\132}% U+045A
16687 % U+045B CYRILLIC SMALL LETTER TSHE; *afii10108, tshecyrillic
16688 \DeclareTextCommand{\cyrtshe}{PU}{\84\133}% U+045B
16689 % U+045C CYRILLIC SMALL LETTER KJE; *afii10109, kjecyrillic
16690 \DeclareTextCompositeCommand{\'}{PU}{\cyrk}{\84\134}% U+045C
16691 % U+045D CYRILLIC SMALL LETTER I WITH GRAVE
16692 \DeclareTextCompositeCommand{\'}{PU}{\cyri}{\84\135}% U+045D
16693 % U+045E CYRILLIC SMALL LETTER SHORT U; *afii10110, ushortcyrillic
16694 \DeclareTextCommand{\cyrushrt}{PU}{\84\136}% U+045E
16695 \DeclareTextCompositeCommand{\U}{PU}{\curu}{\84\136}% U+045E
16696 % U+045F CYRILLIC SMALL LETTER DZHE; *afii10193, dzhecyrillic
16697 \DeclareTextCommand{\cyrdzhe}{PU}{\84\137}% U+045F
16698 % U+0460 CYRILLIC CAPITAL LETTER OMEGA; Omegacyrillic
16699 \DeclareTextCommand{\CYROMEGA}{PU}{\84\140}% U+0460
16700 % U+0461 CYRILLIC SMALL LETTER OMEGA; omegacyrillic
16701 \DeclareTextCommand{\cyromega}{PU}{\84\141}% U+0461
16702 % U+0462 CYRILLIC CAPITAL LETTER YAT; Yatcyrillic, *afii10146
16703 \DeclareTextCommand{\CYRYAT}{PU}{\84\142}% U+0462
16704 % U+0463 CYRILLIC SMALL LETTER YAT; *afii10194, yatcyrillic
16705 \DeclareTextCommand{\cyryat}{PU}{\84\143}% U+0463
16706 % U+0464 CYRILLIC CAPITAL LETTER IOTIFIED E; Eiotifiedcyrillic
16707 \DeclareTextCommand{\CYRIOTE}{PU}{\84\144}% U+0464
16708 % U+0465 CYRILLIC SMALL LETTER IOTIFIED E; eiotifiedcyrillic
16709 \DeclareTextCommand{\cyriote}{PU}{\84\145}% U+0465
16710 % U+0466 CYRILLIC CAPITAL LETTER LITTLE YUS; Yuslittlecyrillic
16711 \DeclareTextCommand{\CYRLYUS}{PU}{\84\146}% U+0466
16712 % U+0467 CYRILLIC SMALL LETTER LITTLE YUS; yuslittlecyrillic
16713 \DeclareTextCommand{\cyrlyus}{PU}{\84\147}% U+0467
16714 % U+0468 CYRILLIC CAPITAL LETTER IOTIFIED LITTLE YUS; Yuslittlei-
otifiedcyrillic
16715 \DeclareTextCommand{\CYRIOTLYUS}{PU}{\84\150}% U+0468
16716 % U+0469 CYRILLIC SMALL LETTER IOTIFIED LITTLE YUS; yuslittlei-
tifiedcyrillic
16717 \DeclareTextCommand{\cyriotlyus}{PU}{\84\151}% U+0469
16718 % U+046A CYRILLIC CAPITAL LETTER BIG YUS; Yusbigcyrillic
16719 \DeclareTextCommand{\CYRBYUS}{PU}{\84\152}% U+046A
16720 % U+046B CYRILLIC SMALL LETTER BIG YUS; yusbigcyrillic
16721 \DeclareTextCommand{\cyrbyus}{PU}{\84\153}% U+046B
16722 % U+046C CYRILLIC CAPITAL LETTER IOTIFIED BIG YUS; Yusbigiotified-
cyrillic
16723 \DeclareTextCommand{\CYRIOTBYUS}{PU}{\84\154}% U+046C
16724 % U+046D CYRILLIC SMALL LETTER IOTIFIED BIG YUS; yusbigiotified-
cyrillic
16725 \DeclareTextCommand{\cyriotbyus}{PU}{\84\155}% U+046D
16726 % U+046E CYRILLIC CAPITAL LETTER KSI; Ksicyrillic
16727 \DeclareTextCommand{\CYRKSI}{PU}{\84\156}% U+046E
16728 % U+046F CYRILLIC SMALL LETTER KSI; ksicyrillic
16729 \DeclareTextCommand{\cyrksi}{PU}{\84\157}% U+046F
16730 % U+0470 CYRILLIC CAPITAL LETTER PSI; Psicyrillic
16731 \DeclareTextCommand{\CYRPSI}{PU}{\84\160}% U+0470
16732 % U+0471 CYRILLIC SMALL LETTER PSI; psicyrillic
16733 \DeclareTextCommand{\cyrpsi}{PU}{\84\161}% U+0471
16734 % U+0472 CYRILLIC CAPITAL LETTER FITA; Fitacyrillic, *afii10147

```

16735 \DeclareTextCommand{\CYRFITA}{PU}{\84\162}% U+0472
16736 % U+0473 CYRILLIC SMALL LETTER FITA; *afii10195, fitacyrillic
16737 \DeclareTextCommand{\cyrfita}{PU}{\84\163}% U+0473
16738 % U+0474 CYRILLIC CAPITAL LETTER IZHITSA; Izhitsacyrillic, *afii10148
16739 \DeclareTextCommand{\CYRIZH}{PU}{\84\164}% U+0474
16740 % U+0475 CYRILLIC SMALL LETTER IZHITSA; *afii10196, izhitsacyrillic
16741 \DeclareTextCommand{\cyrizh}{PU}{\84\165}% U+0475
16742 % U+0476 CYRILLIC CAPITAL LETTER IZHITSA WITH DOUBLE
16743 % GRAVE ACCENT; Izhitsadblgravecyrillic
16744 \DeclareTextCompositeCommand{\C}{PU}{\CYRIZH}{\84\166}% U+0476
16745 % U+0477 CYRILLIC SMALL LETTER IZHITSA WITH DOUBLE
16746 % GRAVE ACCENT; izhitsadblgravecyrillic
16747 \DeclareTextCompositeCommand{\C}{PU}{\cyrizh}{\84\167}% U+0477
16748 % U+0478 CYRILLIC CAPITAL LETTER UK; Ukraynian
16749 \DeclareTextCommand{\CYRUK}{PU}{\84\170}% U+0478
16750 % U+0479 CYRILLIC SMALL LETTER UK; ukcyrillic
16751 \DeclareTextCommand{\cyruk}{PU}{\84\171}% U+0479
16752 % U+047A CYRILLIC CAPITAL LETTER ROUND OMEGA; Omegaroundcyrillic
16753 \DeclareTextCommand{\CYROMEGARND}{PU}{\84\172}% U+047A
16754 % U+047B CYRILLIC SMALL LETTER ROUND OMEGA; omegaroundcyrillic
16755 \DeclareTextCommand{\cyromegarnd}{PU}{\84\173}% U+047B
16756 % U+047C CYRILLIC CAPITAL LETTER OMEGA WITH TITLO; Omegatitlocyrillic
16757 \DeclareTextCommand{\CYROMEGATITLO}{PU}{\84\174}% U+047C
16758 % U+047D CYRILLIC SMALL LETTER OMEGA WITH TITLO; omegatitlocyrillic
16759 \DeclareTextCommand{\cyromegatitlo}{PU}{\84\175}% U+047D
16760 % U+047E CYRILLIC CAPITAL LETTER OT; Otcyrillic
16761 \DeclareTextCommand{\CYROT}{PU}{\84\176}% U+047E
16762 % U+047F CYRILLIC SMALL LETTER OT; otcyrillic
16763 \DeclareTextCommand{\cyrot}{PU}{\84\177}% U+047F
16764 % U+0480 CYRILLIC CAPITAL LETTER KOPPA; Koppacyrillic
16765 \DeclareTextCommand{\CYRKOPPA}{PU}{\84\200}% U+0480
16766 % U+0481 CYRILLIC SMALL LETTER KOPPA; koppacyrillic
16767 \DeclareTextCommand{\cyrkoppa}{PU}{\84\201}% U+0481
16768 % U+0482 CYRILLIC THOUSANDS SIGN; thousandcyrillic
16769 \DeclareTextCommand{\cyrthousands}{PU}{\84\202}% U+0482
\84\203: U+0483 COMBINING CYRILLIC TITLO; titlocyrilliccmb
\84\204: U+0484 COMBINING CYRILLIC PALATALIZATION; palatalizationcyrilliccmb
\84\205: U+0485 COMBINING CYRILLIC DASIA PNEUMATA; dasiapneumatacyrilliccmb
\84\206: U+0486 COMBINING CYRILLIC PSILI PNEUMATA; psilipneumatacyrillcmb
\84\207: U+0487 COMBINING CYRILLIC POKRYTIE
\84\210: U+0488 COMBINING CYRILLIC HUNDRED THOUSANDS SIGN
\84\211: U+0489 COMBINING CYRILLIC MILLIONS SIGN
16770 % U+048A CYRILLIC CAPITAL LETTER SHORT I WITH TAIL
16771 \DeclareTextCommand{\CYRISHRTDSC}{PU}{\84\212}% U+048A
16772 % U+048B CYRILLIC SMALL LETTER SHORT I WITH TAIL
16773 \DeclareTextCommand{\cyrishrtdsc}{PU}{\84\213}% U+048B
16774 % U+048C CYRILLIC CAPITAL LETTER SEMISOFT SIGN
16775 \DeclareTextCommand{\CYRSEMISFTSN}{PU}{\84\214}% U+048C
16776 % U+048D CYRILLIC SMALL LETTER SEMISOFT SIGN
16777 \DeclareTextCommand{\cyrsemisftsn}{PU}{\84\215}% U+048D

```

```

16778 % U+048E CYRILLIC CAPITAL LETTER ER WITH TICK
16779 \DeclareTextCommand{\CYRRTICK}{PU}{\84\216}% U+048E
16780 % U+048F CYRILLIC SMALL LETTER ER WITH TICK
16781 \DeclareTextCommand{\cyrrtick}{PU}{\84\217}% U+048F
16782 % U+0490 CYRILLIC CAPITAL LETTER GHE WITH UPTURN; Gheupturn-
cyrillic, *afii10050
16783 \DeclareTextCommand{\CYRGUP}{PU}{\84\220}% U+0490
16784 % U+0491 CYRILLIC SMALL LETTER GHE WITH UPTURN; *afii10098, ghe-
upturncyrillic
16785 \DeclareTextCommand{\cyrgup}{PU}{\84\221}% U+0491
16786 % U+0492 CYRILLIC CAPITAL LETTER GHE WITH STROKE; Ghestroke-
cyrillic
16787 \DeclareTextCommand{\CYRGHCRS}{PU}{\84\222}% U+0492
16788 % U+0493 CYRILLIC SMALL LETTER GHE WITH STROKE; ghestrokecyrillic
16789 \DeclareTextCommand{\cyrghcrs}{PU}{\84\223}% U+0493
16790 % U+0494 CYRILLIC CAPITAL LETTER GHE WITH MIDDLE HOOK;
16791 % Ghemiddlehookcyrillic
16792 \DeclareTextCommand{\CYRGHK}{PU}{\84\224}% U+0494
16793 % U+0495 CYRILLIC SMALL LETTER GHE WITH MIDDLE HOOK;
16794 % ghemiddlehookcyrillic
16795 \DeclareTextCommand{\cyrghk}{PU}{\84\225}% U+0495
16796 % U+0496 CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER;
16797 % Zhedescendercyrillic
16798 \DeclareTextCommand{\CYRZHDSC}{PU}{\84\226}% U+0496
16799 % U+0497 CYRILLIC SMALL LETTER ZHE WITH DESCENDER;
16800 % zhedescendercyrillic
16801 \DeclareTextCommand{\cyrzhdsc}{PU}{\84\227}% U+0497
16802 % U+0498 CYRILLIC CAPITAL LETTER ZE WITH DESCENDER; Zedescen-
derycyrillic
16803 \DeclareTextCommand{\CYRZDSC}{PU}{\84\230}% U+0498
16804 \DeclareTextCompositeCommand{\c}{PU}{\CYRZ}{\84\230}% U+0498
16805 % U+0499 CYRILLIC SMALL LETTER ZE WITH DESCENDER; zedescender-
cyrillic
16806 \DeclareTextCommand{\cyrzdsc}{PU}{\84\231}% U+0499
16807 \DeclareTextCompositeCommand{\c}{PU}{\cyrz}{\84\231}% U+0499
16808 % U+049A CYRILLIC CAPITAL LETTER KA WITH DESCENDER; Kadescen-
derycyrillic
16809 \DeclareTextCommand{\CYRKDSC}{PU}{\84\232}% U+049A
16810 % U+049B CYRILLIC SMALL LETTER KA WITH DESCENDER; kadescen-
derycyrillic
16811 \DeclareTextCommand{\cyrkdsc}{PU}{\84\233}% U+049B
16812 % U+049C CYRILLIC CAPITAL LETTER KA WITH VERTICAL STROKE;
16813 % Kaverticalstrokecyrillic
16814 \DeclareTextCommand{\CYRKVCRS}{PU}{\84\234}% U+049C
16815 % U+049D CYRILLIC SMALL LETTER KA WITH VERTICAL STROKE;
16816 % kaverticalstrokecyrillic
16817 \DeclareTextCommand{\cyrkvcrs}{PU}{\84\235}% U+049D
16818 % U+049E CYRILLIC CAPITAL LETTER KA WITH STROKE; Kastrokecyrillic
16819 \DeclareTextCommand{\CYRKHCRS}{PU}{\84\236}% U+049E
16820 % U+049F CYRILLIC SMALL LETTER KA WITH STROKE; kastrokecyrillic
16821 \DeclareTextCommand{\cyrkhcrs}{PU}{\84\237}% U+049F
16822 % U+04A0 CYRILLIC CAPITAL LETTER BASHKIR KA; Kabashkircyrillic
16823 \DeclareTextCommand{\CYRKBEAK}{PU}{\84\240}% U+04A0
16824 % U+04A1 CYRILLIC SMALL LETTER BASHKIR KA; kabashkircyrillic
16825 \DeclareTextCommand{\cyrkbeak}{PU}{\84\241}% U+04A1
16826 % U+04A2 CYRILLIC CAPITAL LETTER EN WITH DESCENDER; Endescen-
derycyrillic

```

```

16827 \DeclareTextCommand{\CYRNDSC}{PU}{\84\242}% U+04A2
16828 % U+04A3 CYRILLIC SMALL LETTER EN WITH DESCENDER; endesender-
cyrillic
16829 \DeclareTextCommand{\cyrndsc}{PU}{\84\243}% U+04A3
16830 % U+04A4 CYRILLIC CAPITAL LIGATURE EN GHE; Enghecyrillic
16831 \DeclareTextCommand{\CYRNG}{PU}{\84\244}% U+04A4
16832 % U+04A5 CYRILLIC SMALL LIGATURE EN GHE; enghecyrillic
16833 \DeclareTextCommand{\cyrng}{PU}{\84\245}% U+04A5
16834 % U+04A6 CYRILLIC CAPITAL LETTER PE WITH MIDDLE HOOK; Pemid-
dlehookcyrillic
16835 \DeclareTextCommand{\CYRPHK}{PU}{\84\246}% U+04A6
16836 % U+04A7 CYRILLIC SMALL LETTER PE WITH MIDDLE HOOK; pemiddle-
hookcyrillic
16837 \DeclareTextCommand{\cyrphk}{PU}{\84\247}% U+04A7
16838 % U+04A8 CYRILLIC CAPITAL LETTER ABKHASIAN HA; Haabkhasiancyril-
lic
16839 \DeclareTextCommand{\CYRABHHA}{PU}{\84\250}% U+04A8
16840 % U+04A9 CYRILLIC SMALL LETTER ABKHASIAN HA; haabkhasiancyrillic
16841 \DeclareTextCommand{\cyrabhha}{PU}{\84\251}% U+04A9
16842 % U+04AA CYRILLIC CAPITAL LETTER ES WITH DESCENDER; Esdescen-
derycyrillic
16843 \DeclareTextCommand{\CYRSDSC}{PU}{\84\252}% U+04AA
16844 \DeclareTextCompositeCommand{\CYRSDSC}{PU}{\CYRS}{\84\252}% U+04AA
16845 % U+04AB CYRILLIC SMALL LETTER ES WITH DESCENDER; esdescender-
cyrillic
16846 \DeclareTextCommand{\cyrsdsc}{PU}{\84\253}% U+04AB
16847 \DeclareTextCompositeCommand{\k}{PU}{\crys}{\84\253}% U+04AB
16848 % U+04AC CYRILLIC CAPITAL LETTER TE WITH DESCENDER; Tedescen-
derycyrillic
16849 \DeclareTextCommand{\CYRTDSC}{PU}{\84\254}% U+04AC
16850 % U+04AD CYRILLIC SMALL LETTER TE WITH DESCENDER; tedescen-
derycyrillic
16851 \DeclareTextCommand{\cyrtdsc}{PU}{\84\255}% U+04AD
16852 % U+04AE CYRILLIC CAPITAL LETTER STRAIGHT U; Ustraightcyrillic
16853 \DeclareTextCommand{\CYRY}{PU}{\84\256}% U+04AE
16854 % U+04AF CYRILLIC SMALL LETTER STRAIGHT U; ustraightcyrillic
16855 \DeclareTextCommand{\ciry}{PU}{\84\257}% U+04AF
16856 % U+04B0 CYRILLIC CAPITAL LETTER STRAIGHT U WITH STROKE; Us-
traightstrokecyrillic
16857 \DeclareTextCommand{\CYRYHCRS}{PU}{\84\260}% U+04B0
16858 % U+04B1 CYRILLIC SMALL LETTER STRAIGHT U WITH STROKE; us-
strokecyrillic
16859 \DeclareTextCommand{\ciryhcrs}{PU}{\84\261}% U+04B1
16860 % U+04B2 CYRILLIC CAPITAL LETTER HA WITH DESCENDER; Hadescen-
derycyrillic
16861 \DeclareTextCommand{\CYRHDS}{PU}{\84\262}% U+04B2
16862 % U+04B3 CYRILLIC SMALL LETTER HA WITH DESCENDER; hadescen-
derycyrillic
16863 \DeclareTextCommand{\cyrhdsc}{PU}{\84\263}% U+04B3
16864 % U+04B4 CYRILLIC CAPITAL LIGATURE TE TSE; Tetsecyrillic
16865 \DeclareTextCommand{\CYRTETSE}{PU}{\84\264}% U+04B4
16866 % U+04B5 CYRILLIC SMALL LIGATURE TE TSE; tetsecyrillic
16867 \DeclareTextCommand{\cyrtetse}{PU}{\84\265}% U+04B5
16868 % U+04B6 CYRILLIC CAPITAL LETTER CHE WITH DESCENDER;
16869 % Chedescendercyrillic
16870 \DeclareTextCommand{\CYRCHRDSC}{PU}{\84\266}% U+04B6

```

16871 % U+04B7 CYRILLIC SMALL LETTER CHE WITH DESCENDER; chedescendercyrillic
 16872 \DeclareTextCommand{\cyrchrds}{\PU}{\84\267}% U+04B7
 16873 % U+04B8 CYRILLIC CAPITAL LETTER CHE WITH VERTICAL STROKE;
 16874 % Cheverticalstrokecyrillic
 16875 \DeclareTextCommand{\CYRCHVCRS}{\PU}{\84\270}% U+04B8
 16876 % U+04B9 CYRILLIC SMALL LETTER CHE WITH VERTICAL STROKE;
 16877 % cheverticalstrokecyrillic
 16878 \DeclareTextCommand{\cyrchvcrs}{\PU}{\84\271}% U+04B9
 16879 % U+04BA CYRILLIC CAPITAL LETTER SHHA; Shhacyrillic
 16880 \DeclareTextCommand{\CYRSHHA}{\PU}{\84\272}% U+04BA
 16881 % U+04BB CYRILLIC SMALL LETTER SHHA; shhacyrillic
 16882 \DeclareTextCommand{\cyrshha}{\PU}{\84\273}% U+04BB
 16883 % U+04BC CYRILLIC CAPITAL LETTER ABKHASIAN CHE; Cheabkhasiancyrillic
 16884 \DeclareTextCommand{\CYRABHCH}{\PU}{\84\274}% U+04BC
 16885 % U+04BD CYRILLIC SMALL LETTER ABKHASIAN CHE; cheabkhasiancyrillic
 16886 \DeclareTextCommand{\cyrabhch}{\PU}{\84\275}% U+04BD
 16887 % U+04BE CYRILLIC CAPITAL LETTER ABKHASIAN CHE WITH DESCENDER; Chedescenderabkhasiancyrillic
 16888 \DeclareTextCommand{\CYRABHHDSC}{\PU}{\84\276}% U+04BE
 16889 \DeclareTextCompositeCommand{\k}{\PU}{\CYRABHCH}{\84\276}% U+04BE
 16890 % U+04BF CYRILLIC SMALL LETTER ABKHASIAN CHE WITH DESCENDER; chedescenderabkhasiancyrillic
 16891 \DeclareTextCommand{\cyrabhchdsc}{\PU}{\84\277}% U+04BF
 16892 \DeclareTextCompositeCommand{\k}{\PU}{\cyrabhch}{\84\277}% U+04BF
 16893 % U+04C0 CYRILLIC LETTER PALOCHKA; palochkacyrillic
 16894 \DeclareTextCommand{\CYRpalochnka}{\PU}{\84\300}% U+04C0
 16895 % U+04C1 CYRILLIC CAPITAL LETTER ZHE WITH BREVE; Zhebrevecyrillic
 16896 \DeclareTextCompositeCommand{\U}{\PU}{\CYRZH}{\84\301}% U+04C1
 16897 % U+04C2 CYRILLIC SMALL LETTER ZHE WITH BREVE; zhebrevecyrillic
 16898 \DeclareTextCompositeCommand{\U}{\PU}{\cyrzh}{\84\302}% U+04C2
 16899 % U+04C3 CYRILLIC CAPITAL LETTER KA WITH HOOK; Kahookcyrillic
 16900 \DeclareTextCommand{\CYRKHK}{\PU}{\84\303}% U+04C3
 16901 % U+04C4 CYRILLIC SMALL LETTER KA WITH HOOK; kahookcyrillic
 16902 \DeclareTextCommand{\cyrkhk}{\PU}{\84\304}% U+04C4
 16903 % U+04C5 CYRILLIC CAPITAL LETTER EL WITH TAIL
 16904 \DeclareTextCommand{\CYRLDSC}{\PU}{\84\305}% U+04C5
 16905 % U+04C6 CYRILLIC SMALL LETTER EL WITH TAIL
 16906 \DeclareTextCommand{\cyrldsc}{\PU}{\84\306}% U+04C6
 16907 % U+04C7 CYRILLIC CAPITAL LETTER EN WITH HOOK; Enhookcyrillic
 16908 \DeclareTextCommand{\CYRNHK}{\PU}{\84\307}% U+04C7
 16909 % U+04C8 CYRILLIC SMALL LETTER EN WITH HOOK; enhookcyrillic
 16910 \DeclareTextCommand{\cyrnhk}{\PU}{\84\310}% U+04C8
 16911 % U+04CB CYRILLIC CAPITAL LETTER KHAKASSIAN CHE; Chekhakassiancyrillic
 16912 \DeclareTextCommand{\CYRCHLDSC}{\PU}{\84\313}% U+04CB
 16913 % U+04CC CYRILLIC SMALL LETTER KHAKASSIAN CHE; chekhakassiancyrillic
 16914 \DeclareTextCommand{\cyrchldsc}{\PU}{\84\314}% U+04CC
 16915 % U+04CD CYRILLIC CAPITAL LETTER EM WITH TAIL
 16916 \DeclareTextCommand{\CYRMDSC}{\PU}{\84\315}% U+04CD
 16917 % U+04CE CYRILLIC SMALL LETTER EM WITH TAIL
 16918 \DeclareTextCommand{\cyrmdsc}{\PU}{\84\316}% U+04CE
 \84\317: U+04CF CYRILLIC SMALL LETTER PALOCHKA
 16919 % U+04D0 CYRILLIC CAPITAL LETTER A WITH BREVE; Abrevecyrillic

```

16920 \DeclareTextCompositeCommand{\U}{\PU}{\CYRA}{\84\320}% U+04D0
16921 % U+04D1 CYRILLIC SMALL LETTER A WITH BREVE; abrevecyrillic
16922 \DeclareTextCompositeCommand{\U}{\PU}{\cyra}{\84\321}% U+04D1
16923 % U+04D2 CYRILLIC CAPITAL LETTER A WITH DIAERESIS; Adieresiscyril-
    lic
16924 \DeclareTextCompositeCommand{\U}{\PU}{\CYRA}{\84\322}% U+04D2
16925 % U+04D3 CYRILLIC SMALL LETTER A WITH DIAERESIS; adieresiscyrillic
16926 \DeclareTextCompositeCommand{\U}{\PU}{\cyra}{\84\323}% U+04D3
16927 % U+04D4 CYRILLIC CAPITAL LIGATURE A IE; Aiecyrillic
16928 \DeclareTextCommand{\CYRAE}{\PU}{\84\324}% U+04D4
16929 % U+04D5 CYRILLIC SMALL LIGATURE A IE; aiecyrillic
16930 \DeclareTextCommand{\cyrae}{\PU}{\84\325}% U+04D5
16931 % U+04D6 CYRILLIC CAPITAL LETTER IE WITH BREVE; Iebrevecyrillic
16932 \DeclareTextCompositeCommand{\U}{\PU}{\CYRE}{\84\326}% U+04D6
16933 % U+04D7 CYRILLIC SMALL LETTER IE WITH BREVE; iebrevecyrillic
16934 \DeclareTextCompositeCommand{\U}{\PU}{\cyre}{\84\327}% U+04D7
16935 % U+04D8 CYRILLIC CAPITAL LETTER SCHWA; Schwacyrillic
16936 \DeclareTextCommand{\CYRSCHWA}{\PU}{\84\330}% U+04D8
16937 % U+04D9 CYRILLIC SMALL LETTER SCHWA; *afii10846, schwacyrillic
16938 \DeclareTextCommand{\cryscha}{\PU}{\84\331}% U+04D9
16939 % U+04DA CYRILLIC CAPITAL LETTER SCHWA WITH DIAERESIS;
16940 % Schwadieresiscyrillic
16941 \DeclareTextCompositeCommand{\U}{\PU}{\CYRSCHWA}{\84\332}% U+04DA
16942 % U+04DB CYRILLIC SMALL LETTER SCHWA WITH DIAERESIS;
16943 % schwadieresiscyrillic
16944 \DeclareTextCompositeCommand{\U}{\PU}{\cryscha}{\84\333}% U+04DB
16945 % U+04DC CYRILLIC CAPITAL LETTER ZHE WITH DIAERESIS; Zhedieres-
    scyrillic
16946 \DeclareTextCompositeCommand{\U}{\PU}{\CYRZH}{\84\334}% U+04DC
16947 % U+04DD CYRILLIC SMALL LETTER ZHE WITH DIAERESIS; zhedieres-
    scyrillic
16948 \DeclareTextCompositeCommand{\U}{\PU}{\cyrzh}{\84\335}% U+04DD
16949 % U+04DE CYRILLIC CAPITAL LETTER ZE WITH DIAERESIS; Zedieres-
    scyrillic
16950 \DeclareTextCompositeCommand{\U}{\PU}{\CYRZ}{\84\336}% U+04DE
16951 % U+04DF CYRILLIC SMALL LETTER ZE WITH DIAERESIS; zedieresiscyril-
    lic
16952 \DeclareTextCompositeCommand{\U}{\PU}{\cyrz}{\84\337}% U+04DF
16953 % U+04E0 CYRILLIC CAPITAL LETTER ABKHASIAN DZE; Dzeabkhasian-
    cyrillic
16954 \DeclareTextCommand{\CYRABHDZE}{\PU}{\84\340}% U+04E0
16955 % U+04E1 CYRILLIC SMALL LETTER ABKHASIAN DZE; dzeabkhasiancyril-
    lic
16956 \DeclareTextCommand{\cyrabhdze}{\PU}{\84\341}% U+04E1
16957 % U+04E2 CYRILLIC CAPITAL LETTER I WITH MACRON; Imacroncyrillic
16958 \DeclareTextCompositeCommand{\I}{\PU}{\CYRI}{\84\342}% U+04E2
16959 % U+04E3 CYRILLIC SMALL LETTER I WITH MACRON; imacroncyrillic
16960 \DeclareTextCompositeCommand{\I}{\PU}{\cyri}{\84\343}% U+04E3
16961 % U+04E4 CYRILLIC CAPITAL LETTER I WITH DIAERESIS; Idieresiscyrillic
16962 \DeclareTextCompositeCommand{\I}{\PU}{\CYRI}{\84\344}% U+04E4
16963 % U+04E5 CYRILLIC SMALL LETTER I WITH DIAERESIS; idieresiscyrillic
16964 \DeclareTextCompositeCommand{\I}{\PU}{\cyri}{\84\345}% U+04E5
16965 % U+04E6 CYRILLIC CAPITAL LETTER O WITH DIAERESIS; Odieresiscyril-
    lic
16966 \DeclareTextCompositeCommand{\O}{\PU}{\CYRO}{\84\346}% U+04E6
16967 % U+04E7 CYRILLIC SMALL LETTER O WITH DIAERESIS; odieresiscyrillic
16968 \DeclareTextCompositeCommand{\O}{\PU}{\cyro}{\84\347}% U+04E7

```

16969 % U+04E8 CYRILLIC CAPITAL LETTER BARRED O; Obarredcyrillic
 16970 \DeclareTextCommand{\CYROTLD}{PU}{\84\350}% U+04E8
 16971 % U+04E9 CYRILLIC SMALL LETTER BARRED O; obarredcyrillic
 16972 \DeclareTextCommand{\cyrotld}{PU}{\84\351}% U+04E9
 16973 % U+04EA CYRILLIC CAPITAL LETTER BARRED O WITH DIAERESIS;
 16974 % Obarreddieresiscyrillic
 16975 \DeclareTextCompositeCommand{"}{PU}{\CYROTLD}{\84\352}% U+04EA
 16976 % U+04EB CYRILLIC SMALL LETTER BARRED O WITH DIAERESIS;
 16977 % obarreddieresiscyrillic
 16978 \DeclareTextCompositeCommand{"}{PU}{\cyrotld}{\84\353}% U+04EB
 16979 % U+04EC CYRILLIC CAPITAL LETTER E WITH DIAERESIS
 16980 \DeclareTextCompositeCommand{"}{PU}{\CYREREV}{\84\354}% U+04EC
 16981 % U+04ED CYRILLIC SMALL LETTER E WITH DIAERESIS
 16982 \DeclareTextCompositeCommand{"}{PU}{\cyreref}{\84\355}% U+04ED
 16983 % U+04EE CYRILLIC CAPITAL LETTER U WITH MACRON; Umacroncyrillic
 16984 \DeclareTextCompositeCommand{=}{PU}{\CYRU}{\84\356}% U+04EE
 16985 % U+04EF CYRILLIC SMALL LETTER U WITH MACRON; umacroncyrillic
 16986 \DeclareTextCompositeCommand{=}{PU}{\cyruf}{\84\357}% U+04EF
 16987 % U+04F0 CYRILLIC CAPITAL LETTER U WITH DIAERESIS; Udieresiscyrillic
 16988 \DeclareTextCompositeCommand{"}{PU}{\CYRU}{\84\360}% U+04F0
 16989 % U+04F1 CYRILLIC SMALL LETTER U WITH DIAERESIS; udieresiscyrillic
 16990 \DeclareTextCompositeCommand{"}{PU}{\cyruf}{\84\361}% U+04F1
 16991 % U+04F2 CYRILLIC CAPITAL LETTER U WITH DOUBLE ACUTE; Uhun-
 garumlautcyrillic
 16992 \DeclareTextCompositeCommand{H}{PU}{\CYRU}{\84\362}% U+04F2
 16993 % U+04F3 CYRILLIC SMALL LETTER U WITH DOUBLE ACUTE; uhun-
 garumlautcyrillic
 16994 \DeclareTextCompositeCommand{H}{PU}{\cyruf}{\84\363}% U+04F3
 16995 % U+04F4 CYRILLIC CAPITAL LETTER CHE WITH DIAERESIS; Chediere-
 siscyrillic
 16996 \DeclareTextCompositeCommand{"}{PU}{\CYRCH}{\84\364}% U+04F4
 16997 % U+04F5 CYRILLIC SMALL LETTER CHE WITH DIAERESIS; chedieres-
 cyrillic
 16998 \DeclareTextCompositeCommand{"}{PU}{\cyrch}{\84\365}% U+04F5
 16999 % U+04F6 CYRILLIC CAPITAL LETTER GHE WITH DESCENDER
 17000 \DeclareTextCommand{\CYRGDSC}{PU}{\84\366}% U+04F6
 17001 % U+04F7 CYRILLIC SMALL LETTER GHE WITH DESCENDER
 17002 \DeclareTextCommand{\cyrgdsc}{PU}{\84\367}% U+04F7
 17003 % U+04F8 CYRILLIC CAPITAL LETTER YERU WITH DIAERESIS; Yerudiere-
 siscyrillic
 17004 \DeclareTextCompositeCommand{"}{PU}{\CYRERY}{\84\370}% U+04F8
 17005 % U+04F9 CYRILLIC SMALL LETTER YERU WITH DIAERESIS; yerudiere-
 siscyrillic
 17006 \DeclareTextCompositeCommand{"}{PU}{\cyrery}{\84\371}% U+04F9
 \84\372: U+04FA CYRILLIC CAPITAL LETTER GHE WITH STROKE AND
 HOOK
 \84\373: U+04FB CYRILLIC SMALL LETTER GHE WITH STROKE AND
 HOOK
 17007 % U+04FC CYRILLIC CAPITAL LETTER HA WITH HOOK
 17008 \DeclareTextCommand{\CYRHHK}{PU}{\84\374}% U+04FC
 17009 % U+04FD CYRILLIC SMALL LETTER HA WITH HOOK
 17010 \DeclareTextCommand{\cyrhhk}{PU}{\84\375}% U+04FD
 \84\376: U+04FE CYRILLIC CAPITAL LETTER HA WITH STROKE
 \84\377: U+04FF CYRILLIC SMALL LETTER HA WITH STROKE

50.2.11 Thai: U+0E00 to U+0E7F

17011 % U+0E3F THAI CURRENCY SYMBOL BAHT; bahtthai
17012 \DeclareTextCommand{\textbaht}{\PU}{\9016\077}% U+0E3F

50.2.12 Phonetic Extensions: U+1D00 to U+1D7F

17013 % U+1D00 LATIN LETTER SMALL CAPITAL A; \textsca (tipa)
17014 \DeclareTextCommand{\textsca}{\PU}{\9035\000}% U+1D00
17015 % U+1D05 LATIN LETTER SMALL CAPITAL D; \scd (wsuipa)
17016 \DeclareTextCommand{\textscd}{\PU}{\9035\005}/* U+1D05
17017 % U+1D07 LATIN LETTER SMALL CAPITAL E; \textsce (tipa)
17018 \DeclareTextCommand{\textsce}{\PU}{\9035\007}% U+1D07
17019 % U+1D0A LATIN LETTER SMALL CAPITAL J; \textscj (tipa)
17020 \DeclareTextCommand{\textscj}{\PU}{\9035\012}% U+1D0A
17021 % U+1D0B LATIN LETTER SMALL CAPITAL K; \textsck (tipx)
17022 \DeclareTextCommand{\textPUsck}{\PU}{\9035\013}% U+1D0B
17023 /* \textPUsck -> \textsck (tipx)
17024 % U+1D0D LATIN LETTER SMALL CAPITAL M; \textscm (tipx)
17025 \DeclareTextCommand{\textPUscm}{\PU}{\9035\015}% U+1D0D
17026 /* \textPUscm -> \textscm (tipx)
17027 % U+1D18 LATIN LETTER SMALL CAPITAL P; \textscp (tipx)
17028 \DeclareTextCommand{\textPUscp}{\PU}{\9035\030}% U+1D18
17029 /* \textPUscp -> \textscp (tipx)
17030 % U+1D19 LATIN LETTER SMALL CAPITAL REVERSED R; \textrevscr (tipx)
17031 \DeclareTextCommand{\textPUrevscr}{\PU}{\9035\031}% U+1D19
17032 /* \textPUrevscr -> \textrevscr (tipx)
17033 % U+1D1C LATIN LETTER SMALL CAPITAL U; \textscu (tipa), \scu (wsuipa)
17034 \DeclareTextCommand{\textscu}{\PU}{\9035\034}/* U+1D1C
17035 % U+1D62 LATIN SUBSCRIPT SMALL LETTER I
17036 \DeclareTextCommand{\textiinferior}{\PU}{\9035\142}/* U+1D62
17037 % U+1D63 LATIN SUBSCRIPT SMALL LETTER R
17038 \DeclareTextCommand{\textrinferior}{\PU}{\9035\143}/* U+1D63
17039 % U+1D64 LATIN SUBSCRIPT SMALL LETTER U
17040 \DeclareTextCommand{\textuinferior}{\PU}{\9035\144}/* U+1D64
17041 % U+1D65 LATIN SUBSCRIPT SMALL LETTER V
17042 \DeclareTextCommand{\textvinferior}{\PU}{\9035\145}/* U+1D65
17043 % U+1D66 GREEK SUBSCRIPT SMALL LETTER BETA
17044 \DeclareTextCommand{\textbetainferior}{\PU}{\9035\146}/* U+1D66
17045 % U+1D67 GREEK SUBSCRIPT SMALL LETTER GAMMA
17046 \DeclareTextCommand{\textgammainferior}{\PU}{\9035\147}/* U+1D67
17047 % U+1D68 GREEK SUBSCRIPT SMALL LETTER RHO
17048 \DeclareTextCommand{\textrhoinferior}{\PU}{\9035\150}/* U+1D68
17049 % U+1D69 GREEK SUBSCRIPT SMALL LETTER PHI
17050 \DeclareTextCommand{\textphiinferior}{\PU}{\9035\151}/* U+1D69
17051 % U+1D6A GREEK SUBSCRIPT SMALL LETTER CHI
17052 \DeclareTextCommand{\textchiinferior}{\PU}{\9035\152}/* U+1D6A
17053 % U+1D7B LATIN SMALL CAPITAL LETTER I WITH STROKE;
17054 % \barsci (wsuipa)
17055 \DeclareTextCommand{\textbarsci}{\PU}{\9035\173}/* U+1D7B
17056 % U+1D7D LATIN SMALL LETTER P WITH STROKE; \barp (wsuipa)
17057 \DeclareTextCommand{\textbarp}{\PU}{\9035\175}/* U+1D7D
17058 % U+1D7E LATIN SMALL CAPITAL LETTER U WITH STROKE;
17059 % \barscu (wsuipa)
17060 \DeclareTextCommand{\textbarscu}{\PU}{\9035\176}/* U+1D7E

50.2.13 Phonetic Extensions Supplement: U+1D80 to U+1DBF

17061 % U+1D8F LATIN SMALL LETTER A WITH RETROFLEX HOOK; \textrhooka (tipx)

```

17062 \DeclareTextCommand{\textPUrhooka}{PU}{\9035\217}% U+1D8F
17063 %* \textPUrhooka -> \textrhooka (tipx)
17064 % U+1D91 LATIN SMALL LETTER D WITH HOOK AND TAIL; \texthtr-
taild (tipa)
17065 \DeclareTextCommand{\texthtrtaild}{PU}{\9035\221}%* U+1D91
17066 % U+1D92 LATIN SMALL LETTER E WITH RETROFLEX HOOK; \tex-
trhooke (tipx)
17067 \DeclareTextCommand{\textPUrhooke}{PU}{\9035\222}% U+1D92
17068 %* \textPUrhooke -> \textrhooke (tipx)
17069 % U+1D93 LATIN SMALL LETTER OPEN E WITH RETROFLEX HOOK;
17070 % \textrhookepsilon (tipx)
17071 \DeclareTextCommand{\textPUrhookepsilon}{PU}{\9035\223}% U+1D93
17072 %* \textPUrhookepsilon -> \textrhookepsilon (tipx)
17073 % U+1D97 LATIN SMALL LETTER OPEN O WITH RETROFLEX HOOK;
17074 % \textrhookopeno (tipx)
17075 \DeclareTextCommand{\textPUrhookopeno}{PU}{\9035\227}% U+1D97
17076 %* \textPUrhookopeno -> \textrhookopeno (tipx)

```

50.2.14 Latin Extended Additional: U+1E00 to U+1EFF

```

17077 % U+1E00 LATIN CAPITAL LETTER A WITH RING BELOW; Aringbelow
17078 \DeclareTextCompositeCommand{\textsubring}{PU}{A}{\9036\000}% U+1E00
17079 % U+1E01 LATIN SMALL LETTER A WITH RING BELOW; aringbelow
17080 \DeclareTextCompositeCommand{\textsubring}{PU}{a}{\9036\001}% U+1E01
17081 % U+1E02 LATIN CAPITAL LETTER B WITH DOT ABOVE; Bdotaccent
17082 \DeclareTextCompositeCommand{\.}{PU}{B}{\9036\002}% U+1E02
17083 % U+1E03 LATIN SMALL LETTER B WITH DOT ABOVE; bdotaccent
17084 \DeclareTextCompositeCommand{\.}{PU}{b}{\9036\003}% U+1E03
17085 % U+1E04 LATIN CAPITAL LETTER B WITH DOT BELOW; Bdotbelow
17086 \DeclareTextCompositeCommand{\d}{PU}{B}{\9036\004}% U+1E04
17087 % U+1E05 LATIN SMALL LETTER B WITH DOT BELOW; bdotbelow
17088 \DeclareTextCompositeCommand{\d}{PU}{b}{\9036\005}% U+1E05
17089 % U+1E06 LATIN CAPITAL LETTER B WITH LINE BELOW; Blinebelow
17090 \DeclareTextCompositeCommand{\b}{PU}{B}{\9036\006}% U+1E06
17091 % U+1E07 LATIN SMALL LETTER B WITH LINE BELOW; blinebelow
17092 \DeclareTextCompositeCommand{\b}{PU}{b}{\9036\007}% U+1E07
17093 % U+1E0A LATIN CAPITAL LETTER D WITH DOT ABOVE; Ddotaccent
17094 \DeclareTextCompositeCommand{\.}{PU}{D}{\9036\012}% U+1E0A
17095 % U+1E0B LATIN SMALL LETTER D WITH DOT ABOVE; ddotaccent
17096 \DeclareTextCompositeCommand{\.}{PU}{d}{\9036\013}% U+1E0B
17097 % U+1E0C LATIN CAPITAL LETTER D WITH DOT BELOW; Ddotbelow
17098 \DeclareTextCompositeCommand{\d}{PU}{D}{\9036\014}% U+1E0C
17099 % U+1E0D LATIN SMALL LETTER D WITH DOT BELOW; ddotbelow
17100 \DeclareTextCompositeCommand{\d}{PU}{d}{\9036\015}% U+1E0D
17101 % U+1E0E LATIN CAPITAL LETTER D WITH LINE BELOW; Dlinebelow
17102 \DeclareTextCompositeCommand{\b}{PU}{D}{\9036\016}% U+1E0E
17103 % U+1E0F LATIN SMALL LETTER D WITH LINE BELOW; dlinebelow
17104 \DeclareTextCompositeCommand{\b}{PU}{d}{\9036\017}% U+1E0F
17105 % U+1E10 LATIN CAPITAL LETTER D WITH CEDILLA; Dcedilla
17106 \DeclareTextCompositeCommand{\c}{PU}{D}{\9036\020}% U+1E10
17107 % U+1E11 LATIN SMALL LETTER D WITH CEDILLA; dcedilla
17108 \DeclareTextCompositeCommand{\c}{PU}{d}{\9036\021}% U+1E11
17109 % U+1E12 LATIN CAPITAL LETTER D WITH CIRCUMFLEX BELOW; Dcir-
cumflexbelow
17110 \DeclareTextCompositeCommand{\textsubcircum}{PU}{D}{\9036\022}% U+1E12
17111 % U+1E13 LATIN SMALL LETTER D WITH CIRCUMFLEX BELOW; dcir-
cumflexbelow
17112 \DeclareTextCompositeCommand{\textsubcircum}{PU}{d}{\9036\023}% U+1E13

```

```

17113 % U+1E14 LATIN CAPITAL LETTER E WITH MACRON AND GRAVE;
17114 % Emacrongrave
17115 \DeclareTextCompositeCommand{\textgravemacron}{PU}{E}{\9036\024}% U+1E14
17116 % U+1E15 LATIN SMALL LETTER E WITH MACRON AND GRAVE;
17117 % emacrongrave
17118 \DeclareTextCompositeCommand{\textgravemacron}{PU}{e}{\9036\025}% U+1E15
17119 % U+1E16 LATIN CAPITAL LETTER E WITH MACRON AND ACUTE;
17120 % Emacronacute
17121 \DeclareTextCompositeCommand{\textacutemacron}{PU}{E}{\9036\026}% U+1E16
17122 % U+1E17 LATIN SMALL LETTER E WITH MACRON AND ACUTE;
17123 % emacronacute
17124 \DeclareTextCompositeCommand{\textacutemacron}{PU}{e}{\9036\027}% U+1E17
17125 % U+1E18 LATIN CAPITAL LETTER E WITH CIRCUMFLEX BELOW; Ecir-
cumflexbelow
17126 \DeclareTextCompositeCommand{\textsubcircum}{PU}{E}{\9036\030}% U+1E18
17127 % U+1E19 LATIN SMALL LETTER E WITH CIRCUMFLEX BELOW; ecir-
cumflexbelow
17128 \DeclareTextCompositeCommand{\textsubcircum}{PU}{e}{\9036\031}% U+1E19
17129 % U+1E1A LATIN CAPITAL LETTER E WITH TILDE BELOW; Etildebelow
17130 \DeclareTextCompositeCommand{\textsubtilde}{PU}{E}{\9036\032}% U+1E1A
17131 % U+1E1B LATIN SMALL LETTER E WITH TILDE BELOW; etildebelow
17132 \DeclareTextCompositeCommand{\textsubtilde}{PU}{e}{\9036\033}% U+1E1B
17133 % U+1E1E LATIN CAPITAL LETTER F WITH DOT ABOVE; Fdotaccent
17134 \DeclareTextCompositeCommand{\.}{PU}{F}{\9036\036}% U+1E1E
17135 % U+1E1F LATIN SMALL LETTER F WITH DOT ABOVE; fdotaccent
17136 \DeclareTextCompositeCommand{\.}{PU}{f}{\9036\037}% U+1E1F
17137 % U+1E20 LATIN CAPITAL LETTER G WITH MACRON; Gmacron
17138 \DeclareTextCompositeCommand{\=}{PU}{G}{\9036\040}% U+1E20
17139 % U+1E21 LATIN SMALL LETTER G WITH MACRON; gmacron
17140 \DeclareTextCompositeCommand{\=}{PU}{g}{\9036\041}% U+1E21
17141 % U+1E22 LATIN CAPITAL LETTER H WITH DOT ABOVE; Hdotaccent
17142 \DeclareTextCompositeCommand{\.}{PU}{H}{\9036\042}% U+1E22
17143 % U+1E23 LATIN SMALL LETTER H WITH DOT ABOVE; hdotaccent
17144 \DeclareTextCompositeCommand{\.}{PU}{h}{\9036\043}% U+1E23
17145 % U+1E24 LATIN CAPITAL LETTER H WITH DOT BELOW; Hdotbelow
17146 \DeclareTextCompositeCommand{\d}{PU}{H}{\9036\044}% U+1E24
17147 % U+1E25 LATIN SMALL LETTER H WITH DOT BELOW; hdotbelow
17148 \DeclareTextCompositeCommand{\d}{PU}{h}{\9036\045}% U+1E25
17149 % U+1E26 LATIN CAPITAL LETTER H WITH DIAERESIS; Hdieresis
17150 \DeclareTextCompositeCommand{\")}{PU}{H}{\9036\046}% U+1E26
17151 % U+1E27 LATIN SMALL LETTER H WITH DIAERESIS; hdieresis
17152 \DeclareTextCompositeCommand{\")}{PU}{h}{\9036\047}% U+1E27
17153 % U+1E28 LATIN CAPITAL LETTER H WITH CEDILLA; Hcedilla
17154 \DeclareTextCompositeCommand{\c}{PU}{H}{\9036\050}% U+1E28
17155 % U+1E29 LATIN SMALL LETTER H WITH CEDILLA; hcedilla
17156 \DeclareTextCompositeCommand{\c}{PU}{h}{\9036\051}% U+1E29
17157 % U+1E2A LATIN CAPITAL LETTER H WITH BREVE BELOW; Hbrevebelow
17158 \DeclareTextCompositeCommand{\textsubbreve}{PU}{H}{\9036\052}% U+1E2A
17159 % U+1E2B LATIN SMALL LETTER H WITH BREVE BELOW; hbrevebelow
17160 \DeclareTextCompositeCommand{\textsubbreve}{PU}{h}{\9036\053}% U+1E2B
17161 % U+1E2C LATIN CAPITAL LETTER I WITH TILDE BELOW; Itildebelow
17162 \DeclareTextCompositeCommand{\textsubtilde}{PU}{I}{\9036\054}% U+1E2C
17163 % U+1E2D LATIN SMALL LETTER I WITH TILDE BELOW; itildebelow
17164 \DeclareTextCompositeCommand{\textsubtilde}{PU}{i}{\9036\055}% U+1E2D
17165 % U+1E30 LATIN CAPITAL LETTER K WITH ACUTE; Kacute
17166 \DeclareTextCompositeCommand{\'}{PU}{K}{\9036\060}% U+1E30
17167 % U+1E31 LATIN SMALL LETTER K WITH ACUTE; kacute

```

```

17168 \DeclareTextCompositeCommand{\'}{PU}{k}{\9036\061}% U+1E31
17169 % U+1E32 LATIN CAPITAL LETTER K WITH DOT BELOW; Kdotbelow
17170 \DeclareTextCompositeCommand{\d}{PU}{K}{\9036\062}% U+1E32
17171 % U+1E33 LATIN SMALL LETTER K WITH DOT BELOW; kdotbelow
17172 \DeclareTextCompositeCommand{\d}{PU}{k}{\9036\063}% U+1E33
17173 % U+1E34 LATIN CAPITAL LETTER K WITH LINE BELOW; Klinebelow
17174 \DeclareTextCompositeCommand{\b}{PU}{K}{\9036\064}% U+1E34
17175 % U+1E35 LATIN SMALL LETTER K WITH LINE BELOW; klinebelow
17176 \DeclareTextCompositeCommand{\b}{PU}{k}{\9036\065}% U+1E35
17177 % U+1E36 LATIN CAPITAL LETTER L WITH DOT BELOW; Ldotbelow
17178 \DeclareTextCompositeCommand{\d}{PU}{L}{\9036\066}% U+1E36
17179 % U+1E37 LATIN SMALL LETTER L WITH DOT BELOW; ldotbelow
17180 \DeclareTextCompositeCommand{\d}{PU}{l}{\9036\067}% U+1E37
17181 % U+1E3A LATIN CAPITAL LETTER L WITH LINE BELOW; Llinebelow
17182 \DeclareTextCompositeCommand{\b}{PU}{L}{\9036\072}% U+1E3A
17183 % U+1E3B LATIN SMALL LETTER L WITH LINE BELOW; llinebelow
17184 \DeclareTextCompositeCommand{\b}{PU}{l}{\9036\073}% U+1E3B
17185 % U+1E3C LATIN CAPITAL LETTER L WITH CIRCUMFLEX BELOW; Lcir-
cumflexbelow
17186 \DeclareTextCompositeCommand{\textsubcircum}{PU}{L}{\9036\074}% U+1E3C
17187 % U+1E3D LATIN SMALL LETTER L WITH CIRCUMFLEX BELOW; lcir-
cumflexbelow
17188 \DeclareTextCompositeCommand{\textsubcircum}{PU}{l}{\9036\075}% U+1E3D
17189 % U+1E3E LATIN CAPITAL LETTER M WITH ACUTE; Macute
17190 \DeclareTextCompositeCommand{\'}{PU}{M}{\9036\076}% U+1E3E
17191 % U+1E3F LATIN SMALL LETTER M WITH ACUTE; macute
17192 \DeclareTextCompositeCommand{\'}{PU}{m}{\9036\077}% U+1E3F
17193 % U+1E40 LATIN CAPITAL LETTER M WITH DOT ABOVE; Mdotaccent
17194 \DeclareTextCompositeCommand{\.}{PU}{M}{\9036\100}% U+1E40
17195 % U+1E41 LATIN SMALL LETTER M WITH DOT ABOVE; mdotaccent
17196 \DeclareTextCompositeCommand{\.}{PU}{m}{\9036\101}% U+1E41
17197 % U+1E42 LATIN CAPITAL LETTER M WITH DOT BELOW; Mdotbelow
17198 \DeclareTextCompositeCommand{\d}{PU}{M}{\9036\102}% U+1E42
17199 % U+1E43 LATIN SMALL LETTER M WITH DOT BELOW; mdotbelow
17200 \DeclareTextCompositeCommand{\d}{PU}{m}{\9036\103}% U+1E43
17201 % U+1E44 LATIN CAPITAL LETTER N WITH DOT ABOVE; Ndotaccent
17202 \DeclareTextCompositeCommand{\.}{PU}{N}{\9036\104}% U+1E44
17203 % U+1E45 LATIN SMALL LETTER N WITH DOT ABOVE; ndotaccent
17204 \DeclareTextCompositeCommand{\.}{PU}{n}{\9036\105}% U+1E45
17205 % U+1E46 LATIN CAPITAL LETTER N WITH DOT BELOW; Ndotbelow
17206 \DeclareTextCompositeCommand{\d}{PU}{N}{\9036\106}% U+1E46
17207 % U+1E47 LATIN SMALL LETTER N WITH DOT BELOW; ndotbelow
17208 \DeclareTextCompositeCommand{\d}{PU}{n}{\9036\107}% U+1E47
17209 % U+1E48 LATIN CAPITAL LETTER N WITH LINE BELOW; Nlinebelow
17210 \DeclareTextCompositeCommand{\b}{PU}{N}{\9036\110}% U+1E48
17211 % U+1E49 LATIN SMALL LETTER N WITH LINE BELOW; nlinebelow
17212 \DeclareTextCompositeCommand{\b}{PU}{n}{\9036\111}% U+1E49
17213 % U+1E4A LATIN CAPITAL LETTER N WITH CIRCUMFLEX BELOW; Ncir-
cumflexbelow
17214 \DeclareTextCompositeCommand{\textsubcircum}{PU}{N}{\9036\112}% U+1E4A
17215 % U+1E4B LATIN SMALL LETTER N WITH CIRCUMFLEX BELOW; ncir-
cumflexbelow
17216 \DeclareTextCompositeCommand{\textsubcircum}{PU}{n}{\9036\113}% U+1E4B
17217 % U+1E50 LATIN CAPITAL LETTER O WITH MACRON AND GRAVE;
17218 % Omacrongrave
17219 \DeclareTextCompositeCommand{\textgravemacron}{PU}{O}{\9036\120}% U+1E50
17220 % U+1E51 LATIN SMALL LETTER O WITH MACRON AND GRAVE;

```

```

17221 % oamacrongrave
17222 \DeclareTextCompositeCommand{\textgravemacron}{PU}{o}{\9036\121}% U+1E51
17223 % U+1E52 LATIN CAPITAL LETTER O WITH MACRON AND ACUTE;
17224 % Omacronacute
17225 \DeclareTextCompositeCommand{\textacutemacron}{PU}{O}{\9036\122}% U+1E52
17226 % U+1E53 LATIN SMALL LETTER O WITH MACRON AND ACUTE;
17227 % oamacronacute
17228 \DeclareTextCompositeCommand{\textacutemacron}{PU}{o}{\9036\123}% U+1E53
17229 % U+1E54 LATIN CAPITAL LETTER P WITH ACUTE; Pacute
17230 \DeclareTextCompositeCommand{\P}{PU}{P}{\9036\124}% U+1E54
17231 % U+1E55 LATIN SMALL LETTER P WITH ACUTE; pacute
17232 \DeclareTextCompositeCommand{\P}{PU}{p}{\9036\125}% U+1E55
17233 % U+1E56 LATIN CAPITAL LETTER P WITH DOT ABOVE; Pdotaccent
17234 \DeclareTextCompositeCommand{\.P}{PU}{P}{\9036\126}% U+1E56
17235 % U+1E57 LATIN SMALL LETTER P WITH DOT ABOVE; pdotaccent
17236 \DeclareTextCompositeCommand{\.P}{PU}{p}{\9036\127}% U+1E57
17237 % U+1E58 LATIN CAPITAL LETTER R WITH DOT ABOVE; Rdotaccent
17238 \DeclareTextCompositeCommand{\.R}{PU}{R}{\9036\130}% U+1E58
17239 % U+1E59 LATIN SMALL LETTER R WITH DOT ABOVE; rdotaccent
17240 \DeclareTextCompositeCommand{\.R}{PU}{r}{\9036\131}% U+1E59
17241 % U+1E5A LATIN CAPITAL LETTER R WITH DOT BELOW; Rdotbelow
17242 \DeclareTextCompositeCommand{\d{R}}{PU}{R}{\9036\132}% U+1E5A
17243 % U+1E5B LATIN SMALL LETTER R WITH DOT BELOW; rdotbelow
17244 \DeclareTextCompositeCommand{\d{R}}{PU}{r}{\9036\133}% U+1E5B
17245 % U+1E5E LATIN CAPITAL LETTER R WITH LINE BELOW; Rlinebelow
17246 \DeclareTextCompositeCommand{\b{R}}{PU}{R}{\9036\136}% U+1E5E
17247 % U+1E5F LATIN SMALL LETTER R WITH LINE BELOW; rlinebelow
17248 \DeclareTextCompositeCommand{\b{R}}{PU}{r}{\9036\137}% U+1E5F
17249 % U+1E60 LATIN CAPITAL LETTER S WITH DOT ABOVE; Sdotaccent
17250 \DeclareTextCompositeCommand{\.S}{PU}{S}{\9036\140}% U+1E60
17251 % U+1E61 LATIN SMALL LETTER S WITH DOT ABOVE; sdotaccent
17252 \DeclareTextCompositeCommand{\.S}{PU}{s}{\9036\141}% U+1E61
17253 % U+1E62 LATIN CAPITAL LETTER S WITH DOT BELOW; Sdotbelow
17254 \DeclareTextCompositeCommand{\d{S}}{PU}{S}{\9036\142}% U+1E62
17255 % U+1E63 LATIN SMALL LETTER S WITH DOT BELOW; sdotbelow
17256 \DeclareTextCompositeCommand{\d{S}}{PU}{s}{\9036\143}% U+1E63
17257 % U+1E6A LATIN CAPITAL LETTER T WITH DOT ABOVE; Tdotaccent
17258 \DeclareTextCompositeCommand{\.T}{PU}{T}{\9036\152}% U+1E6A
17259 % U+1E6B LATIN SMALL LETTER T WITH DOT ABOVE; tdotaccent
17260 \DeclareTextCompositeCommand{\.T}{PU}{t}{\9036\153}% U+1E6B
17261 % U+1E6C LATIN CAPITAL LETTER T WITH DOT BELOW; Tdotbelow
17262 \DeclareTextCompositeCommand{\d{T}}{PU}{T}{\9036\154}% U+1E6C
17263 % U+1E6D LATIN SMALL LETTER T WITH DOT BELOW; tdotbelow
17264 \DeclareTextCompositeCommand{\d{T}}{PU}{t}{\9036\155}% U+1E6D
17265 % U+1E6E LATIN CAPITAL LETTER T WITH LINE BELOW; Tlinebelow
17266 \DeclareTextCompositeCommand{\b{T}}{PU}{T}{\9036\156}% U+1E6E
17267 % U+1E6F LATIN SMALL LETTER T WITH LINE BELOW; tlinebelow
17268 \DeclareTextCompositeCommand{\b{T}}{PU}{t}{\9036\157}% U+1E6F
17269 % U+1E70 LATIN CAPITAL LETTER T WITH CIRCUMFLEX BELOW; Tcircumflexbelow
17270 \DeclareTextCompositeCommand{\textsubcircum}{PU}{T}{\9036\160}% U+1E70
17271 % U+1E71 LATIN SMALL LETTER T WITH CIRCUMFLEX BELOW; tcircumflexbelow
17272 \DeclareTextCompositeCommand{\textsubcircum}{PU}{t}{\9036\161}% U+1E71
17273 % U+1E72 LATIN CAPITAL LETTER U WITH DIAERESIS BELOW; Udiereisbelow
17274 \DeclareTextCompositeCommand{\textsubumlaut}{PU}{U}{\9036\162}% U+1E72

```

17275 % U+1E73 LATIN SMALL LETTER U WITH DIAERESIS BELOW; udieresis
 below
 17276 \DeclareTextCompositeCommand{\textsubumlaut}{PU}{u}{\9036\163}% U+1E73
 17277 % U+1E74 LATIN CAPITAL LETTER U WITH TILDE BELOW; Utildebelow
 17278 \DeclareTextCompositeCommand{\textsubtilde}{PU}{U}{\9036\164}% U+1E74
 17279 % U+1E75 LATIN SMALL LETTER U WITH TILDE BELOW; utildebelow
 17280 \DeclareTextCompositeCommand{\textsubtilde}{PU}{u}{\9036\165}% U+1E75
 17281 % U+1E76 LATIN CAPITAL LETTER U WITH CIRCUMFLEX BELOW; Ucir-
 cumflexbelow
 17282 \DeclareTextCompositeCommand{\textsubcircum}{PU}{U}{\9036\166}% U+1E76
 17283 % U+1E77 LATIN SMALL LETTER U WITH CIRCUMFLEX BELOW; ucir-
 cumflexbelow
 17284 \DeclareTextCompositeCommand{\textsubcircum}{PU}{u}{\9036\167}% U+1E77
 17285 % U+1E7C LATIN CAPITAL LETTER V WITH TILDE; Vtilde
 17286 \DeclareTextCompositeCommand{\~}{PU}{V}{\9036\174}% U+1E7C
 17287 % U+1E7D LATIN SMALL LETTER V WITH TILDE; vtilde
 17288 \DeclareTextCompositeCommand{\~}{PU}{v}{\9036\175}% U+1E7D
 17289 % U+1E7E LATIN CAPITAL LETTER V WITH DOT BELOW; Vdotbelow
 17290 \DeclareTextCompositeCommand{\d}{PU}{V}{\9036\176}% U+1E7E
 17291 % U+1E7F LATIN SMALL LETTER V WITH DOT BELOW; vdotbelow
 17292 \DeclareTextCompositeCommand{\d}{PU}{v}{\9036\177}% U+1E7F
 17293 % U+1E80 LATIN CAPITAL LETTER W WITH GRAVE; Wgrave
 17294 \DeclareTextCompositeCommand{\'}{PU}{W}{\9036\200}% U+1E80
 17295 % U+1E81 LATIN SMALL LETTER W WITH GRAVE; wgrave
 17296 \DeclareTextCompositeCommand{\'}{PU}{w}{\9036\201}% U+1E81
 17297 % U+1E82 LATIN CAPITAL LETTER W WITH ACUTE; Wacute
 17298 \DeclareTextCompositeCommand{\'}{PU}{W}{\9036\202}% U+1E82
 17299 % U+1E83 LATIN SMALL LETTER W WITH ACUTE; wacute
 17300 \DeclareTextCompositeCommand{\'}{PU}{w}{\9036\203}% U+1E83
 17301 % U+1E84 LATIN CAPITAL LETTER W WITH DIAERESIS; Wdieresis
 17302 \DeclareTextCompositeCommand{\"}{PU}{W}{\9036\204}% U+1E84
 17303 % U+1E85 LATIN SMALL LETTER W WITH DIAERESIS; wdieresis
 17304 \DeclareTextCompositeCommand{\"}{PU}{w}{\9036\205}% U+1E85
 17305 % U+1E86 LATIN CAPITAL LETTER W WITH DOT ABOVE; Wdotaccent
 17306 \DeclareTextCompositeCommand{\.}{PU}{W}{\9036\206}% U+1E86
 17307 % U+1E87 LATIN SMALL LETTER W WITH DOT ABOVE; wdotaccent
 17308 \DeclareTextCompositeCommand{\.}{PU}{w}{\9036\207}% U+1E87
 17309 % U+1E88 LATIN CAPITAL LETTER W WITH DOT BELOW; wdotbelow
 17310 \DeclareTextCompositeCommand{\d}{PU}{W}{\9036\210}% U+1E88
 17311 % U+1E89 LATIN SMALL LETTER W WITH DOT BELOW; wdotbelow
 17312 \DeclareTextCompositeCommand{\d}{PU}{w}{\9036\211}% U+1E89
 17313 % U+1E8A LATIN CAPITAL LETTER X WITH DOT ABOVE; Xdotaccent
 17314 \DeclareTextCompositeCommand{\.}{PU}{X}{\9036\212}% U+1E8A
 17315 % U+1E8B LATIN SMALL LETTER X WITH DOT ABOVE; xdotaccent
 17316 \DeclareTextCompositeCommand{\.}{PU}{x}{\9036\213}% U+1E8B
 17317 % U+1E8C LATIN CAPITAL LETTER X WITH DIAERESIS; Xdieresis
 17318 \DeclareTextCompositeCommand{\"}{PU}{X}{\9036\214}% U+1E8C
 17319 % U+1E8D LATIN SMALL LETTER X WITH DIAERESIS; xdieresis
 17320 \DeclareTextCompositeCommand{\"}{PU}{x}{\9036\215}% U+1E8D
 17321 % U+1E8E LATIN CAPITAL LETTER Y WITH DOT ABOVE; Ydotaccent
 17322 \DeclareTextCompositeCommand{\.}{PU}{Y}{\9036\216}% U+1E8E
 17323 % U+1E8F LATIN SMALL LETTER Y WITH DOT ABOVE; ydotaccent
 17324 \DeclareTextCompositeCommand{\.}{PU}{y}{\9036\217}% U+1E8F
 17325 % U+1E90 LATIN CAPITAL LETTER Z WITH CIRCUMFLEX; Zcircumflex
 17326 \DeclareTextCompositeCommand{\^}{PU}{Z}{\9036\220}% U+1E90
 17327 % U+1E91 LATIN SMALL LETTER Z WITH CIRCUMFLEX; zcircumflex
 17328 \DeclareTextCompositeCommand{\^}{PU}{z}{\9036\221}% U+1E91

```

17329 % U+1E92 LATIN CAPITAL LETTER Z WITH DOT BELOW; Zdotbelow
17330 \DeclareTextCompositeCommand{\d}{PU}{Z}{\9036\222}% U+1E92
17331 % U+1E93 LATIN SMALL LETTER Z WITH DOT BELOW; zdotbelow
17332 \DeclareTextCompositeCommand{\d}{PU}{z}{\9036\223}% U+1E93
17333 % U+1E94 LATIN CAPITAL LETTER Z WITH LINE BELOW; Zlinebelow
17334 \DeclareTextCompositeCommand{\b}{PU}{Z}{\9036\224}% U+1E94
17335 % U+1E95 LATIN SMALL LETTER Z WITH LINE BELOW; zlinebelow
17336 \DeclareTextCompositeCommand{\b}{PU}{z}{\9036\225}% U+1E95
17337 % U+1E96 LATIN SMALL LETTER H WITH LINE BELOW; hlinebelow
17338 \DeclareTextCompositeCommand{\b}{PU}{h}{\9036\226}% U+1E96
17339 % U+1E97 LATIN SMALL LETTER T WITH DIAERESIS; tdieresis
17340 \DeclareTextCompositeCommand{\v}{PU}{t}{\9036\227}% U+1E97
17341 % U+1E98 LATIN SMALL LETTER W WITH RING ABOVE; wring
17342 \DeclareTextCompositeCommand{\r}{PU}{w}{\9036\230}% U+1E98
17343 % U+1E99 LATIN SMALL LETTER Y WITH RING ABOVE; yring
17344 \DeclareTextCompositeCommand{\r}{PU}{y}{\9036\231}% U+1E99
17345 % U+1E9B LATIN SMALL LETTER LONG S WITH DOT ABOVE; slongdot-
    accent
17346 \DeclareTextCompositeCommand{\.}{PU}{\textlongs}{\9036\233}% U+1E9B
17347 % U+1EA0 LATIN CAPITAL LETTER A WITH DOT BELOW; Adotbelow
17348 \DeclareTextCompositeCommand{\d}{PU}{A}{\9036\240}% U+1EA0
17349 % U+1EA1 LATIN SMALL LETTER A WITH DOT BELOW; adotbelow
17350 \DeclareTextCompositeCommand{\d}{PU}{a}{\9036\241}% U+1EA1
17351 % U+1EB8 LATIN CAPITAL LETTER E WITH DOT BELOW; Edotbelow
17352 \DeclareTextCompositeCommand{\d}{PU}{E}{\9036\270}% U+1EB8
17353 % U+1EB9 LATIN SMALL LETTER E WITH DOT BELOW; edotbelow
17354 \DeclareTextCompositeCommand{\d}{PU}{e}{\9036\271}% U+1EB9
17355 % U+1EBC LATIN CAPITAL LETTER E WITH TILDE; Etilde
17356 \DeclareTextCompositeCommand{\~}{PU}{E}{\9036\274}% U+1EBC
17357 % U+1EBD LATIN SMALL LETTER E WITH TILDE; etilde
17358 \DeclareTextCompositeCommand{\~}{PU}{e}{\9036\275}% U+1EBD
17359 % U+1ECA LATIN CAPITAL LETTER I WITH DOT BELOW; Idotbelow
17360 \DeclareTextCompositeCommand{\d}{PU}{I}{\9036\312}% U+1ECA
17361 % U+1ECB LATIN SMALL LETTER I WITH DOT BELOW; idotbelow
17362 \DeclareTextCompositeCommand{\d}{PU}{i}{\9036\313}% U+1ECB
17363 % U+1ECC LATIN CAPITAL LETTER O WITH DOT BELOW; Odotbelow
17364 \DeclareTextCompositeCommand{\d}{PU}{O}{\9036\314}% U+1ECC
17365 % U+1ECD LATIN SMALL LETTER O WITH DOT BELOW; odotbelow
17366 \DeclareTextCompositeCommand{\d}{PU}{o}{\9036\315}% U+1ECD
17367 % U+1EE4 LATIN CAPITAL LETTER U WITH DOT BELOW; Udotbelow
17368 \DeclareTextCompositeCommand{\d}{PU}{U}{\9036\344}% U+1EE4
17369 % U+1EE5 LATIN SMALL LETTER U WITH DOT BELOW; udotbelow
17370 \DeclareTextCompositeCommand{\d}{PU}{u}{\9036\345}% U+1EE5
17371 % U+1EF2 LATIN CAPITAL LETTER Y WITH GRAVE; Ygrave
17372 \DeclareTextCompositeCommand{\`}{PU}{Y}{\9036\362}% U+1EF2
17373 % U+1EF3 LATIN SMALL LETTER Y WITH GRAVE; ygrave
17374 \DeclareTextCompositeCommand{\`}{PU}{y}{\9036\363}% U+1EF3
17375 % U+1EF4 LATIN CAPITAL LETTER Y WITH DOT BELOW; Ydotbelow
17376 \DeclareTextCompositeCommand{\d}{PU}{Y}{\9036\364}% U+1EF4
17377 % U+1EF5 LATIN SMALL LETTER Y WITH DOT BELOW; ydotbelow
17378 \DeclareTextCompositeCommand{\d}{PU}{y}{\9036\365}% U+1EF5
17379 % U+1EF8 LATIN CAPITAL LETTER Y WITH TILDE; Ytilde
17380 \DeclareTextCompositeCommand{\~}{PU}{Y}{\9036\370}% U+1EF8
17381 % U+1EF9 LATIN SMALL LETTER Y WITH TILDE; ytilde
17382 \DeclareTextCompositeCommand{\~}{PU}{y}{\9036\371}% U+1EF9

```

50.2.15 General Punctuation: U+2000 to U+206F

```

17383 % U+200C ZERO WIDTH NON-JOINER; *af61664, zerowidthnonjoiner
17384 \DeclareTextCommand{\textcompwordmark}{PU}{\9040\014}% U+200C
17385 % U+2013 EN DASH; endash
17386 \DeclareTextCommand{\textendash}{PU}{\9040\023}% U+2013
17387 % U+2014 EM DASH; emdash
17388 \DeclareTextCommand{\textemdash}{PU}{\9040\024}% U+2014
17389 % U+2016 DOUBLE VERTICAL LINE; dblverticalbar
17390 \DeclareTextCommand{\textbardbl}{PU}{\9040\026}% U+2016
17391 %* \textbardbl -> \textdoublevertline (tipa)
17392 % U+2018 LEFT SINGLE QUOTATION MARK; quoteleft
17393 \DeclareTextCommand{\textquotel}{PU}{\9040\030}% U+2018
17394 % U+2019 RIGHT SINGLE QUOTATION MARK; quoteright
17395 \DeclareTextCommand{\textquoter}{PU}{\9040\031}% U+2019
17396 % U+201A SINGLE LOW-9 QUOTATION MARK; quotesinglbase
17397 \DeclareTextCommand{\textquotesinglbase}{PU}{\9040\032}% U+201A
17398 % U+201C LEFT DOUBLE QUOTATION MARK; quotedblleft
17399 \DeclareTextCommand{\textquotedblleft}{PU}{\9040\034}% U+201C
17400 % U+201D RIGHT DOUBLE QUOTATION MARK; quotedblrigh
17401 \DeclareTextCommand{\textquotedblright}{PU}{\9040\035}% U+201D
17402 % U+201E DOUBLE LOW-9 QUOTATION MARK; quotedblbase
17403 \DeclareTextCommand{\textquotedblbase}{PU}{\9040\036}% U+201E
17404 % U+2020 DAGGER; dagger
17405 \DeclareTextCommand{\textdagger}{PU}{\9040\040}%* U+2020
17406 %* \textdagger -> \dag (LaTeX)
17407 % U+2021 DOUBLE DAGGER; daggerdbl; \ddagger (LaTeX)
17408 \DeclareTextCommand{\textdaggerdbl}{PU}{\9040\041}% U+2021
17409 %* \textdaggerdbl -> \ddagger (LaTeX)
17410 %* \textdaggerdbl -> \ddag (LaTeX)
17411 % U+2022 BULLET; bullet
17412 \DeclareTextCommand{\textbullet}{PU}{\9040\042}%* U+2022
17413 % U+2025 TWO DOT LEADER; \hdotfor (MnSymbol)
17414 \DeclareTextCommand{\textthdotfor}{PU}{\9040\045}%* U+2025
17415 % U+2026 HORIZONTAL ELLIPSIS; ellipsis
17416 \DeclareTextCommand{\textellipsis}{PU}{\9040\046}% U+2026
17417 %* \textellipsis -> \mathellipsis
17418 % U+2030 PER MILLE SIGN; perthousand
17419 \DeclareTextCommand{\textperthousand}{PU}{\9040\060}% U+2030
17420 % U+2031 PER TEN THOUSAND SIGN
17421 \DeclareTextCommand{\textpertenthousand}{PU}{\9040\061}% U+2031
17422 % U+2032 PRIME; minute; \prime (MnSymbol)
17423 \DeclareTextCommand{\textprime}{PU}{\9040\062}%* U+2032
17424 % U+2033 DOUBLE PRIME; \second (mathabx)
17425 \DeclareTextCommand{\textsecond}{PU}{\9040\063}%* U+2033
17426 % U+2034 TRIPLE PRIME; \third (mathabx)
17427 \DeclareTextCommand{\textthird}{PU}{\9040\064}%* U+2034
17428 % U+2035 REVERSED PRIME; \backprime (AmS)
17429 \DeclareTextCommand{\textbackprime}{PU}{\9040\065}%* U+2035
17430 % U+2039 SINGLE LEFT-POINTING ANGLE QUOTATION MARK; guils-
17431 \DeclareTextCommand{\guilsingleleft}{PU}{\9040\071}% U+2039
17432 % U+203A SINGLE RIGHT-POINTING ANGLE QUOTATION MARK; guils-
17433 \DeclareTextCommand{\guisingleright}{PU}{\9040\072}% U+203A
17434 % U+203B REFERENCE MARK; referencemark
17435 \DeclareTextCommand{\textreferencemark}{PU}{\9040\073}% U+203B
17436 % U+203D INTERROBANG
17437 \DeclareTextCommand{\textinterrobang}{PU}{\9040\075}% U+203D

```

17438 % U+2044 FRACTION SLASH; fraction
17439 \DeclareTextCommand{\textfractionsolidus}{PU}{\9040\104}% U+2044
17440 % U+2045 LEFT SQUARE BRACKET WITH QUILL
17441 \DeclareTextCommand{\textlquill}{PU}{\9040\105}% U+2045
17442 % U+2046 RIGHT SQUARE BRACKET WITH QUILL
17443 \DeclareTextCommand{\textrquill}{PU}{\9040\106}% U+2046
17444 % U+2052 COMMERCIAL MINUS SIGN
17445 \DeclareTextCommand{\textdiscount}{PU}{\9040\122}% U+2052
17446 % U+2056 THREE DOT PUNCTUATION; \lefttherefore (MnSymbol)
17447 \DeclareTextCommand{\textlefttherefore}{PU}{\9040\126}/* U+2056
17448 % U+2057 QUADRUPLE PRIME; \fourth (mathabx)
17449 \DeclareTextCommand{\textfourth}{PU}{\9040\127}/* U+2057
17450 % U+2058 FOUR DOT PUNCTUATION; \diamondddots (MnSymbol)
17451 \DeclareTextCommand{\textdiamondddots}{PU}{\9040\130}/* U+2058

50.2.16 Superscripts and Subscripts: U+2070 to U+209F

17452 % U+2070 SUPERSCRIPT ZERO; zerosuperior
17453 \DeclareTextCommand{\textzerosuperior}{PU}{\9040\160}/* U+2070
17454 % U+2071 SUPERSCRIPT LATIN SMALL LETTER I
17455 \DeclareTextCommand{\textisuperior}{PU}{\9040\161}/* U+2071
17456 % U+2074 SUPERSCRIPT FOUR; foursuperior
17457 \DeclareTextCommand{\textfoursuperior}{PU}{\9040\164}/* U+2074
17458 % U+2075 SUPERSCRIPT FIVE; fivesuperior
17459 \DeclareTextCommand{\textfivesuperior}{PU}{\9040\165}/* U+2075
17460 % U+2076 SUPERSCRIPT SIX; sixsuperior
17461 \DeclareTextCommand{\textsixsuperior}{PU}{\9040\166}/* U+2076
17462 % U+2077 SUPERSCRIPT SEVEN; sevensuperior
17463 \DeclareTextCommand{\textsevensuperior}{PU}{\9040\167}/* U+2077
17464 % U+2078 SUPERSCRIPT EIGHT; eightsuperior
17465 \DeclareTextCommand{\texteightsuperior}{PU}{\9040\170}/* U+2078
17466 % U+2079 SUPERSCRIPT NINE; ninesuperior
17467 \DeclareTextCommand{\textninesuperior}{PU}{\9040\171}/* U+2079
17468 % U+207A SUPERSCRIPT PLUS SIGN; plussuperior
17469 \DeclareTextCommand{\textplussuperior}{PU}{\9040\172}/* U+207A
17470 % U+207B SUPERSCRIPT MINUS
17471 \DeclareTextCommand{\textminussuperior}{PU}{\9040\173}/* U+207B
17472 % U+207C SUPERSCRIPT EQUALS SIGN; equalsuperior
17473 \DeclareTextCommand{\textequalsuperior}{PU}{\9040\174}/* U+207C
17474 % U+207D SUPERSCRIPT LEFT PARENTHESIS; parenleftsuperior
17475 \DeclareTextCommand{\textparenleftsuperior}{PU}{\9040\175}/* U+207D
17476 % U+207E SUPERSCRIPT RIGHT PARENTHESIS; parenrightsuperior
17477 \DeclareTextCommand{\textparenrightsuperior}{PU}{\9040\176}/* U+207E
17478 % U+207F SUPERSCRIPT LATIN SMALL LETTER N; nsuperior
17479 \DeclareTextCommand{\textnsuperior}{PU}{\9040\177}/* U+207F
17480 % U+2080 SUBSCRIPT ZERO; zeroinferior
17481 \DeclareTextCommand{\textzeroinferior}{PU}{\9040\200}/* U+2080
17482 % U+2081 SUBSCRIPT ONE; oneinferior
17483 \DeclareTextCommand{\textoneinferior}{PU}{\9040\201}/* U+2081
17484 % U+2082 SUBSCRIPT TWO; twoinferior
17485 \DeclareTextCommand{\texttwoinferior}{PU}{\9040\202}/* U+2082
17486 % U+2083 SUBSCRIPT THREE; threeinferior
17487 \DeclareTextCommand{\textthreeinferior}{PU}{\9040\203}/* U+2083
17488 % U+2084 SUBSCRIPT FOUR; fourinferior
17489 \DeclareTextCommand{\textfourinferior}{PU}{\9040\204}/* U+2084
17490 % U+2085 SUBSCRIPT FIVE; fiveinferior
17491 \DeclareTextCommand{\textfiveinferior}{PU}{\9040\205}/* U+2085
17492 % U+2086 SUBSCRIPT SIX; sixinferior

```

17493 \DeclareTextCommand{\textsixinferior}{\PU}{\U{9040}\U{206}}%* U+2086
17494 % U+2087 SUBSCRIPT SEVEN; seveninferior
17495 \DeclareTextCommand{\textseveninferior}{\PU}{\U{9040}\U{207}}%* U+2087
17496 % U+2088 SUBSCRIPT EIGHT; eightinferior
17497 \DeclareTextCommand{\texteightinferior}{\PU}{\U{9040}\U{210}}%* U+2088
17498 % U+2089 SUBSCRIPT NINE; nineinferior
17499 \DeclareTextCommand{\textnineinferior}{\PU}{\U{9040}\U{211}}%* U+2089
17500 % U+208A SUBSCRIPT PLUS SIGN
17501 \DeclareTextCommand{\textplusinferior}{\PU}{\U{9040}\U{212}}%* U+208A
17502 % U+208B SUBSCRIPT MINUS
17503 \DeclareTextCommand{\textminusinferior}{\PU}{\U{9040}\U{213}}%* U+208B
17504 % U+208C SUBSCRIPT EQUALS SIGN
17505 \DeclareTextCommand{\textequalsinferior}{\PU}{\U{9040}\U{214}}%* U+208C
17506 % U+208D SUBSCRIPT LEFT PARENTHESIS; parenleftinferior
17507 \DeclareTextCommand{\textparenleftinferior}{\PU}{\U{9040}\U{215}}%* U+208D
17508 % U+208E SUBSCRIPT RIGHT PARENTHESIS; parenrightinferior
17509 \DeclareTextCommand{\textparenrightinferior}{\PU}{\U{9040}\U{216}}%* U+208E
17510 % U+2090 LATIN SUBSCRIPT SMALL LETTER A
17511 \DeclareTextCommand{\textainferior}{\PU}{\U{9040}\U{220}}%* U+2090
17512 % U+2091 LATIN SUBSCRIPT SMALL LETTER E
17513 \DeclareTextCommand{\texteinferior}{\PU}{\U{9040}\U{221}}%* U+2091
17514 % U+2092 LATIN SUBSCRIPT SMALL LETTER O
17515 \DeclareTextCommand{\textoinferior}{\PU}{\U{9040}\U{222}}%* U+2092
17516 % U+2093 LATIN SUBSCRIPT SMALL LETTER X
17517 \DeclareTextCommand{\textxinferior}{\PU}{\U{9040}\U{223}}%* U+2093
17518 % U+2094 LATIN SUBSCRIPT SMALL LETTER SCHWA
17519 \DeclareTextCommand{\textschwainferior}{\PU}{\U{9040}\U{224}}%* U+2094
17520 % U+2095 LATIN SUBSCRIPT SMALL LETTER H
17521 \DeclareTextCommand{\texthinferior}{\PU}{\U{9040}\U{225}}%* U+2095
17522 % U+2096 LATIN SUBSCRIPT SMALL LETTER K
17523 \DeclareTextCommand{\textkinferior}{\PU}{\U{9040}\U{226}}%* U+2096
17524 % U+2097 LATIN SUBSCRIPT SMALL LETTER L
17525 \DeclareTextCommand{\textlinferior}{\PU}{\U{9040}\U{227}}%* U+2097
17526 % U+2098 LATIN SUBSCRIPT SMALL LETTER M
17527 \DeclareTextCommand{\textminferior}{\PU}{\U{9040}\U{230}}%* U+2098
17528 % U+2099 LATIN SUBSCRIPT SMALL LETTER N
17529 \DeclareTextCommand{\textninferior}{\PU}{\U{9040}\U{231}}%* U+2099
17530 % U+209A LATIN SUBSCRIPT SMALL LETTER P
17531 \DeclareTextCommand{\textpinferior}{\PU}{\U{9040}\U{232}}%* U+209A
17532 % U+209B LATIN SUBSCRIPT SMALL LETTER S
17533 \DeclareTextCommand{\textsinferior}{\PU}{\U{9040}\U{233}}%* U+209B
17534 % U+209C LATIN SUBSCRIPT SMALL LETTER T
17535 \DeclareTextCommand{\texttinferior}{\PU}{\U{9040}\U{234}}%* U+209C

```

50.2.17 Currency Symbols: U+20A0 to U+20CF

```

17536 % U+20A1 COLON SIGN; *colonmonetary, colonsign
17537 \DeclareTextCommand{\textcolonmonetary}{\PU}{\U{9040}\U{241}}% U+20A1
17538 % U+20A4 LIRA SIGN; afi08941, *lira
17539 \DeclareTextCommand{\textlira}{\PU}{\U{9040}\U{244}}% U+20A4
17540 % U+20A6 NAIRA SIGN
17541 \DeclareTextCommand{\textnaira}{\PU}{\U{9040}\U{246}}% U+20A6
17542 % U+20A7 PESETA SIGN; peseta
17543 \DeclareTextCommand{\textpeseta}{\PU}{\U{9040}\U{247}}% U+20A7
17544 % U+20A9 WON SIGN; won
17545 \DeclareTextCommand{\textwon}{\PU}{\U{9040}\U{251}}% U+20A9
17546 % U+20AB DONG SIGN; dong
17547 \DeclareTextCommand{\textdong}{\PU}{\U{9040}\U{253}}% U+20AB

```

```

17548 % U+20AC EURO SIGN; *Euro, euro
17549 \DeclareTextCommand{\texteuro}{\PU}{\9040\254}% U+20AC
17550 % U+20B1 PESO SIGN
17551 \DeclareTextCommand{\textpeso}{\PU}{\9040\261}% U+20B1
17552 % U+20B2 GUARANI SIGN
17553 \DeclareTextCommand{\textguarani}{\PU}{\9040\262}% U+20B2

```

50.2.18 Letterlike Symbols: U+2100 to U+214F

```

17554 % U+2103 DEGREE CELSIUS; centigrade
17555 \DeclareTextCommand{\textcelsius}{\PU}{\9041\003}% U+2103
17556 % U+210F PLANCK CONSTANT OVER TWO PI; \hslash (AmS)
17557 \DeclareTextCommand{\texthslash}{\PU}{\9041\017}/* U+210F
17558 % U+2111 BLACK-LETTER CAPITAL I (=imaginary part); Ifraktur; \Im (La-
TeX)
17559 \DeclareTextCommand{\textIm}{\PU}{\9041\021}/* U+2111
17560 % U+2113 SCRIPT SMALL L (=ell, liter); afi61289, lsquare; \ell (LaTeX)
17561 \DeclareTextCommand{\textell}{\PU}{\9041\023}/* U+2113
17562 % U+2116 NUMERO SIGN; *afi61352, numero
17563 \DeclareTextCommand{\textnumero}{\PU}{\9041\026}% U+2116
17564 % U+2117 SOUND RECORDING COPYRIGHT
17565 \DeclareTextCommand{\textcircledP}{\PU}{\9041\027}% U+2117
17566 % U+2118 SCRIPT CAPITAL P (=Weierstrass elliptic function);
17567 % weierstrass; \wp (LaTeX)
17568 \DeclareTextCommand{\textwp}{\PU}{\9041\030}/* U+2118
17569 % U+211C BLACK-LETTER CAPITAL R (=real part); Rfraktur; \Re (LaTeX)
17570 \DeclareTextCommand{\textRe}{\PU}{\9041\034}/* U+211C
17571 % U+211E PRESCRIPTION TAKE; prescription
17572 \DeclareTextCommand{\textrecipe}{\PU}{\9041\036}% U+211E
17573 % U+2120 SERVICE MARK
17574 \DeclareTextCommand{\textservicemark}{\PU}{\9041\040}% U+2120
17575 % U+2122 TRADE MARK SIGN; trademark
17576 \DeclareTextCommand{\texttrademark}{\PU}{\9041\042}% U+2122
17577 % U+2126 OHM SIGN; Ohm, Omega
17578 \DeclareTextCommand{\textohm}{\PU}{\9041\046}% U+2126
17579 % U+2127 INVERTED OHM SIGN
17580 \DeclareTextCommand{\textmho}{\PU}{\9041\047}/* U+2127
17581 % U+2129 TURNED GREEK SMALL LETTER IOTA; \riota (phonetic)
17582 \DeclareTextCommand{\textriota}{\PU}{\9041\051}/* U+2129
17583 % U+212B ANGSTROM SIGN; angstrom
17584 \DeclareTextCommand{\textangstrom}{\PU}{\9041\053}% U+212B
17585 % U+212E ESTIMATED SYMBOL; estimated
17586 \DeclareTextCommand{\textestimated}{\PU}{\9041\056}% U+212E
17587 % U+2132 TURNED CAPITAL F; \Finv (AmS)
17588 \DeclareTextCommand{\textFinv}{\PU}{\9041\062}/* U+2132
17589 % U+2135 ALEF SYMBOL; aleph; \aleph (LaTeX)
17590 \DeclareTextCommand{\textaleph}{\PU}{\9041\065}/* U+2135
17591 % U+2136 BET SYMBOL; \beth (AmS, MnSymbol)
17592 \DeclareTextCommand{\textbeth}{\PU}{\9041\066}/* U+2136
17593 % U+2137 GIMEL SYMBOL; \gimel (AmS, MnSymbol)
17594 \DeclareTextCommand{\textgimel}{\PU}{\9041\067}/* U+2137
17595 % U+2138 DALET SYMBOL; \daleth (AmS, MnSymbol)
17596 \DeclareTextCommand{\textdaleth}{\PU}{\9041\070}/* U+2138
17597 % U+213B FACSIMILE SIGN; \fax (marvosym)
17598 \DeclareTextCommand{\textfax}{\PU}{\9041\073}/* U+213B
17599 % U+2141 TURNED SANS-SERIF CAPITAL G (=game); \Game
17600 \DeclareTextCommand{\textGame}{\PU}{\9041\101}/* U+2141
17601 % U+214B TURNED AMPERSAND; \invamp (txfonts/pxfonts)

```

```
17602 \DeclareTextCommand{\textinvamp}{\PU}{\textnormal{113}}% U+214B
17603 %* \textinvamp -> \bindnasrepma (stmaryrd)
17604 %* \textinvamp -> \parr (cml)
```

50.2.19 Number Forms: U+2150 to U+218F

```
17605 % U+2150 VULGAR FRACTION ONE SEVENTH
17606 \DeclareTextCommand{\textoneseventh}{\PU}{\textnormal{120}}% U+2150
17607 % U+2151 VULGAR FRACTION ONE NINTH
17608 \DeclareTextCommand{\textoneninth}{\PU}{\textnormal{121}}% U+2151
17609 % U+2152 VULGAR FRACTION ONE TENTH
17610 \DeclareTextCommand{\textonetenth}{\PU}{\textnormal{122}}% U+2152
17611 % U+2153 VULGAR FRACTION ONE THIRD; onethird
17612 \DeclareTextCommand{\textonethird}{\PU}{\textnormal{123}}% U+2153
17613 % U+2154 VULGAR FRACTION TWO THIRDS; twothirds
17614 \DeclareTextCommand{\texttwothirds}{\PU}{\textnormal{124}}% U+2154
17615 % U+2155 VULGAR FRACTION ONE FIFTH
17616 \DeclareTextCommand{\textonefifth}{\PU}{\textnormal{125}}% U+2155
17617 % U+2156 VULGAR FRACTION TWO FIFTHS
17618 \DeclareTextCommand{\texttwofifths}{\PU}{\textnormal{126}}% U+2156
17619 % U+2157 VULGAR FRACTION THREE FIFTHS
17620 \DeclareTextCommand{\textthreefifths}{\PU}{\textnormal{127}}% U+2157
17621 % U+2158 VULGAR FRACTION FOUR FIFTHS
17622 \DeclareTextCommand{\textfourfifths}{\PU}{\textnormal{130}}% U+2158
17623 % U+2159 VULGAR FRACTION ONE SIXTH
17624 \DeclareTextCommand{\textonesixth}{\PU}{\textnormal{131}}% U+2159
17625 % U+215A VULGAR FRACTION FIVE SIXTHS
17626 \DeclareTextCommand{\textfivesixths}{\PU}{\textnormal{132}}% U+215A
17627 % U+215B VULGAR FRACTION ONE EIGHTH; oneeighth
17628 \DeclareTextCommand{\textoneeighth}{\PU}{\textnormal{133}}% U+215B
17629 % U+215C VULGAR FRACTION THREE EIGHTHS; threeeighths
17630 \DeclareTextCommand{\textthreeeighths}{\PU}{\textnormal{134}}% U+215C
17631 % U+215D VULGAR FRACTION FIVE EIGHTHS; fiveeighths
17632 \DeclareTextCommand{\textfiveeighths}{\PU}{\textnormal{135}}% U+215D
17633 % U+215E VULGAR FRACTION SEVEN EIGHTHS; seveneighths
17634 \DeclareTextCommand{\textseveneighths}{\PU}{\textnormal{136}}% U+215E
17635 % U+2184 LATIN SMALL LETTER REVERSED C
17636 \DeclareTextCommand{\textrevc}{\PU}{\textnormal{204}}% U+2184
17637 % U+2189 VULGAR FRACTION ZERO THIRDS
17638 \DeclareTextCommand{\textzerothirds}{\PU}{\textnormal{211}}% U+2189
```

50.2.20 Arrows: U+2190 to U+21FF

```
17639 % U+2190 LEFTWARDS ARROW; arrowleft
17640 \DeclareTextCommand{\textleftarrow}{\PU}{\textnormal{220}}%* U+2190
17641 % U+2191 UPWARDS ARROW; arrowup
17642 \DeclareTextCommand{\textuparrow}{\PU}{\textnormal{221}}%* U+2191
17643 % U+2192 RIGHTWARDS ARROW; arrowright
17644 \DeclareTextCommand{\textrightarrow}{\PU}{\textnormal{222}}%* U+2192
17645 % U+2193 DOWNWARDS ARROW; arrowdown
17646 \DeclareTextCommand{\textdownarrow}{\PU}{\textnormal{223}}%* U+2193
17647 % U+2194 LEFT RIGHT ARROW; arrowboth; \leftrightarrow (LaTeX)
17648 \DeclareTextCommand{\textleftrightarrow}{\PU}{\textnormal{224}}%* U+2194
17649 % U+2195 UP DOWN ARROW; arrowupdn; \updownarrow (LaTeX)
17650 \DeclareTextCommand{\textupdownarrow}{\PU}{\textnormal{225}}%* U+2195
17651 % U+2196 NORTH WEST ARROW; arrowupleft; \nwarrow (LaTeX)
17652 \DeclareTextCommand{\textnwarrown}{\PU}{\textnormal{226}}%* U+2196
17653 % U+2197 NORTH EAST ARROW; arrowupright; \nearrow (LaTeX)
17654 \DeclareTextCommand{\textnearrown}{\PU}{\textnormal{227}}%* U+2197
```

```

17655 %* \textneararrow -> \textglobrise (tipa)
17656 % U+2198 SOUTH EAST ARROW; arrowdownright; \searrow (LaTeX)
17657 \DeclareTextCommand{\textsearrow}{\PU}{\9041\230} %* U+2198
17658 %* \textsearrow -> \textglobfall (tipa)
17659 % U+2199 SOUTH WEST ARROW; arrowdownleft; \swarrow (LaTeX)
17660 \DeclareTextCommand{\textswarrow}{\PU}{\9041\231} %* U+2199
17661 % U+219A LEFTWARDS ARROW WITH STROKE; \nleftarrow (AmS)
17662 \DeclareTextCommand{\textnleftarrow}{\PU}{\9041\232} %* U+219A
17663 % U+219B RIGHTWARDS ARROW WITH STROKE; \nrightarrow (AmS)
17664 \DeclareTextCommand{\textnrightarrow}{\PU}{\9041\233} %* U+219B
17665 % U+219E LEFTWARDS TWO HEADED ARROW; \twoheadleftarrow (AmS)
17666 \DeclareTextCommand{\texttwoheadleftarrow}{\PU}{\9041\236} %* U+219E
17667 % U+219F UPWARDS TWO HEADED ARROW; \twoheaduparrow (MnSymbol)
17668 \DeclareTextCommand{\texttwoheaduparrow}{\PU}{\9041\237} %* U+219F
17669 % U+21A0 RIGHTWARDS TWO HEADED ARROW;
17670 % \twoheadrightarrow (AmS)
17671 \DeclareTextCommand{\texttwoheadrightarrow}{\PU}{\9041\240} %* U+21A0
17672 % U+21A1 DOWNWARDS TWO HEADED ARROW; \twoheaddownarrow (Mn-
    Symbol)
17673 \DeclareTextCommand{\texttwoheaddownarrow}{\PU}{\9041\241} %* U+21A1
17674 % U+21A2 LEFTWARDS ARROW WITH TAIL; \leftarrowtail (AmS)
17675 \DeclareTextCommand{\textleftarrowtail}{\PU}{\9041\242} %* U+21A2
17676 % U+21A3 RIGHTWARDS ARROW WITH TAIL; \rightarrowtail (AmS)
17677 \DeclareTextCommand{\textrightarrowtail}{\PU}{\9041\243} %* U+21A3
17678 % U+21A6 RIGHTWARDS ARROW FROM BAR; \mapsto (LaTeX)
17679 \DeclareTextCommand{\textmapsto}{\PU}{\9041\246} %* U+21A6
17680 % U+21A9 LEFTWARDS ARROW WITH HOOK; \hookleftarrow (LaTeX)
17681 \DeclareTextCommand{\texthookleftarrow}{\PU}{\9041\251} %* U+21A9
17682 % U+21AA RIGHTWARDS ARROW WITH HOOK; \hookrightarrow (LaTeX)
17683 \DeclareTextCommand{\texthookrightarrow}{\PU}{\9041\252} %* U+21AA
17684 % U+21AB LEFTWARDS ARROW WITH LOOP; \looparrowleft (AmS)
17685 \DeclareTextCommand{\textlooparrowleft}{\PU}{\9041\253} %* U+21AB
17686 % U+21AC RIGHTWARDS ARROW WITH LOOP; \looparrowright (AmS)
17687 \DeclareTextCommand{\textlooparrowright}{\PU}{\9041\254} %* U+21AC
17688 % U+21AE LEFT RIGHT ARROW WITH STROKE; \nleftrightarrow (AmS)
17689 \DeclareTextCommand{\textnleftrightarrow}{\PU}{\9041\256} %* U+21AE
17690 % U+21AF DOWNWARDS ZIGZAG ARROW; \lightning (stmaryrd)
17691 \DeclareTextCommand{\textlightning}{\PU}{\9041\257} %* U+21AF
17692 %* \textlightning -> \Lightning (marvosym)
17693 % U+21B5 DOWNWARDS ARROW WITH CORNER LEFTWARDS;
17694 % \dlsh (mathabx)
17695 \DeclareTextCommand{\textdlsh}{\PU}{\9041\265} %* U+21B5
17696 % U+21B6 ANTICLOCKWISE TOP SEMICIRCLE ARROW;
17697 % \curvearrowleft (AmS)
17698 \DeclareTextCommand{\textcurvearrowleft}{\PU}{\9041\266} %* U+21B6
17699 % U+21B7 CLOCKWISE TOP SEMICIRCLE ARROW; \curvearrowright (AmS)
17700 \DeclareTextCommand{\textcurvearrowright}{\PU}{\9041\267} %* U+21B7
17701 % U+21BC LEFTWARDS HARPOON WITH BARB UPWARDS; harpoonleft-
    barup;
17702 % \leftharpoonup (LaTeX)
17703 \DeclareTextCommand{\textleftharpoonup}{\PU}{\9041\274} %* U+21BC
17704 % U+21BD LEFTWARDS HARPOON WITH BARB DOWNWARDS;
17705 % \leftharpoondown (LaTeX)
17706 \DeclareTextCommand{\textleftharpoondown}{\PU}{\9041\275} %* U+21BD
17707 % U+21BE UPWARDS HARPOON WITH BARB RIGHTWARDS;
17708 % \upharpoonright (AmS)
17709 \DeclareTextCommand{\textupharpoonright}{\PU}{\9041\276} %* U+21BE

```

```

17710 % U+21BF UPWARDS HARPOON WITH BARB LEFTWARDS;
17711 % \upharpoonleft (AmS)
17712 \DeclareTextCommand{\textupharpoonleft}{\PU}{\9041\277}/* U+21BF
17713 % U+21C0 RIGHTWARDS HARPOON WITH BARB UPWARDS; harpoonright-
barup
17714 % \rightharpoonup (LaTeX)
17715 \DeclareTextCommand{\textrightharpoonup}{\PU}{\9041\300}/* U+21C0
17716 % U+21C1 RIGHTWARDS HARPOON WITH BARB DOWNWARDS;
17717 % \rightharpoondown (LaTeX)
17718 \DeclareTextCommand{\textrightharpoondown}{\PU}{\9041\301}/* U+21C1
17719 % U+21C2 DOWNWARDS HARPOON WITH BARB RIGHTWARDS;
17720 % \downharpoonright (AmS)
17721 \DeclareTextCommand{\textdownharpoonright}{\PU}{\9041\302}/* U+21C2
17722 % U+21C3 DOWNWARDS HARPOON WITH BARB LEFTWARDS;
17723 % \downharpoonleft (AmS)
17724 \DeclareTextCommand{\textdownharpoonleft}{\PU}{\9041\303}/* U+21C3
17725 % U+21C4 RIGHTWARDS ARROW OVER LEFTWARDS ARROW;
17726 % arrowrightoverleft; \rightleftarrows (MnSymbol)
17727 \DeclareTextCommand{\textrightleftarrows}{\PU}{\9041\304}/* U+21C4
17728 % U+21C5 UPWARDS ARROW LEFTWARDS OF DOWNWARDS ARROW; ar-
rowupleftofdown;
17729 % \updownarrows (MnSymbol)
17730 \DeclareTextCommand{\textupdownarrows}{\PU}{\9041\305}/* U+21C5
17731 % U+21C6 LEFTWARDS ARROW OVER RIGHTWARDS ARROW; arrowleft-
overnight;
17732 % \leftrightarrows (AmS)
17733 \DeclareTextCommand{\textleftrightarrows}{\PU}{\9041\306}/* U+21C6
17734 % U+21C7 LEFTWARDS PAIRED ARROWS; \leftleftarrows (AmS)
17735 \DeclareTextCommand{\textleftleftarrows}{\PU}{\9041\307}/* U+21C7
17736 % U+21C8 UPWARDS PAIRED ARROWS; \upuparrows (AmS)
17737 \DeclareTextCommand{\textupuparrows}{\PU}{\9041\310}/* U+21C8
17738 % U+21C9 RIGHTWARDS PAIRED ARROWS; \rightrightarrows (AmS)
17739 \DeclareTextCommand{\textrightrightarrows}{\PU}{\9041\311}/* U+21C9
17740 % U+21CA DOWNWARDS PAIRED ARROWS; \downdownarrows (AmS)
17741 \DeclareTextCommand{\textdowndownarrows}{\PU}{\9041\312}/* U+21CA
17742 % U+21CB LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON;
17743 % \leftrightharpoons (AmS);
17744 \DeclareTextCommand{\textleftrightharpoons}{\PU}{\9041\313}/* U+21CB
17745 % U+21CC RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON;
17746 % \rightleftharpoons (LaTeX, AmS)
17747 \DeclareTextCommand{\textrightleftharpoons}{\PU}{\9041\314}/* U+21CC
17748 % U+21CD LEFTWARDS DOUBLE ARROW WITH STROKE; arrowleftd-
blstroke;
17749 % \nLeftarrow (AmS)
17750 \DeclareTextCommand{\textnLeftarrow}{\PU}{\9041\315}/* U+21CD
17751 % U+21CE LEFT RIGHT DOUBLE ARROW WITH STROKE; \nLeftrightar-
row (AmS)
17752 \DeclareTextCommand{\textnLeftrightarrow}{\PU}{\9041\316}/* U+21CE
17753 % U+21CF RIGHTWARDS DOUBLE ARROW WITH STROKE; arrowrightd-
blstroke;
17754 % \nRightarrow (AmS)
17755 \DeclareTextCommand{\textnRightarrow}{\PU}{\9041\317}/* U+21CF
17756 % U+21D0 LEFTWARDS DOUBLE ARROW; arrowdblleft, arrowleftdbl;
17757 % \Leftarrow (LaTeX)
17758 \DeclareTextCommand{\textLeftarrow}{\PU}{\9041\320}/* U+21D0
17759 % U+21D1 UPWARDS DOUBLE ARROW; arrowdblup; \Uparrow (LaTeX)
17760 \DeclareTextCommand{\textUparrow}{\PU}{\9041\321}/* U+21D1

```

```

17761 % U+21D2 RIGHTWARDS DOUBLE ARROW; arrowdblright, dblarrowright;
17762 % \Rightarrow (LaTeX)
17763 \DeclareTextCommand{\textRightarrow}{\PU}{\9041\322}/* U+21D2
17764 % U+21D3 DOWNTWARDS DOUBLE ARROW; arrowdbldown; \Downarrow (La-
TeX)
17765 \DeclareTextCommand{\textDownarrow}{\PU}{\9041\323}/* U+21D3
17766 % U+21D4 LEFT RIGHT DOUBLE ARROW; arrowdblboth;
17767 % \Leftrightarrow (LaTeX)
17768 \DeclareTextCommand{\textLeftrightarrow}{\PU}{\9041\324}/* U+21D4
17769 % U+21D5 UP DOWN DOUBLE ARROW; \Updownarrow (LaTeX)
17770 \DeclareTextCommand{\textUpdownarrow}{\PU}{\9041\325}/* U+21D5
17771 % U+21D6 NORTH WEST DOUBLE ARROW; \Nwarrow (MnSymbol)
17772 \DeclareTextCommand{\textNwarrow}{\PU}{\9041\326}/* U+21D6
17773 % U+21D7 NORTH EAST DOUBLE ARROW; \Nearrow (MnSymbol)
17774 \DeclareTextCommand{\textNarrow}{\PU}{\9041\327}/* U+21D7
17775 % U+21D8 SOUTH EAST DOUBLE ARROW; \Searrow (MnSymbol)
17776 \DeclareTextCommand{\textSearrow}{\PU}{\9041\330}/* U+21D8
17777 % U+21D9 SOUTH WEST DOUBLE ARROW; \Swarrow (MnSymbol)
17778 \DeclareTextCommand{\textSwarrow}{\PU}{\9041\331}/* U+21D9
17779 % U+21DA LEFTWARDS TRIPLE ARROW; \Lleftarrow (AmS)
17780 \DeclareTextCommand{\textLleftarrow}{\PU}{\9041\332}/* U+21DA
17781 % U+21DB RIGHTWARDS TRIPLE ARROW; \Rrightarrow (MnSymbol)
17782 \DeclareTextCommand{\textRrightarrow}{\PU}{\9041\333}/* U+21DB
17783 % U+21DC LEFTWARDS SQUIGGLE ARROW; \leftsquigarrow (mathabx)
17784 \DeclareTextCommand{\textleftsquigarrow}{\PU}{\9041\334}/* U+21DC
17785 % U+21DD RIGHTWARDS SQUIGGLE ARROW; \rightsquigarrow (mathabx)
17786 \DeclareTextCommand{\textrightsquigarrow}{\PU}{\9041\335}/* U+21DD
17787 % U+21E0 LEFTWARDS DASHED ARROW; arrowdashleft;
17788 % \dashleftarrow (AmS)
17789 \DeclareTextCommand{\textdashleftarrow}{\PU}{\9041\340}/* U+21E0
17790 /* \textdashleftarrow -> \dashedleftarrow (MnSymbol)
17791 % U+21E1 UPWARDS DASHED ARROW; arrowdashup; \dasheduparrow (Mn-
Symbol)
17792 \DeclareTextCommand{\textdasheduparrow}{\PU}{\9041\341}/* U+21E1
17793 % U+21E2 RIGHTWARDS DASHED ARROW; arrowdashright; \dashrightar-
row (AmS)
17794 \DeclareTextCommand{\textdashrightarrow}{\PU}{\9041\342}/* U+21E2
17795 /* \textdashrightarrow -> \dashedrightarrow (MnSymbol)
17796 % U+21E3 DOWNTWARDS DASHED ARROW; arrowdashdown; \dasheddownar-
row (MnSymbol)
17797 \DeclareTextCommand{\textdasheddownarrow}{\PU}{\9041\343}/* U+21E3
17798 % U+21F5 DOWNTWARDS ARROW LEFTWARDS OF UPWARDS ARROW;
17799 % \downuparrows (MnSymbol)
17800 \DeclareTextCommand{\textdownuparrows}{\PU}{\9041\365}/* U+21F5

```

50.2.21 Mathematical Operators: U+2200 to U+22FF

```

17801 % U+2200 FOR ALL; forall; \forall (LaTeX)
17802 \DeclareTextCommand{\textforall}{\PU}{\9042\000}/* U+2200
17803 % U+2201 COMPLEMENT; \complement (AmS)
17804 \DeclareTextCommand{\textcomplement}{\PU}{\9042\001}/* U+2201
17805 % U+2202 PARTIAL DIFFERENTIAL; partialdiff; \partial (LaTeX)
17806 \DeclareTextCommand{\textpartial}{\PU}{\9042\002}/* U+2202
17807 % U+2203 THERE EXISTS; existential; \exists (LaTeX)
17808 \DeclareTextCommand{\textexists}{\PU}{\9042\003}/* U+2203
17809 % U+2204 THERE DOES NOT EXIST; \notexists (AmS)
17810 \DeclareTextCommand{\textnexists}{\PU}{\9042\004}/* U+2204
17811 % U+2205 EMPTY SET; emptyset; \emptyset (LaTeX), \varnothing (AmS)

```

```

17812 \DeclareTextCommand{\textemptyset}{\PU}{\U005}\%* U+2205
17813 %* \textemptyset -> \varnothing (AmS)
17814 % U+2206 INCREMENT; increment, Deta; \triangle (LaTeX)
17815 \DeclareTextCommand{\texttriangle}{\PU}{\U006}\%* U+2206
17816 % U+2207 NABLA; nabla, gradient; \nabla (LaTeX)
17817 \DeclareTextCommand{\textnabla}{\PU}{\U007}\%* U+2207
17818 % U+2208 ELEMENT OF; element; \in (LaTeX)
17819 \DeclareTextCommand{\textin}{\PU}{\U010}\%* U+2208
17820 % U+2209 NOT AN ELEMENT OF; notelement, notelementof; \notin (LaTeX)
17821 \DeclareTextCommand{\textnotin}{\PU}{\U011}\%* U+2209
17822 % U+220A SMALL ELEMENT OF; \smallin (mathdesign)
17823 \DeclareTextCommand{\textsmallin}{\PU}{\U012}\%* U+220A
17824 % U+220B CONTAINS AS MEMBER; suchthat; \ni (LaTeX)
17825 \DeclareTextCommand{\textni}{\PU}{\U013}\%* U+220B
17826 %* \textni -> \owns (mathabx)
17827 % U+220C DOES NOT CONTAIN AS MEMBER; \notowner (mathabx)
17828 \DeclareTextCommand{\textnotowner}{\PU}{\U014}\%* U+220C
17829 % U+220D SMALL CONTAINS AS MEMBER; \smallowns (mathdesign)
17830 \DeclareTextCommand{\textsmallowns}{\PU}{\U015}\%* U+220D
17831 % U+220F N-ARY PRODUCT; \prod (LaTeX)
17832 \DeclareTextCommand{\textprod}{\PU}{\U017}\%* U+220F
17833 % U+2210 N-ARY COPRODUCT; \amalg (LaTeX)
17834 \DeclareTextCommand{\textamalg}{\PU}{\U020}\%* U+2210
17835 % U+2211 N-ARY SUMMATION; summation; \sum (LaTeX)
17836 \DeclareTextCommand{\textsum}{\PU}{\U021}\%* U+2211
17837 % U+2212 MINUS SIGN; minus
17838 \DeclareTextCommand{\textminus}{\PU}{\U022}\%* U+2212
17839 % U+2213 MINUS-OR-PLUS SIGN; minusplus; \mp (LaTeX)
17840 \DeclareTextCommand{\textmp}{\PU}{\U023}\%* U+2213
17841 % U+2214 DOT PLUS; \dotplus (AmS)
17842 \DeclareTextCommand{\textdotplus}{\PU}{\U024}\%* U+2214
17843 % U+2216 SET MINUS; \setminus (LaTeX)
17844 \DeclareTextCommand{\textsetminus}{\PU}{\U026}\%* U+2216
17845 % U+2217 ASTERISK OPERATOR; asteriskmath; \ast (LaTeX)
17846 \DeclareTextCommand{\textast}{\PU}{\U027}\%* U+2217
17847 % U+2218 RING OPERATOR; \circ (LaTeX)
17848 \DeclareTextCommand{\textcirc}{\PU}{\U030}\%* U+2218
17849 % U+2219 BULLET OPERATOR; bulletoperator; \bullet (LaTeX)
17850 \DeclareTextCommand{\textbulletoperator}{\PU}{\U031}\%* U+2219
17851 % U+221A SQUARE ROOT; radical
17852 \DeclareTextCommand{\textsurd}{\PU}{\U032}\%* U+221A
17853 % U+221D PROPORTIONAL TO; proportional; \propto (LaTeX)
17854 \DeclareTextCommand{\textpropto}{\PU}{\U035}\%* U+221D
17855 % U+221E INFINITY; infinity; \infty (LaTeX)
17856 \DeclareTextCommand{\textinfinity}{\PU}{\U036}\%* U+221E
17857 % U+2220 ANGLE; angle; \angle (LaTeX)
17858 \DeclareTextCommand{\textangle}{\PU}{\U040}\%* U+2220
17859 % U+2221 MEASURED ANGLE; \measuredangle (mathabx, MnSymbol)
17860 \DeclareTextCommand{\textmeasuredangle}{\PU}{\U041}\%* U+2221
17861 % U+2222 SPHERICAL ANGLE; \sphericalangle (AmS)
17862 \DeclareTextCommand{\textsphericalangle}{\PU}{\U042}\%* U+2222
17863 %* \textsphericalangle -> \varangle (wasysym)
17864 %* \textsphericalangle -> \Angle (marvosym)
17865 % U+2223 DIVIDES; divides; \mid (LaTeX)
17866 \DeclareTextCommand{\textmid}{\PU}{\U043}\%* U+2223
17867 % U+2224 DOES NOT DIVIDE; \nmid (AmS)
17868 \DeclareTextCommand{\textnmid}{\PU}{\U044}\%* U+2224

```

```

17869 % U+2225 PARALLEL TO; parallel; \parallel (LaTeX)
17870 \DeclareTextCommand{\textparallel}{\PU}{\U{9042}{045}}%* U+2225
17871 % U+2226 NOT PARALLEL TO; notparallel; \nparallel (AmS)
17872 \DeclareTextCommand{\textnparallel}{\PU}{\U{9042}{046}}%* U+2226
17873 % U+2227 LOGICAL AND; logicaland; \wedge (LaTeX)
17874 \DeclareTextCommand{\textwedge}{\PU}{\U{9042}{047}}%* U+2227
17875 % U+2228 LOGICAL OR; logicalor; \vee (LaTeX)
17876 \DeclareTextCommand{\textvee}{\PU}{\U{9042}{050}}%* U+2228
17877 % U+2229 INTERSECTION; intersection; \cap (LaTeX)
17878 \DeclareTextCommand{\textcap}{\PU}{\U{9042}{051}}%* U+2229
17879 % U+222A UNION; union; \cup (LaTeX)
17880 \DeclareTextCommand{\textcup}{\PU}{\U{9042}{052}}%* U+222A
17881 % U+222B INTEGRAL; integral; \int (LaTeX)
17882 \DeclareTextCommand{\textint}{\PU}{\U{9042}{053}}%* U+222B
17883 % U+222C DOUBLE INTEGRAL; dblintegral; \iint (AmS)
17884 \DeclareTextCommand{\textiint}{\PU}{\U{9042}{054}}%* U+222C
17885 % U+222D TRIPLE INTEGRAL; \iiint (AmS)
17886 \DeclareTextCommand{\textiiint}{\PU}{\U{9042}{055}}%* U+222D
17887 % U+222E CONTOUR INTEGRAL; contourintegral; \oint (LaTeX)
17888 \DeclareTextCommand{\textoint}{\PU}{\U{9042}{056}}%* U+222E
17889 % U+222F SURFACE INTEGRAL; \oint (wasysym)
17890 \DeclareTextCommand{\textoiint}{\PU}{\U{9042}{057}}%* U+222F
17891 % U+2232 CLOCKWISE CONTOUR INTEGRAL;
17892 % \ointclockwise (txfonts/pxfonts)
17893 \DeclareTextCommand{\textointclockwise}{\PU}{\U{9042}{062}}%* U+2232
17894 % U+2233 ANTICLOCKWISE CONTOUR INTEGRAL; \ointcclockwise (tx-
  fonts/pxfonts)
17895 \DeclareTextCommand{\textointcclockwise}{\PU}{\U{9042}{063}}%* U+2233
17896 % U+2234 THEREFORE; therefore; \therefore (AmS)
17897 \DeclareTextCommand{\texttherefore}{\PU}{\U{9042}{064}}%* U+2234
17898 %* \texttherefore -> uptherefore (MnSymbol)
17899 % U+2235 BECAUSE; because; \because (AmS)
17900 \DeclareTextCommand{\textbecause}{\PU}{\U{9042}{065}}%* U+2235
17901 %* \textbecause -> \downtherefore (MnSymbol)
17902 % U+2236 RATIO; \vdotdot (MnSymbol)
17903 \DeclareTextCommand{\textvdotdot}{\PU}{\U{9042}{066}}%* U+2236
17904 % U+2237 PROPORTION; \scaledots (MnSymbol)
17905 \DeclareTextCommand{\textscaledots}{\PU}{\U{9042}{067}}%* U+2237
17906 % U+2238 DOT MINUS; \dotminus (MnSymbol)
17907 \DeclareTextCommand{\textdotminus}{\PU}{\U{9042}{070}}%* U+2238
17908 %* \textdotminus -> \textdotdiv (mathabx)
17909 % U+2239 EXCESS; \eqcolon (txfonts/pxfonts)
17910 \DeclareTextCommand{\texteqcolon}{\PU}{\U{9042}{071}}%* U+2239
17911 % U+223C TILDE OPERATOR; similar; \sim (LaTeX)
17912 \DeclareTextCommand{\textsim}{\PU}{\U{9042}{074}}%* U+223C
17913 % U+223D REVERSED TILDE; reversedtilde; \backsim (AmS)
17914 \DeclareTextCommand{\textbacksimeq}{\PU}{\U{9042}{075}}%* U+223D
17915 % U+2240 WREATH PRODUCT; \wr (LaTeX)
17916 \DeclareTextCommand{\textwr}{\PU}{\U{9042}{100}}%* U+2240
17917 %* \textwr -> \wreath (MnSymbol)
17918 % U+2241 NOT TILDE; \nsim (AmS)
17919 \DeclareTextCommand{\textnsim}{\PU}{\U{9042}{101}}%* U+2241
17920 % U+2243 ASYMPTOTICALLY EQUAL TO; asymptoticallyequal; \simeq (La-
  TeX)
17921 \DeclareTextCommand{\textsimeq}{\PU}{\U{9042}{103}}%* U+2243
17922 % U+2245 APPROXIMATELY EQUAL TO; approximatelyequal; \cong (LaTeX)
17923 \DeclareTextCommand{\textcong}{\PU}{\U{9042}{105}}%* U+2245

```

```

17924 % U+2247 NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO;
17925 % \ncong (AmS)
17926 \DeclareTextCommand{\textncong}{PU}{\9042\107}/* U+2247
17927 % U+2248 ALMOST EQUAL TO; approxeq; \approx (LaTeX)
17928 \DeclareTextCommand{\textapprox}{PU}{\9042\110}/* U+2248
17929 % U+224A ALMOST EQUAL OR EQUAL TO; \approxeq (AmS)
17930 \DeclareTextCommand{\textapproxeq}{PU}{\9042\112}/* U+224A
17931 % U+224B TRIPLE TILDE; \triplesim (MnSymbol)
17932 \DeclareTextCommand{\texttriplesim}{PU}{\9042\113}/* U+224B
17933 % U+224C ALL EQUAL TO; allequal; \backcong (MnSymbol)
17934 \DeclareTextCommand{\textbackcong}{PU}{\9042\114}/* U+224C
17935 % U+224D EQUIVALENT TO; \asymp (LaTeX)
17936 \DeclareTextCommand{\textasymp}{PU}{\9042\115}/* U+224D
17937 % U+224E GEOMETRICALLY EQUIVALENT TO; \Bumpeq (AmS)
17938 \DeclareTextCommand{\textBumpeq}{PU}{\9042\116}/* U+224E
17939 % U+224F DIFFERENCE BETWEEN; \bumpeq (AmS)
17940 \DeclareTextCommand{\textbumpeq}{PU}{\9042\117}/* U+224F
17941 % U+2250 APPROACHES THE LIMIT; approaches; \doteq (LaTeX)
17942 \DeclareTextCommand{\textdoteq}{PU}{\9042\120}/* U+2250
17943 % U+2251 GEOMETRICALLY EQUAL TO; geometricallyequal;
17944 % \doteqdot (AmS)
17945 \DeclareTextCommand{\textdoteqdot}{PU}{\9042\121}/* U+2251
17946 /* \textdoteqdot -> \Doteq (MnSymbol)
17947 % U+2252 APPROXIMATELY EQUAL TO OR THE IMAGE OF; approx-
    qualorimage;
17948 % \fallingdotseq (AmS)
17949 \DeclareTextCommand{\textfallingdoteq}{PU}{\9042\122}/* U+2252
17950 % U+2253 IMAGE OF OR APPROXIMATELY EQUAL TO; imageorapproxi-
    matelyequal;
17951 % \risingdotseq (AmS)
17952 \DeclareTextCommand{\textrisingdoteq}{PU}{\9042\123}/* U+2253
17953 % U+2254 COLON EQUALS; \colonequals (colonequals)
17954 \DeclareTextCommand{\textcolonequals}{PU}{\9042\124}/* U+2254
17955 % U+2255 EQUALS COLON; \equalscolon (colonequals)
17956 \DeclareTextCommand{\textequalscolon}{PU}{\9042\125}/* U+2255
17957 % U+2256 RING IN EQUAL TO; \eqcirc (AmS)
17958 \DeclareTextCommand{\texteqcirc}{PU}{\9042\126}/* U+2256
17959 % U+2257 RING EQUAL TO; \circeq (AmS)
17960 \DeclareTextCommand{\textcirceq}{PU}{\9042\127}/* U+2257
17961 % U+2259 ESTIMATES; \hateq (MnSymbol)
17962 \DeclareTextCommand{\texthateq}{PU}{\9042\131}/* U+2259
17963 /* \texthateq -> \corresponds (mathabx)
17964 % U+225C DELTA EQUAL TO; \triangleeq (AmS)
17965 \DeclareTextCommand{\texttriangleeq}{PU}{\9042\134}/* U+225C
17966 % U+2260 NOT EQUAL TO; notequal; \neq (LaTeX), \neq (LaTeX)
17967 \DeclareTextCommand{\textneq}{PU}{\9042\140}/* U+2260
17968 \DeclareTextCommand{\textne}{PU}{\9042\140}/* U+2260
17969 % U+2261 IDENTICAL TO; equivalence; \equiv (LaTeX)
17970 \DeclareTextCommand{\textequiv}{PU}{\9042\141}/* U+2261
17971 % U+2262 NOT IDENTICAL TO; notidentical; \nequiv (txfonts/pfxfonts)
17972 \DeclareTextCommand{\textnequiv}{PU}{\9042\142}/* U+2262
17973 % U+2264 LESS-THAN OR EQUAL TO; lessequal; \leq (LaTeX), \leq (LaTeX)
17974 \DeclareTextCommand{\textleq}{PU}{\9042\144}/* U+2264
17975 \DeclareTextCommand{\textle}{PU}{\9042\144}/* U+2264
17976 % U+2265 GREATER-THAN OR EQUAL TO; greaterequal;
17977 % \geq (LaTeX), \geq (LaTeX)
17978 \DeclareTextCommand{\textgeq}{PU}{\9042\145}/* U+2265

```

```

17979 \DeclareTextCommand{\textge}{\PU}{\9042\145}/* U+2265
17980 % U+2266 LESS-THAN OVER EQUAL TO; lessoverequal; \leqq (AmS)
17981 \DeclareTextCommand{\textleqq}{\PU}{\9042\146}/* U+2266
17982 % U+2267 GREATER-THAN OVER EQUAL TO; greateroverequal; \geqq (AmS)
17983 \DeclareTextCommand{\textgeqq}{\PU}{\9042\147}/* U+2267
17984 % U+2268 LESS-THAN BUT NOT EQUAL TO; \lneqq (AmS)
17985 \DeclareTextCommand{\textlneqq}{\PU}{\9042\150}/* U+2268
17986 % U+2269 GREATER-THAN BUT NOT EQUAL TO; \gneqq (AmS)
17987 \DeclareTextCommand{\textgneqq}{\PU}{\9042\151}/* U+2269
17988 % U+226A MUCH LESS-THAN; muchless; \ll (LaTeX)
17989 \DeclareTextCommand{\textll}{\PU}{\9042\152}/* U+226A
17990 % U+226B MUCH GREATER-THAN; muchgreater; \gg (LaTeX)
17991 \DeclareTextCommand{\textgg}{\PU}{\9042\153}/* U+226B
17992 % U+226C BETWEEN; \between (AmS)
17993 \DeclareTextCommand{\textbetween}{\PU}{\9042\154}/* U+226C
17994 % U+226E NOT LESS-THAN; notless; \nless (AmS)
17995 \DeclareTextCommand{\textnless}{\PU}{\9042\156}/* U+226E
17996 % U+226F NOT GREATER-THAN; notgreater; \ngtr (AmS)
17997 \DeclareTextCommand{\textngtr}{\PU}{\9042\157}/* U+226F
17998 % U+2270 NEITHER LESS-THAN NOR EQUAL TO; notlessorequal;
17999 % \nleq (AmS)
18000 \DeclareTextCommand{\textnleq}{\PU}{\9042\160}/* U+2270
18001 % U+2271 NEITHER GREATER-THAN NOR EQUAL TO; notgreaternore-
    qual; \ngeq (AmS)
18002 \DeclareTextCommand{\textngeq}{\PU}{\9042\161}/* U+2271
18003 % U+2272 LESS-THAN OR EQUIVALENT TO; lessorequivalent; \lessim (AmS)
18004 \DeclareTextCommand{\textlessim}{\PU}{\9042\162}/* U+2272
18005 % U+2273 GREATER-THAN OR EQUIVALENT TO; greaterorequivalent; \gr-
    sim (AmS)
18006 \DeclareTextCommand{\textgtrsim}{\PU}{\9042\163}/* U+2273
18007 % U+2276 LESS-THAN OR GREATER-THAN; lessorgreater; \lessgr (AmS)
18008 \DeclareTextCommand{\textlessgr}{\PU}{\9042\166}/* U+2276
18009 % U+2277 GREATER-THAN OR LESS-THAN; greaterorless; \gtrless (AmS)
18010 \DeclareTextCommand{\textgtrless}{\PU}{\9042\167}/* U+2277
18011 % U+227A PRECEDES; precedes; \prec (LaTeX)
18012 \DeclareTextCommand{\textprec}{\PU}{\9042\172}/* U+227A
18013 % U+227B SUCCEEDS; succeeds; \succ (LaTeX)
18014 \DeclareTextCommand{\textsucc}{\PU}{\9042\173}/* U+227B
18015 % U+227C PRECEDES OR EQUAL TO; \preccurlyeq (AmS)
18016 \DeclareTextCommand{\textpreccurlyeq}{\PU}{\9042\174}/* U+227C
18017 % U+227D SUCCEEDS OR EQUAL TO; \succcurlyeq (AmS)
18018 \DeclareTextCommand{\textsucccurlyeq}{\PU}{\9042\175}/* U+227D
18019 % U+227E PRECEDES OR EQUIVALENT TO; \precsim (AmS)
18020 \DeclareTextCommand{\textprecsim}{\PU}{\9042\176}/* U+227E
18021 % U+227F SUCCEEDS OR EQUIVALENT TO; \succsim (AmS)
18022 \DeclareTextCommand{\textsuccsim}{\PU}{\9042\177}/* U+227F
18023 % U+2280 DOES NOT PRECEDE; notprecedes; \nprec (AmS)
18024 \DeclareTextCommand{\textnprec}{\PU}{\9042\200}/* U+2280
18025 % U+2281 DOES NOT SUCCEED; notsucceeds; \nsucc (AmS)
18026 \DeclareTextCommand{\textnsucc}{\PU}{\9042\201}/* U+2281
18027 % U+2282 SUBSET OF; propersubset; \subset (LaTeX)
18028 \DeclareTextCommand{\textsubset}{\PU}{\9042\202}/* U+2282
18029 % U+2283 SUPERSET OF; propersuperset; \supset (LaTeX)
18030 \DeclareTextCommand{\textsupset}{\PU}{\9042\203}/* U+2283
18031 % U+2284 NOT A SUBSET OF; notsubset; \nsubset (mathabx)
18032 \DeclareTextCommand{\textnsubset}{\PU}{\9042\204}/* U+2284
18033 % U+2285 NOT A SUPERSET OF; notsuperset; \nsupset (mathabx)

```

```

18034 \DeclareTextCommand{\textnsupset}{\PU}{\U{9042}{205}}%* U+2285
18035 % U+2286 SUBSET OF OR EQUAL TO; reflexsubset; \subsetneq (LaTeX)
18036 \DeclareTextCommand{\textsubseteq}{\PU}{\U{9042}{206}}%* U+2286
18037 % U+2287 SUPERSET OF OR EQUAL TO; reflexsuperset; \supseteq (LaTeX)
18038 \DeclareTextCommand{\textsupseteq}{\PU}{\U{9042}{207}}%* U+2287
18039 % U+2288 NEITHER A SUBSET OF NOR EQUAL TO; \nsubseteq (AmS)
18040 \DeclareTextCommand{\textnsubseteq}{\PU}{\U{9042}{210}}%* U+2288
18041 % U+2289 NEITHER A SUPERSET OF NOR EQUAL TO; \nsupseteq (AmS)
18042 \DeclareTextCommand{\textnsupseteq}{\PU}{\U{9042}{211}}%* U+2289
18043 % U+228A SUBSET OF WITH NOT EQUAL TO; subsetnotequal; \subsetneq (AmS)
18044 \DeclareTextCommand{\textsubsetneq}{\PU}{\U{9042}{212}}%* U+228A
18045 % U+228B SUPERSET OF WITH NOT EQUAL TO; supersetnotequal; \supsetneq (AmS)
18046 \DeclareTextCommand{\textsupsetneq}{\PU}{\U{9042}{213}}%* U+228B
18047 % U+228D MULTISET MULTIPLICATION; \cupdot (MnSymbol)
18048 \DeclareTextCommand{\textcupdot}{\PU}{\U{9042}{215}}%* U+228D
18049 % U+228E MULTISET UNION; \cupplus (MnSymbol)
18050 \DeclareTextCommand{\textcupplus}{\PU}{\U{9042}{216}}%* U+228E
18051 % U+228F SQUARE IMAGE OF; \sqsubset (latexsym, ...)
18052 \DeclareTextCommand{\textsqsubset}{\PU}{\U{9042}{217}}%* U+228F
18053 % U+2290 SQUARE ORIGINAL OF; \sqsupset (latexsym, ...)
18054 \DeclareTextCommand{\textsqsupset}{\PU}{\U{9042}{220}}%* U+2290
18055 % U+2291 SQUARE IMAGE OF OR EQUAL TO; \sqsubsetneq (LaTeX)
18056 \DeclareTextCommand{\textsqsubsetneq}{\PU}{\U{9042}{221}}%* U+2291
18057 % U+2292 SQUARE ORIGINAL OF OR EQUAL TO; \sqsupseteq (LaTeX)
18058 \DeclareTextCommand{\textsqsupseteq}{\PU}{\U{9042}{222}}%* U+2292
18059 % U+2293 SQUARE CAP; \sqcap (LaTeX)
18060 \DeclareTextCommand{\textsqcap}{\PU}{\U{9042}{223}}%* U+2293
18061 % U+2294 SQUARE CUP; \sqcup (LaTeX)
18062 \DeclareTextCommand{\textsqcup}{\PU}{\U{9042}{224}}%* U+2294
18063 % U+2295 CIRCLED PLUS; circleplus; \oplus (LaTeX)
18064 \DeclareTextCommand{\textoplus}{\PU}{\U{9042}{225}}%* U+2295
18065 %* \textoplus -> \varoplus (stmaryrd)
18066 % U+2296 CIRCLED MINUS; minuscircle; \ominus (LaTeX)
18067 \DeclareTextCommand{\textominus}{\PU}{\U{9042}{226}}%* U+2296
18068 %* \textominus -> \varominus (stmaryrd)
18069 % U+2297 CIRCLED TIMES; circlemultiply; \otimes (LaTeX)
18070 \DeclareTextCommand{\textotimes}{\PU}{\U{9042}{227}}%* U+2297
18071 %* \textotimes -> \varotimes (stmaryrd)
18072 % U+2298 CIRCLED DIVISION SLASH; \oslash (LaTeX)
18073 \DeclareTextCommand{\textoslash}{\PU}{\U{9042}{230}}%* U+2298
18074 %* \textoslash -> \varoslash (stmaryrd)
18075 % U+2299 CIRCLED DOT OPERATOR; circle(d?)ot; \odot (LaTeX)
18076 \DeclareTextCommand{\textodot}{\PU}{\U{9042}{231}}%* U+2299
18077 %* \textodot -> \varodot (stmaryrd)
18078 % U+229A CIRCLED RING OPERATOR; \circledcirc (AmS)
18079 \DeclareTextCommand{\textcircledcirc}{\PU}{\U{9042}{232}}%* U+229A
18080 %* \textcircledcirc -> \ocirc (mathabx)
18081 %* \textcircledcirc -> \varocircle (stmaryrd)
18082 % U+229B CIRCLED ASTERISK OPERATOR; \circledast (AmS)
18083 \DeclareTextCommand{\textcircledast}{\PU}{\U{9042}{233}}%* U+229B
18084 %* \textcircledast -> \varoast (stmaryrd)
18085 %* \textcircledast -> \oasterisk (mathabx)
18086 % U+229D CIRCLED DASH; \circleddash (AmS)
18087 \DeclareTextCommand{\textcircleddash}{\PU}{\U{9042}{235}}%* U+229D
18088 % U+229E SQUARED PLUS; \boxplus (AmS)

```

```

18089 \DeclareTextCommand{\textboxplus}{\PU}{\9042\236}/* U+229E
18090 % U+229F SQUARED MINUS; \boxminus (AmS)
18091 \DeclareTextCommand{\textboxminus}{\PU}{\9042\237}/* U+229F
18092 % U+22A0 SQUARED TIMES; \boxtimes (AmS)
18093 \DeclareTextCommand{\textboxtimes}{\PU}{\9042\240}/* U+22A0
18094 % U+22A1 SQUARED DOT OPERATOR; \boxdot (AmS)
18095 \DeclareTextCommand{\textboxdot}{\PU}{\9042\241}/* U+22A1
18096 % U+22A2 RIGHT TACK; \vdash (LaTeX)
18097 \DeclareTextCommand{\textvdash}{\PU}{\9042\242}/* U+22A2
18098 /* \textvdash -> \rightvdash (MnSymbol)
18099 % U+22A3 LEFT TACK; \tackleft; \dashv (LaTeX)
18100 \DeclareTextCommand{\textdashv}{\PU}{\9042\243}/* U+22A3
18101 /* \textdashv -> \leftvdash (MnSymbol)
18102 % U+22A4 DOWN TACK (=top); \tackdown; \top (LaTeX)
18103 \DeclareTextCommand{\texttop}{\PU}{\9042\244}/* U+22A4
18104 /* \texttop -> \downvdash (MnSymbol)
18105 % U+22A5 UP TACK (=base, bottom); \bot (LaTeX)
18106 \DeclareTextCommand{\textbot}{\PU}{\9042\245}/* U+22A5
18107 % U+22A8 TRUE; \vDash (AmS)
18108 \DeclareTextCommand{\textvDash}{\PU}{\9042\250}/* U+22A8
18109 /* \textvDash -> \models (LaTeX)
18110 /* \textvDash -> \rightmodels (MnSymbol)
18111 % U+22A9 FORCES; \Vdash (AmS)
18112 \DeclareTextCommand{\textVdash}{\PU}{\9042\251}/* U+22A9
18113 /* \textVdash -> \rightVdash (MnSymbol)
18114 % U+22AA TRIPLE VERTICAL BAR RIGHT TURNSTILE; \Vvdash (AmS)
18115 \DeclareTextCommand{\textVvdash}{\PU}{\9042\252}/* U+22AA
18116 % U+22AB DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE;
18117 % \VDash (mathabx)
18118 \DeclareTextCommand{\textVDash}{\PU}{\9042\253}/* U+22AB
18119 /* \textVDash -> \rightModels (MnSymbol)
18120 % U+22AC DOES NOT PROVE; \nvdash (AmS)
18121 \DeclareTextCommand{\textnvdash}{\PU}{\9042\254}/* U+22AC
18122 % U+22AD NOT TRUE; \nvDash (AmS)
18123 \DeclareTextCommand{\textnvDash}{\PU}{\9042\255}/* U+22AD
18124 % U+22AF NEGATED DOUBLE VERTICAL BAR DOUBLE RIGHT TURN-
18125 % STILE; \nVdash (AmS)
18126 \DeclareTextCommand{\textnVDash}{\PU}{\9042\257}/* U+22AF
18127 % U+22B2 NORMAL SUBGROUP OF; \lhd (latexsym, ...)
18128 /* \textlhd -> \lessclosed (MnSymbol)
18129 % U+22B3 CONTAINS AS NORMAL SUBGROUP; \rhd (latexsym, ...)
18130 \DeclareTextCommand{\textrhd}{\PU}{\9042\263}/* U+22B3
18131 /* \textrhd -> \gtrclosed (MnSymbol)
18132 % U+22B4 NORMAL SUBGROUP OF OR EQUAL TO; \unlhd (latexsym, ...)
18133 \DeclareTextCommand{\textunlhd}{\PU}{\9042\264}/* U+22B4
18134 /* \textunlhd -> \leqclosed (MnSymbol)
18135 /* \textunlhd -> \trianglelefteq (MnSymbol)
18136 % U+22B5 CONTAINS AS NORMAL SUBGROUP OR EQUAL TO; \unrhd (la-
18137 % texsym, ...)
18138 /* \textunrhd -> \geqclosed (MnSymbol)
18139 /* \textunrhd -> \trianglerighteq (MnSymbol)
18140 % U+22B6 ORIGINAL OF; \multimapdotbothA (txfonts/pxfonts)
18141 \DeclareTextCommand{\textmultimapdotbothA}{\PU}{\9042\266}/* U+22B6
18142 % U+22B7 IMAGE OF; \multimapdotbothB (txfonts/pxfonts)
18143 \DeclareTextCommand{\textmultimapdotbothB}{\PU}{\9042\267}/* U+22B7

```

```

18144 % U+22B8 MULTIMAP; \multimap (AmS, txfonts/pxfonts)
18145 \DeclareTextCommand{\textmultimap}{PU}{\9042\270}/* U+22B8
18146 % U+22BB XOR; \veebar (AmS)
18147 \DeclareTextCommand{\textveebar}{PU}{\9042\273}/* U+22BB
18148 % U+22BC NAND; \barwedge (mathabx)
18149 \DeclareTextCommand{\textbarwedge}{PU}{\9042\274}/* U+22BC
18150 % U+22C6 STAR OPERATOR; \star (LaTeX)
18151 \DeclareTextCommand{\textstar}{PU}{\9042\306}/* U+22C6
18152 % U+22C7 DIVISION TIMES; \divideontimes (AmS)
18153 \DeclareTextCommand{\textdivideontimes}{PU}{\9042\307}/* U+22C7
18154 % U+22C8 BOWTIE; \bowtie (LaTeX)
18155 \DeclareTextCommand{\textbowtie}{PU}{\9042\310}/* U+22C8
18156 % U+22C9 LEFT NORMAL FACTOR SEMIDIRECT PRODUCT; \ltimes (AmS)
18157 \DeclareTextCommand{\textltimes}{PU}{\9042\311}/* U+22C9
18158 % U+22CA RIGHT NORMAL FACTOR SEMIDIRECT PRODUCT;
18159 % \rtimes (AmS)
18160 \DeclareTextCommand{\textrtimes}{PU}{\9042\312}/* U+22CA
18161 % U+22CB LEFT SEMIDIRECT PRODUCT; \leftthreetimes (AmS)
18162 \DeclareTextCommand{\textleftthreetimes}{PU}{\9042\313}/* U+22CB
18163 % U+22CC RIGHT SEMIDIRECT PRODUCT; \rightthreetimes (AmS)
18164 \DeclareTextCommand{\textrightthreetimes}{PU}{\9042\314}/* U+22CC
18165 % U+22CD REVERSED TILDE EQUALS; \backsimeq (AmS)
18166 \DeclareTextCommand{\textbacksimeq}{PU}{\9042\315}/* U+22CD
18167 % U+22CE CURLY LOGICAL OR; \curlyor; \curlyvee (AmS)
18168 \DeclareTextCommand{\textcurlyvee}{PU}{\9042\316}/* U+22CE
18169 /* \textcurlyvee -> \varcurlyvee (stmaryrd)
18170 % U+22CF CURLY LOGICAL AND; \curlyand; \curlywedge (AmS)
18171 \DeclareTextCommand{\textcurlywedge}{PU}{\9042\317}/* U+22CF
18172 /* \textcurlywedge -> \varcurlywedge (stmaryrd)
18173 % U+22D0 DOUBLE SUBSET; \Subset (AmS)
18174 \DeclareTextCommand{\textSubset}{PU}{\9042\320}/* U+22D0
18175 % U+22D1 DOUBLE SUPERSET; \Supset (AmS)
18176 \DeclareTextCommand{\textSupset}{PU}{\9042\321}/* U+22D1
18177 % U+22D2 DOUBLE INTERSECTION; \Cap (AmS)
18178 \DeclareTextCommand{\textCap}{PU}{\9042\322}/* U+22D2
18179 /* \textCap -> \doublecap (mathabx)
18180 % U+22D3 DOUBLE UNION; \Cup (AmS)
18181 \DeclareTextCommand{\textCup}{PU}{\9042\323}/* U+22D3
18182 /* \textCup -> \doublecup (mathabx)
18183 % U+22D4 PITCHFORK; \pitchfork (mathabx)
18184 \DeclareTextCommand{\textpitchfork}{PU}{\9042\324}/* U+22D4
18185 % U+22D6 LESS-THAN WITH DOT; \lessdot (AmS)
18186 \DeclareTextCommand{\textlessdot}{PU}{\9042\326}/* U+22D6
18187 % U+22D7 GREATER-THAN WITH DOT; \gtrdot (AmS)
18188 \DeclareTextCommand{\textgtrdot}{PU}{\9042\327}/* U+22D7
18189 % U+22D8 VERY MUCH LESS-THAN; \lll (AmS)
18190 \DeclareTextCommand{\textlll}{PU}{\9042\330}/* U+22D8
18191 % U+22D9 VERY MUCH GREATER-THAN; \ggg (AmS)
18192 \DeclareTextCommand{\textggg}{PU}{\9042\331}/* U+22D9
18193 % U+22DA LESS-THAN EQUAL TO OR GREATER-THAN; \lesseqgtr; \lesseqgtr (AmS)
18194 % \lesseqgtr (AmS)
18195 \DeclareTextCommand{\textlesseqgtr}{PU}{\9042\332}/* U+22DA
18196 % U+22DB GREATER-THAN EQUAL TO OR LESS-THAN; \gtrless; \gtrless (AmS)
18197 % \gtrless (AmS)
18198 \DeclareTextCommand{\textgtrless}{PU}{\9042\333}/* U+22DB
18199 % U+22DE EQUAL TO OR PRECEDES; \curlyeqprec (MnSymbol)
18200 \DeclareTextCommand{\textcurlyeqprec}{PU}{\9042\336}/* U+22DE

```

```

18201 % U+22DF EQUAL TO OR SUCCEEDS; \curlyeqsucc (MnSymbol)
18202 \DeclareTextCommand{\textcurlyeqsucc}{\PU}{\9042\337}/* U+22DF
18203 % U+22E0 DOES NOT PRECEDE OR EQUAL; \npreccurlyeq (txfonts/pxfonts)
18204 \DeclareTextCommand{\textnpreccurlyeq}{\PU}{\9042\340}/* U+22E0
18205 % U+22E1 DOES NOT SUCCEED OR EQUAL; \nsucccurlyeq (txfonts/pxfonts)
18206 \DeclareTextCommand{\textnsucccurlyeq}{\PU}{\9042\341}/* U+22E1
18207 % U+22E2 NOT SQUARE IMAGE OF OR EQUAL TO; \nsqsubseteq (tx-
    fonts/pxfonts)
18208 \DeclareTextCommand{\textnqsubseteq}{\PU}{\9042\342}/* U+22E2
18209 % U+22E3 NOT SQUARE ORIGINAL OF OR EQUAL TO; \nsqsupseteq (tx-
    fonts/pxfonts)
18210 \DeclareTextCommand{\textnqsupseteq}{\PU}{\9042\343}/* U+22E3
18211 % U+22E4 SQUARE IMAGE OF OR NOT EQUAL TO; \sqsubsetneq (mathabx)
18212 \DeclareTextCommand{\textsqsubsetneq}{\PU}{\9042\344}/* U+22E4
18213 /* \textsqsubsetneq -> \varsqsubsetneq (mathabx)
18214 % U+22E5 SQUARE ORIGINAL OF OR NOT EQUAL TO; \sqsupsetneq (math-
    abx)
18215 \DeclareTextCommand{\textsqsupsetneq}{\PU}{\9042\345}/* U+22E5
18216 /* \textsqsupsetneq -> \varsqsupsetneq (mathabx)
18217 % U+22E6 LESS-THAN BUT NOT EQUIVALENT TO; \lnsim (AmS)
18218 \DeclareTextCommand{\textlnsim}{\PU}{\9042\346}/* U+22E6
18219 % U+22E7 GREATER-THAN BUT NOT EQUIVALENT TO; \gnsim (AmS)
18220 \DeclareTextCommand{\textgnsim}{\PU}{\9042\347}/* U+22E7
18221 % U+22E8 PRECEDES BUT NOT EQUIVALENT TO; \precnsim (AmS)
18222 \DeclareTextCommand{\textprecnsim}{\PU}{\9042\350}/* U+22E8
18223 % U+22E9 SUCCEEDS BUT NOT EQUIVALENT TO; \succcnsim (AmS)
18224 \DeclareTextCommand{\textsucccnsim}{\PU}{\9042\351}/* U+22E9
18225 % U+22EA NOT NORMAL SUBGROUP OF; \ntriangleleft (AmS)
18226 \DeclareTextCommand{\textntriangleleft}{\PU}{\9042\352}/* U+22EA
18227 /* \textntriangleleft -> \nlessclosed (MnSymbol)
18228 % U+22EB DOES NOT CONTAIN AS NORMAL SUBGROUP; \ntriang-
    leright (AmS)
18229 \DeclareTextCommand{\textntriangleright}{\PU}{\9042\353}/* U+22EB
18230 /* \textntriangleright -> \ngtrclosed (MnSymbol)
18231 % U+22EC NOT NORMAL SUBGROUP OF OR EQUAL TO;
18232 % \ntrianglelefteq (AmS)
18233 \DeclareTextCommand{\textntrianglelefteq}{\PU}{\9042\354}/* U+22EC
18234 % U+22ED DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL;
18235 % \ntrianglerighteq (AmS)
18236 \DeclareTextCommand{\textntrianglerighteq}{\PU}{\9042\355}/* U+22ED
18237 /* \textntrianglerighteq -> \textngeqclosed
18238 % U+22EE VERTICAL ELLIPSIS; ellipsisvertical; \vdots (LaTeX)
18239 \DeclareTextCommand{\textvdots}{\PU}{\9042\356}/* U+22EE
18240 % U+22EF MIDLINE HORIZONTAL ELLIPSIS; \cdots (LaTeX)
18241 \DeclareTextCommand{\textcdots}{\PU}{\9042\357}/* U+22EF
18242 % U+22F0 UP RIGHT DIAGONAL ELLIPSIS; \udots (MnSymbol)
18243 \DeclareTextCommand{\textudots}{\PU}{\9042\360}/* U+22F0
18244 % U+22F1 DOWN RIGHT DIAGONAL ELLIPSIS; \ddots (LaTeX)
18245 \DeclareTextCommand{\textddots}{\PU}{\9042\361}/* U+22F1
18246 % U+22F6 ELEMENT OF WITH OVERRBAR; \barin (mathabx)
18247 \DeclareTextCommand{\textbarin}{\PU}{\9042\366}/* U+22F6

```

50.2.22 Miscellaneous Technical: U+2300 to U+23FF

```

18248 % U+2300 DIAMETER SIGN; \diameter (mathabx)
18249 \DeclareTextCommand{\textdiameter}{\PU}{\9043\000}/* U+2300
18250 % U+2310 REVERSED NOT SIGN; \backneg (MnSymbol)
18251 \DeclareTextCommand{\textbackneg}{\PU}{\9043\020}/* U+2310

```

```

18252 % U+2319 TURNED NOT SIGN; \invbackneg (MnSymbol)
18253 \DeclareTextCommand{\textinvbackneg}{PU}{\9043\031}/* U+2319
18254 % U+231A WATCH; \clock (wasysym)
18255 \DeclareTextCommand{\textclock}{PU}{\9043\032}/* U+231A
18256 /* \textclock -> \Clocklogo (marvosym)
18257 % U+231C TOP LEFT CORNER; \ulcorner (AmS)
18258 \DeclareTextCommand{\textulcorner}{PU}{\9043\034}/* U+231C
18259 % U+231D TOP RIGHT CORNER; \urcorner (AmS)
18260 \DeclareTextCommand{\texturcorner}{PU}{\9043\035}/* U+231D
18261 % U+231E BOTTOM LEFT CORNER; \llcorner (AmS)
18262 \DeclareTextCommand{\textllcorner}{PU}{\9043\036}/* U+231E
18263 % U+231F BOTTOM RIGHT CORNER; \lrcorner (AmS)
18264 \DeclareTextCommand{\textlrcorner}{PU}{\9043\037}/* U+231F
18265 % U+2322 FROWN; \frown (TeX)
18266 \DeclareTextCommand{\textfrown}{PU}{\9043\042}/* U+2322
18267 % U+2323 SMILE; \smile (TeX)
18268 \DeclareTextCommand{\textsmile}{PU}{\9043\043}/* U+2323
18269 % U+2328 KEYBOARD; \Keyboard (marvosym)
18270 \DeclareTextCommand{\textKeyboard}{PU}{\9043\050}/* U+2328
18271 % U+2329 LEFT-POINTING ANGLE BRACKET; angleleft; \langle (TeX)
18272 \DeclareTextCommand{\textlangle}{PU}{\9043\051}/* U+2329
18273 % U+232A RIGHT-POINTING ANGLE BRACKET; angleright; \rangle (TeX)
18274 \DeclareTextCommand{\textrangle}{PU}{\9043\052}/* U+232A
18275 % U+2339 APL FUNCTIONAL SYMBOL QUAD DIVIDE; \APLinv (wasysym)
18276 \DeclareTextCommand{\textAPLinv}{PU}{\9043\071}/* U+2339
18277 % U+233F APL FUNCTIONAL SYMBOL SLASH BAR; \notslash (wasysym)
18278 \DeclareTextCommand{\textnotslash}{PU}{\9043\077}/* U+233F
18279 % U+2340 APL FUNCTIONAL SYMBOL BACKSLASH BAR;
18280 % \notbackslash (wasysym)
18281 \DeclareTextCommand{\textnotbackslash}{PU}{\9043\100}/* U+2340
18282 % U+2342 APL FUNCTIONAL SYMBOL QUAD BACKSLASH; \boxbackslash (mathabx)
18283 \DeclareTextCommand{\textboxbackslash}{PU}{\9043\102}/* U+2342
18284 % U+2347 APL FUNCTIONAL SYMBOL QUAD LEFTWARDS ARROW;
18285 % \APLleftarrowbox (wasysym)
18286 \DeclareTextCommand{\textAPLleftarrowbox}{PU}{\9043\107}/* U+2347
18287 % U+2348 APL FUNCTIONAL SYMBOL QUAD RIGHTWARDS ARROW;
18288 % \APLrightarrowbox (wasysym)
18289 \DeclareTextCommand{\textAPLrightarrowbox}{PU}{\9043\110}/* U+2348
18290 % U+2350 APL FUNCTIONAL SYMBOL QUAD UPWARDS ARROW; \APLuparrowbox (wasysym)
18291 \DeclareTextCommand{\textAPLuparrowbox}{PU}{\9043\120}/* U+2350
18292 % U+2357 APL FUNCTIONAL SYMBOL QUAD DOWNWARDS ARROW;
18293 % \APLdownarrowbox (wasysym)
18294 \DeclareTextCommand{\textAPLdownarrowbox}{PU}{\9043\127}/* U+2357
18295 % U+235E APL FUNCTIONAL SYMBOL QUOTE QUAD;
18296 % \APLinput (wasysym)
18297 \DeclareTextCommand{\textAPLinput}{PU}{\9043\136}/* U+235E
18298 % U+2370 APL FUNCTIONAL SYMBOL QUAD QUESTION; \Request (china2e)
18299 \DeclareTextCommand{\textRequest}{PU}{\9043\160}/* U+2370

```

50.2.23 Control Pictures: U+2400 to U+243F

```

18300 % U+2422 BLANK SYMBOL
18301 \DeclareTextCommand{\textblank}{PU}{\9044\042}/* U+2422
18302 % U+2423 OPEN BOX; blank
18303 \DeclareTextCommand{\textvisiblespace}{PU}{\9044\043}/* U+2423

```

50.2.24 Optical Character Recognition: U+2440 to U+245F

```
18304 % U+244A OCR DOUBLE BACKSLASH; \bbslash (stmaryrd)
18305 \DeclareTextCommand{\textbbslash}{PU}{\9044\112}/* U+244A
18306 %* \textbbslash -> \varparallelinv (txfonts/pxfonts)
```

50.2.25 Enclosed Alphanumerics: U+2460 to U+24FF

```
18307 % U+2460 CIRCLED DIGIT ONE; onecircle
18308 \DeclareTextCompositeCommand{\textcircled}{PU}{1}{\9044\140}% U+2460
18309 % U+2461 CIRCLED DIGIT TWO; twocircle
18310 \DeclareTextCompositeCommand{\textcircled}{PU}{2}{\9044\141}% U+2461
18311 % U+2462 CIRCLED DIGIT THREE; threecircle
18312 \DeclareTextCompositeCommand{\textcircled}{PU}{3}{\9044\142}% U+2462
18313 % U+2463 CIRCLED DIGIT FOUR; fourcircle
18314 \DeclareTextCompositeCommand{\textcircled}{PU}{4}{\9044\143}% U+2463
18315 % U+2464 CIRCLED DIGIT FIVE; fivecircle
18316 \DeclareTextCompositeCommand{\textcircled}{PU}{5}{\9044\144}% U+2464
18317 % U+2465 CIRCLED DIGIT SIX; sixcircle
18318 \DeclareTextCompositeCommand{\textcircled}{PU}{6}{\9044\145}% U+2465
18319 % U+2466 CIRCLED DIGIT SEVEN; sevencircle
18320 \DeclareTextCompositeCommand{\textcircled}{PU}{7}{\9044\146}% U+2466
18321 % U+2467 CIRCLED DIGIT EIGHT; eightcircle
18322 \DeclareTextCompositeCommand{\textcircled}{PU}{8}{\9044\147}% U+2467
18323 % U+2468 CIRCLED DIGIT NINE; ninecircle
18324 \DeclareTextCompositeCommand{\textcircled}{PU}{9}{\9044\150}% U+2468
18325 % U+2469 CIRCLED NUMBER TEN; tencircle
18326 \DeclareTextCompositeCommand{\textcircled}{PU}{10}{\9044\151}% U+2469
18327 % U+246A CIRCLED NUMBER ELEVEN; elevencircle
18328 \DeclareTextCompositeCommand{\textcircled}{PU}{11}{\9044\152}% U+246A
18329 % U+246B CIRCLED NUMBER TWELVE; twelvecircle
18330 \DeclareTextCompositeCommand{\textcircled}{PU}{12}{\9044\153}% U+246B
18331 % U+246C CIRCLED NUMBER THIRTEEN; thirteencircle
18332 \DeclareTextCompositeCommand{\textcircled}{PU}{13}{\9044\154}% U+246C
18333 % U+246D CIRCLED NUMBER FOURTEEN; fourteencircle
18334 \DeclareTextCompositeCommand{\textcircled}{PU}{14}{\9044\155}% U+246D
18335 % U+246E CIRCLED NUMBER FIFTEEN; fifteencircle
18336 \DeclareTextCompositeCommand{\textcircled}{PU}{15}{\9044\156}% U+246E
18337 % U+246F CIRCLED NUMBER SIXTEEN; sixteencircle
18338 \DeclareTextCompositeCommand{\textcircled}{PU}{16}{\9044\157}% U+246F
18339 % U+2470 CIRCLED NUMBER SEVENTEEN; seventeencircle
18340 \DeclareTextCompositeCommand{\textcircled}{PU}{17}{\9044\160}% U+2470
18341 % U+2471 CIRCLED NUMBER EIGHTEEN; eighteencircle
18342 \DeclareTextCompositeCommand{\textcircled}{PU}{18}{\9044\161}% U+2471
18343 % U+2472 CIRCLED NUMBER NINETEEN; nineteencircle
18344 \DeclareTextCompositeCommand{\textcircled}{PU}{19}{\9044\162}% U+2472
18345 % U+2473 CIRCLED NUMBER TWENTY; twentycircle
18346 \DeclareTextCompositeCommand{\textcircled}{PU}{20}{\9044\163}% U+2473
18347 % U+24B6 CIRCLED LATIN CAPITAL LETTER A; Acircle
18348 \DeclareTextCompositeCommand{\textcircled}{PU}{A}{\9044\266}% U+24B6
18349 % U+24B7 CIRCLED LATIN CAPITAL LETTER B; Bcircle
18350 \DeclareTextCompositeCommand{\textcircled}{PU}{B}{\9044\267}% U+24B7
18351 % U+24B8 CIRCLED LATIN CAPITAL LETTER C; Ccircle
18352 \DeclareTextCompositeCommand{\textcircled}{PU}{C}{\9044\270}% U+24B8
18353 % U+24B9 CIRCLED LATIN CAPITAL LETTER D; Dcircle
18354 \DeclareTextCompositeCommand{\textcircled}{PU}{D}{\9044\271}% U+24B9
18355 % U+24BA CIRCLED LATIN CAPITAL LETTER E; Ecircle
18356 \DeclareTextCompositeCommand{\textcircled}{PU}{E}{\9044\272}% U+24BA
18357 % U+24BB CIRCLED LATIN CAPITAL LETTER F; Fcircle
```

18358 \DeclareTextCompositeCommand{\textcircled}{PU}{F}{\9044\273} % U+24BB
18359 % U+24BC CIRCLED LATIN CAPITAL LETTER G; Gcircle
18360 \DeclareTextCompositeCommand{\textcircled}{PU}{G}{\9044\274} % U+24BC
18361 % U+24BD CIRCLED LATIN CAPITAL LETTER H; Hcircle
18362 \DeclareTextCompositeCommand{\textcircled}{PU}{H}{\9044\275} % U+24BD
18363 % U+24BE CIRCLED LATIN CAPITAL LETTER I; Icircle
18364 \DeclareTextCompositeCommand{\textcircled}{PU}{I}{\9044\276} % U+24BE
18365 % U+24BF CIRCLED LATIN CAPITAL LETTER J; Jcircle
18366 \DeclareTextCompositeCommand{\textcircled}{PU}{J}{\9044\277} % U+24BF
18367 % U+24C0 CIRCLED LATIN CAPITAL LETTER K; Kcircle
18368 \DeclareTextCompositeCommand{\textcircled}{PU}{K}{\9044\300} % U+24C0
18369 % U+24C1 CIRCLED LATIN CAPITAL LETTER L; Lcircle
18370 \DeclareTextCompositeCommand{\textcircled}{PU}{L}{\9044\301} % U+24C1
18371 % U+24C2 CIRCLED LATIN CAPITAL LETTER M; Mcircle
18372 \DeclareTextCompositeCommand{\textcircled}{PU}{M}{\9044\302} % U+24C2
18373 % U+24C3 CIRCLED LATIN CAPITAL LETTER N; Ncircle
18374 \DeclareTextCompositeCommand{\textcircled}{PU}{N}{\9044\303} % U+24C3
18375 % U+24C4 CIRCLED LATIN CAPITAL LETTER O; Ocircle
18376 \DeclareTextCompositeCommand{\textcircled}{PU}{O}{\9044\304} % U+24C4
18377 % U+24C5 CIRCLED LATIN CAPITAL LETTER P; Pcircle
18378 \DeclareTextCompositeCommand{\textcircled}{PU}{P}{\9044\305} % U+24C5
18379 % U+24C6 CIRCLED LATIN CAPITAL LETTER Q; Qcircle
18380 \DeclareTextCompositeCommand{\textcircled}{PU}{Q}{\9044\306} % U+24C6
18381 % U+24C7 CIRCLED LATIN CAPITAL LETTER R; Rcircle
18382 \DeclareTextCompositeCommand{\textcircled}{PU}{R}{\9044\307} % U+24C7
18383 % U+24C8 CIRCLED LATIN CAPITAL LETTER S; Scircle
18384 \DeclareTextCompositeCommand{\textcircled}{PU}{S}{\9044\310} % U+24C8
18385 % U+24C9 CIRCLED LATIN CAPITAL LETTER T; Tcircle
18386 \DeclareTextCompositeCommand{\textcircled}{PU}{T}{\9044\311} % U+24C9
18387 % U+24CA CIRCLED LATIN CAPITAL LETTER U; Ucircle
18388 \DeclareTextCompositeCommand{\textcircled}{PU}{U}{\9044\312} % U+24CA
18389 % U+24CB CIRCLED LATIN CAPITAL LETTER V; Vcircle
18390 \DeclareTextCompositeCommand{\textcircled}{PU}{V}{\9044\313} % U+24CB
18391 % U+24CC CIRCLED LATIN CAPITAL LETTER W; Wcircle
18392 \DeclareTextCompositeCommand{\textcircled}{PU}{W}{\9044\314} % U+24CC
18393 % U+24CD CIRCLED LATIN CAPITAL LETTER X; Xcircle
18394 \DeclareTextCompositeCommand{\textcircled}{PU}{X}{\9044\315} % U+24CD
18395 % U+24CE CIRCLED LATIN CAPITAL LETTER Y; Ycircle
18396 \DeclareTextCompositeCommand{\textcircled}{PU}{Y}{\9044\316} % U+24CE
18397 % U+24CF CIRCLED LATIN CAPITAL LETTER Z; Zcircle
18398 \DeclareTextCompositeCommand{\textcircled}{PU}{Z}{\9044\317} % U+24CF
18399 % U+24D0 CIRCLED LATIN SMALL LETTER A; acircle
18400 \DeclareTextCompositeCommand{\textcircled}{PU}{a}{\9044\320} % U+24D0
18401 % U+24D1 CIRCLED LATIN SMALL LETTER B; bcircle
18402 \DeclareTextCompositeCommand{\textcircled}{PU}{b}{\9044\321} % U+24D1
18403 % U+24D2 CIRCLED LATIN SMALL LETTER C; ccircle
18404 \DeclareTextCompositeCommand{\textcircled}{PU}{c}{\9044\322} % U+24D2
18405 % U+24D3 CIRCLED LATIN SMALL LETTER D; dcircle
18406 \DeclareTextCompositeCommand{\textcircled}{PU}{d}{\9044\323} % U+24D3
18407 % U+24D4 CIRCLED LATIN SMALL LETTER E; ecircle
18408 \DeclareTextCompositeCommand{\textcircled}{PU}{e}{\9044\324} % U+24D4
18409 % U+24D5 CIRCLED LATIN SMALL LETTER F; fcircle
18410 \DeclareTextCompositeCommand{\textcircled}{PU}{f}{\9044\325} % U+24D5
18411 % U+24D6 CIRCLED LATIN SMALL LETTER G; gcircle
18412 \DeclareTextCompositeCommand{\textcircled}{PU}{g}{\9044\326} % U+24D6
18413 % U+24D7 CIRCLED LATIN SMALL LETTER H; hcircle
18414 \DeclareTextCompositeCommand{\textcircled}{PU}{h}{\9044\327} % U+24D7

```

18415 % U+24D8 CIRCLED LATIN SMALL LETTER I; icrocircle
18416 \DeclareTextCompositeCommand{\textcircled}{PU}{i}{\9044\330}% U+24D8
18417 % U+24D9 CIRCLED LATIN SMALL LETTER J; jcircle
18418 \DeclareTextCompositeCommand{\textcircled}{PU}{j}{\9044\331}% U+24D9
18419 % U+24DA CIRCLED LATIN SMALL LETTER K; kcircle
18420 \DeclareTextCompositeCommand{\textcircled}{PU}{k}{\9044\332}% U+24DA
18421 % U+24DB CIRCLED LATIN SMALL LETTER L; lcircle
18422 \DeclareTextCompositeCommand{\textcircled}{PU}{l}{\9044\333}% U+24DB
18423 % U+24DC CIRCLED LATIN SMALL LETTER M; mcircle
18424 \DeclareTextCompositeCommand{\textcircled}{PU}{m}{\9044\334}% U+24DC
18425 % U+24DD CIRCLED LATIN SMALL LETTER N; ncircle
18426 \DeclareTextCompositeCommand{\textcircled}{PU}{n}{\9044\335}% U+24DD
18427 % U+24DE CIRCLED LATIN SMALL LETTER O; ocircle
18428 \DeclareTextCompositeCommand{\textcircled}{PU}{o}{\9044\336}% U+24DE
18429 % U+24DF CIRCLED LATIN SMALL LETTER P; pcircle
18430 \DeclareTextCompositeCommand{\textcircled}{PU}{p}{\9044\337}% U+24DF
18431 % U+24E0 CIRCLED LATIN SMALL LETTER Q; qcircle
18432 \DeclareTextCompositeCommand{\textcircled}{PU}{q}{\9044\340}% U+24E0
18433 % U+24E1 CIRCLED LATIN SMALL LETTER R; rcircle
18434 \DeclareTextCompositeCommand{\textcircled}{PU}{r}{\9044\341}% U+24E1
18435 % U+24E2 CIRCLED LATIN SMALL LETTER S; scircle
18436 \DeclareTextCompositeCommand{\textcircled}{PU}{s}{\9044\342}% U+24E2
18437 % U+24E3 CIRCLED LATIN SMALL LETTER T; tcircle
18438 \DeclareTextCompositeCommand{\textcircled}{PU}{t}{\9044\343}% U+24E3
18439 % U+24E4 CIRCLED LATIN SMALL LETTER U; ucircle
18440 \DeclareTextCompositeCommand{\textcircled}{PU}{u}{\9044\344}% U+24E4
18441 % U+24E5 CIRCLED LATIN SMALL LETTER V; vcircle
18442 \DeclareTextCompositeCommand{\textcircled}{PU}{v}{\9044\345}% U+24E5
18443 % U+24E6 CIRCLED LATIN SMALL LETTER W; wcircle
18444 \DeclareTextCompositeCommand{\textcircled}{PU}{w}{\9044\346}% U+24E6
18445 % U+24E7 CIRCLED LATIN SMALL LETTER X; xcircle
18446 \DeclareTextCompositeCommand{\textcircled}{PU}{x}{\9044\347}% U+24E7
18447 % U+24E8 CIRCLED LATIN SMALL LETTER Y; ycircle
18448 \DeclareTextCompositeCommand{\textcircled}{PU}{y}{\9044\350}% U+24E8
18449 % U+24E9 CIRCLED LATIN SMALL LETTER Z; zcircle
18450 \DeclareTextCompositeCommand{\textcircled}{PU}{z}{\9044\351}% U+24E9
18451 % U+24EA CIRCLED DIGIT ZERO
18452 \DeclareTextCompositeCommand{\textcircled}{PU}{0}{\9044\352}% U+24EA

```

50.2.26 Geometric Shapes: U+25A0 to U+25FF

```

18453 % U+25B3 WHITE UP-POINTING TRIANGLE; whiteuppointingtriangle;
18454 % \bigtriangleup (LaTeX)
18455 \DeclareTextCommand{\textbigtriangleup}{PU}{\9045\263}/* U+25B3
18456 % U+25B7 WHITE RIGHT-POINTING TRIANGLE (= z notation range restriction);
18457 % whiterightpointingtriangle; \triangleright (LaTeX)
18458 \DeclareTextCommand{\texttriangleright}{PU}{\9045\267}/* U+25B7
18459 % U+25BD WHITE DOWN-POINTING TRIANGLE; whitedownpointingtriangle;
18460 % \bigtriangledown (LaTeX)
18461 \DeclareTextCommand{\textbigtriangledown}{PU}{\9045\275}/* U+25BD
18462 % U+25C1 WHITE RIGHT-POINTING TRIANGLE (= z notation domain restriction);
18463 % whiteleftpointingtriangle; \triangleleft (LaTeX)
18464 \DeclareTextCommand{\texttriangleleft}{PU}{\9045\301}/* U+25C1
18465 % U+25C7 WHITE DIAMOND; whitediamond; \diamond (LaTeX)
18466 \DeclareTextCommand{\textdiamond}{PU}{\9045\307}/* U+25C7

```

```

18467 % U+25CA LOZENGE; lozenge; \lozenge (AmS)
18468 \DeclareTextCommand{\textlozenge}{PU}{\9045\312}/* U+25CA
18469 % U+25E6 WHITE BULLET; *openbullet, whitebullet
18470 \DeclareTextCommand{\textopenbullet}{PU}{\9045\346}/* U+25E6
18471 % U+25EB WHITE SQUARE WITH VERTICAL BISECTING LINE;
18472 % \boxbar (stmaryrd)
18473 \DeclareTextCommand{\textboxbar}{PU}{\9045\353}/* U+25EB
18474 % U+25EF LARGE CIRCLE; largecircle
18475 \DeclareTextCommand{\textbigcircle}{PU}{\9045\357}/* U+25EF
18476 %

```

50.2.27 Miscellaneous Symbols: U+2600 to U+26FF

```

18477 % U+2601 CLOUD; \Cloud (ifsym)
18478 \DeclareTextCommand{\textCloud}{PU}{\9046\001}/* U+2601
18479 % U+2605 BLACK STAR; \FiveStar (bding)
18480 \DeclareTextCommand{\textFiveStar}{PU}{\9046\005}/* U+2605
18481 % U+2606 WHITE STAR; \FiveStarOpen (bding)
18482 \DeclareTextCommand{\textFiveStarOpen}{PU}{\9046\006}/* U+2606
18483 % U+260E BLACK TELEPHONE; telephoneblack; \Phone (bding)
18484 \DeclareTextCommand{\textPhone}{PU}{\9046\016}/* U+260E
18485 /* \textPhone -> \Telefon (marvosym)
18486 % U+2611 BALLOT BOX WITH CHECK; \Checkedbox (marvosym)
18487 \DeclareTextCommand{\textCheckedbox}{PU}{\9046\021}/* U+2611
18488 % U+2612 BALLOT BOX WITH X; \Crossedbox (marvosym)
18489 \DeclareTextCommand{\textCrossedbox}{PU}{\9046\022}/* U+2612
18490 % U+2615 HOT BEVERAGE; \Coffeecup (marvosym)
18491 \DeclareTextCommand{\textCoffeecup}{PU}{\9046\025}/* U+2615
18492 % U+261A BLACK LEFT POINTING INDEX; \HandCuffLeft (bding)
18493 \DeclareTextCommand{\textHandCuffLeft}{PU}{\9046\032}/* U+261A
18494 % U+261B BLACK RIGHT POINTING INDEX; \HandCuffRight (bding)
18495 \DeclareTextCommand{\textHandCuffRight}{PU}{\9046\033}/* U+261B
18496 % U+261C WHITE LEFT POINTING INDEX; \HandLeft (bding)
18497 \DeclareTextCommand{\textHandLeft}{PU}{\9046\034}/* U+261C
18498 /* \textHandLeft -> \rightpointleft (fourier)
18499 % U+261E WHITE RIGHT POINTING INDEX; \HandRight (bding)
18500 \DeclareTextCommand{\textHandRight}{PU}{\9046\036}/* U+261E
18501 /* \textHandRight -> \leftpointright (fourier)
18502 /* \textHandRight -> \PointingHand (marvosym)
18503 % U+2622 RADIOACTIVE SIGN; \Radioactivity (marvosym)
18504 \DeclareTextCommand{\textRadioactivity}{PU}{\9046\042}/* U+2622
18505 /* \textRadioactivity -> \Radiation (ifsym)
18506 % U+2623 BIOHAZARD SIGN; \Biohazard (marvosym)
18507 \DeclareTextCommand{\textBiohazard}{PU}{\9046\043}/* U+2623
18508 % U+2625 ANKH; \Ankh (marvosym)
18509 \DeclareTextCommand{\textAnkh}{PU}{\9046\045}/* U+2625
18510 % U+262F YIN YANG; \Yinyang (marvosym)
18511 \DeclareTextCommand{\textYinyang}{PU}{\9046\057}/* U+262F
18512 % U+2639 WHITE FROWNING FACE; \frownie (wasysym)
18513 \DeclareTextCommand{\textfrownie}{PU}{\9046\071}/* U+2639
18514 /* \textfrownie -> \Frowny (marvosym)
18515 % U+263A WHITE SMILING FACE; \smiley (wasysym)
18516 \DeclareTextCommand{\textsmiley}{PU}{\9046\072}/* U+263A
18517 /* \textsmiley -> \Smiley (marvosym)
18518 % U+263B BLACK SMILING FACE; \blacksmiley (wasysym)
18519 \DeclareTextCommand{\textblacksmiley}{PU}{\9046\073}/* U+263B
18520 % U+263C WHITE SUN WITH RAYS; \sun (wasysym)
18521 \DeclareTextCommand{\textsun}{PU}{\9046\074}/* U+263C

```

```

18522 % U+263D FIRST QUARTER MOON; \leftmoon (wasysym, mathabx)
18523 \DeclareTextCommand{\textleftmoon}{PU}{\U{9046}\U{075}}%* U+263D
18524 % U+263E LAST QUARTER MOON; \rightmoon (wasysym, mathabx)
18525 \DeclareTextCommand{\textrightmoon}{PU}{\U{9046}\U{076}}%* U+263E
18526 % U+263F MERCURY; \mercury (wasysym)
18527 \DeclareTextCommand{\textmercury}{PU}{\U{9046}\U{077}}%* U+263F
18528 %* \textmercury -> \Mercury (marvosym)
18529 % U+2640 FEMALE SIGN; female; \female (wasysym)
18530 \DeclareTextCommand{\textPfem}{PU}{\U{9046}\U{100}}%* U+2640
18531 %* \textPfem -> \textfemale (tipx)
18532 %* \textPfem -> \female (wasysym)
18533 %* \textPfem -> \venus (wasysym)
18534 %* \textPfem -> \Venus (marvosym)
18535 % U+2641 EARTH; \earth (wasysym)
18536 \DeclareTextCommand{\textearth}{PU}{\U{9046}\U{101}}%* U+2641
18537 %* \textearth -> \Earth (marvosym)
18538 % U+2642 MALE SIGN; male, mars; \male (wasysym)
18539 \DeclareTextCommand{\textmale}{PU}{\U{9046}\U{102}}%* U+2642
18540 %* \textmale -> \mars (wasysym)
18541 %* \textmale -> \Mars (marvosym)
18542 % U+2643 JUPITER; \jupiter (wasysym)
18543 \DeclareTextCommand{\textjupiter}{PU}{\U{9046}\U{103}}%* U+2643
18544 %* \textjupiter -> \Jupiter (marvosym)
18545 % U+2644 SATURN; \saturn (wasysym)
18546 \DeclareTextCommand{\textsaturn}{PU}{\U{9046}\U{104}}%* U+2644
18547 %* \textsaturn -> \Saturn (marvosym)
18548 % U+2645 URANUS; \uranus (wasysym)
18549 \DeclareTextCommand{\texturanus}{PU}{\U{9046}\U{105}}%* U+2645
18550 %* \texturanus -> \Uranus (marvosym)
18551 % U+2646 NEPTUNE; \neptune (wasysym)
18552 \DeclareTextCommand{\textneptune}{PU}{\U{9046}\U{106}}%* U+2646
18553 %* \textneptune -> \Neptune (marvosym)
18554 % U+2647 PLUTO; \pluto (wasysym)
18555 \DeclareTextCommand{\textpluto}{PU}{\U{9046}\U{107}}%* U+2647
18556 %* \textpluto -> \Pluto (marvosym)
18557 % U+2648 ARIES; \aries (wasysym)
18558 \DeclareTextCommand{\textaries}{PU}{\U{9046}\U{110}}%* U+2648
18559 %* \textaries -> \Aries (marvosym)
18560 % U+2649 TAURUS; \taurus (wasysym)
18561 \DeclareTextCommand{\texttaurus}{PU}{\U{9046}\U{111}}%* U+2649
18562 %* \texttaurus -> \Taurus (marvosym)
18563 % U+264A GEMINI; \gemini (wasysym)
18564 \DeclareTextCommand{\textgemini}{PU}{\U{9046}\U{112}}%* U+264A
18565 %* \textgemini -> \Gemini (marvosym)
18566 % U+264B CANCER; \cancer (wasysym)
18567 \DeclareTextCommand{\textcancer}{PU}{\U{9046}\U{113}}%* U+264B
18568 %* \textcancer -> \Cancer (marvosym)
18569 % U+264C LEO; \leo (wasysym)
18570 \DeclareTextCommand{\textleo}{PU}{\U{9046}\U{114}}%* U+264C
18571 %* \textleo -> \Leo (marvosym)
18572 % U+264D VIRGO; \virgo (wasysym)
18573 \DeclareTextCommand{\textvirgo}{PU}{\U{9046}\U{115}}%* U+264D
18574 %* \textvirgo -> \Virgo (marvosym)
18575 % U+264E LIBRA; \libra (wasysym)
18576 \DeclareTextCommand{\textlibra}{PU}{\U{9046}\U{116}}%* U+264E
18577 %* \textlibra -> \Libra (marvosym)
18578 % U+264F SCORPIO; \scorpio (wasysym)

```

```

18579 \DeclareTextCommand{\textscorpio}{\PU}{\U+9046\117}/* U+264F
18580 %* \textscorpio -> \Scorpio (marvosym)
18581 % U+2650 SAGITTARIUS; \sagittarius (wasysym)
18582 \DeclareTextCommand{\textsgittarius}{\PU}{\U+9046\120}/* U+2650
18583 %* \textsgittarius -> \Sagittarius (marvosym)
18584 % U+2651 CAPRICORN; \capricorn (wasysym)
18585 \DeclareTextCommand{\textcapricorn}{\PU}{\U+9046\121}/* U+2651
18586 %* \textcapricorn -> \Capricorn (marvosym)
18587 % U+2652 AQUARIUS; \aquarius (wasysym)
18588 \DeclareTextCommand{\textaquarius}{\PU}{\U+9046\122}/* U+2652
18589 %* \textaquarius -> \Aquarius (marvosym)
18590 % U+2653 PISCES; \pisces (wasysym)
18591 \DeclareTextCommand{\textpisces}{\PU}{\U+9046\123}/* U+2653
18592 %* \textpisces -> \Pisces (marvosym)
18593 % U+2660 BLACK SPADE SUIT; spade, spadesuitblack; \spadesuit (LaTeX)
18594 \DeclareTextCommand{\textspadesuitblack}{\PU}{\U+9046\140}/* U+2660
18595 %* \textspadesuitblack -> \spadesuit (MnSymbol)
18596 % U+2661 WHITE HEART SUIT; heartsuitwhite; \heartsuit (LaTeX)
18597 \DeclareTextCommand{\textheartsuitwhite}{\PU}{\U+9046\141}/* U+2661
18598 %* \textheartsuitwhite -> \heartsuit (MnSymbol)
18599 % U+2662 WHITE DIAMOND SUIT; diamondsuitwhite; \diamondsuit (LaTeX)
18600 \DeclareTextCommand{\textdiamondsuitwhite}{\PU}{\U+9046\142}/* U+2662
18601 %* \textdiamondsuitwhite -> \diamondsuit (MnSymbol)
18602 % U+2663 BLACK CLUB SUIT; club, clubsuitblack; \clubsuit (LaTeX)
18603 \DeclareTextCommand{\textclubsuitblack}{\PU}{\U+9046\143}/* U+2663
18604 %* \textclubsuitblack -> \clubsuit (MnSymbol)
18605 % U+2664 WHITE SPADE SUIT; spadesuitwhite
18606 \DeclareTextCommand{\textspadesuitwhite}{\PU}{\U+9046\144}/* U+2664
18607 % U+2665 BLACK HEART SUIT; heartsuitblack, heart
18608 \DeclareTextCommand{\textheartsuitblack}{\PU}{\U+9046\145}/* U+2665
18609 % U+2666 BLACK DIAMOND SUIT; diamond
18610 \DeclareTextCommand{\textdiamondsuitblack}{\PU}{\U+9046\146}/* U+2666
18611 % U+2667 WHITE CLUB SUIT; clubsuitwhite
18612 \DeclareTextCommand{\textclubsuitwhite}{\PU}{\U+9046\147}/* U+2667
18613 % U+2669 QUARTER NOTE; quarternote; \quarternote (wasysym, arev)
18614 \DeclareTextCommand{\textquarternote}{\PU}{\U+9046\151}/* U+2669
18615 % U+266A EIGHTH NOTE; musicalnote; \textmusicalnote (textcomp)
18616 \DeclareTextCommand{\textmusicalnote}{\PU}{\U+9046\152}/* U+266A
18617 %* \textmusicalnote -> \eighthnote (wasysym, arev)
18618 % U+266B BEAMED EIGHTH NOTES; eighthnotebeamed; \twonotes (wasysym)
18619 \DeclareTextCommand{\texttwonotes}{\PU}{\U+9046\153}/* U+266B
18620 % U+266C BEAMED SIXTEENTH NOTES; beamedsixteenthnotes; \sixteenth-
    note (arev)
18621 \DeclareTextCommand{\textsixteenthnote}{\PU}{\U+9046\154}/* U+266C
18622 % U+266D MUSIC FLAT SIGN; musicflatsign; \flat (LaTeX)
18623 \DeclareTextCommand{\textflat}{\PU}{\U+9046\155}/* U+266D
18624 % U+266E MUSIC NATURAL SIGN; \natural (LaTeX)
18625 \DeclareTextCommand{\textnatural}{\PU}{\U+9046\156}/* U+266E
18626 % U+266F MUSIC SHARP SIGN; musicsharpsign; \sharp (LaTeX)
18627 \DeclareTextCommand{\textsharp}{\PU}{\U+9046\157}/* U+266F
18628 % U+2672 UNIVERSAL RECYCLING SYMBOL; \recycle (recycle)
18629 \DeclareTextCommand{\textrecycle}{\PU}{\U+9046\162}/* U+2672
18630 % U+267F WHEELCHAIR SYMBOL; \Wheelchair (marvosym)
18631 \DeclareTextCommand{\textWheelchair}{\PU}{\U+9046\177}/* U+267F
18632 % U+2691 BLACK FLAG; \Flag (ifsym)
18633 \DeclareTextCommand{\textFlag}{\PU}{\U+9046\221}/* U+2691
18634 %* \textFlag -> \VarFlag (ifsym)

```

```

18635 % U+2694 CROSSED SWORDS; \dsmilitary (dictsym)
18636 \DeclareTextCommand{\textdsmilitary}{\PU}{\U{9046}{224}}%* U+2694
18637 %* \textdsmilitary -> \textxswup (fourier)
18638 % U+2695 STAFF OF AESCULAPIUS; \dsmedical (dictsym)
18639 \DeclareTextCommand{\textdsmedical}{\PU}{\U{9046}{225}}%* U+2695
18640 % U+2696 SCALES; \dsjuridical (dictsym)
18641 \DeclareTextCommand{\textdsjuridical}{\PU}{\U{9046}{226}}%* U+2696
18642 % U+2697 ALEMBIC; \dschemical (dictsym)
18643 \DeclareTextCommand{\textdschemical}{\PU}{\U{9046}{227}}%* U+2697
18644 % U+2698 FLOWER; \dsbiological (dictsym)
18645 \DeclareTextCommand{\textdsbiological}{\PU}{\U{9046}{230}}%* U+2698
18646 % U+269A STAFF OF HERMES; \dscommercial (dictsym)
18647 \DeclareTextCommand{\textdscommercial}{\PU}{\U{9046}{232}}%* U+269A
18648 % U+269D OUTLINED WHITE STAR; \manstar (manfnt)
18649 \DeclareTextCommand{\textmanstar}{\PU}{\U{9046}{235}}%* U+269D
18650 % U+26A0 WARNING SIGN; \danger (fourier)
18651 \DeclareTextCommand{\textdanger}{\PU}{\U{9046}{240}}%* U+26A0
18652 % U+26A2 DOUBLED FEMALE SIGN; \FemaleFemale (marvosym)
18653 \DeclareTextCommand{\textFemaleFemale}{\PU}{\U{9046}{242}}%* U+26A2
18654 % U+26A3 DOUBLED MALE SIGN; \MaleMale (marvosym)
18655 \DeclareTextCommand{\textMaleMale}{\PU}{\U{9046}{243}}%* U+26A3
18656 % U+26A4 INTERLOCKED FEMALE AND MALE SIGN; \FemaleMale (mar-
vosym)
18657 \DeclareTextCommand{\textFemaleMale}{\PU}{\U{9046}{244}}%* U+26A4
18658 % U+26A5 MALE AND FEMALE SIGN; \Hermaphrodite (marvosym)
18659 \DeclareTextCommand{\textHermaphrodite}{\PU}{\U{9046}{245}}%* U+26A5
18660 % U+26AD MARRIAGE SYMBOL
18661 \DeclareTextCommand{\textmarried}{\PU}{\U{9046}{255}}% U+26AD
18662 % U+26AE DIVORCE SYMBOL
18663 \DeclareTextCommand{\textdivorced}{\PU}{\U{9046}{256}}% U+26AE
18664 % U+26B2 NEUTER; \textuncrfemale (tipx)
18665 \DeclareTextCommand{\textPUncrfemale}{\PU}{\U{9046}{262}}% U+26B2
18666 %* \textPUncrfemale -> \textuncrfemale (tipx)
18667 % U+26BD SOCCER BALL; \Football (marvosym)
18668 \DeclareTextCommand{\textSoccerBall}{\PU}{\U{9046}{275}}% U+26BD
18669 %* \textSoccerBall -> \Football (marvosym)
18670 % U+26C5 SUN BEHIND CLOUD; \SunCloud (ifsym)
18671 \DeclareTextCommand{\textSunCloud}{\PU}{\U{9046}{305}}%* U+26C5
18672 % U+26C6 RAIN; \Rain (ifsym)
18673 \DeclareTextCommand{\textRain}{\PU}{\U{9046}{306}}%* U+26C6
18674 % U+26D4 NO ENTRY; \noway (fourier)
18675 \DeclareTextCommand{\textnoway}{\PU}{\U{9046}{324}}%* U+26D4
18676 % U+26F0 MOUNTAIN; \Mountain (ifsym)
18677 \DeclareTextCommand{\textMountain}{\PU}{\U{9046}{360}}%* U+26F0
18678 % U+26FA TENT; \Tent (ifsym)
18679 \DeclareTextCommand{\textTent}{\PU}{\U{9046}{372}}%* U+26FA

```

50.2.28 Dingbats: U+2700 to U+27BF

```

18680 % U+2701 UPPER BLADE SCISSORS; \ScissorRightBrokenBottom (bbding)
18681 \DeclareTextCommand{\textScissorRightBrokenBottom}{\PU}{\U{9047}{001}}% U+2701
18682 %* \textScissorRightBrokenBottom -> \Cutright (marvosym)
18683 % U+2702 BLACK SCISSORS; \ScissorRight (bbding)
18684 \DeclareTextCommand{\textScissorRight}{\PU}{\U{9047}{002}}%* U+2702
18685 %* \textScissorRight -> \Rightscissors (marvosym)
18686 % U+2703 LOWER BLADE SCISSORS; \ScissorRightBrokenTop (bbding)
18687 \DeclareTextCommand{\textScissorRightBrokenTop}{\PU}{\U{9047}{003}}%* U+2703
18688 % U+2704 WHITE SCISSORS; \ScissorHollowRight (bbding)

```

```

18689 \DeclareTextCommand{\textScissorHollowRight}{PU}{\9047\004}/* U+2704
18690 % U+2706 TELEPHONE LOCATION SIGN; \PhoneHandset (bbding)
18691 \DeclareTextCommand{\textPhoneHandset}{PU}{\9047\006}/* U+2706
18692 % U+2707 TAPE DRIVE; \Tape (bbding)
18693 \DeclareTextCommand{\textTape}{PU}{\9047\007}/* U+2707
18694 % U+2708 AIRPLANE; \Plane (bbding)
18695 \DeclareTextCommand{\textPlane}{PU}{\9047\010}/* U+2708
18696 % U+2709 ENVELOPE; \Envelope (bbding),
18697 \DeclareTextCommand{\textEnvelope}{PU}{\9047\011}/* U+2709
18698 /* \textEnvelope -> \Letter (marvosym)
18699 % U+270C VICTORY HAND; \Peace (bbding)
18700 \DeclareTextCommand{\textPeace}{PU}{\9047\014}/* U+270C
18701 % U+270D WRITING HAND; \Writinghand (marvosym)
18702 \DeclareTextCommand{\textWritinghand}{PU}{\9047\015}/* U+270D
18703 % U+270E LOWER RIGHT PENCIL; \PencilRightDown (bbding)
18704 \DeclareTextCommand{\textPencilRightDown}{PU}{\9047\016}/* U+270E
18705 % U+270F PENCIL; \PencilRight (bbding)
18706 \DeclareTextCommand{\textPencilRight}{PU}{\9047\017}/* U+270F
18707 % U+2710 UPPER RIGHT PENCIL; \PencilRightUp (bbding)
18708 \DeclareTextCommand{\textPencilRightUp}{PU}{\9047\020}/* U+2710
18709 % U+2711 WHITE NIB; \NibRight (bbding)
18710 \DeclareTextCommand{\textNibRight}{PU}{\9047\021}/* U+2711
18711 % U+2712 BLACK NIB; \NibSolidRight (bbding)
18712 \DeclareTextCommand{\textNibSolidRight}{PU}{\9047\022}/* U+2712
18713 % U+2713 CHECK MARK; checkmark; \Checkmark (bbding)
18714 \DeclareTextCommand{\textCheckmark}{PU}{\9047\023}/* U+2713
18715 /* \textCheckmark -> \checkmark (MnSymbol)
18716 % U+2714 HEAVY CHECK MARK; \CheckmarkBold (bbding)
18717 \DeclareTextCommand{\textCheckmarkBold}{PU}{\9047\024}/* U+2714
18718 % U+2715 MULTIPLICATION X; \XSolid (bbding)
18719 \DeclareTextCommand{\textXSolid}{PU}{\9047\025}/* U+2715
18720 % U+2716 HEAVY MULTIPLICATION X; \XSolidBold (bbding)
18721 \DeclareTextCommand{\textXSolidBold}{PU}{\9047\026}/* U+2716
18722 % U+2717 BALLOT X; \XSolidBrush (bbding)
18723 \DeclareTextCommand{\textXSolidBrush}{PU}{\9047\027}/* U+2717
18724 % U+2719 OUTLINED GREEK CROSS; \PlusOutline (bbding)
18725 \DeclareTextCommand{\textPlusOutline}{PU}{\9047\031}/* U+2719
18726 % U+271A HEAVY GREEK CROSS; \Plus (bbding)
18727 \DeclareTextCommand{\textPlus}{PU}{\9047\032}/* U+271A
18728 % U+271B OPEN CENTRE CROSS; \PlusThinCenterOpen (bbding)
18729 \DeclareTextCommand{\textPlusThinCenterOpen}{PU}{\9047\033}/* U+271B
18730 % U+271C HEAVY OPEN CENTRE CROSS; \PlusCenterOpen (bbding)
18731 \DeclareTextCommand{\textPlusCenterOpen}{PU}{\9047\034}/* U+271C
18732 % U+271D LATIN CROSS; \Cross (bbding)
18733 \DeclareTextCommand{\textCross}{PU}{\9047\035}/* U+271D
18734 % U+271E SHADOWED WHITE LATIN CROSS; \CrossOpenShadow (bbding)
18735 \DeclareTextCommand{\textCrossOpenShadow}{PU}{\9047\036}/* U+271E
18736 % U+271F OUTLINED LATIN CROSS; \CrossOutline (bbding)
18737 \DeclareTextCommand{\textCrossOutline}{PU}{\9047\037}/* U+271F
18738 % U+2720 MALTESE CROSS; \CrossMaltese (bbding)
18739 \DeclareTextCommand{\textCrossMaltese}{PU}{\9047\040}/* U+2720
18740 % U+2721 STAR OF DAVID; \DavidStar (bbding)
18741 \DeclareTextCommand{\textDavidStar}{PU}{\9047\041}/* U+2721
18742 /* \textDavidStar -> \davidstar (wasysym)
18743 % U+2722 FOUR TEARDROP-SPOKED ASTERISK; \FourAsterisk (bbding)
18744 \DeclareTextCommand{\textFourAsterisk}{PU}{\9047\042}/* U+2722
18745 % U+2723 FOUR BALLOON-SPOKED ASTERISK; \JackStar (bbding)

```

```

18746 \DeclareTextCommand{\textJackStar}{PU}{\9047\043}/* U+2723
18747 % U+2724 HEAVY FOUR BALLOON-SPOKED ASTERISK; \JackStarBold (bb-
ding)
18748 \DeclareTextCommand{\textJackStarBold}{PU}{\9047\044}/* U+2724
18749 % U+2725 FOUR CLUB-SPOKED ASTERISK; \CrossClowerTips (bbding)
18750 \DeclareTextCommand{\textClowerTips}{PU}{\9047\045}/* U+2725
18751 % U+2726 BLACK FOUR POINTED STAR; \FourStar (bbding)
18752 \DeclareTextCommand{\textFourStar}{PU}{\9047\046}/* U+2726
18753 % U+2727 WHITE FOUR POINTED STAR; \FourStarOpen (bbding)
18754 \DeclareTextCommand{\textFourStarOpen}{PU}{\9047\047}/* U+2727
18755 % U+272A CIRCLED WHITE STAR; \FiveStarOpenCircled (bbding)
18756 \DeclareTextCommand{\textFiveStarOpenCircled}{PU}{\9047\052}/* U+272A
18757 % U+272B OPEN CENTRE BLACK STAR; \FiveStarCenterOpen (bbding)
18758 \DeclareTextCommand{\textFiveStarCenterOpen}{PU}{\9047\053}/* U+272B
18759 % U+272C BLACK CENTRE WHITE STAR; \FiveStarOpenDotted (bbding)
18760 \DeclareTextCommand{\textFiveStarOpenDotted}{PU}{\9047\054}/* U+272C
18761 % U+272D OUTLINED BLACK STAR; \FiveStarOutline (bbding)
18762 \DeclareTextCommand{\textFiveStarOutline}{PU}{\9047\055}/* U+272D
18763 % U+272E HEAVY OUTLINED BLACK STAR; \FiveStarOutlineHeavy (bbding)
18764 \DeclareTextCommand{\textFiveStarOutlineHeavy}{PU}{\9047\056}/* U+272E
18765 % U+272F PINWHEEL STAR; \FiveStarConvex (bbding)
18766 \DeclareTextCommand{\textFiveStarConvex}{PU}{\9047\057}/* U+272F
18767 % U+2730 SHADOWED WHITE STAR; \FiveStarShadow (bbding)
18768 \DeclareTextCommand{\textFiveStarShadow}{PU}{\9047\060}/* U+2730
18769 % U+2731 HEAVY ASTERISK; \AsteriskBold (bbding)
18770 \DeclareTextCommand{\textAsteriskBold}{PU}{\9047\061}/* U+2731
18771 % U+2732 OPEN CENTRE ASTERISK; \AsteriskCenterOpen (bbding)
18772 \DeclareTextCommand{\textAsteriskCenterOpen}{PU}{\9047\062}/* U+2732
18773 % U+2734 EIGHT POINTED BLACK STAR; \EightStarTaper (bbding)
18774 \DeclareTextCommand{\textEightStarTaper}{PU}{\9047\064}/* U+2734
18775 % U+2735 EIGHT POINTED PINWHEEL STAR; \EightStarConvex (bbding)
18776 \DeclareTextCommand{\textEightStarConvex}{PU}{\9047\065}/* U+2735
18777 % U+2736 SIX POINTED BLACK STAR; \SixStar (bbding)
18778 \DeclareTextCommand{\textSixStar}{PU}{\9047\066}/* U+2736
18779 % U+2737 EIGHT POINTED RECTILINEAR BLACK STAR; \EightStar (bb-
ding)
18780 \DeclareTextCommand{\textEightStar}{PU}{\9047\067}/* U+2737
18781 % U+2738 HEAVY EIGHT POINTED RECTILINEAR BLACK STAR; \Eight-
StarBold (bbding)
18782 \DeclareTextCommand{\textEightStarBold}{PU}{\9047\070}/* U+2738
18783 % U+2739 TWELVE POINTED BLACK STAR; \TwelveStar (bbding)
18784 \DeclareTextCommand{\textTwelveStar}{PU}{\9047\071}/* U+2739
18785 % U+273A SIXTEEN POINTED ASTERISK; \SixteenStarLight (bbding)
18786 \DeclareTextCommand{\textSixteenStarLight}{PU}{\9047\072}/* U+273A
18787 % U+273B TEARDROP-SPOKED ASTERISK; \SixFlowerPetalRemoved (bb-
ding)
18788 \DeclareTextCommand{\textSixFlowerPetalRemoved}{PU}{\9047\073}/* U+273B
18789 % U+273C OPEN CENTRE TEARDROP-SPOKED ASTERISK;
18790 % \SixFlowerOpenCenter (bbding)
18791 \DeclareTextCommand{\textSixFlowerOpenCenter}{PU}{\9047\074}/* U+273C
18792 % U+273D HEAVY TEARDROP-SPOKED ASTERISK; \Asterisk (bbding)
18793 \DeclareTextCommand{\textAsterisk}{PU}{\9047\075}/* U+273D
18794 % U+273E SIX PETALLED BLACK AND WHITE FLORETTE; \SixFlowerAl-
ternate (bbding)
18795 \DeclareTextCommand{\textSixFlowerAlternate}{PU}{\9047\076}/* U+273E
18796 % U+273F BLACK FLORETTE; \FiveFlowerPetal (bbding)
18797 \DeclareTextCommand{\textFiveFlowerPetal}{PU}{\9047\077}/* U+273F

```

```

18798 % U+2740 WHITE FLORETTE; \FiveFlowerOpen (bding)
18799 \DeclareTextCommand{\textFiveFlowerOpen}{PU}{\9047\100}/* U+2740
18800 % U+2741 EIGHT PETALLED OUTLINED BLACK FLORETTE; \EightFlow-
erPetal (bding)
18801 \DeclareTextCommand{\textEightFlowerPetal}{PU}{\9047\101}/* U+2741
18802 % U+2742 CIRCLED OPEN CENTRE EIGHT POINTED STAR; \Sunshi-
neOpenCircled (bding)
18803 \DeclareTextCommand{\textSunshineOpenCircled}{PU}{\9047\102}/* U+2742
18804 % U+2743 HEAVY TEARDROP-SPOKED PINWHEEL ASTERISK; \SixFlow-
erAltPetal (bding)
18805 \DeclareTextCommand{\textSixFlowerAltPetal}{PU}{\9047\103}/* U+2743
18806 % U+2744 SNOWFLAKE; \SnowflakeChevron (bding)
18807 \DeclareTextCommand{\textSnowflakeChevron}{PU}{\9047\104}/* U+2744
18808 % U+2745 TIGHT TRIFOLIATE SNOWFLAKE; \Snowflake (bding)
18809 \DeclareTextCommand{\textSnowflake}{PU}{\9047\105}/* U+2745
18810 % U+2746 HEAVY CHEVRON SNOWFLAKE; \SnowflakeChevronBold (bding)
18811 \DeclareTextCommand{\textSnowflakeChevronBold}{PU}{\9047\106}/* U+2746
18812 % U+2747 SPARKLE; \Sparkle (bding)
18813 \DeclareTextCommand{\textSparkle}{PU}{\9047\107}/* U+2747
18814 % U+2748 HEAVY SPARKLE; \SparkleBold (bding)
18815 \DeclareTextCommand{\textSparkleBold}{PU}{\9047\110}/* U+2748
18816 % U+2749 BALLOON-SPOKED ASTERISK; \AsteriskRoundedEnds (bding)
18817 \DeclareTextCommand{\textAsteriskRoundedEnds}{PU}{\9047\111}/* U+2749
18818 % U+274A EIGHT TEARDROP-SPOKED PROPELLER ASTERISK;
18819 % \EightFlowerPetalRemoved (bding)
18820 \DeclareTextCommand{\textEightFlowerPetalRemoved}{PU}{\9047\112}/* U+274A
18821 % U+274B HEAVY EIGHT TEARDROP-SPOKED PROPELLER ASTERISK;
18822 % \EightAsterisk (bding)
18823 \DeclareTextCommand{\textEightAsterisk}{PU}{\9047\113}/* U+274B
18824 % U+274D SHADOWED WHITE CIRCLE; \CircleShadow (bding)
18825 \DeclareTextCommand{\textCircleShadow}{PU}{\9047\115}/* U+274D
18826 % U+274F LOWER RIGHT DROP-SHADOWED WHITE SQUARE;
18827 % \SquareShadowBottomRight (bding)
18828 \DeclareTextCommand{\textSquareShadowBottomRight}{PU}{\9047\117}/* U+274F
18829 % U+2750 UPPER RIGHT DROP-SHADOWED WHITE SQUARE;
18830 % \SquareShadowTopRight (bding)
18831 \DeclareTextCommand{\textSquareTopRight}{PU}{\9047\120}/* U+2750
18832 % U+2751 LOWER RIGHT SHADOWED WHITE SQUARE;
18833 % \SquareCastShadowBottomRight (bding)
18834 \DeclareTextCommand{\textSquareCastShadowBottomRight}{PU}{\9047\121}/* U+2751
18835 % U+2752 UPPER RIGHT SHADOWED WHITE SQUARE;
18836 % \SquareCastShadowTopRight (bding)
18837 \DeclareTextCommand{\textSquareCastShadowTopRight}{PU}{\9047\122}/* U+2752
18838 % U+2756 BLACK DIAMOND MINUS WHITE X; \OrnamentDiamandSolid (b-
ding)
18839 \DeclareTextCommand{\textDiamandSolid}{PU}{\9047\126}/* U+2756
18840 % U+2758 LIGHT VERTICAL BAR; \RectangleThin (bding)
18841 \DeclareTextCommand{\textRectangleThin}{PU}{\9047\130}/* U+2758
18842 % U+2759 MEDIUM VERTICAL BAR; \Rectangle (bding)
18843 \DeclareTextCommand{\textRectangle}{PU}{\9047\131}/* U+2759
18844 % U+275A HEAVY VERTICAL BAR; \RectangleBold (bding)
18845 \DeclareTextCommand{\textRectangleBold}{PU}{\9047\132}/* U+275A

```

50.2.29 Miscellaneous Mathematical Symbols-A: U+27C0 to U+27EF

```

18846 % U+27C2 PERPENDICULAR; perpendicular; \perp (LaTeX)
18847 \DeclareTextCommand{\textperp}{PU}{\9047\302}/* U+27C2
18848 % U+27C7 OR WITH DOT INSIDE; \veedot (MnSymbol)

```

```

18849 \DeclareTextCommand{\textveedot}{\U{9047}\{307}\%* U+27C7
18850 % U+27D1 AND WITH DOT; \wedgedot (MnSymbol)
18851 \DeclareTextCommand{\textwedgegedot}{\U{9047}\{321}\%* U+27D1
18852 % U+27DC LEFT MULTIMAP; \leftspoon (MnSymbol)
18853 \DeclareTextCommand{\textleftspoon}{\U{9047}\{334}\%* U+27DC
18854 % U+27E6 MATHEMATICAL LEFT WHITE SQUARE BRACKET
18855 \DeclareTextCommand{\textlbrackdbl}{\U{9047}\{346}\%* U+27E6
18856 % U+27E7 MATHEMATICAL RIGHT WHITE SQUARE BRACKET
18857 \DeclareTextCommand{\textrbrackdbl}{\U{9047}\{347}\%* U+27E7

```

50.2.30 Supplemental Arrows-A: U+27F0 to U+27FF

```

18858 % U+27F2 ANTICLOCKWISE GAPPED CIRCLE ARROW;
18859 % \circlearrowleft (AmS)
18860 \DeclareTextCommand{\textcirclearrowleft}{\U{9047}\{362}\%* U+27F2
18861 % U+27F3 CLOCKWISE GAPPED CIRCLE ARROW; \circlearrowright (AmS)
18862 \DeclareTextCommand{\textcirclearrowright}{\U{9047}\{363}\%* U+27F3
18863 % U+27F5 LONG LEFTWARDS ARROW; \longleftarrow (AmS)
18864 \DeclareTextCommand{\textlongleftarrow}{\U{9047}\{365}\%* U+27F5
18865 % U+27F6 LONG RIGHTWARDS ARROW; \longrightarrow (AmS)
18866 \DeclareTextCommand{\textlongrightarrow}{\U{9047}\{366}\%* U+27F6
18867 % U+27F7 LONG LEFT RIGHT ARROW; \longleftrightarrow (AmS)
18868 \DeclareTextCommand{\textlongleftrightarrow}{\U{9047}\{367}\%* U+27F7
18869 % U+27F8 LONG LEFTWARDS DOUBLE ARROW; \Longleftarrow (AmS)
18870 \DeclareTextCommand{\textLongleftarrow}{\U{9047}\{370}\%* U+27F8
18871 % U+27F9 LONG RIGHTWARDS DOUBLE ARROW; \Longrightarrow (AmS)
18872 \DeclareTextCommand{\textLongrightarrow}{\U{9047}\{371}\%* U+27F9
18873 % U+27FA LONG LEFT RIGHT DOUBLE ARROW; \Longleftrightarrow (AmS)
18874 \DeclareTextCommand{\textLongleftrightarrow}{\U{9047}\{372}\%* U+27FA
18875 % U+27FC LONG RIGHTWARDS ARROW FROM BAR; \longmapsto (AmS)
18876 \DeclareTextCommand{\textlongmapsto}{\U{9047}\{374}\%* U+27FC
18877 % U+27FD LONG LEFTWARDS DOUBLE ARROW FROM BAR; \Longmapsfrom (stmaryrd)
18878 \DeclareTextCommand{\textLongmapsfrom}{\U{9047}\{375}\%* U+27FD
18879 % U+27FE LONG RIGHTWARDS DOUBLE ARROW FROM BAR; \Longmapsto (stmaryrd)
18880 \DeclareTextCommand{\textLongmapsto}{\U{9047}\{376}\%* U+27FE

```

50.2.31 Supplemental Arrows-B

```

18881 % U+2921 NORTH WEST AND SOUTH EAST ARROW; \nwsearrow (MnSymbol)
18882 \DeclareTextCommand{\textnwsearrow}{\U{051}\{041}\%* U+2921
18883 % U+2922 NORTH EAST AND SOUTH WEST ARROW; \neswarrown (MnSymbol)
18884 \DeclareTextCommand{\textneswarrown}{\U{051}\{042}\%* U+2922
18885 % U+2923 NORTH WEST ARROW WITH HOOK; \lhooknwarrow (MnSymbol)
18886 \DeclareTextCommand{\textlhooknwarrow}{\U{051}\{043}\%* U+2923
18887 % U+2924 NORTH EAST ARROW WITH HOOK; \rhooknearrow (MnSymbol)
18888 \DeclareTextCommand{\textrhooknearrow}{\U{051}\{044}\%* U+2924
18889 % U+2925 SOUTH EAST ARROW WITH HOOK; \lhooksearrow (MnSymbol)
18890 \DeclareTextCommand{\textlhooksearrow}{\U{051}\{045}\%* U+2925
18891 % U+2926 SOUTH WEST ARROW WITH HOOK; \rhookswarrow (MnSymbol)
18892 \DeclareTextCommand{\textrhookswarrow}{\U{051}\{046}\%* U+2926
18893 % U+2934 ARROW POINTING RIGHTWARDS THEN CURVING UPWARDS;
18894 % \rcurvearrowne (MnSymbol)
18895 \DeclareTextCommand{\textrcurvearrowne}{\U{051}\{064}\%* U+2934
18896 % U+2935 ARROW POINTING RIGHTWARDS THEN CURVING DOWNWARDS;

```

```

18897 % \lcurvearrowse (MnSymbol)
18898 \DeclareTextCommand{\textlcurvearrowse}{\PU}{\051\065}/* U+2935
18899 % U+2936 ARROW POINTING DOWNWARDS THEN CURVING LEFT-
WARDS;
18900 % \lcurvearrowsw (MnSymbol)
18901 \DeclareTextCommand{\textlcurvearrowsw}{\PU}{\051\066}/* U+2936
18902 % U+2937 ARROW POINTING DOWNWARDS THEN CURVING RIGHT-
WARDS;
18903 % \rcurvearrowse (MnSymbol)
18904 \DeclareTextCommand{\textrcurvearrowse}{\PU}{\051\067}/* U+2937
18905 % U+2938 RIGHT-SIDE ARC CLOCKWISE ARROW; \lcurvearrowdown (Mn-
Symbol)
18906 \DeclareTextCommand{\textlcurvearrowdown}{\PU}{\051\070}/* U+2938
18907 % U+2939 LEFT-SIDE ARC ANTICLOCKWISE ARROW;
18908 % \rcurvearrowdown (MnSymbol)
18909 \DeclareTextCommand{\textrcurvearrowdown}{\PU}{\051\071}/* U+2939
18910 % U+293A TOP ARC ANTICLOCKWISE ARROW; \rcurvearrowleft (MnSym-
bol)
18911 \DeclareTextCommand{\textrcurvearrowleft}{\PU}{\051\072}/* U+293A
18912 % U+293B BOTTOM ARC ANTICLOCKWISE ARROW;
18913 % \rcurvearrowright (MnSymbol)
18914 \DeclareTextCommand{\textrcurvearrowright}{\PU}{\051\073}/* U+293B
18915 % U+294A LEFT BARB UP RIGHT BARB DOWN HARPOON; \leftrighthar-
poon (mathabx)
18916 \DeclareTextCommand{\textleftrightharpoon}{\PU}{\051\112}/* U+294A
18917 % U+294B LEFT BARB DOWN RIGHT BARB UP HARPOON; \rightlefthar-
poon (mathabx)
18918 \DeclareTextCommand{\textrightleftharpoon}{\PU}{\051\113}/* U+294B
18919 % U+294C UP BARB RIGHT DOWN BARB LEFT HARPOON;
18920 % \updownharpoonrightleft (MnSymbol)
18921 \DeclareTextCommand{\textupdownharpoonrightleft}{\PU}{\051\114}/* U+294C
18922 % U+294D UP BARB LEFT DOWN BARB RIGHT HARPOON;
18923 % \updownharpoonleftright (MnSymbol)
18924 \DeclareTextCommand{\textupdownharpoonleftright}{\PU}{\051\115}/* U+294D
18925 % U+2962 LEFTWARDS HARPOON WITH BARB UP ABOVE LEFTWARDS
18926 % HARPOON WITH BARB DOWN; \leftrightharpoons (mathabx)
18927 \DeclareTextCommand{\textleftrightharpoons}{\PU}{\051\142}/* U+2962
18928 % U+2963 UPWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS
18929 % HARPOON WITH BARB RIGHT; \upupharpoons (mathabx)
18930 \DeclareTextCommand{\textupupharpoons}{\PU}{\051\143}/* U+2963
18931 % U+2964 RIGHTWARDS HARPOON WITH BARB UP ABOVE RIGHT-
WARDS HARPOON
18932 % WITH BARB DOWN; \rightrightharpoons (mathabx)
18933 \DeclareTextCommand{\textrightrightharpoons}{\PU}{\051\144}/* U+2964
18934 % U+2965 DOWNWARDS HARPOON WITH BARB LEFT BESIDE DOWN-
WARDS HARPOON
18935 % WITH BARB RIGHT; \downdownharpoons (mathabx)
18936 \DeclareTextCommand{\textdowndownharpoons}{\PU}{\051\145}/* U+2965
18937 % U+296A LEFTWARDS HARPOON WITH BARB UP ABOVE LONG DASH;
18938 % \leftbarharpoon (mathabx)
18939 \DeclareTextCommand{\textleftbarharpoon}{\PU}{\051\152}/* U+296A
18940 % U+296B LEFTWARDS HARPOON WITH BARB DOWN BELOW
18941 % LONG DASH; \barleftharpoon (mathabx)
18942 \DeclareTextCommand{\textbarleftharpoon}{\PU}{\051\153}/* U+196B
18943 % U+296C RIGHTWARDS HARPOON WITH BARB UP ABOVE
18944 % LONG DASH; \rightbarharpoon (mathabx)
18945 \DeclareTextCommand{\textrightbarharpoon}{\PU}{\051\154}/* U+296C

```

```

18946 % U+296D RIGHTWARDS HARPOON WITH BARB DOWN BELOW
18947 % LONG DASH; \barrightharpoon (mathabx)
18948 \DeclareTextCommand{\textbarrightharpoon}{PU}{\051\155}/* U+296D
18949 % U+296E UPWARDS HARPOON WITH BARB LEFT BESIDE DOWN-
    WARDS HARPOON
18950 % WITH BARB RIGHT; \updownharpoons (mathabx)
18951 \DeclareTextCommand{\textupdownharpoons}{PU}{\051\156}/* U+296E
18952 % U+296F DOWNWARDS HARPOON WITH BARB LEFT BESIDE UP-
    WARDS HARPOON
18953 % WITH BARB RIGHT; \downupharpoons (mathabx)
18954 \DeclareTextCommand{\textdownupharpoons}{PU}{\051\157}/* U+296F

```

50.2.32 Miscellaneous Mathematical Symbols-B: U+2980 to U+29FF

```

18955 % U+29B6 CIRCLED VERTICAL BAR; \obar (stmaryrd)
18956 \DeclareTextCommand{\textobar}{PU}{\9051\266}/* U+29B6
18957 /* \textobar -> \textvarobar (stmaryrd)
18958 % U+29B8 CIRCLED REVERSE SOLIDUS; \obslash (stmaryrd)
18959 \DeclareTextCommand{\textobslash}{PU}{\9051\270}/* U+29B8
18960 /* \textobslash -> \circledbslash (txfonts/pxfonts)
18961 /* \textobslash -> \obackslash (mathabx)
18962 /* \textobslash -> \varobslash (stmaryrd)
18963 % U+29BA CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF
18964 % DIVIDED BY VERTICAL BAR; \obot (mathabx)
18965 \DeclareTextCommand{\textobot}{PU}{\9051\272}/* U+29BA
18966 /* \textobot -> \odplus (ulsy)
18967 % U+29C0 CIRCLED LESS-THAN; \olessthan (stmaryrd)
18968 \DeclareTextCommand{\textolessthan}{PU}{\9051\300}/* U+29C0
18969 /* \textolessthan -> \varolessthan (stmaryrd)
18970 % U+29C1 CIRCLED GREATER-THAN; \ogreaterthan (stmaryrd)
18971 \DeclareTextCommand{\textogreaterthan}{PU}{\9051\301}/* U+29C1
18972 /* \textogreaterthan -> \varogreaterthan (stmaryrd)
18973 % U+29C4 SQUARED RISING DIAGONAL SLASH; \boxslash (mathabx, stmaryrd)
18974 \DeclareTextCommand{\textboxslash}{PU}{\9051\304}/* U+29C4
18975 % U+29C5 SQUARED FALLING DIAGONAL SLASH; \boxbslash (stmaryrd)
18976 \DeclareTextCommand{\textboxbslash}{PU}{\9051\305}/* U+29C5
18977 % U+29C6 SQUARED ASTERISK; \boxast (stmaryrd)
18978 \DeclareTextCommand{\textboxast}{PU}{\9051\306}/* U+29C6
18979 % U+29C7 SQUARED SMALL CIRCLE; \boxcircle (stmaryrd)
18980 \DeclareTextCommand{\textboxcircle}{PU}{\9051\307}/* U+29C7
18981 % U+29C8 SQUARED SQUARE; \boxbox (stmaryrd)
18982 \DeclareTextCommand{\textboxbox}{PU}{\9051\310}/* U+29C8
18983 % U+29DF DOUBLE-ENDED MULTIMAP; \multimapboth (txfonts/pxfonts)
18984 \DeclareTextCommand{\textmultimapboth}{PU}{\9051\337}/* U+29DF
18985 % U+29E2 SHUFFLE PRODUCT; \shuffle (shuffle)
18986 \DeclareTextCommand{\textshuffle}{PU}{\9051\342}/* U+29E2

```

50.2.33 Supplemental Mathematical Operators: U+2A00 to U+2AFF

```

18987 % U+2A04 N-ARY UNION OPERATOR WITH PLUS; \uplus (LaTeX)
18988 \DeclareTextCommand{\textuplus}{PU}{\9052\004}/* U+2A04
18989 % U+2A07 TWO LOGICAL AND OPERATOR; \bigdoublewedge (MnSymbol)
18990 \DeclareTextCommand{\textbigdoublewedge}{PU}{\9052\007}/* U+2A07
18991 % U+2A08 TWO LOGICAL OR OPERATOR; \bigdoublevee (MnSymbol)
18992 \DeclareTextCommand{\textbigdoublevee}{PU}{\9052\010}/* U+2A08
18993 % U+2A1D JOIN; \Join (latexsym, amsfonts, amssymb, mathabx, txfonts,
18994 % pxfonts, wasysym)
18995 \DeclareTextCommand{\textJoin}{PU}{\9052\035}/* U+2A1D
18996 % U+2A22 PLUS SIGN WITH SMALL CIRCLE ABOVE; \circplus (mathabx)

```

```

18997 \DeclareTextCommand{\textcircplus}{\PU}{\9052\042}/* U+2A22
18998 % U+2A2A MINUS SIGN WITH DOT BELOW; \minusdot (MnSymbol)
18999 \DeclareTextCommand{\textminusdot}{\PU}{\9052\052}/* U+2A2A
19000 /* \textminusdot -> \divdot (mathabx)
19001 % U+2A30 MULTIPLICATION SIGN WITH DOT ABOVE; \dottimes (math-
    abx)
19002 \DeclareTextCommand{\textdottimes}{\PU}{\9052\060}/* U+2A30
19003 % U+2A32 SEMIDIRECT PRODUCT WITH BOTTOM CLOSED;
19004 % \dtimes (mathdesign)
19005 \DeclareTextCommand{\textdtimes}{\PU}{\9052\062}/* U+2A32
19006 % U+2A38 CIRCLED DIVISION SIGN; \odiv (mathabx)
19007 \DeclareTextCommand{\textodiv}{\PU}{\9052\070}/* U+2A38
19008 % U+2A3C INTERIOR PRODUCT; \invneg (MnSymbol)
19009 \DeclareTextCommand{\textinvneg}{\PU}{\9052\074}/* U+2A3C
19010 % U+2A4E DOUBLE SQUARE INTERSECTION; \sqdoublecap (mathabx)
19011 \DeclareTextCommand{\textsqdoublecap}{\PU}{\9052\116}/* U+2A4E
19012 /* \textsqdoublecap -> \doublesqcap (MnSymbol)
19013 % U+2A40 INTERSECTION WITH DOT; \capdot (MnSymbol)
19014 \DeclareTextCommand{\textcapdot}{\PU}{\9052\100}/* U+2A40
19015 % U+2A4F DOUBLE SQUARE UNION; \sqdoublecup (mathabx)
19016 \DeclareTextCommand{\textsqdoublecup}{\PU}{\9052\117}/* U+2A4F
19017 /* \textsqdoublecup -> \doublesqcup (MnSymbol)
19018 % U+2A55 TWO INTERSECTING LOGICAL AND; \doublewedge (MnSymbol)
19019 \DeclareTextCommand{\textdoublewedge}{\PU}{\9052\125}/* U+2A55
19020 % U+2A56 TWO INTERSECTING LOGICAL OR; \doublevee (MnSymbol)
19021 \DeclareTextCommand{\textdoublevee}{\PU}{\9052\126}/* U+2A56
19022 /* \textdoublevee -> \merge (stmaryrd)
19023 % U+2A5E LOGICAL AND WITH DOUBLE OVERBAR;
19024 % \doublebarwedge (AmS)
19025 \DeclareTextCommand{\textdoublebarwedge}{\PU}{\9052\136}/* U+2A5E
19026 % U+2A63 LOGICAL OR WITH DOUBLE UNDERBAR;
19027 % \veedoublebar (mahtabx)
19028 \DeclareTextCommand{\textveedoublebar}{\PU}{\9052\143}/* U+2A63
19029 % U+2A66 EQUALS SIGN WITH DOT BELOW; \eqdot (MnSymbol)
19030 \DeclareTextCommand{\texteqdot}{\PU}{\9052\146}/* U+2A66
19031 % U+2A74 DOUBLE COLON EQUAL; \coloncolonquals (colonquals)
19032 \DeclareTextCommand{\textcoloncolonquals}{\PU}{\9052\164}/* U+2A74
19033 % U+2A7D LESS-THAN OR SLANTED EQUAL TO; \leqslant (AmS)
19034 \DeclareTextCommand{\textleqslant}{\PU}{\9052\175}/* U+2A7D
19035 % U+2A7E GREATER-THAN OR SLANTED EQUAL TO; \geqslant (AmS)
19036 \DeclareTextCommand{\textgeqslant}{\PU}{\9052\176}/* U+2A7E
19037 % U+2A85 LESS-THAN OR APPROXIMATE; \lessapprox (AmS)
19038 \DeclareTextCommand{\textlessapprox}{\PU}{\9052\205}/* U+2A85
19039 % U+2A86 GREATER-THAN OR APPROXIMATE; \gtrapprox (AmS)
19040 \DeclareTextCommand{\textgtrapprox}{\PU}{\9052\206}/* U+2A86
19041 % U+2A87 LESS-THAN AND SINGLE-LINE NOT EQUAL TO; \lneq (AmS)
19042 \DeclareTextCommand{\textlneq}{\PU}{\9052\207}/* U+2A87
19043 % U+2A88 GREATER-THAN AND SINGLE-LINE NOT EQUAL TO;
19044 % \gneq (AmS)
19045 \DeclareTextCommand{\textgneq}{\PU}{\9052\210}/* U+2A88
19046 % U+2A89 LESS-THAN AND NOT APPROXIMATE; \lnapprox (AmS)
19047 \DeclareTextCommand{\textlnapprox}{\PU}{\9052\211}/* U+2A89
19048 % U+2A8A GREATER-THAN AND NOT APPROXIMATE; \gnapprox (AmS)
19049 \DeclareTextCommand{\textgnapprox}{\PU}{\9052\212}/* U+2A8A
19050 % U+2A8B LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN;
19051 % \lesseqgtr (AmS)
19052 \DeclareTextCommand{\textlesseqgtr}{\PU}{\9052\213}/* U+2A8B

```

```

19053 % U+2A8C GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN;
19054 % \gtreqless (AmS)
19055 \DeclareTextCommand{\textgtreqless}{\PU}{\9052\214}/* U+2A8C
19056 % U+2A95 SLANTED EQUAL TO OR LESS-THAN; \eqslantless (AmS)
19057 \DeclareTextCommand{\texteqslantless}{\PU}{\9052\225}/* U+2A95
19058 % U+2A96 SLANTED EQUAL TO OR GREATER-THAN; \eqslantgtr (AmS)
19059 \DeclareTextCommand{\texteqslantgtr}{\PU}{\9052\226}/* U+2A96
19060 % U+2AA6 LESS-THAN CLOSED BY CURVE; \leftslice (stmaryrd)
19061 \DeclareTextCommand{\textleftslice}{\PU}{\9052\246}/* U+2AA6
19062 % U+2AA7 GREATER-THAN CLOSED BY CURVE; \rightslice (stmaryrd)
19063 \DeclareTextCommand{\textrightslice}{\PU}{\9052\247}/* U+2AA7
19064 % U+2AAF PRECEDES ABOVE SINGLE-LINE EQUALS SIGN; \preceq (Mn-
    Symbol)
19065 \DeclareTextCommand{\textpreceq}{\PU}{\9052\257}/* U+2AAF
19066 % U+2AB0 SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN; \succeq (Mn-
    Symbol)
19067 \DeclareTextCommand{\textsucceq}{\PU}{\9052\260}/* U+2AB0
19068 % U+2AB1 PRECEDES ABOVE SINGLE-LINE NOT EQUAL TO; \prec-
    neq (mathabx)
19069 \DeclareTextCommand{\textprecneq}{\PU}{\9052\261}/* U+2AB1
19070 % U+2AB2 SUCCEEDS ABOVE SINGLE-LINE NOT EQUAL TO; \succ-
    neq (mathabx)
19071 \DeclareTextCommand{\textsuccneq}{\PU}{\9052\262}/* U+2AB2
19072 % U+2AB3 PRECEDES ABOVE EQUALS SIGN; \preceqq (txfonts/pxfonts)
19073 \DeclareTextCommand{\textpreceqq}{\PU}{\9052\263}/* U+2AB3
19074 % U+2AB4 SUCCEEDS ABOVE EQUALS SIGN; \succeqq (txfonts/pxfonts)
19075 \DeclareTextCommand{\textsucceqq}{\PU}{\9052\264}/* U+2AB4
19076 % U+2AB5 PRECEDES ABOVE NOT EQUAL TO; \precneqq (txfonts/pxfonts)
19077 \DeclareTextCommand{\textprecneqq}{\PU}{\9052\265}/* U+2AB5
19078 % U+2AB6 SUCCEEDS ABOVE NOT EQUAL TO; \succneqq (txfonts/pxfonts)
19079 \DeclareTextCommand{\textsuccneqq}{\PU}{\9052\266}/* U+2AB6
19080 % U+2AB7 PRECEDES ABOVE ALMOST EQUAL TO; \precapprox (AmS)
19081 \DeclareTextCommand{\textprecapprox}{\PU}{\9052\267}/* U+2AB7
19082 % U+2AB8 SUCCEEDS ABOVE ALMOST EQUAL TO; \succapprox (AmS)
19083 \DeclareTextCommand{\textsuccapprox}{\PU}{\9052\270}/* U+2AB8
19084 % U+2AB9 PRECEDES ABOVE NOT ALMOST EQUAL TO; \precnap-
    prox (AmS)
19085 \DeclareTextCommand{\textprecnapprox}{\PU}{\9052\271}/* U+2AB9
19086 % U+2ABA SUCCEEDS ABOVE NOT ALMOST EQUAL TO; \succnap-
    prox (AmS)
19087 \DeclareTextCommand{\textsuccnapprox}{\PU}{\9052\272}/* U+2ABA
19088 % U+2AC5 SUBSET OF ABOVE EQUALS SIGN; \subseteqq (AmS)
19089 \DeclareTextCommand{\textsubseteqq}{\PU}{\9052\305}/* U+2AC5
19090 % U+2AC6 SUPERSET OF ABOVE EQUALS SIGN; \supseteqq (AmS)
19091 \DeclareTextCommand{\textsupseteqq}{\PU}{\9052\306}/* U+2AC6
19092 % U+2AE3 DOUBLE VERTICAL BAR LEFT TURNSTILE
19093 \DeclareTextCommand{\textdashV}{\PU}{\9052\343}/* U+2AE3
19094 /* \textdashV -> \leftVdash (MnSymbol)
19095 % U+2AE4 VERTICAL BAR DOUBLE LEFT TURNSTILE; \Dashv (mathabx)
19096 \DeclareTextCommand{\textDashv}{\PU}{\9052\344}/* U+2AE4
19097 /* \textDashv -> \leftmodels (MnSymbol)
19098 % U+2AE5 DOUBLE VERTICAL BAR DOUBLE LEFT TURNSTILE;
19099 % \DashV (mathabx)
19100 \DeclareTextCommand{\textDashV}{\PU}{\9052\345}/* U+2AE5
19101 /* \textDashV -> \leftModels (MnSymbol)
19102 % U+2AEA DOUBLE DOWN TACK; \downmodels (MnSymbol)
19103 \DeclareTextCommand{\textdownmodels}{\PU}{\9052\352}/* U+2AEA

```

```

19104 % U+2AEB DOUBLE UP TACK; \upmodels (MnSymbol)
19105 \DeclareTextCommand{\textupmodels}{\PU}{\9052\353}/* U+2AEB
19106 % U+2AEF VERTICAL LINE WITH CIRCLE ABOVE; \upspoon (MnSymbol)
19107 \DeclareTextCommand{\textupspoon}{\PU}{\9052\357}/* U+2AEF
19108 % U+2AF4 TRIPLE VERTICAL BAR BINARY RELATION;
19109 % \interleave (stmaryrd)
19110 \DeclareTextCommand{\textinterleave}{\PU}{\9052\364}/* U+2AF4
19111 % U+2AFD DOUBLE SOLIDUS OPERATOR; \sslash (stmaryrd)
19112 \DeclareTextCommand{\textsslash}{\PU}{\9052\375}/* U+2AFD
19113 /* \textsslash -> \varparallel (txfonts\pxfonts)

```

50.2.34 Latin Extended-C: U+2C60 to U+2C7F

```

19114 % U+2C7C LATIN SUBSCRIPT SMALL LETTER J
19115 \DeclareTextCommand{\textjinferior}{\PU}{\9054\174}/* U+2C7C

```

50.2.35 Supplemental Punctuation: U+2E00 to U+2E7F

```

19116 % U+2E13 DOTTED OBELOS; \slashdiv (MnSymbol)
19117 \DeclareTextCommand{\textslashdiv}{\PU}{\9056\023}/* U+2E13
19118 % U+2E18 INVERTED INTERROBANG; \textinterrobangdown (textcomp)
19119 \DeclareTextCommand{\textinterrobangdown}{\PU}{\9056\030}/* U+2E18
19120 % U+2E2D FIVE DOT MARK; \fivedots (MnSymbol)
19121 \DeclareTextCommand{\textfivedots}{\PU}{\9056\055}/* U+2E2D

```

50.2.36 Modifier Tone Letters: U+A700 to U+A71F

```

19122 % U+A71B MODIFIER LETTER RAISED UP ARROW; \textupstep (tipa)
19123 \DeclareTextCommand{\textupstep}{\PU}{\9247\033}/* U+A71B
19124 % U+A71C MODIFIER LETTER RAISED DOWN ARROW;
19125 % \textdownstep (tipa)
19126 \DeclareTextCommand{\textdownstep}{\PU}{\9247\034}/* U+A71C

```

50.2.37 Latin Extended-D: U+A720 to U+A7FF

```

19127 % U+A727 LATIN SMALL LETTER HENG; \textheng (tipx)
19128 \DeclareTextCommand{\textPUheng}{\PU}{\9247\047}/* U+A727
19129 /* \textPUheng -> \textheng (tipx)
19130 % U+A72C LATIN CAPITAL LETTER CUATRILLO; \textlhookfour (tipx)
19131 \DeclareTextCommand{\textPULhookfour}{\PU}{\9247\054}/* U+A72C
19132 /* \textPULhookfour -> \textlhookfour (tipx)
19133 % U+A730 LATIN LETTER SMALL CAPITAL F; \textscf (tipx)
19134 \DeclareTextCommand{\textPUsclf}{\PU}{\9247\060}/* U+A730
19135 /* \textPUsclf -> \textscf (tipx)
19136 % U+A735 LATIN SMALL LETTER AO; \textao (tipx)
19137 \DeclareTextCommand{\textPuaolig}{\PU}{\9247\065}/* U+A735
19138 /* \textPuaolig -> \textao (tipx)
19139 % U+A74F LATIN SMALL LETTER OO; \oo (wsipa)
19140 \DeclareTextCommand{\texttoo}{\PU}{\9247\117}/* U+A74F
19141 % U+A788 MODIFIER LETTER LOW CIRCUMFLEX ACCENT
19142 \DeclareTextCommand{\textcircumlow}{\PU}{\9247\210}/* U+A788

```

50.2.38 Alphabetic Presentation Forms: U+FB00 to U+FB4F

```

19143 % U+FB01 LATIN SMALL LIGATURE FI; fi
19144 \DeclareTextCommand{\textfi}{\PU}{\9373\001}/* U+FB01
19145 % U+FB02 LATIN SMALL LIGATURE FL; fl
19146 \DeclareTextCommand{\textfl}{\PU}{\9373\002}/* U+FB02

```

50.2.39 Musical Symbols: U+1D100 to U+1D1FF

```

19147 % U+1D13B MUSICAL SYMBOL WHOLE REST; \GaPa (harmony)
19148 \DeclareTextCommand{\textGaPa}{\PU}{\9330\064\9335\073}/* U+1D13B

```

```

19149 % U+1D13C MUSICAL SYMBOL HALF REST; \HaPa (harmony)
19150 \DeclareTextCommand{\textHaPa}{PU}{\9330\064\9335\074}/* U+1D13C
19151 % U+1D13D MUSICAL SYMBOL QUARTER REST; \ViPa (harmony)
19152 \DeclareTextCommand{\textViPa}{PU}{\9330\064\9335\075}/* U+1D13D
19153 % U+1D13E MUSICAL SYMBOL EIGHTH REST; \AcPa (harmony)
19154 \DeclareTextCommand{\textAcPa}{PU}{\9330\064\9335\076}/* U+1D13E
19155 % U+1D13F MUSICAL SYMBOL SIXTEENTH REST; \SePa (harmony)
19156 \DeclareTextCommand{\textSePa}{PU}{\9330\064\9335\077}/* U+1D13F
19157 % U+1D140 MUSICAL SYMBOL THIRTY-SECOND REST; \ZwPa (harmony)
19158 \DeclareTextCommand{\textZwPa}{PU}{\9330\064\9335\100}/* U+1D140
19159 % U+1D15D MUSICAL SYMBOL WHOLE NOTE; \fullnote (wasysym)
19160 \DeclareTextCommand{\textfullnote}{PU}{\9330\064\9335\135}/* U+1D15D
19161 /* \textfullnote -> \Ganz (harmony)
19162 % U+1D15E MUSICAL SYMBOL HALF NOTE; \halfnote (wasysym)
19163 \DeclareTextCommand{\texthalfnote}{PU}{\9330\064\9335\136}/* U+1D15E
19164 /* \texthalfnote -> \Halb (harmony)
19165 % U+1D15F MUSICAL SYMBOL QUARTER NOTE; \Vier (harmony)
19166 \DeclareTextCommand{\textVier}{PU}{\9330\064\9335\137}/* U+1D15F
19167 % U+1D160 MUSICAL SYMBOL EIGHTH NOTE; \Acht (harmony)
19168 \DeclareTextCommand{\textAcht}{PU}{\9330\064\9335\140}/* U+1D160
19169 % U+1D161 MUSICAL SYMBOL SIXTEENTH NOTE; \Sech (harmony)
19170 \DeclareTextCommand{\textSech}{PU}{\9330\064\9335\141}/* U+1D161
19171 % U+1D162 MUSICAL SYMBOL THIRTY-SECOND NOTE; \Zwdr (harmony)
19172 \DeclareTextCommand{\textZwdr}{PU}{\9330\064\9335\142}/* U+1D162

```

50.2.40 Miscellaneous Symbols and Pictographs: U+1F300 to U+1F5FF

```

19173 % U+1F30D EARTH GLOBE EUROPE-AFRICA; \Mundus (marvosym)
19174 \DeclareTextCommand{\textMundus}{PU}{\9330\074\9337\015}/* U+1F30D
19175 % U+1F469 WOMAN; \Womanface (marvosym)
19176 \DeclareTextCommand{\textWomanface}{PU}{\9330\075\9334\151}/* U+1F469
19177 % U+1F525 FIRE; \Fire (ifsym)
19178 \DeclareTextCommand{\textFire}{PU}{\9330\075\9335\045}/* U+1F525

```

50.2.41 Transport and Map Symbols: U+1F680 to U+1F6FF

```

19179 % U+1F6B2 BICYCLE; \Bicycle (marvosym)
19180 \DeclareTextCommand{\textBicycle}{PU}{\9330\075\9336\262}/* U+1F6B2
19181 % U+1F6B9 MENS SYMBOL; \Gentsroom (marvosym)
19182 \DeclareTextCommand{\textGentsroom}{PU}{\9330\075\9336\271}/* U+1F6B9
19183 % U+1F6BA WOMENS SYMBOL; \Ladiesroom (marvosym)
19184 \DeclareTextCommand{\textLadiesroom}{PU}{\9330\075\9336\272}/* U+1F6BA

```

50.2.42 Miscellaneous

```

19185 \DeclareTextCommand{\SS}{PU}{\SS}
19186 % \textcopyright (textcomp)
19187 \DeclareTextCommand{\textcopyright}{PU}{\9041\204\9040\335}/* U+2184 U+20DD
19188 % \ccnc (ccllicenses)
19189 \DeclareTextCommand{\textccnc}{PU}{\80\044\9040\340}/* U+0024 U+20E0
19190 % \ccnd (ccllicenses)
19191 \DeclareTextCommand{\textccnd}{PU}{=\9040\335}/* U+003D U+20DD
19192 % \ccsa (ccllicenses)
19193 \DeclareTextCommand{\textccsa}{PU}{\9047\362\9040\335}/* U+27F2 U+20DD
19194 % \CircledA (marvosym)
19195 \DeclareTextCommand{\textCircledA}{PU}{A\9040\335}/* U+0041 U+20DD
19196 % \Info (marvosym, china2e)
19197 \DeclareTextCommand{\textInfo}{PU}{\9330\065\9334\042\940\336}/* U+1D422 U+20DE

```

50.2.43 Aliases

Aliases (german.sty)

```
19198 \DeclareTextCommand{\textglqq}{PU}{\quotedblbase}
19199 \DeclareTextCommand{\textgrqq}{PU}{\textquotedblleft}
19200 \DeclareTextCommand{\textglq}{PU}{\quotesinglbase}
19201 \DeclareTextCommand{\textgrq}{PU}{\textquotelleft}
19202 \DeclareTextCommand{\textflqq}{PU}{\guillemotleft}
19203 \DeclareTextCommand{\textfrqq}{PU}{\guillemotright}
19204 \DeclareTextCommand{\textflq}{PU}{\guilsinglleft}
19205 \DeclareTextCommand{\textfrq}{PU}{\guilsinglright}
```

Aliases (math names)

```
19206 \DeclareTextCommand{\textneg}{PU}{\textlogicalnot}%
19207 \DeclareTextCommand{\texttimes}{PU}{\textmultiply}%
19208 \DeclareTextCommand{\textdiv}{PU}{\textdivide}%
19209 \DeclareTextCommand{\textpm}{PU}{\textplusminus}%
19210 \DeclareTextCommand{\textcdot}{PU}{\textperiodcentered}%
19211 /puenc
```

50.3 PU encoding, additions for VnTeX

This file is provided by Han The Thanh.

19212 {*puvnenc}

```
19213 \DeclareTextCommand{\abreve}{PU}{\81\003}%
19214 \DeclareTextCommand{\acircumflex}{PU}{\80\342}%
19215 \DeclareTextCommand{\ecircumflex}{PU}{\80\352}%
19216 \DeclareTextCommand{\ocircumflex}{PU}{\80\364}%
19217 \DeclareTextCommand{\ohorn}{PU}{\81\241}%
19218 \DeclareTextCommand{\uhorn}{PU}{\81\260}%
19219 \DeclareTextCommand{\ABREVE}{PU}{\81\002}%
19220 \DeclareTextCommand{\ACIRCUMFLEX}{PU}{\80\302}%
19221 \DeclareTextCommand{\ECIRCUMFLEX}{PU}{\80\312}%
19222 \DeclareTextCommand{\OCIRCUMFLEX}{PU}{\80\324}%
19223 \DeclareTextCommand{\OHORN}{PU}{\81\240}%
19224 \DeclareTextCommand{\UHORN}{PU}{\81\257}%
19225 \DeclareTextCompositeCommand{\'}{PU}{a}{\80\341}%
19226 \DeclareTextCompositeCommand{\d}{PU}{a}{\9036\241}%
19227 \DeclareTextCompositeCommand{\'}{PU}{a}{\80\340}%
19228 \DeclareTextCompositeCommand{\h}{PU}{a}{\9036\243}%
19229 \DeclareTextCompositeCommand{\~}{PU}{a}{\80\343}%
19230 \DeclareTextCompositeCommand{\'}{PU}{\abreve}{\9036\257}%
19231 \DeclareTextCompositeCommand{\d}{PU}{\abreve}{\9036\267}%
19232 \DeclareTextCompositeCommand{\'}{PU}{\abreve}{\9036\261}%
19233 \DeclareTextCompositeCommand{\h}{PU}{\abreve}{\9036\263}%
19234 \DeclareTextCompositeCommand{\~}{PU}{\abreve}{\9036\265}%
19235 \DeclareTextCompositeCommand{\'}{PU}{\acircumflex}{\9036\245}%
19236 \DeclareTextCompositeCommand{\d}{PU}{\acircumflex}{\9036\255}%
19237 \DeclareTextCompositeCommand{\'}{PU}{\acircumflex}{\9036\247}%
19238 \DeclareTextCompositeCommand{\h}{PU}{\acircumflex}{\9036\251}%
19239 \DeclareTextCompositeCommand{\~}{PU}{\acircumflex}{\9036\253}%
19240 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\351}%
19241 \DeclareTextCompositeCommand{\d}{PU}{e}{\9036\271}%
19242 \DeclareTextCompositeCommand{\'}{PU}{e}{\80\350}%
19243 \DeclareTextCompositeCommand{\h}{PU}{e}{\9036\273}%
19244 \DeclareTextCompositeCommand{\~}{PU}{e}{\9036\275}%

```

```

19245 \DeclareTextCompositeCommand{\'}{\PU}{\ecircumflex}{\9036\277}% U+1EBF
19246 \DeclareTextCompositeCommand{\d}{\PU}{\ecircumflex}{\9036\307}% U+1EC7
19247 \DeclareTextCompositeCommand{\'}{\PU}{\ecircumflex}{\9036\301}% U+1EC1
19248 \DeclareTextCompositeCommand{\h}{\PU}{\ecircumflex}{\9036\303}% U+1EC3
19249 \DeclareTextCompositeCommand{\~}{\PU}{\ecircumflex}{\9036\305}% U+1EC5
19250 \DeclareTextCompositeCommand{\'}{\PU}{\i}{\80\355}% U+00ED
19251 \DeclareTextCompositeCommand{\d}{\PU}{\i}{\9036\313}% U+1ECB
19252 \DeclareTextCompositeCommand{\'}{\PU}{\i}{\80\354}% U+00EC
19253 \DeclareTextCompositeCommand{\h}{\PU}{\i}{\9036\311}% U+1EC9
19254 \DeclareTextCompositeCommand{\~}{\PU}{\i}{\81\051}% U+0129
19255 \DeclareTextCompositeCommand{\'}{\PU}{\o}{\80\363}% U+00F3
19256 \DeclareTextCompositeCommand{\d}{\PU}{\o}{\9036\315}% U+1ECD
19257 \DeclareTextCompositeCommand{\'}{\PU}{\o}{\80\362}% U+00F2
19258 \DeclareTextCompositeCommand{\h}{\PU}{\o}{\9036\317}% U+1ECF
19259 \DeclareTextCompositeCommand{\~}{\PU}{\o}{\80\365}% U+00F5
19260 \DeclareTextCompositeCommand{\'}{\PU}{\ocircumflex}{\9036\321}% U+1ED1
19261 \DeclareTextCompositeCommand{\d}{\PU}{\ocircumflex}{\9036\331}% U+1ED9
19262 \DeclareTextCompositeCommand{\'}{\PU}{\ocircumflex}{\9036\323}% U+1ED3
19263 \DeclareTextCompositeCommand{\h}{\PU}{\ocircumflex}{\9036\325}% U+1ED5
19264 \DeclareTextCompositeCommand{\~}{\PU}{\ocircumflex}{\9036\327}% U+1ED7
19265 \DeclareTextCompositeCommand{\'}{\PU}{\ohorn}{\9036\333}% U+1EDB
19266 \DeclareTextCompositeCommand{\d}{\PU}{\ohorn}{\9036\343}% U+1EE3
19267 \DeclareTextCompositeCommand{\'}{\PU}{\ohorn}{\9036\335}% U+1EDD
19268 \DeclareTextCompositeCommand{\h}{\PU}{\ohorn}{\9036\337}% U+1EDF
19269 \DeclareTextCompositeCommand{\~}{\PU}{\ohorn}{\9036\341}% U+1EE1
19270 \DeclareTextCompositeCommand{\'}{\PU}{\u}{\80\372}% U+00FA
19271 \DeclareTextCompositeCommand{\d}{\PU}{\u}{\9036\345}% U+1EE5
19272 \DeclareTextCompositeCommand{\'}{\PU}{\u}{\80\371}% U+00F9
19273 \DeclareTextCompositeCommand{\h}{\PU}{\u}{\9036\347}% U+1EE7
19274 \DeclareTextCompositeCommand{\~}{\PU}{\u}{\81\151}% U+0169
19275 \DeclareTextCompositeCommand{\'}{\PU}{\uhorn}{\9036\351}% U+1EE9
19276 \DeclareTextCompositeCommand{\d}{\PU}{\uhorn}{\9036\361}% U+1EF1
19277 \DeclareTextCompositeCommand{\'}{\PU}{\uhorn}{\9036\353}% U+1EEB
19278 \DeclareTextCompositeCommand{\h}{\PU}{\uhorn}{\9036\355}% U+1EED
19279 \DeclareTextCompositeCommand{\~}{\PU}{\uhorn}{\9036\357}% U+1EEF
19280 \DeclareTextCompositeCommand{\'}{\PU}{\y}{\80\375}% U+00FD
19281 \DeclareTextCompositeCommand{\d}{\PU}{\y}{\9036\365}% U+1EF5
19282 \DeclareTextCompositeCommand{\'}{\PU}{\y}{\9036\363}% U+1EF3
19283 \DeclareTextCompositeCommand{\h}{\PU}{\y}{\9036\367}% U+1EF7
19284 \DeclareTextCompositeCommand{\~}{\PU}{\y}{\9036\371}% U+1EF9
19285 \DeclareTextCompositeCommand{\'}{\PU}{\A}{\80\301}% U+00C1
19286 \DeclareTextCompositeCommand{\d}{\PU}{\A}{\9036\240}% U+1EA0
19287 \DeclareTextCompositeCommand{\'}{\PU}{\A}{\80\300}% U+00C0
19288 \DeclareTextCompositeCommand{\h}{\PU}{\A}{\9036\242}% U+1EA2
19289 \DeclareTextCompositeCommand{\~}{\PU}{\A}{\80\303}% U+00C3
19290 \DeclareTextCompositeCommand{\'}{\PU}{\ABREVE}{\9036\256}% U+1EAE
19291 \DeclareTextCompositeCommand{\d}{\PU}{\ABREVE}{\9036\266}% U+1EB6
19292 \DeclareTextCompositeCommand{\'}{\PU}{\ABREVE}{\9036\260}% U+1EB0
19293 \DeclareTextCompositeCommand{\h}{\PU}{\ABREVE}{\9036\262}% U+1EB2
19294 \DeclareTextCompositeCommand{\~}{\PU}{\ABREVE}{\9036\264}% U+1EB4
19295 \DeclareTextCompositeCommand{\'}{\PU}{\ACIRCUMFLEX}{\9036\244}% U+1EA4
19296 \DeclareTextCompositeCommand{\d}{\PU}{\ACIRCUMFLEX}{\9036\254}% U+1EAC
19297 \DeclareTextCompositeCommand{\'}{\PU}{\ACIRCUMFLEX}{\9036\246}% U+1EA6
19298 \DeclareTextCompositeCommand{\h}{\PU}{\ACIRCUMFLEX}{\9036\250}% U+1EA8
19299 \DeclareTextCompositeCommand{\~}{\PU}{\ACIRCUMFLEX}{\9036\252}% U+1EAA
19300 \DeclareTextCompositeCommand{\'}{\PU}{\E}{\80\311}% U+00C9
19301 \DeclareTextCompositeCommand{\d}{\PU}{\E}{\9036\270}% U+1EB8

```

```

19302 \DeclareTextCompositeCommand{\'}{PU}{E}{\80\310}% U+00C8
19303 \DeclareTextCompositeCommand{\h}{PU}{E}{\9036\272}% U+1EBA
19304 \DeclareTextCompositeCommand{\~}{PU}{E}{\9036\274}% U+1EBC
19305 \DeclareTextCompositeCommand{\'}{PU}{\ECIRCUMFLEX}{\9036\276}% U+1EBE
19306 \DeclareTextCompositeCommand{\d}{PU}{\ECIRCUMFLEX}{\9036\306}% U+1EC6
19307 \DeclareTextCompositeCommand{\'}{PU}{\ECIRCUMFLEX}{\9036\300}% U+1EC0
19308 \DeclareTextCompositeCommand{\h}{PU}{\ECIRCUMFLEX}{\9036\302}% U+1EC2
19309 \DeclareTextCompositeCommand{\~}{PU}{\ECIRCUMFLEX}{\9036\304}% U+1EC4
19310 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\315}% U+00CD
19311 \DeclareTextCompositeCommand{\d}{PU}{I}{\9036\312}% U+1ECA
19312 \DeclareTextCompositeCommand{\'}{PU}{I}{\80\314}% U+00CC
19313 \DeclareTextCompositeCommand{\h}{PU}{I}{\9036\310}% U+1EC8
19314 \DeclareTextCompositeCommand{\~}{PU}{I}{\81\050}% U+0128
19315 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\323}% U+00D3
19316 \DeclareTextCompositeCommand{\d}{PU}{O}{\9036\314}% U+1ECC
19317 \DeclareTextCompositeCommand{\'}{PU}{O}{\80\322}% U+00D2
19318 \DeclareTextCompositeCommand{\h}{PU}{O}{\9036\316}% U+1ECE
19319 \DeclareTextCompositeCommand{\~}{PU}{O}{\80\325}% U+00D5
19320 \DeclareTextCompositeCommand{\'}{PU}{\OCIRCUMFLEX}{\9036\320}% U+1ED0
19321 \DeclareTextCompositeCommand{\d}{PU}{\OCIRCUMFLEX}{\9036\330}% U+1ED8
19322 \DeclareTextCompositeCommand{\'}{PU}{\OCIRCUMFLEX}{\9036\322}% U+1ED2
19323 \DeclareTextCompositeCommand{\h}{PU}{\OCIRCUMFLEX}{\9036\324}% U+1ED4
19324 \DeclareTextCompositeCommand{\~}{PU}{\OCIRCUMFLEX}{\9036\326}% U+1ED6
19325 \DeclareTextCompositeCommand{\'}{PU}{\OHORN}{\9036\332}% U+1EDA
19326 \DeclareTextCompositeCommand{\d}{PU}{\OHORN}{\9036\342}% U+1EE2
19327 \DeclareTextCompositeCommand{\'}{PU}{\OHORN}{\9036\334}% U+1EDC
19328 \DeclareTextCompositeCommand{\h}{PU}{\OHORN}{\9036\336}% U+1EDE
19329 \DeclareTextCompositeCommand{\~}{PU}{\OHORN}{\9036\340}% U+1EE0
19330 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\332}% U+00DA
19331 \DeclareTextCompositeCommand{\d}{PU}{U}{\9036\344}% U+1EE4
19332 \DeclareTextCompositeCommand{\'}{PU}{U}{\80\331}% U+00D9
19333 \DeclareTextCompositeCommand{\h}{PU}{U}{\9036\346}% U+1EE6
19334 \DeclareTextCompositeCommand{\~}{PU}{U}{\81\150}% U+0168
19335 \DeclareTextCompositeCommand{\'}{PU}{\UHORN}{\9036\350}% U+1EE8
19336 \DeclareTextCompositeCommand{\d}{PU}{\UHORN}{\9036\360}% U+1EF0
19337 \DeclareTextCompositeCommand{\'}{PU}{\UHORN}{\9036\352}% U+1EEA
19338 \DeclareTextCompositeCommand{\h}{PU}{\UHORN}{\9036\354}% U+1EEC
19339 \DeclareTextCompositeCommand{\~}{PU}{\UHORN}{\9036\356}% U+1EEE
19340 \DeclareTextCompositeCommand{\'}{PU}{Y}{\80\335}% U+00DD
19341 \DeclareTextCompositeCommand{\d}{PU}{Y}{\9036\364}% U+1EF4
19342 \DeclareTextCompositeCommand{\'}{PU}{Y}{\9036\362}% U+1EF2
19343 \DeclareTextCompositeCommand{\h}{PU}{Y}{\9036\366}% U+1EF6
19344 \DeclareTextCompositeCommand{\~}{PU}{Y}{\9036\370}% U+1EF8
19345 </puvnenc>

```

50.4 PU encoding, additions for Arabi

This file is provided and maintained by Youssef Jabri.

```

19346 (*puarenc)
19347 % U+0621;afii57409;ARABIC LETTER HAMZA
19348 \DeclareTextCommand{\hamza}{PU}{\86\041}% U+0621
19349 % U+0622;afii57410;ARABIC LETTER ALEF WITH MADDA ABOVE
19350 \DeclareTextCommand{\alefmadda}{PU}{\86\042}% U+0622
19351 % U+0623;afii57411;ARABIC LETTER ALEF WITH HAMZA ABOVE
19352 \DeclareTextCommand{\alefhamza}{PU}{\86\043}% U+0623
19353 % U+0624;afii57412;ARABIC LETTER WAW WITH HAMZA ABOVE

```

19354 \DeclareTextCommand{\wawhamza}{PU}{\86\044} % U+0624
19355 % U+0625;afii57413;ARABIC LETTER ALEF WITH HAMZA BELOW
19356 \DeclareTextCommand{\aleflowerhamza}{PU}{\86\045}% U+0625
19357 % U+0626;afii57414;ARABIC LETTER YEH WITH HAMZA ABOVE
19358 \DeclareTextCommand{\yahamza}{PU}{\86\046}% U+0626
19359 % U+0627;afii57415;ARABIC LETTER ALEF
19360 \DeclareTextCommand{\alef}{PU}{\86\047}% U+0627
19361 % U+0628;afii57416;ARABIC LETTER BEH
19362 \DeclareTextCommand{\baa}{PU}{\86\050}% U+0628
19363 % U+0629;afii57417;ARABIC LETTER TEH MARBUTA
19364 \DeclareTextCommand{\T}{PU}{\86\051}% U+0629
19365 % U+062A;afii57418;ARABIC LETTER TEH
19366 \DeclareTextCommand{\taa}{PU}{\86\052}% U+062A
19367 % U+062B;afii57419;ARABIC LETTER THEH
19368 \DeclareTextCommand{\thaa}{PU}{\86\053}% U+062B
19369 % U+062C;afii57420;ARABIC LETTER JEEM
19370 \DeclareTextCommand{\jeem}{PU}{\86\054}% U+062C
19371 % U+062D;afii57421;ARABIC LETTER HAH
19372 \DeclareTextCommand{\Haa}{PU}{\86\055}% U+062D
19373 % U+062E;afii57422;ARABIC LETTER KHAH
19374 \DeclareTextCommand{\kha}{PU}{\86\056}% U+062E
19375 % U+062F;afii57423;ARABIC LETTER DAL
19376 \DeclareTextCommand{\dal}{PU}{\86\057}% U+062F
19377 % U+0630;afii57424;ARABIC LETTER THAL
19378 \DeclareTextCommand{\dhal}{PU}{\86\060}% U+0630
19379 % U+0631;afii57425;ARABIC LETTER REH
19380 \DeclareTextCommand{\ra}{PU}{\86\061}% U+0631
19381 % U+0632;afii57426;ARABIC LETTER ZAIN
19382 \DeclareTextCommand{\zay}{PU}{\86\062}% U+0632
19383 % U+0633;afii57427;ARABIC LETTER SEEN
19384 \DeclareTextCommand{\seen}{PU}{\86\063}% U+0633
19385 % U+0634;afii57428;ARABIC LETTER SHEEN
19386 \DeclareTextCommand{\sheen}{PU}{\86\064}% U+0634
19387 % U+0635;afii57429;ARABIC LETTER SAD
19388 \DeclareTextCommand{\sad}{PU}{\86\065}% U+0635
19389 % U+0636;afii57430;ARABIC LETTER DAD
19390 \DeclareTextCommand{\dad}{PU}{\86\066}% U+0636
19391 % U+0637;afii57431;ARABIC LETTER TAH
19392 \DeclareTextCommand{\Ta}{PU}{\86\067}% U+0637
19393 % U+0638;afii57432;ARABIC LETTER ZAH
19394 \DeclareTextCommand{\za}{PU}{\86\070}% U+0638
19395 % U+0639;afii57433;ARABIC LETTER AIN
19396 \DeclareTextCommand{\ayn}{PU}{\86\071}% U+0639
19397 % U+063A;afii57434;ARABIC LETTER GHAIN
19398 \DeclareTextCommand{\ghayn}{PU}{\86\072}% U+063A
19399 % U+0640;afii57440;ARABIC TATWEEL
19400 \DeclareTextCommand{\tatweel}{PU}{\86\100}% U+0640
19401 % U+0641;afii57441;ARABIC LETTER FEH
19402 \DeclareTextCommand{\fa}{PU}{\86\101}% U+0641
19403 % U+0642;afii57442;ARABIC LETTER QAF
19404 \DeclareTextCommand{\qaf}{PU}{\86\102}% U+0642
19405 % U+0643;afii57443;ARABIC LETTER KAF
19406 \DeclareTextCommand{\kaf}{PU}{\86\103}% U+0643
19407 % U+0644;afii57444;ARABIC LETTER LAM
19408 \DeclareTextCommand{\lam}{PU}{\86\104}% U+0644
19409 % U+0645;afii57445;ARABIC LETTER MEEM
19410 \DeclareTextCommand{\meem}{PU}{\86\105}% U+0645

```

19411 % U+0646;afii57446;ARABIC LETTER NOON
19412 \DeclareTextCommand{\nun}{\PU}{\86\106}% U+0646
19413 % U+0647;afii57470;ARABIC LETTER HEH
19414 \DeclareTextCommand{\ha}{\PU}{\86\107}% U+0647
19415 % U+0648;afii57448;ARABIC LETTER WAW
19416 \DeclareTextCommand{\waw}{\PU}{\86\110}% U+0648
19417 % U+0649;afii57449;ARABIC LETTER ALEF MAKSURA
19418 \DeclareTextCommand{\alefmaqsura}{\PU}{\86\111}% U+0649
19419 % U+064A;afii57450;ARABIC LETTER YEH
19420 \DeclareTextCommand{\ya}{\PU}{\86\112}% U+064A

19421 % U+064B;afii57451;ARABIC FATHATAN
19422 \DeclareTextCommand{\nasb}{\PU}{\86\113}% U+064B
19423 % U+064C;afii57452;ARABIC DAMMATAN
19424 \DeclareTextCommand{\raff}{\PU}{\86\114}% U+064C
19425 % U+064D;afii57453;ARABIC KASRATAN
19426 \DeclareTextCommand{\jarr}{\PU}{\86\115}% U+064D
19427 % U+064E;afii57454;ARABIC FATHA
19428 \DeclareTextCommand{\fatha}{\PU}{\86\116}% U+064E
19429 % U+064F;afii57455;ARABIC DAMMA
19430 \DeclareTextCommand{\damma}{\PU}{\86\117}% U+064F
19431 % U+0650;afii57456;ARABIC KASRA
19432 \DeclareTextCommand{\kasra}{\PU}{\86\120}% U+0650
19433 % U+0651;afii57457;ARABIC SHADDA
19434 \DeclareTextCommand{\shadda}{\PU}{\86\121}% U+0651
19435 % U+0652;afii57458;ARABIC SUKUN
19436 \DeclareTextCommand{\sukun}{\PU}{\86\122}% U+0652

Farsi

19437 % U+067E ARABIC LETTER PEH; afii57506
19438 \DeclareTextCommand{\peh}{\PU}{\86\176}% U+067E
19439 % U+0686 ARABIC LETTER TCHEH; afii57507
19440 \DeclareTextCommand{\tcheh}{\PU}{\86\206}% U+0686
19441 % U+0698 ARABIC LETTER JEH; afii57508
19442 \DeclareTextCommand{\jeh}{\PU}{\86\230}% U+0698
19443 % U+06A9 ARABIC LETTER KEHEH
19444 \DeclareTextCommand{\farsikaf}{\PU}{\86\251}% U+06A9
19445 % U+06AF ARABIC LETTER GAF; afii57509
19446 \DeclareTextCommand{\gaf}{\PU}{\86\257}% U+06AF
19447 % U+06CC ARABIC LETTER FARSI YEH
19448 \DeclareTextCommand{\farsiya}{\PU}{\86\314}% U+06CC

19449 % U+200C ZERO WIDTH NON-JOINER; afii61664
19450 \DeclareTextCommand{\ZWNJ}{\PU}{\9040\014}% U+200C
19451 % U+200D ZERO WIDTH JOINER; afii301
19452 \DeclareTextCommand{\noboundary}{\PU}{\9040\015}% U+200D

19453 </puarenc>
19454 {*psdextra}
19455 \Hy@VersionCheck{psdextra.def}
19456 \newcommand*\psdmapshortnames{%
19457   \let\copyright{textcopyright}
19458   \let\twosuperior{texttwosuperior}
19459   \let\threesuperior{textthreesuperior}
19460   \let\onesuperior{textonesuperior}
19461   \let\Thorn{textThorn}
19462   \let\thorn{textthorn}
19463   \let\hbar{texthbar}
19464   \let\hausaB{textausaB}

```

```
19465 \let\hausaD\textausaD
19466 \let\hausaK\textausaK
19467 \let\barl\textbarl
19468 \let\inve\textinve
19469 \let\slashc\textslashc
19470 \let\scripta\textscripta
19471 \let\openo\textopeno
19472 \let\rtaild\textrtaild
19473 \let\reve\textreve
19474 \let\schwa\textschwa
19475 \let\niepsilon\textniepsilon
19476 \let\revepsilon\textrevepsilon
19477 \let\rhookrevepsilon\textrhookrevepsilon
19478 \let\scriptg\textscriptg
19479 \let\scg\textscg
19480 \let\ipagamma\textipagamma
19481 \let\babygamma\textbabygamma
19482 \let\bari\textbari
19483 \let\niota\textniota
19484 \let\sci\textsci
19485 \let\scn\textscn
19486 \let\baro\textbaro
19487 \let\niphi\textniphi
19488 \let\longlegr\textlonglegr
19489 \let\scr\textscr
19490 \let\invscr\textinvscr
19491 \let\esh\textesh
19492 \let\baru\textbaru
19493 \let\iupsilon\textiupsilon
19494 \let\scriptv\textscriptv
19495 \let\turnv\textturnv
19496 \let\turnw\textturnw
19497 \let\turny\textturny
19498 \let\scy\textscy
19499 \let\yogh\textyogh
19500 \let\glotstop\textglotstop
19501 \let\revglotstop\textrevglotstop
19502 \let\invglotstop\textinvglotstop
19503 \let\Gamma\textGamma
19504 \let\Delta\textDelta
19505 \let\Theta\textTheta
19506 \let\Lambda\textLambda
19507 \let\Xi\textXi
19508 \let\Pi\textPi
19509 \let\Sigma\textSigma
19510 \let\Upsilon\textUpsilon
19511 \let\Phi\textPhi
19512 \let\Psi\textPsi
19513 \let\Omega\textOmega
19514 \let\alpha\textalpha
19515 \let\beta\textbeta
19516 \let\gamma\textgamma
19517 \let\delta\textdelta
19518 \let\epsilon\textepsilon
19519 \let\zeta\textzeta
19520 \let\eta\texteta
19521 \let\theta\texttheta
```

```

19522 \let\iota\textiota
19523 \let\kappa\textkappa
19524 \let\lambda\textlambda
19525 \let\mu\textmu
19526 \let\nu\textnu
19527 \let\xi\textxi
19528 \let\pi\textpi
19529 \let\rho\textrho
19530 \let\varsigma\textvarsigma
19531 \let\sigma\textsigma
19532 \let\tau\texttau
19533 \let\upsilon\textupsilon
19534 \let\phi\textphi
19535 \let\chi\textchi
19536 \let\psi\textpsi
19537 \let\omega\textomega
19538 \let\scd\textscd
19539 \let\scu\textscu
19540 \let\iinferior\textiinferior
19541 \let\rinferior\textrinferior
19542 \let\uinferior\textuinferior
19543 \let\vinferior\textvinferior
19544 \let\betainferior\textbetainferior
19545 \let\gammainferior\textgammainferior
19546 \let\rhoinferior\textrhoinferior
19547 \let\phiinferior\textphiinferior
19548 \let\chiinferior\textchiinferior
19549 \let\barsci\textbarsci
19550 \let\barp\textbarp
19551 \let\barscu\textbarscu
19552 \let\htrtaild\texthtrtaild
19553 \let\dagger\textdagger
19554 \let\bullet\textbullet
19555 \let\hdotfor\texthdotfor
19556 \let\prime\textprime
19557 \let\second\textsecond
19558 \let\third\textthird
19559 \let\backprime\textbackprime
19560 \let\lefttherefore\textlefttherefore
19561 \let\fourth\textfourth
19562 \let\diamondddots\textdiamondddots
19563 \let\zerosuperior\textzerosuperior
19564 \let\isuperior\textisuperior
19565 \let\foursuperior\textfoursuperior
19566 \let\fivesuperior\textfivesuperior
19567 \let\sixsuperior\textsixsuperior
19568 \let\sevensuperior\textsevensuperior
19569 \let\eightsuperior\texteightsuperior
19570 \let\ninesuperior\textninesuperior
19571 \let\plussuperior\textplussuperior
19572 \let\minussuperior\textminussuperior
19573 \let>equalsuperior\textqualsuperior
19574 \let\parenleftsuperior\textparenleftsuperior
19575 \let\parenrightsuperior\textparenrightsuperior
19576 \let\nsuperior\textnsuperior
19577 \let\zeroinferior\textzeroinferior
19578 \let\oneinferior\textoneinferior

```

```

19579 \let\twoinferior\texttwoinferior
19580 \let\threeinferior\textthreeinferior
19581 \let\fourinferior\textfourinferior
19582 \let\fiveinferior\textfiveinferior
19583 \let\sixinferior\textsixinferior
19584 \let\seveninferior\textseveninferior
19585 \let\eightinferior\texteightinferior
19586 \let\nineinferior\textnineinferior
19587 \let\plusinferior\textplusinferior
19588 \let\minusinferior\textminusinferior
19589 \let\equalsinferior\textequalsinferior
19590 \let\parenleftinferior\textparenleftinferior
19591 \let\parenrightinferior\textparenrightinferior
19592 \let\ainferior\textainferior
19593 \let\einferior\texteinferior
19594 \let\oinferior\textoinferior
19595 \let\xinferior\textxinferior
19596 \let\schwainferior\textschwainferior
19597 \let\hinferior\texthinferior
19598 \let\kinferior\textkinferior
19599 \let\linferior\textlinferior
19600 \let\minferior\textminferior
19601 \let\ninferior\textninferior
19602 \let\pinferior\textpinferior
19603 \let\sinferior\textsinferior
19604 \let\tinferior\texttinferior
19605 \let\hslash\texthslash
19606 \let\Im\textIm
19607 \let\ell\textell
19608 \let\wp\textwp
19609 \let\Re\textRe
19610 \let\mho\textmho
19611 \let\riota\textriota
19612 \let\Finv\textFinv
19613 \let\aleph\textaleph
19614 \let\beth\textbeth
19615 \let\gimel\textgimel
19616 \let\daleth\textdaleth
19617 \let\fax\textfax
19618 \let\Game\textGame
19619 \let\leftarrow\textleftarrow
19620 \let\uparrow\textuparrow
19621 \let\rightarrow\textrightarrow
19622 \let\downarrow\textdownarrow
19623 \let\leftrightarrow\textleftrightarrow
19624 \let\updownarrow\textupdownarrow
19625 \let\nwarrow\textnwarrow
19626 \let\nearrow\textnearrow
19627 \let\searrow\textsearrow
19628 \let\swarrow\textswarrow
19629 \let\leftarrowtail\textleftarrowtail
19630 \let\rightarrowtail\textrightarrowtail
19631 \let\twoheadleftarrow\texttwoheadleftarrow
19632 \let\twoheaduparrow\texttwoheaduparrow
19633 \let\twoheadrightarrow\texttwoheadrightarrow
19634 \let\twoheaddownarrow\texttwoheaddownarrow
19635 \let\leftarrowtail\textleftarrowtail

```

```

19636 \let\rightarrowtail\textrightarrowtail
19637 \let\mapsto\textmapsto
19638 \let\hookleftarrow\texthookleftarrow
19639 \let\hookrightarrow\texthookrightarrow
19640 \let\looparrowleft\textlooparrowleft
19641 \let\looparrowright\textlooparrowright
19642 \let\nletrightarrow\textrnletrightarrow
19643 \let\lightning\textlightning
19644 \let\dlsh\textdlsh
19645 \let\curvearrowleft\textcurvearrowleft
19646 \let\curvearrowright\textcurvearrowright
19647 \let\leftharpoonup\textleftharpoonup
19648 \let\leftharpoondown\textleftharpoondown
19649 \let\upharpoonright\textupharpoonright
19650 \let\upharpoonleft\textupharpoonleft
19651 \let\rightharpoonup\textrightharpoonup
19652 \let\rightharpoondown\textrightharpoondown
19653 \let\downharpoonright\textdownharpoonright
19654 \let\downharpoonleft\textdownharpoonleft
19655 \let\rightarrows\textrightarrows
19656 \let\updownarrows\textupdownarrows
19657 \let\leftrightarrows\textleftrightarrows
19658 \let\leftarrows\textleftarrows
19659 \let\uparrows\textuparrows
19660 \let\rightarrows\textrightarrows
19661 \let\downarrows\textdownarrows
19662 \let\leftrightharpoons\textleftrightharpoons
19663 \let\rightleftharpoons\textrightleftharpoons
19664 \let\nLeftarrow\textnLeftarrow
19665 \let\nLeftrightarrow\textnLeftrightarrow
19666 \let\nRightarrow\textnRightarrow
19667 \let\Leftarrow\textLeftarrow
19668 \let\Uparrow\textUparrow
19669 \let\Rightarrow\textRightarrow
19670 \let\Downarrow\textDownarrow
19671 \let\Leftrightarrow\textLeftrightarrow
19672 \let\Updownarrow\textUpdownarrow
19673 \let\Nwarrow\textNwarrow
19674 \let\Nearrow\textNearrow
19675 \let\Searrow\textSearrow
19676 \let\Swarrow\textSwarrow
19677 \let\Leftarrow\textLeftarrow
19678 \let\Rightarrow\textRightarrow
19679 \let\leftsquigarrow\textleftsquigarrow
19680 \let\rightsquigarrow\textrightsquigarrow
19681 \let\dashleftarrow\textdashleftarrow
19682 \let\dasheduparrow\textdasheduparrow
19683 \let\dashrightarrow\textdashrightarrow
19684 \let\dasheddownarrow\textdasheddownarrow
19685 \let\downuparrows\textdownuparrows
19686 \let\forall\textforall
19687 \let\complement\textcomplement
19688 \let\partial\textpartial
19689 \let\exists\textexists
19690 \let\nexists\textnexists
19691 \let\emptyset\textemptyset
19692 \let\triangle\texttriangle

```

```

19693 \let\nabla\textnabla
19694 \let\in\textin
19695 \let\notin\textnotin
19696 \let\smallin\textsmallin
19697 \let\ni\textni
19698 \let\notowner\textnotowner
19699 \let\smallowns\textsmallowns
19700 \let\prod\textprod
19701 \let\amalg\textamalg
19702 \let\sum\textsum
19703 \let\mp\textmp
19704 \let\dotplus\textdotplus
19705 \let\setminus\textsetminus
19706 \let\ast\textast
19707 \let\circ\textcirc
19708 \let\surd\textsurd
19709 \let\propto\textproto
19710 \let\infty\textinfinity
19711 \let\angle\textangle
19712 \let\measuredangle\textmeasuredangle
19713 \let\sphericalangle\textsphericalangle
19714 \let\mid\textmid
19715 \let\nmid\textnmid
19716 \let\parallel\textparallel
19717 \let\nparallel\textnparallel
19718 \let\wedge\textwedge
19719 \let\vee\textvee
19720 \let\cap\textcap
19721 \let\cup\textcup
19722 \let\int\textint
19723 \let\iint\textiint
19724 \let\iiint\textiiint
19725 \let\oint\textoint
19726 \let\oiint\textoiint
19727 \let\ointclockwise\textointclockwise
19728 \let\ointcclockwise\textointcclockwise
19729 \let\therefore\texttherefore
19730 \let\because\textbecause
19731 \let\vdotdot\textvdotdot
19732 \let\squaredots\textsquaredots
19733 \let\dotminus\textdotminus
19734 \let\eqcolon\texteqcolon
19735 \let\sim\textsim
19736 \let\backsim\textbacksim
19737 \let\wr\textwr
19738 \let\nsim\textnsim
19739 \let\simeq\textsimeq
19740 \let\cong\textcong
19741 \let\ncong\textncong
19742 \let\approx\textapprox
19743 \let\approxeq\textapproxeq
19744 \let\triplesim\texttriplesim
19745 \let\backcong\textbackcong
19746 \let\asymp\textasymp
19747 \let\Bumpeq\textBumpeq
19748 \let\bumpeq\textbumpeq
19749 \let\doteq\textdoteq

```

```

19750 \let\doteqdot\textdoteqdot
19751 \let\fallingdoteq\textfallingdoteq
19752 \let\risingdoteq\textrisingdoteq
19753 \let\colonequals\textcolonequals
19754 \let\equalscolon\textequalscolon
19755 \let\eqcirc\texteqcirc
19756 \let\circeq\textcirceq
19757 \let\hateq\texthateq
19758 \let\triangleeq\texttriangleeq
19759 \let\neq\textneq
19760 \let\ne\textne
19761 \let\equiv\textequiv
19762 \let\nequiv\textnequiv
19763 \let\leq\textleq
19764 \let\le\textle
19765 \let\geq\textgeq
19766 \let\ge\textge
19767 \let\leqq\textleqq
19768 \let\geqq\textgeqq
19769 \let\lneqq\textlneqq
19770 \let\gneqq\textgneqq
19771 \let\ll\textll
19772 \let\gg\textgg
19773 \let\between\textbetween
19774 \let\nless\textnless
19775 \let\ngtr\textngtr
19776 \let\nleq\textnleq
19777 \let\ngeq\textngeq
19778 \let\lessim\textlessim
19779 \let\gtrsim\textgtrsim
19780 \let\lessgtr\textlessgtr
19781 \let\grless\textgrless
19782 \let\prec\textprec
19783 \let\succ\textsucc
19784 \let\preccurlyeq\textpreccurlyeq
19785 \let\succcurlyeq\textsucccurlyeq
19786 \let\precsim\textprecsim
19787 \let\sucessim\textsucessim
19788 \let\nprec\textnprec
19789 \let\nsucc\textnsucc
19790 \let\subset\textsubset
19791 \let\supset\textsupset
19792 \let\nsubset\textnsubset
19793 \let\nsupset\textnsupset
19794 \let\subsequeq\textsubsequeq
19795 \let\supseteqq\textsupseteqq
19796 \let\nsubseteqq\textnsubseteqq
19797 \let\nsupseteqq\textnsupseteqq
19798 \let\subsetneq\textsubsetneq
19799 \let\supsetneq\textsupsetneq
19800 \let\cupdot\textcupdot
19801 \let\cupplus\textcupplus
19802 \let\sqsubset\textsqsubset
19803 \let\sqsupset\textsqsupset
19804 \let\sqsubseteqq\textsqsubseteqq
19805 \let\sqsupseteqq\textsqsupseteqq
19806 \let\sqcap\textsqcap

```

```

19807 \let\sqcup\textsqcup
19808 \let\oplus\textoplus
19809 \let\ominus\textominus
19810 \let\otimes\textotimes
19811 \let\oslash\textoslash
19812 \let\odot\textodot
19813 \let\circledcirc\textcircledcirc
19814 \let\circledast\textcircledast
19815 \let\circleddash\textcircledash
19816 \let\boxplus\textboxplus
19817 \let\boxminus\textboxminus
19818 \let\boxtimes\textboxtimes
19819 \let\boxdot\textboxdot
19820 \let\vdash\textvdash
19821 \let\dashv\textdashv
19822 \let\top\texttop
19823 \let\bot\textbot
19824 \let\vDash\textvDash
19825 \let\Vdash\textVdash
19826 \let\Vdash\textVdash
19827 \let\VDash\textVDash
19828 \let\nvdash\textnvdash
19829 \let\nvDash\textnvDash
19830 \let\nVdash\textnVdash
19831 \let\lhd\textlhd
19832 \let\rhd\textrhd
19833 \let\unlhd\textunlhd
19834 \let\unrhd\textunrhd
19835 \let\multimapdotbothA\textmultimapdotbothA
19836 \let\multimapdotbothB\textmultimapdotbothB
19837 \let\multimap\textmultimap
19838 \let\veebar\textveebar
19839 \let\barwedge\textbarwedge
19840 \let\star\textstar
19841 \let\divideontimes\textdivideontimes
19842 \let\bowtie\textbowtie
19843 \let\ltimes\textltimes
19844 \let\rtimes\textrtimes
19845 \let\leftthreetimes\textleftthreetimes
19846 \let\rightthreetimes\textrightthreetimes
19847 \let\backsimeq\textbacksimeq
19848 \let\curlyvee\textcurlyvee
19849 \let\curlywedge\textcurlywedge
19850 \let\Subset\textSubset
19851 \let\Supset\textSupset
19852 \let\Cap\textCap
19853 \let\Cup\textCup
19854 \let\pitchfork\textpitchfork
19855 \let\lessdot\textlessdot
19856 \let\gtrdot\textgtrdot
19857 \let\lll\textlll
19858 \let\ggg\textggg
19859 \let\lesseqtr\textlesseqtr
19860 \let\gtreqless\textgtreqless
19861 \let\curlyeqprec\textcurlyeqprec
19862 \let\curlyeqsucc\textcurlyeqsucc
19863 \let\npreccurlyeq\textnpreccurlyeq

```

```

19864 \let\nsucccurlyeq\textnsucccurlyeq
19865 \let\nqsubseteq\textnqsubseteq
19866 \let\nqsupseteq\textnqsupseteq
19867 \let\sqsubsetneq\textsqsubsetneq
19868 \let\sqsupsetneq\textsqsupsetneq
19869 \let\lnsim\textlnsim
19870 \let\gnsim\textgnsim
19871 \let\precnsim\textprecnsim
19872 \let\succnsim\textsuccnsim
19873 \let\ntriangleleft\textntriangleleft
19874 \let\ntriangleright\textntriangleright
19875 \let\ntrianglelefteq\textntrianglelefteq
19876 \let\ntrianglerighteq\textntrianglerighteq
19877 \let\vdots\textvdots
19878 \let\cdots\textcdots
19879 \let\udots\textudots
19880 \let\ddots\textddots
19881 \let\barin\textbarin
19882 \let\diameter\textdiameter
19883 \let\backneg\textbackneg
19884 \let\invbackneg\textinvbackneg
19885 \let\clock\textclock
19886 \let\ulcorner\textulcorner
19887 \let\urcorner\texturcorner
19888 \let\llcorner\textllcorner
19889 \let\lrcorner\textlrcorner
19890 \let\frown\textfrown
19891 \let\smile\textsmile
19892 \let\Keyboard\textKeyboard
19893 \let\langle\textlangle
19894 \let\rangle\textrangle
19895 \let\APLinv\textAPLinv
19896 \let\notslash\textnotslash
19897 \let\notbackslash\textnotbackslash
19898 \let\boxbackslash\textboxbackslash
19899 \let\APLleftarrowbox\textAPLleftarrowbox
19900 \let\APLrightarrowbox\textAPLrightarrowbox
19901 \let\APLuparrowbox\textAPLuparrowbox
19902 \let\APLdownarrowbox\textAPLdownarrowbox
19903 \let\APLinput\textAPLinput
19904 \let\Request\textRequest
19905 \let\bbslash\textbbslash
19906 \let\bigtriangleup\textbigtriangleup
19907 \let\triangleright\texttriangleright
19908 \let\bigtriangledown\textbigtriangledown
19909 \let\triangleleft\texttriangleleft
19910 \let\diamond\textdiamond
19911 \let\lozenge\textlozenge
19912 \let\openbullet\textopenbullet
19913 \let\boxbar\textboxbar
19914 \let\bigcircle\textbigcircle
19915 \let\Cloud\textCloud
19916 \let\FiveStar\textFiveStar
19917 \let\FiveStarOpen\textFiveStarOpen
19918 \let\Phone\textPhone
19919 \let\Checkedbox\textCheckedbox
19920 \let\Crossedbox\textCrossedbox

```

```
19921 \let\Coffeecup\textCoffeecup
19922 \let\HandCuffLeft\textHandCuffLeft
19923 \let\HandCuffRight\textHandCuffRight
19924 \let\HandLeft\textHandLeft
19925 \let\HandRight\textHandRight
19926 \let\Radioactivity\textRadioactivity
19927 \let\Biohazard\textBiohazard
19928 \let\Ankh\textAnkh
19929 \let\Yinyang\textYinyang
19930 \let\frownie\textfrownie
19931 \let\smiley\textsmiley
19932 \let\blacksmiley\textblacksmiley
19933 \let\sun\textsun
19934 \let\leftmoon\textleftmoon
19935 \let\rightmoon\textrightmoon
19936 \let\mercury\textmercury
19937 \let\earth\textearth
19938 \let\male\textmale
19939 \let\jupiter\textjupiter
19940 \let\saturn\textsaturn
19941 \let\uranus\texturanus
19942 \let\neptune\textneptune
19943 \let\pluto\textpluto
19944 \let\aries\textaries
19945 \let\taurus\texttaurus
19946 \let\gemini\textgemini
19947 \let\cancer\textcancer
19948 \let\leo\textleo
19949 \let\virgo\textvirgo
19950 \let\libra\textlibra
19951 \let\scorpio\textscorpio
19952 \let\sagittarius\textsagittarius
19953 \let\capricorn\textcapricorn
19954 \let\aquarius\textaquarius
19955 \let\pisces\textpisces
19956 \let\quarternote\textquarternote
19957 \let\twonotes\texttwonotes
19958 \let\sixteenthnote\textsixteenthnote
19959 \let\flat\textflat
19960 \let\natural\textnatural
19961 \let\sharp\textsharp
19962 \let\recycle\textrecycle
19963 \let\Wheelchair\textWheelchair
19964 \let\Flag\textFlag
19965 \let\dsmilitary\textdsmilitary
19966 \let\dsmedical\textdsmedical
19967 \let\dsjuridical\textdsjuridical
19968 \let\dschemical\textdschemical
19969 \let\dsbiological\textdsbiological
19970 \let\dscommercial\textdscommercial
19971 \let\manstar\textmanstar
19972 \let\danger\textdanger
19973 \let\FemaleFemale\textFemaleFemale
19974 \let\MaleMale\textMaleMale
19975 \let\FemaleMale\textFemaleMale
19976 \let\Hermaphrodite\textHermaphrodite
19977 \let\SunCloud\textSunCloud
```

```
19978 \let\Rain{textRain}
19979 \let\noway{textnoway}
19980 \let\Mountain{textMountain}
19981 \let\Tent{textTent}
19982 \let\ScissorRight{textScissorRight}
19983 \let\ScissorRightBrokenTop{textScissorRightBrokenTop}
19984 \let\ScissorHollowRight{textScissorHollowRight}
19985 \let\PhoneHandset{textPhoneHandset}
19986 \let\Tape{textTape}
19987 \let\Plane{textPlane}
19988 \let\Envelope{textEnvelope}
19989 \let\Peace{textPeace}
19990 \let\Writinghand{textWritinghand}
19991 \let\PencilRightDown{textPencilRightDown}
19992 \let\PencilRight{textPencilRight}
19993 \let\PencilRightUp{textPencilRightUp}
19994 \let\NibRight{textNibRight}
19995 \let\NibSolidRight{textNibSolidRight}
19996 \let\Checkmark{textCheckmark}
19997 \let\CheckmarkBold{textCheckmarkBold}
19998 \let\XSolid{textXSolid}
19999 \let\XSolidBold{textXSolidBold}
20000 \let\XSolidBrush{textXSolidBrush}
20001 \let\PlusOutline{textPlusOutline}
20002 \let\Plus{textPlus}
20003 \let\PlusThinCenterOpen{textPlusThinCenterOpen}
20004 \let\PlusCenterOpen{textPlusCenterOpen}
20005 \let\Cross{textCross}
20006 \let\CrossOpenShadow{textCrossOpenShadow}
20007 \let\CrossOutline{textCrossOutline}
20008 \let\CrossMaltese{textCrossMaltese}
20009 \let\DavidStar{textDavidStar}
20010 \let\FourAsterisk{textFourAsterisk}
20011 \let\JackStar{textJackStar}
20012 \let\JackStarBold{textJackStarBold}
20013 \let\ClowerTips{textClowerTips}
20014 \let\FourStar{textFourStar}
20015 \let\FourStarOpen{textFourStarOpen}
20016 \let\FiveStarOpenCircled{textFiveStarOpenCircled}
20017 \let\FiveStarCenterOpen{textFiveStarCenterOpen}
20018 \let\FiveStarOpenDotted{textFiveStarOpenDotted}
20019 \let\FiveStarOutline{textFiveStarOutline}
20020 \let\FiveStarOutlineHeavy{textFiveStarOutlineHeavy}
20021 \let\FiveStarConvex{textFiveStarConvex}
20022 \let\FiveStarShadow{textFiveStarShadow}
20023 \let\AsteriskBold{textAsteriskBold}
20024 \let\AsteriskCenterOpen{textAsteriskCenterOpen}
20025 \let\EightStarTaper{textEightStarTaper}
20026 \let\EightStarConvex{textEightStarConvex}
20027 \let\SixStar{textSixStar}
20028 \let\EightStar{textEightStar}
20029 \let\EightStarBold{textEightStarBold}
20030 \let\TwelveStar{textTwelveStar}
20031 \let\SixteenStarLight{textSixteenStarLight}
20032 \let\SixFlowerPetalRemoved{textSixFlowerPetalRemoved}
20033 \let\SixFlowerOpenCenter{textSixFlowerOpenCenter}
20034 \let\Asterisk{textAsterisk}
```

```

20035 \let\SixFlowerAlternate{textSixFlowerAlternate}
20036 \let\FiveFlowerPetal{textFiveFlowerPetal}
20037 \let\FiveFlowerOpen{textFiveFlowerOpen}
20038 \let\EightFlowerPetal{textEightFlowerPetal}
20039 \let\SunshineOpenCircled{textSunshineOpenCircled}
20040 \let\SixFlowerAltPetal{textSixFlowerAltPetal}
20041 \let\SnowflakeChevron{textSnowflakeChevron}
20042 \let\Snowflake{textSnowflake}
20043 \let\SnowflakeChevronBold{textSnowflakeChevronBold}
20044 \let\Sparkle{textSparkle}
20045 \let\SparkleBold{textSparkleBold}
20046 \let\AsteriskRoundedEnds{textAsteriskRoundedEnds}
20047 \let\EightFlowerPetalRemoved{textEightFlowerPetalRemoved}
20048 \let\EightAsterisk{textEightAsterisk}
20049 \let\CircleShadow{textCircleShadow}
20050 \let\SquareShadowBottomRight{textSquareShadowBottomRight}
20051 \let\SquareTopRight{textSquareTopRight}
20052 \let\SquareCastShadowBottomRight{textSquareCastShadowBottomRight}
20053 \let\SquareCastShadowTopRight{textSquareCastShadowTopRight}
20054 \let\DiamondSolid{textDiamondSolid}
20055 \let\RectangleThin{textRectangleThin}
20056 \let\Rectangle{textRectangle}
20057 \let\RectangleBold{textRectangleBold}
20058 \let\perp{textperp}
20059 \let\veedot{textveedot}
20060 \let\wedgedot{textwedgedot}
20061 \let\leftspoon{textleftspoon}
20062 \let\lbrackdbl{textlbrackdbl}
20063 \let\rbrackdbl{textrbrackdbl}
20064 \let\circlearrowleft{textcirclearrowleft}
20065 \let\circlearrowright{textcirclearrowright}
20066 \let\longleftarrow{textlongleftarrow}
20067 \let\longrightarrow{textlongrightarrow}
20068 \let\longleftrightarrow{textlongleftrightarrow}
20069 \let\Longleftarrow{textLongleftarrow}
20070 \let\Longrightarrow{textLongrightarrow}
20071 \let\Longleftrightarrow{textLongleftrightarrow}
20072 \let\longmapsto{textlongmapsto}
20073 \let\Longmapsfrom{textLongmapsfrom}
20074 \let\Longmapsto{textLongmapsto}
20075 \let\nwarrow{textnwarrow}
20076 \let\nesarrow{textnesarrow}
20077 \let\lhooknarrow{textlhooknarrow}
20078 \let\rhooknearrow{textrhooknearrow}
20079 \let\lhooksearrow{textlhooksearrow}
20080 \let\rhookswarrow{textrhookswarrow}
20081 \let\rcurvearrowne{textrcurvearrowne}
20082 \let\lcurvearrowse{textlcurvearrowse}
20083 \let\lcurvearrowsw{textlcurvearrowsw}
20084 \let\rcurvearrowse{textrcurvearrowse}
20085 \let\lcurvearrowdown{textlcurvearrowdown}
20086 \let\rcurvearrowdown{textrcurvearrowdown}
20087 \let\rcurvearrowleft{textrcurvearrowleft}
20088 \let\rcurvearrowright{textrcurvearrowright}
20089 \let\leftrightharpoon{textleftrightharpoon}
20090 \let\rightleftharpoon{textrightleftharpoon}
20091 \let\updownharpoonrightleft{textupdownharpoonrightleft}

```

```

20092 \let\updownharpoonleftright\textupdownharpoonleftright
20093 \let\leftleftharpoons\textleftleftharpoons
20094 \let\upupharpoons\textupupharpoons
20095 \let\rightrightharpoons\textrightrightharpoons
20096 \let\downdownharpoons\textdowndownharpoons
20097 \let\leftbarharpoon\textleftbarharpoon
20098 \let\barleftharpoon\textbarleftharpoon
20099 \let\rightbarharpoon\textrightbarharpoon
20100 \let\ barrightharpoon\textbarrightharpoon
20101 \let\updownharpoons\textupdownharpoons
20102 \let\downupharpoons\textdownupharpoons
20103 \let\obar\textobar
20104 \let\obslash\textobslash
20105 \let\obot\textobot
20106 \let\olessthan\textolessthan
20107 \let\ogreaterthan\textogreaterthan
20108 \let\boxslash\textboxslash
20109 \let\boxbslash\textboxbslash
20110 \let\boxast\textboxast
20111 \let\boxcircle\textboxcircle
20112 \let\boxbox\textboxbox
20113 \let\multimapboth\textmultimapboth
20114 \let\shuffle\textshuffle
20115 \let\uplus\textuplus
20116 \let\bigdoublewedge\textbigdoublewedge
20117 \let\bigdoublevee\textbigdoublevee
20118 \let\Join\textJoin
20119 \let\circplus\textcircplus
20120 \let\minusdot\textminusdot
20121 \let\dottimes\textdottimes
20122 \let\dtimes\textdtimes
20123 \let\odiv\textodiv
20124 \let\invneg\textinvneg
20125 \let\sqdoublecap\textsqdoublecap
20126 \let\capdot\textcapdot
20127 \let\sqdoublecup\textsqdoublecup
20128 \let\doublewedge\textdoublewedge
20129 \let\doublevee\textdoublevee
20130 \let\doublebarwedge\textdoublebarwedge
20131 \let\veedoublebar\textveedoublebar
20132 \let\eqdot\texteqdot
20133 \let\coloncolon\textcoloncolon
20134 \let\leqslant\textleqslant
20135 \let\geqslant\textgeqslant
20136 \let\lessapprox\textlessapprox
20137 \let\gtapprox\textgtapprox
20138 \let\lneg\textlneg
20139 \let\gneq\textgneq
20140 \let\lnapprox\textlnapprox
20141 \let\gnapprox\textgnapprox
20142 \let\lesseqgtr\textlesseqgtr
20143 \let\gtreqless\textgtreqless
20144 \let\eqslantless\texteqslantless
20145 \let\eqslantgtr\texteqslantgtr
20146 \let\leftslice\textleftslice
20147 \let\rightslice\textrightslice
20148 \let\preceq\textpreceq

```

```

20149 \let\succseq\textsuccseq
20150 \let\precneq\textprecneq
20151 \let\succcneq\textsucccneq
20152 \let\preceqq\textpreceqq
20153 \let\succeqq\textsucceqq
20154 \let\precneqq\textprecneqq
20155 \let\succcneqq\textsucccneqq
20156 \let\precapprox\textprecapprox
20157 \let\precnapprox\textprecnapprox
20158 \let\succnapprox\textsuccnapprox
20159 \let\subseteqq\textsubseteqq
20160 \let\supseteqq\textsupseteqq
20161 \let\dashV\textdashV
20162 \let\Dashv\textDashv
20163 \let\DashV\textDashV
20164 \let\downmodels\textdownmodels
20165 \let\upmodels\textupmodels
20166 \let\upspoon\textupspoon
20167 \let\interleave\textinterleave
20168 \let\sslash\textsslash
20169 \let\jinferior\textjinferior
20170 \let\slashdiv\textslashdiv
20171 \let\fivedots\textfivedots
20172 \let\oo\textoo
20173 \let\GaPa\textGaPa
20174 \let\HaPa\textHaPa
20175 \let\ViPa\textViPa
20176 \let\AcPa\textAcPa
20177 \let\SePa\textSePa
20178 \let\ZwPa\textZwPa
20179 \let\fullnote\textfullnote
20180 \let\halfnote\texthalfnote
20181 \let\Vier\textVier
20182 \let\Acht\textAcht
20183 \let\Sech\textSech
20184 \let\Zwdr\textZwdr
20185 \let\Mundus\textMundus
20186 \let\Womanface\textWomanface
20187 \let\Fire\textFire
20188 \let\Bicycle\textBicycle
20189 \let\Gentsroom\textGentsroom
20190 \let\Ladiesroom\textLadiesroom
20191 \let\ccnc\textccnc
20192 \let\ccsa\textccsa
20193 \let\CircledA\textCircledA
20194 \let\Info\textInfo
20195 \let\neg\textneg
20196 \let\times\texttimes
20197 \let\div\textdiv
20198 \let\pm\textpm
20199 \let\cdot\textcdot
20200 }% \psdmapshortnames
20201 \newcommand*{\psdaliasnames}{%
20202 \let\epsdice\HyPsd@DieFace
20203 \let\fcdice\HyPsd@DieFace
20204 \let\MoonPha\HyPsd@MoonPha
20205 \let\mathdollar\textdollar

```

```

20206 \let\binampersand\textampersand
20207 \let\with\textampersand
20208 \let\mathunderscore\textunderscore
20209 \let\textvertline\textbar
20210 \let\mathsterling\textsterling
20211 \let\pounds\textsterling
20212 \let\brokenvert\textbrokenbar
20213 \let\mathsection\textsection
20214 \let\S\textsection
20215 \let\mathparagraph\textparagraph
20216 \let\vartimes\textmultiply
20217 \let\eth\dh
20218 \let\crossd\textcrd
20219 \let\textbard\textcrd
20220 \let\bard\textcrd
20221 \let\textcrh\texthbar
20222 \let\crossh\texthbar
20223 \let\planck\texthbar
20224 \let\eng\ng
20225 \let\engma\ng
20226 \let\crossb\textcrb
20227 \let\textbarb\textcrb
20228 \let\barb\textcrb
20229 \let\hv\texthvlig
20230 \let\hausak\texthtk
20231 \let\crossnilambda\textcrlambda
20232 \let\barlambda\textcrlambda
20233 \let\lambdabar\textcrlambda
20234 \let\lambdaslash\textcrlambda
20235 \let\textnrleg\textPUnrleg
20236 \let\textpipevar\textpipe
20237 \let\textdoublepipevar\textdoublepipe
20238 \let\textdoublebarpipevar\textdoublebarpipe
20239 \let\textcrg\textgslash
20240 \let\textdblig\textPUdblig
20241 \let\textqplig\textPUqplig
20242 \let\textcentoldstyle\textslashc
20243 \let\textbarc\textslashc
20244 \let\inva\textturna
20245 \let\vara\textscripta
20246 \let\invscripta\textturnscripta
20247 \let\rotvara\textturnscripta
20248 \let\hookb\texthtb
20249 \let\hausab\texthtb
20250 \let\varopeno\textopeno
20251 \let\curlyc\textctc
20252 \let\taild\textrtaild
20253 \let\hookd\texthtd
20254 \let\hausad\texthtd
20255 \let\er\textrhookschwa
20256 \let\epsi\textniepsilon
20257 \let\hookrevepsilon\textrhookrevepsilon
20258 \let\closedrevepsilon\textcloserevepsilon
20259 \let\barj\textbardotlessj
20260 \let\hookg\texthtg
20261 \let\varg\textscriptg
20262 \let\vod\textipagamma

```

```

20263 \let\invh\textturnh
20264 \let\udesc\textturnh
20265 \let\hookh\textthth
20266 \let\voicedh\textthth
20267 \let\hookheng\textththeng
20268 \let\ibar\textbari
20269 \let\vari\textniota
20270 \let\tildel\textltilde
20271 \let\latfric\textbeltl
20272 \let\taill\textrtaill
20273 \let\lz\textlyoghlig
20274 \let\invm\textturnm
20275 \let\rotm\textturnm
20276 \let\legm\textturnmrleg
20277 \let\abdentalnas\textltailm
20278 \let\emgma\textltailm
20279 \let\nj\textltailn
20280 \let\enya\textltailn
20281 \let\tailn\textrtaill
20282 \let\closedniomega\textcloseomega
20283 \let\varomega\textcloseomega
20284 \let\invr\textturnr
20285 \let\rotr\textturnr
20286 \let\invlegr\textturnlongegr
20287 \let\tailinvr\textturnrrtail
20288 \let\legr\textlongegr
20289 \let\tailr\textrtaill
20290 \let\flapr\textfishhookr
20291 \let\flap\textfishhookr
20292 \let\tails\textrtails
20293 \let\curlyesh\textctesh
20294 \let\clickt\textturnt
20295 \let\tailt\textrtailt
20296 \let\ubar\textbaru
20297 \let\rotOmega\textniupsilon
20298 \let\invv\textturnv
20299 \let\pwedge\textturnv
20300 \let\invw\textturnw
20301 \let\rotw\textturnw
20302 \let\invy\textturny
20303 \let\roty\textturny
20304 \let\tailz\textrtaillz
20305 \let\curlyz\textctz
20306 \let\curlyyogh\textctyogh
20307 \let\ejective\textglotstop
20308 \let\glottal\textglotstop
20309 \let\reveject\textrevglotstop
20310 \let\clickc\textstretchc
20311 \let\textstretchcvar\textstretchc
20312 \let\clickb\textbullseye
20313 \let\textObullseye\textbullseye
20314 \let\textctjvar\textctj
20315 \let\textturnsck\textturnk
20316 \let\dz\textdzlig
20317 \let\tesh\textteshlig
20318 \let\digamma\textdigammagreek
20319 \let\hardsign\cyrhrdsn

```

```

20320 \let\softsign\cyrsoftsn
20321 \let\textsc{k}\textPUsck
20322 \let\textcm{k}\textPUscm
20323 \let\textcp{k}\textPUscp
20324 \let\textrevscr{k}\textPUrevscr
20325 \let\textrhooka{k}\textPURhooka
20326 \let\textrhooke{k}\textPURhooke
20327 \let\textrhookepsilon{k}\textPURhookepsilon
20328 \let\textrhookopeno{k}\textPURhookopeno
20329 \let\textdoublevertline{k}\textbardbl
20330 \let\dag\textdagger
20331 \let\ddagger\textdaggerdbl
20332 \let\ddag\textdaggerdbl
20333 \let\mathellipsis\textellipsis
20334 \let\bindnasrepma\textinvamp
20335 \let\parr\textinvamp
20336 \let\textglobrise\textnearrow
20337 \let\textglobfall\textsearrow
20338 \let\Lightning\textlightning
20339 \let\dashedleftarrow\textdashleftarrow
20340 \let\dashedrightarrow\textdashrightarrow
20341 \let\varnothing\textemptyset
20342 \let\owns\textni
20343 \let\varangle\textspiralangle
20344 \let\Angle\textspiralangle
20345 \let\downtherefore\textbecause
20346 \let\textdotdiv\textdotminus
20347 \let\wreath\textwr
20348 \let\textdoteq\textdoteqdot
20349 \let\corresponds\texthateq
20350 \let\varoplus\textoplus
20351 \let\varominus\textominus
20352 \let\varotimes\textotimes
20353 \let\varoslash\textoslash
20354 \let\varodot\textodot
20355 \let\ocirc\textcircledcirc
20356 \let\varocircle\textcircledcirc
20357 \let\varoast\textcircledast
20358 \let\oasterisk\textcircledast
20359 \let\rightvDash\textvDash
20360 \let\leftvDash\textvDash
20361 \let\downvDash\texttop
20362 \let\models\textvDash
20363 \let\rightmodels\textvDash
20364 \let\rightVdash\textVdash
20365 \let\rightModels\textVDash
20366 \let\lessclosed\textlhd
20367 \let\gtrclosed\textrhd
20368 \let\leqclosed\textunlhd
20369 \let\trianglelefteq\textunlhd
20370 \let\geqclosed\textunrhd
20371 \let\trianglerighteq\textunrhd
20372 \let\varcurlyvee\textcurlyvee
20373 \let\varcurlywedge\textcurlywedge
20374 \let\doublecap\textCap
20375 \let\doublecup\textCup
20376 \let\varsubsetneq\textsqsubsetneq

```

```
20377 \let\varsqsupsetneq\textsqsupsetneq
20378 \let\nlessclosed\textntriangleleft
20379 \let\ngtrclosed\textntriangleright
20380 \let\Clocklogo\textclock
20381 \let\varparallelinv\textbbslash
20382 \let\Telefon\textPhone
20383 \let\rightpointleft\textHandLeft
20384 \let\leftpointright\textHandRight
20385 \let\PointingHand\textHandRight
20386 \let\RADIATION\textRadioactivity
20387 \let\Frowny\textfrownie
20388 \let\Smiley\textsmiley
20389 \let\Mercury\textmercury
20390 \let\textfemale\textPUfemale
20391 \let\female\textPUfemale
20392 \let\venus\textPUfemale
20393 \let\Venus\textPUfemale
20394 \let\Earth\textearth
20395 \let\mars\textmale
20396 \let\Mars\textmale
20397 \let\Jupiter\textjupiter
20398 \let\Saturn\textsaturn
20399 \let\Uranus\texturanus
20400 \let\Neptune\textneptune
20401 \let\Pluto\textpluto
20402 \let\Aries\textaries
20403 \let\Taurus\texttaurus
20404 \let\Gemini\textgemini
20405 \let\Cancer\textcancer
20406 \let\Leo\textleo
20407 \let\Virgo\textvirgo
20408 \let\Libra\textlibra
20409 \let\Scorpio\textscorpio
20410 \let\Sagittarius\textsagittarius
20411 \let\Capricorn\textcapricorn
20412 \let\Aquarius\textaquarius
20413 \let\Pisces\textpisces
20414 \let\spadesuit\textspadesuitblack
20415 \let\heartsuit\textheartsuitwhite
20416 \let\diamondsuit\textdiamondsuitwhite
20417 \let\clubsuit\textclubsuitblack
20418 \let\eighthnote\textmusicalnote
20419 \let\VarFlag\textFlag
20420 \let\textxswup\textdsmilitary
20421 \let\textuncrfemale\textPUncrfemale
20422 \let\Football\textSoccerBall
20423 \let\Cutright\textScissorRightBrokenBottom
20424 \let\Rightscissors\textScissorRight
20425 \let\Letter\textEnvelope
20426 \let\checkmark\textCheckmark
20427 \let\davidstar\textDavidStar
20428 \let\textvarobar\textobar
20429 \let\circledbslash\textobslash
20430 \let\obackslash\textobslash
20431 \let\varobslash\textobslash
20432 \let\odplus\textobot
20433 \let\varolessthan\textolessthan
```

```
20434 \let\varogreaterthan\textgreaterthan  
20435 \let\divdot\textminusdot  
20436 \let\doublesqcap\textsqdoublecap  
20437 \let\doublesqcup\textsqdoublecup  
20438 \let\merge\textdoublevee  
20439 \let\leftVdash\textdashV  
20440 \let\leftmodels\textDashv  
20441 \let\leftModels\textDashV  
20442 \let\varparallel\textsslash  
20443 \let\textheng\textPUheng  
20444 \let\textilhookfour\textPULhookfour  
20445 \let\textscf\textPUScf  
20446 \let\textaolig\textPUaolig  
20447 \let\Ganz\textfullnote  
20448 \let\Halb\texthalfnote  
20449 }% \psdaliasnames  
20450 </psdextra>
```

51 End of file hycheck.tex

```
20451 <*check>  
20452 \typeout{}  
20453 \begin{document}  
20454 \end{document}  
20455 </check>
```

52 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\!	195, 220, 2076
\\"	202, 227, 3306, 14345, 14705, 14717, 14729, 14855, 14941, 14955, 14963, 14978, 14990, 15007, 15021, 15032, 15033, 15047, 15059, 15066, 15117, 15158, 15185, 15214, 15352, 15366, 15374, 15388, 15401, 15418, 15432, 15443, 15444, 15459, 15471, 15479, 15737, 16397, 16399, 16410, 16462, 16464, 16496, 16510, 16666, 16680, 16924, 16926, 16941, 16944, 16946, 16948, 16950, 16952, 16962, 16964, 16966, 16968, 16975, 16978, 16980, 16982, 16988, 16990, 16996, 16998, 17004, 17006, 17150, 17152, 17302, 17304, 17318, 17320, 17340
\# .	549, 2161, 2162, 4753, 4764, 4766, 4782, 4814, 4874, 8838, 8840, 9624, 9633, 9668, 10509, 12113, 12124, 12160, 12391, 12400, 12440, 14265
\\$.	184, 209, 321, 550, 4755, 4873
\% .	551, 2076, 2136, 2137, 4752, 4761, 4763, 4815, 8840
\& .	185, 210, 552, 4756, 4767, 4769, 12170
\' .	203, 228, 3246, 3260, 3301, 3303, 3304, 3305, 3306, 3311, 3312, 3314, 3319, 3325, 3329, 3330, 3333, 3376, 3377, 3382, 3383, 3384, 3385, 3386, 3387, 3388, 3389, 3391, 3395, 3408, 14343, 14702, 14714, 14726, 14935, 14951, 14959, 14972, 14986, 14992, 15001, 15017, 15026, 15027, 15041, 15055, 15061, 15085, 15087, 15088, 15089, 15092, 15094, 15095, 15096, 15104, 15155, 15182, 15211, 15346, 15362, 15370, 15382, 15397, 15403, 15412, 15428, 15437, 15438, 15453, 15467, 15473, 15493, 15495, 15609, 15611, 15629, 15631, 15665, 15667, 15677
\> .	15679, 15739, 15741, 15861, 15863, 15869, 15871, 15874, 15877, 16330, 16332, 16334, 16336, 16338, 16340, 16342, 16345, 16401, 16403, 16405, 16407, 16466, 16469, 16471, 16500, 16520, 16670, 16690, 17166, 17168, 17190, 17192, 17230, 17232, 17298, 17300, 19225, 19230, 19235, 19240, 19245, 19250, 19255, 19260, 19265, 19270, 19275, 19280, 19285, 19290, 19295, 19300, 19305, 19310, 19315, 19320, 19325, 19330, 19335, 19340
\< .	190, 215, 322, 770, 773, 775, 2078, 14411, 14775
\> .	191, 216, 323, 742, 748, 751, 2079, 14412, 14777
* .	325
\+ .	200, 225, 326
\- .	201, 226
\. .	198, 223, 319, 1237, 3648, 4075, 14708, 14720, 14732, 14796, 15090, 15097, 15115, 15161, 15188, 15220, 15264, 15265, 15501, 15503, 15531, 15533, 15551, 15553, 15590, 15621, 15623, 15743, 15745, 15929, 15931, 15937, 15939, 17082, 17084, 17094, 17096, 17134, 17136, 17142, 17144, 17194, 17196, 17202, 17204, 17234, 17236, 17238, 17240, 17250, 17252, 17258, 17260, 17306, 17308, 17314, 17316, 17322, 17324, 17346
\< .	194, 219, 683, 684, 685, 753, 1861, 8236
\: .	189, 214
\; .	199, 224, 8532
\< .	196, 221
\= .	167, 173, 180, 183, 14710, 14722, 14734, 15110, 15165, 15192, 15219, 15481, 15483, 15523, 15525, 15575, 15577, 15578, 15649, 15651, 15709, 15711, 15941, 15943, 16958, 16960, 16984, 16986, 17138, 17140
\> .	197, 222
\? .	327
\@ .	3297
\@@@ .	2517
\@@BOOKMARK .	14326, 14329, 14387, 14455, 14462
\@@Listbox .	12762, 12786, 13251, 13284, 13592, 13635
\@@Menu .	12977, 12985
\@@PasswordField .	12926, 12932
\@@Radio .	12747, 12768, 12975, 12999, 13236, 13257, 13577, 13598
\@@TextField .	12928, 12943
\@@commahyperpage .	8343, 8344
\@@hyper@readexternallink .	5065, 5067
\@@hyperref .	4976, 4977
\@@latextohtmlX .	3125, 5213
\@@wrindex .	8271, 8272
\@@writetorep .	14186, 14192
\@Alph .	6865, 6867
\@BIBLABEL .	7708, 7714, 7720
\@BOOKMARK .	14326, 14328
\@CITE .	7785, 7793
\@CITEX .	7787
\@CheckBox .	6010, 10574, 12860, 12892, 13030, 13368, 13737
\@ChoiceMenu .	6007, 10577, 12700, 12895, 12965, 13188, 13529
\@Form .	5671, 10564, 12485, 12882, 12909, 13108, 13451
\@Gauge .	6016, 10568, 12669, 12886, 12914, 13051, 13448
\@Localurlfalse .	10517
\@Localurltrue .	10514
\@M .	1143, 2574, 4860, 7320
\@MM .	7470
\@PackageError .	263
\@PackageInfo .	266
\@PackageInfoNoLine .	267
\@PackageWarning .	264
\@PackageWarningNoLine .	265
\@PushButton .	6013, 10580, 12793, 12898, 13011, 13293, 13651
\@Refstar .	8647, 8654
\@Reset .	6022, 10583, 12837, 12901, 13027, 13344, 13708
\@Roman .	644
\@SCTR .	8391, 8443
\@SetMaxRnhefLabel .	7782

\@Submit 6019, 10586, 12820,
 12904, 13024, 13322, 13685
 \@TextField 6004, 10571, 12672,
 12889, 12917, 13159, 13492
 \@addchap 14662
 \@addtoreset 8165, 8166, 8180,
 8388
 \@afterheading 14679
 \@alph 6861, 6863
 \@anchorcolor 3627, 9593, 9688,
 10631, 12081, 12361
 \@arabic 1113, 1118, 1122, 6860
 \@auxout 2511, 5023, 6230, 6232,
 6950, 6978, 7728, 7743,
 7759, 7769, 7799, 7822,
 7848, 7854, 7878
 \@backslashchar 866, 869,
 872, 1367, 2038, 2042, 2045,
 2183, 2200, 2206, 2210,
 2218, 4777, 8853, 8863
 \@baseurl 3634, 3636, 5123, 9305,
 9308, 9578, 9580, 9866,
 9868, 10386, 10396, 10482,
 10484, 11020, 11022, 11412,
 11426, 12066, 12068, 12267,
 12281, 12347, 12349
 \@begintheorem 7222, 7226, 7252,
 7259, 7283, 7290
 \@bibitem 7735, 7766
 \@biblabel 7708, 7755
 \@bookmarkopenstatus 4577,
 4594, 14247
 \@bookmarksopenlevel 3588,
 3590, 4580
 \@bsphack 2504, 5016, 7852
 \@capstartfalse 7601
 \@caption 7566, 7578, 7621, 7658,
 7660
 \@capttype 2513, 7561, 7565, 7569,
 7576, 7583, 7637, 7651,
 7655, 7658
 \@car 1649, 1665, 1683, 1703,
 3567, 5289, 9257, 9268
 \@cdr 9258, 9269
 \@chapter 14586, 14587
 \@cite 7785, 7816, 7913, 7919
 \@cite@opt 7914, 7920, 7924, 7934
 \@citea 7788, 7795, 7796, 7815,
 7818, 7819
 \@citeb 7794, 7797, 7799, 7801,
 7805, 7808, 7817, 7820,
 7822, 7824, 7828, 7831
 \@citebordercolor 3690, 4166
 \@citecolor 3628
 \@citedata@opt 7915, 7921, 7923
 \@citedatax 7930, 7935
 \@citedatax@opt 7927, 7933
 \@citeseppen 7912, 7918
 \@citex 7814
 \@clubpenalty 7322
 \@commahyperpage 8338, 8343
 \@ctrerr 6839, 6848
 \@currDisplay 5759, 12712,
 12775, 12994, 13008, 13200,
 13264, 13541, 13608
 \@currValue 5761, 5763, 12773,
 12780, 12994, 13005, 13262,
 13271, 13606, 13623, 14063
 \@currentHlabel 6911
 \@currentHref 2519, 6112, 6797,
 6891, 6893, 6902, 6904,
 6911, 6992, 6994, 7004,
 7055, 7066, 7068, 7107,
 7126, 7130, 7139, 7165,
 7257, 7288, 7313, 7386,
 7396, 7398, 7399, 7455,
 7483, 7581, 7607, 7611,
 7638, 7640, 7857, 8041,
 8064, 8077, 8084, 8135,
 8159, 8161, 14176, 14567,
 14580, 14591, 14621, 14638,
 14673
 \@currentlabel 7034, 7473, 7850,
 7857, 8140, 8147, 8397, 8449
 \@currentlabelname 2509, 7387,
 7456, 7484, 7586
 \@currentlabstr 2508, 2516
 \@currropt 12709, 12710, 12771,
 12772, 12983, 12990, 12991,
 12993, 13000, 13001, 13003,
 13197, 13198, 13260, 13261,
 13538, 13539, 13604, 13605
 \@dblarg 7576, 7658
 \@definecounter 8120, 8121
 \@ehc 2869, 2983, 3008, 3041,
 3079, 3086, 3097, 3103,
 4302, 4922, 5087, 5383,
 5507, 5703, 5736, 5946,
 5995, 12802, 12848, 13303,
 13355, 13661, 13719
 \@ehd 63, 282, 288, 303, 7562,
 7652
 \@endForm 5672, 10567, 12668,
 12885, 12913, 13158, 13478
 \@endparenv 7220, 7248, 7279
 \@eqnncr 7149
 \@eqnstarfalse 7121, 7152
 \@eqnstartrue 7149
 \@eqnswtrue 7082, 7091
 \@esphack 2525, 5027, 7862, 8283
 \@extra@b@citeb
 7693, 7696, 7713, 7718,
 7738, 7786, 7808, 7824, 7831
 \@extra@binfo 7692, 7695, 7699
 \@fifthoffive 4262, 4692, 5010,
 8598, 8717
 \@filebordercolor 3691, 4164, 9172,
 9174, 10198, 10200, 10717,
 10719, 11783
 \@filecolor 3617, 3629, 9193, 9807,
 9824, 10216, 10723
 \@firstoffive 4688, 4697, 8637,
 8722
 \@firstofone 580, 581,
 582, 583, 584, 585, 586, 587,
 588, 589, 590, 633, 670, 826,
 979, 990, 1223, 1227, 1231,
 1569, 4053, 4579, 5637,
 5643, 5909, 6710, 6858,
 6870, 6937, 7574, 7656,
 7797, 7820, 8002, 8226,
 9481, 13081, 13822, 13839,
 13857
 \@firstoftwo 653, 937, 1105, 1777,
 6200, 14628
 \@fnsymbol 6859
 \@footnotemark 7329, 7392, 7410,
 7492, 7504, 7506, 7518,
 7519, 7549, 7551
 \@footnotetext
 7328, 7335, 7369, 7409,
 7505, 7507, 7521, 7522, 7542
 \@for 3667, 5279, 7794, 7817,
 12709, 12771, 12983, 12990,
 13000, 13197, 13260, 13538,
 13604
 \@fourthoffive 4691, 5011, 8712,
 8719
 \@gobble 49,
 56, 117, 573, 574, 575, 576,
 613, 614, 615, 616, 656, 657,
 658, 667, 669, 830, 944, 977,
 988, 1129, 1133, 1136, 1506,
 1567, 1586, 1599, 1603,
 1666, 1729, 1730, 1737,
 1742, 1756, 1761, 2364,
 2546, 2819, 2831, 4041,
 4250, 4304, 4743, 5622,
 5899, 6165, 6169, 6186,
 6188, 6204, 6205, 6208,
 6209, 6211, 6684, 6704,
 6708, 7211, 7239, 7272,
 7563, 7653, 8040, 8777,
 9483, 10900, 10903, 13109,
 13452, 14233, 14234, 14235,
 14236
 \@gobblefour 579, 693, 1263,
 1264, 1265, 3844, 8512
 \@gobbleopt 6211, 6213
 \@gobbletwo 577, 660, 686, 694,
 695, 843, 1262, 1684, 1761,

1765, 2704, 3842, 3843,
 4254, 5568, 6190, 6199,
 6207, 6211, 8700, 14577
`\@harvarditem` 7867, 7869
`\@hyper@anchor` 5173, 5174
`\@hyper@itemfalse` 6740, 6758,
 6772
`\@hyper@itemtrue` 6741
`\@hyper@launch` 5093, 5102,
 9197, 10221, 10792, 11801
`\@hyper@linkfile` 5074, 5077,
 5081, 5113
`\@hyper@readexternallink` 5068,
 5072
`\@hyperdef` 4984, 4985
`\@hyperpage` 8335, 8336
`\@hyperref` 4965, 4976
`\@ifclasslater` 14685, 14690
`\@ifclassloaded` 2496, 4719, 6922,
 6959, 7777, 8371, 8375,
 9486, 14684, 14689
`\@ifnextchar` 12, 88, 103, 123,
 687, 4867, 4965, 4984, 5035,
 5671, 6004, 6007, 6010,
 6013, 6016, 6019, 6022,
 6211, 6283, 6292, 7508,
 7526, 7867, 7925, 11437,
 11712, 11726, 14326, 14329
`\@ifpackagelater` 238, 999, 2527,
 6913, 8190
`\@ifpackageloaded` 502, 896,
 998, 2499, 2921, 3544, 3548,
 4222, 4407, 6781, 6912,
 6925, 6987, 7020, 7024,
 7044, 7078, 7205, 7406,
 7422, 7462, 7634, 7837,
 7910, 8132, 8189, 8231,
 8232, 8233, 8381, 8646,
 8790, 8794, 12339
`\@ifpackagewith` 3426, 4223, 8155
`\@ifstar` 66, 4714, 4717, 4726,
 4730, 6147, 6151, 6217,
 6221, 8654, 8680, 8700
`\@ifundefined` 34, 361, 915, 923,
 940, 943, 2793, 2938, 3444,
 3480, 3488, 3495, 3517,
 3565, 4190, 5378, 5698,
 6637, 6750, 6785, 6790,
 7026, 7047, 7048, 7101,
 7132, 7160, 7197, 7567,
 7585, 7702, 7785, 7801,
 7824, 8129, 8170, 8178,
 8179, 8192, 8193, 8200,
 8896, 10458, 11100, 11101,
 11896, 13109, 13452, 13831,
 14243

`\@indexfile` 8275, 8290, 8298,
 8302, 8307
`\@inlabelfalse` 7301
`\@inmathwarn` 543, 544
`\@inpenc@undefined@` 2238
`\@labels` 7317
`\@latex@` 6314, 6315
`\@latex@error` 7562, 7652
`\@latex@warning` 5003, 7804,
 7827, 8573, 8593, 8610, 8728
`\@lbibitem` 7709, 7754
`\@linkbordercolor` 3692, 4161,
 9121, 10621
`\@linkcolor` 3626, 11459
`\@linkdim` 471, 9642, 9643, 9651,
 9652, 9653, 9722, 9723,
 9735, 9736, 9737, 9759,
 9760, 9773, 9774, 9775,
 9799, 9800, 9813, 9814,
 9815, 12134, 12135, 12143,
 12144, 12145, 12409, 12410,
 12423, 12424, 12425
`\@listctr` 7744, 7770
`\@m` 1126, 7796, 7819, 10947
`\@mainaux` 6228, 6229, 6667,
 6675, 13077, 13101
`\@makecaption` 7602, 7604, 7671
`\@makefnmark` 7401, 7554
`\@makefntext` 7474
`\@makeother` 166, 167,
 179, 180, 182, 183, 188, 189,
 190, 191, 192, 193, 194, 195,
 196, 197, 198, 199, 200, 201,
 202, 203, 4767, 8825, 14415,
 14418, 14445, 14448
`\@makeschapterhead` 14676,
 14678
`\@mem@titleref` 4726
`\@mem@titlerefno link` 4726
`\@menubordercolor` 3693, 4163,
 9543, 9545, 10292, 10294,
 10830, 10832, 11705
`\@menucolor` 3631, 9558, 10303,
 10836
`\@minipagefalse` 7297
`\@mkboth` 660, 8494, 14577,
 14665, 14667
`\@mpfn` 7332, 7527, 7539
`\@mpfootnotetext` 7335, 7348,
 7349, 7411
`\@mycount` 14391, 14401
`\@namedef` 1243, 2467, 2469, 2471,
 2473, 2475, 2477, 2479,
 2481, 2483, 2485, 2487,
 2488, 2489, 2490, 2491,
 2492, 2493, 2494, 2495,
 2641, 2948, 2949, 2950,

2951, 2952, 2953, 2954,
 2955, 3435, 3447, 5389,
 5390, 5391, 5392, 5714,
 5715, 6923, 7148, 7151,
 7842, 7843, 7844, 7845
`\@namerefstar` 4730, 8642
`\@nameuse` 2513, 2945, 5395, 5706
`\@ne` 1112, 2888, 3029, 4565, 4892,
 10130, 10135, 10999, 11921,
 13487
`\@newctr` 8125, 8126
`\@newl@bel` 6277, 7695
`\@newlistfalse` 7298
`\@nil` 293, 310, 488, 492, 497, 501,
 516, 1561, 1564, 1572, 1649,
 1667, 1685, 1701, 1703,
 1706, 1709, 1712, 2247,
 2249, 2265, 2267, 3567,
 4799, 4803, 4808, 5140,
 5148, 5154, 5156, 5289,
 5890, 5893, 5912, 6302,
 6305, 6312, 6314, 6315,
 6427, 6475, 6476, 6478,
 6501, 6518, 6572, 6574,
 7050, 7059, 7061, 7073,
 8322, 8324, 8331, 8354,
 8357, 8367, 8577, 8580,
 8736, 8767, 8849, 8855,
 8859, 8865, 9257, 9258,
 9268, 9269, 10865, 10867,
 13829, 13842, 13848, 14275,
 14278, 14281, 14290, 14293,
 14302
`\@nobreakfalse` 6274, 7320
`\@nocnterr` 8179, 8193
`\@nocounterr` 8178, 8192
`\@noparitemfalse` 7299
`\@number` 6858, 6937, 8002
`\@nx` 8182, 8196, 8199, 8201
`\@onelevel@sanitize` 2697, 2701,
 2903, 3566, 4279, 4309,
 4330, 4833, 5135, 5138,
 5151, 5165, 5379, 5615,
 5699, 6528, 6530, 6898,
 8070, 8623, 9987, 14272
`\@oparg` 7222, 7226, 7252, 7259,
 7283, 7290
`\@outlinefile` 14245, 14334, 14429,
 14431, 14433, 14511, 14513,
 14515
`\@pagerefstar` 4717, 8639, 8670
`\@pagesetref` 8589
`\@parboxrestore` 7472, 7594, 7666
`\@parcount` 14393, 14401
`\@part` 14604, 14611
`\@pdfauthor` 3860, 4169, 9365,
 9848, 10333, 11073, 11338,

12198
 \@pdfborder
 .. 3509, 3705, 3706, 3707,
 3714, 3718, 3741, 3743,
 4660, 9051, 10005, 10619,
 11204, 11299, 11703, 11716,
 11731, 11752, 11780, 11811,
 11840, 11927, 12015, 12175
 \@pdfborderstyle
 .. 3510, 3722, 3723, 3724,
 3733, 3737, 3745, 3747,
 4661, 5861, 9052, 10006,
 10620, 11205, 11300, 11704,
 11717, 11732, 11753, 11781,
 11812, 11841, 11928, 12016,
 12176
 \@pdfcreationdate
 .. 3893, 4172, 9369, 9371,
 9840, 9842, 10325, 10327,
 11313, 11315, 12190, 12192
 \@pdfcreator . 3888, 4171, 9368,
 9839, 10324, 11076, 11337,
 12189
 \@pdfdirection 9328, 9904, 10366,
 11032, 11392, 12247
 \@pdfduplex . 9334, 9910, 10372,
 11038, 11398, 12253
 \@pdfhighlight
 .. 3697, 4167, 9071, 9073,
 9132, 9168, 9170, 9205,
 9207, 9539, 9541, 11203,
 11298, 11702, 11751, 11779,
 11810
 \@pdfhighlight .. 9130
 \@pdfkeywords 3912, 4175, 9381,
 9837, 10338, 11081, 11339,
 12187
 \@pdflang 4153, 4182, 9354, 9356,
 9932, 9934, 10406, 10408,
 11422, 11424, 12277, 12279
 \@pdfm@dest 9949, 10008, 10012
 \@pdfm@mark 6655, 9948, 10000,
 10020, 10034, 10036, 10050,
 10052, 10057, 10058, 10088,
 10112, 10114, 10119, 10137,
 10160, 10192, 10226, 10257,
 10286, 10320, 10387, 10414,
 13455, 13456, 13457, 13476,
 13519, 13525, 13614, 13628,
 13643, 13649, 13674, 13681,
 13699, 13705, 13727, 13733,
 13756, 13762, 13767, 13799,
 13807, 14482
 \@pdfmoddate
 .. 3899, 4173, 9373, 9375,
 9844, 9846, 10329, 10331,
 11317, 11321, 12194, 12196
 \@pdfnonfullscreenpagemode ...
 .. 9327, 9903, 10365, 11031,
 11391, 12246
 \@pdfnumcopies 9343, 9345, 9919,
 9921, 10381, 10383, 11047,
 11049, 11407, 11409, 12262,
 12264
 \@pdfpageduration . 3644, 9425,
 9429, 9434, 10431, 10433,
 10436, 10956, 10958, 10961,
 11243, 11245, 11253
 \@pdfpagelayout ... 9353, 9931,
 10405, 11052, 11054, 11421,
 12276
 \@pdfpagemode 4395, 4396, 4590,
 4591, 4600, 4601, 9307,
 9887, 10400, 11019, 11375,
 12230
 \@pdfpagescrop 4107, 4177, 9292,
 9296, 9870, 9871, 9892,
 9894, 10412, 10414, 11008,
 11010, 11380, 11382, 12235,
 12237
 \@pdfpagetransition . 3640, 9401,
 9405, 9410, 10420, 10422,
 10425, 10845, 10847, 10849,
 11226, 11228, 11236
 \@pdfpicktraybypdfsize
 .. 9335, 9337, 9911, 9913,
 10373, 10375, 11039, 11041,
 11399, 11401, 12254, 12256
 \@pdfprintarea 9331, 9907, 10369,
 11035, 11395, 12250
 \@pdfprintclip 9332, 9908, 10370,
 11036, 11396, 12251
 \@pdfprintpagerange
 .. 3812, 4181, 9339, 9341,
 9915, 9917, 10377, 10379,
 11043, 11045, 11403, 11405,
 12258, 12260
 \@pdfprintscaling .. 9333, 9909,
 10371, 11037, 11397, 12252
 \@pdfproducer 3866, 4170, 9233,
 9377, 9379, 9830, 9831,
 9849, 9851, 10309, 10310,
 10314, 10334, 10336, 10976,
 10977, 10981, 10984, 10985,
 11077, 11079, 11324, 11328,
 11837, 11838, 11920, 11922,
 11924, 12012, 12013, 12180,
 12181, 12199, 12201
 \@pdfremotestartview
 .. 4079, 4081, 4082, 4083,
 4094, 4098, 4100, 4101,
 4103, 4179, 9185, 10207,
 11791
 \@pdfstartpage
 .. 4062, 4064, 4180, 9313,
 9317, 9874, 9879, 10389,
 10393, 11012, 11016, 11362,
 11367, 12217, 12222
 \@pdfstartview
 .. 4069, 4071, 4178, 9315,
 9317, 9876, 9880, 10391,
 10393, 11014, 11364, 11368,
 12219, 12223
 \@pdfsubject . 3906, 4174, 9367,
 9853, 10323, 11075, 11336,
 12203
 \@pdftempa ... 5079, 5080, 5083
 \@pdftempwordfile . 5070, 5080
 \@pdftempwordrun . 5071, 5083
 \@pdftitle 3854, 4168, 9366, 9838,
 10322, 11074, 11335, 12188
 \@pdftrapped . 3917, 3920, 3923,
 3932, 3941, 4176, 9382,
 9384, 10339, 10341, 11340
 \@pdfview 4043, 9033, 9041, 9955,
 9959, 9963, 9967, 9971,
 9975, 9976, 9979, 9980,
 9983, 9987, 9989, 10004,
 10618, 10628, 10640, 11141,
 11161, 11842, 11929, 12017,
 12289
 \@pdfviewarea 9329, 9905, 10367,
 11033, 11393, 12248
 \@pdfviewclip 9330, 9906, 10368,
 11034, 11394, 12249
 \@pdfviewparams .. 4045, 4047,
 11141, 11161, 11843, 11930,
 12018, 12290
 \@percentchar 4762, 4763, 4815,
 14249
 \@processme . 5747, 5748, 9407,
 9413, 9431, 9437, 9453,
 9459, 11440, 11441, 11552,
 11553, 11556, 11557
 \@protected@testopt 690
 \@protected@testopt@xargs . 691
 \@refstar 4714, 8636
 \@runbordercolor ... 3694, 4165,
 9209, 9211, 10232, 10234,
 10811, 10813, 11814
 \@runcolor ... 3632, 9229, 10248,
 10817
 \@safe@activesfalse .. 642, 4694
 \@safe@activestrue .. 641, 4693
 \@savsf 9036, 9044
 \@schapter 14574, 14575
 \@secondoffive 4263, 4689, 4702,
 8599, 8600, 8640
 \@secondoftwo 623, 632,
 935, 1108, 1635, 1775, 4262,
 4263, 14630

\@sect 14625, 14626
\@seqncr 7149
\@serial@counter . 14341, 14389,
 14391, 14392
\@seteqlabel 8156, 8157
\@setminipage 7596, 7668
\@setref . 4697, 4702, 8568, 8569,
 8606
\@sharp 7050, 7056
\@skiphyperreffalse . 6759, 7724,
 7736
\@skiphyperreftrue . 7710, 7736
\@spaces 270
\@spart 14617, 14618
\@ssect 14560, 14561
\@startlos . 8506, 8513, 8562
\@starttoc 6262
\@tempa 7221, 7222, 7225, 7229,
 7251, 7258, 7262, 7282,
 7289, 7293, 7424, 7428,
 7431, 7443
\@tempb 7177, 7181
\@tempboxa . 9640, 9642, 9651,
 9720, 9722, 9725, 9726,
 9735, 9741, 9742, 9757,
 9759, 9762, 9763, 9773,
 9779, 9780, 9797, 9799,
 9802, 9803, 9813, 9819,
 9820, 12132, 12134, 12143,
 12407, 12409, 12423
\@tempcnta 14198, 14199, 14200,
 14201, 14202, 14204, 14207,
 14208, 14209, 14215, 14217,
 14219, 14310, 14311, 14312,
 14315, 14316, 14317, 14318,
 14319, 14533, 14534, 14535
\@tempdima
 2577, 6044, 6045, 6046,
 6047, 6048, 6049, 6050,
 6051, 9026, 12708, 12713,
 12715, 12751, 12752, 12753,
 12757, 12758, 12759, 12760,
 13196, 13201, 13203, 13240,
 13241, 13242, 13246, 13247,
 13248, 13249, 13537, 13542,
 13544, 13581, 13582, 13583,
 13587, 13588, 13589, 13590
\@tempdimb 12712, 12713, 13200,
 13201, 13541, 13542
\@tempswafalse 7929
\@tempswatrue 7899, 7902, 7905,
 7926
\@temptokena 3413, 3418, 3421,
 3423
\@tfor 7178
\@the@H@page 7969, 8005, 8007,
 8008

\@thefnmark
 .. 7333, 7344, 7435, 7473,
 7490, 7497, 7528, 7540, 7547
\@thirdoffive 4690, 8643
\@thm 7231, 7232, 7265
\@topnewpage 14676
\@topsep 7219, 7247, 7278
\@topsepadd .. 7220, 7248, 7279
\@typeset@protect 14546
\@undefined 374, 377,
 696, 3417, 6201, 6236, 6249,
 6261, 6490, 6508, 6553,
 7561, 7625, 7630, 7636,
 7651, 8631, 9024, 9237,
 9246, 10591, 10987, 11001
\@undottedtocline 8558
\@unprocessedoptions 4540
\@urlbordercolor 3695, 4162, 9134,
 9136, 10263, 10265, 10743,
 10745, 11754
\@curlcolor 3630, 9153, 9647, 9660,
 9767, 9784, 10277, 10749,
 12139, 12152, 12418, 12431
\@urlytype ... 9613, 9618, 10487,
 10513, 10648, 10662, 12101,
 12106, 12380, 12385
\@vpageref 8664
\@whilenum 1279
\@wrindex ... 8239, 8240, 8271
\@writefile 7855
\@x@sf ... 7394, 7403, 7553, 7555
\@xfootnote 7526
\@xfootnotemark ... 7341, 7544
\@xfootnotenext ... 7330, 7537
\@xp ... 8146, 8181, 8182, 8195,
 8196, 8198, 8199
\{ 192, 217, 320, 3711, 3729, 4934
\{ .. 328, 350, 546, 2078, 11132,
 14267
\} .. 329, 355, 547, 2079, 11132,
 14268
\| 193, 218
\^ 186, 211,
 318, 2176, 2177, 3324, 4750,
 4751, 4759, 14703, 14715,
 14727, 14937, 14953, 14961,
 14974, 14988, 15003, 15019,
 15029, 15030, 15043, 15057,
 15106, 15156, 15183, 15212,
 15348, 15364, 15372, 15384,
 15399, 15414, 15430, 15440,
 15441, 15455, 15469, 15497,
 15499, 15543, 15545, 15559,
 15561, 15598, 15600, 15601,
 15681, 15683, 15729, 15731,
 15733, 15735, 17326, 17328
__ 187, 212, 554, 4754, 4771, 4772

\` 166, 172, 179,
 182, 3260, 3394, 3397, 3399,
 3407, 14266, 14701, 14713,
 14725, 14933, 14949, 14957,
 14970, 14984, 14999, 15015,
 15023, 15024, 15039, 15053,
 15102, 15154, 15181, 15210,
 15344, 15360, 15368, 15380,
 15395, 15410, 15426, 15434,
 15435, 15451, 15465, 15865,
 15867, 16493, 16522, 16663,
 16692, 17294, 17296, 17372,
 17374, 19227, 19232, 19237,
 19242, 19247, 19252, 19257,
 19262, 19267, 19272, 19277,
 19282, 19287, 19292, 19297,
 19302, 19307, 19312, 19317,
 19322, 19327, 19332, 19337,
 19342
\| 188, 213,
 324, 1984, 2077, 2118, 3206,
 4205, 8235, 8824, 8834
\~ 553, 1281, 2226, 3318,
 3326, 3327, 3328, 4323,
 4775, 14704, 14716, 14728,
 14939, 14968, 14976, 15005,
 15037, 15045, 15108, 15157,
 15184, 15213, 15350, 15378,
 15386, 15416, 15449, 15457,
 15570, 15572, 15573, 15705,
 15707, 17286, 17288, 17356,
 17358, 17380, 17382, 19229,
 19234, 19239, 19244, 19249,
 19254, 19259, 19264, 19269,
 19274, 19279, 19284, 19289,
 19294, 19299, 19304, 19309,
 19314, 19319, 19324, 19329,
 19334, 19339, 19344

Numbers

\3 530, 1325, 1326, 1327,
 1328, 1329, 1330, 1331,
 1332, 1441, 1442, 1443,
 1444, 1445, 1446, 1447,
 1448, 2340, 2477, 2485,
 2487, 14410, 14933, 14935,
 14937, 14939, 14941, 14943,
 14945, 14947, 14949, 14951,
 14953, 14955, 14957, 14959,
 14961, 14963, 14965, 14966,
 14968, 14970, 14972, 14974,
 14976, 14978, 14980, 14982,
 14984, 14986, 14988, 14990,
 14992, 14994, 14995, 14997,
 14999, 15001, 15003, 15005,
 15007, 15009, 15011, 15013,
 15015, 15017, 15019, 15021,
 15023, 15024, 15026, 15027,

15029, 15030, 15032, 15033,	17366, 17368, 17370, 17372,	19283, 19284, 19285, 19287,
15035, 15037, 15039, 15041,	17374, 17376, 17378, 17380,	19289, 19300, 19302, 19306,
15043, 15045, 15047, 15049,	17382, 17715, 17718, 17721,	19307, 19308, 19309, 19310,
15051, 15053, 15055, 15057,	17724, 17727, 17730, 17733,	19311, 19312, 19313, 19315,
15059, 15061, 15063, 15064,	17735, 17737, 17739, 17741,	19316, 19317, 19318, 19319,
15066, 15067, 15151, 15344,	17744, 17747, 17750, 17752,	19320, 19321, 19322, 19323,
15346, 15348, 15350, 15352,	17755, 17758, 17760, 17763,	19324, 19325, 19326, 19327,
15354, 15356, 15358, 15360,	17765, 17768, 17770, 17772,	19328, 19329, 19330, 19331,
15362, 15364, 15366, 15368,	17774, 17776, 17778, 17780,	19332, 19333, 19335, 19336,
15370, 15372, 15374, 15376,	17782, 17784, 17786, 17789,	19337, 19338, 19339, 19340,
15378, 15380, 15382, 15384,	17792, 17794, 17797, 17800,	19341, 19342, 19343, 19344,
15386, 15388, 15390, 15393,	18151, 18153, 18155, 18157,	19448
15395, 15397, 15399, 15401,	18160, 18162, 18164, 18166,	\ 9 . 533, 1345, 1348, 1379, 2268,
15403, 15405, 15406, 15408,	18168, 18171, 18174, 18176,	2283, 2292, 2320, 2340,
15410, 15412, 15414, 15416,	18178, 18181, 18184, 18186,	2377, 2381, 2395, 2399,
15418, 15420, 15422, 15424,	18188, 18190, 18192, 18195,	2407, 2412, 2415, 2449,
15426, 15428, 15430, 15432,	18198, 18200, 18202, 18204,	2453, 2456, 2459, 2469,
15434, 15435, 15437, 15438,	18206, 18208, 18210, 18212,	2471, 2473, 2475, 2477,
15440, 15441, 15443, 15444,	18215, 18218, 18220, 18222,	2479, 2481, 2483, 2485,
15446, 15449, 15451, 15453,	18224, 18226, 18229, 18233,	2487, 15151, 17012, 17014,
15455, 15457, 15459, 15461,	18236, 18239, 18241, 18243,	17016, 17018, 17020, 17022,
15463, 15465, 15467, 15469,	18245, 18247, 18368, 18370,	17025, 17028, 17031, 17034,
15471, 15473, 15476, 15477,	18372, 18374, 18376, 18378,	17036, 17038, 17040, 17042,
15479, 15811, 15815, 15819,	18380, 18382, 18384, 18386,	17044, 17046, 17048, 17050,
15822, 15824, 15826, 15828,	18388, 18390, 18392, 18394,	17052, 17055, 17057, 17060,
15829, 15831, 15833, 15835,	18396, 18398, 18400, 18402,	17062, 17065, 17067, 17071,
15837, 15839, 15841, 15843,	18404, 18406, 18408, 18410,	17075, 17078, 17080, 17082,
15846, 15848, 15850, 15852,	18412, 18414, 18416, 18418,	17084, 17086, 17088, 17090,
15854, 15856, 15858, 15859,	18420, 18422, 18424, 18426,	17092, 17094, 17096, 17098,
15861, 15863, 15865, 15867,	18428, 18430, 18432, 18434,	17100, 17102, 17104, 17106,
15869, 15871, 15874, 15877,	18436, 18438, 18440, 18442,	17108, 17110, 17112, 17115,
16271, 16274, 16277, 16279,	18444, 18446, 18448, 18450,	17118, 17121, 17124, 17126,
16282, 16285, 16288, 16291,	18452, 18464, 18466, 18468,	17128, 17130, 17132, 17134,
16293, 16295, 16297, 16299,	18470, 18473, 18475, 18671,	17136, 17138, 17140, 17142,
16301, 16303, 16306, 16308,	18673, 18675, 18677, 18679,	17144, 17146, 17148, 17150,
16310, 16312, 16314, 16442,	18847, 18849, 18851, 18853,	17152, 17154, 17156, 17158,
16444, 16446, 16448, 16450,	18855, 18857, 18860, 18862,	17160, 17162, 17164, 17166,
16452, 16454, 16456, 16458,	18864, 18866, 18868, 18870,	17168, 17170, 17172, 17174,
16460, 16462, 16464, 16466,	18872, 18874, 18876, 18878,	17176, 17178, 17180, 17182,
16468, 16469, 16471, 16473,	18880, 18968, 18971, 18974,	17184, 17186, 17188, 17190,
16475, 16477, 16479, 16482,	18976, 18978, 18980, 18982,	17192, 17194, 17196, 17198,
16484, 16486, 16488, 16491,	18984, 18986, 19089, 19091,	17200, 17202, 17204, 17206,
16894, 16896, 16898, 16900,	19093, 19096, 19100, 19103,	17208, 17210, 17212, 17214,
16902, 16904, 16906, 16908,	19105, 19107, 19110, 19112,	17216, 17219, 17222, 17225,
16910, 16912, 16914, 16916,	19187, 19189, 19191, 19193,	17228, 17230, 17232, 17234,
16918, 16920, 16922, 16924,	19195, 19197, 19214, 19215,	17236, 17238, 17240, 17242,
16926, 16928, 16930, 16932,	19216, 19220, 19221, 19222,	17244, 17246, 17248, 17250,
16934, 16936, 16938, 16941,	19225, 19227, 19229, 19240,	17252, 17254, 17256, 17258,
16944, 16946, 16948, 16950,	19242, 19246, 19247, 19248,	17260, 17262, 17264, 17266,
16952, 16954, 16956, 16958,	19249, 19250, 19251, 19252,	17268, 17270, 17272, 17274,
16960, 16962, 16964, 16966,	19253, 19255, 19256, 19257,	17276, 17278, 17280, 17282,
16968, 16970, 16972, 16975,	19258, 19259, 19260, 19261,	17284, 17286, 17288, 17290,
16978, 16980, 16982, 16984,	19262, 19263, 19264, 19265,	17292, 17294, 17296, 17298,
16986, 16988, 16990, 16992,	19266, 19267, 19268, 19269,	17300, 17302, 17304, 17306,
16994, 16996, 16998, 17000,	19270, 19271, 19272, 19273,	17308, 17310, 17312, 17314,
17002, 17004, 17006, 17008,	19275, 19276, 19277, 19278,	17316, 17318, 17320, 17322,
17010, 17360, 17362, 17364,	19279, 19280, 19281, 19282,	17324, 17326, 17328, 17330,

17332, 17334, 17336, 17338,
17340, 17342, 17344, 17346,
17348, 17350, 17352, 17354,
17356, 17358, 17360, 17362,
17364, 17366, 17368, 17370,
17372, 17374, 17376, 17378,
17380, 17382, 17384, 17386,
17388, 17390, 17393, 17395,
17397, 17399, 17401, 17403,
17405, 17408, 17412, 17414,
17416, 17419, 17421, 17423,
17425, 17427, 17429, 17431,
17433, 17435, 17437, 17439,
17441, 17443, 17445, 17447,
17449, 17451, 17453, 17455,
17457, 17459, 17461, 17463,
17465, 17467, 17469, 17471,
17473, 17475, 17477, 17479,
17481, 17483, 17485, 17487,
17489, 17491, 17493, 17495,
17497, 17499, 17501, 17503,
17505, 17507, 17509, 17511,
17513, 17515, 17517, 17519,
17521, 17523, 17525, 17527,
17529, 17531, 17533, 17535,
17537, 17539, 17541, 17543,
17545, 17547, 17549, 17551,
17553, 17555, 17557, 17559,
17561, 17563, 17565, 17568,
17570, 17572, 17574, 17576,
17578, 17580, 17582, 17584,
17586, 17588, 17590, 17592,
17594, 17596, 17598, 17600,
17602, 17606, 17608, 17610,
17612, 17614, 17616, 17618,
17620, 17622, 17624, 17626,
17628, 17630, 17632, 17634,
17636, 17638, 17640, 17642,
17644, 17646, 17648, 17650,
17652, 17654, 17657, 17660,
17662, 17664, 17666, 17668,
17671, 17673, 17675, 17677,
17679, 17681, 17683, 17685,
17687, 17689, 17691, 17695,
17698, 17700, 17703, 17706,
17709, 17712, 17715, 17718,
17721, 17724, 17727, 17730,
17733, 17735, 17737, 17739,
17741, 17744, 17747, 17750,
17752, 17755, 17758, 17760,
17763, 17765, 17768, 17770,
17772, 17774, 17776, 17778,
17780, 17782, 17784, 17786,
17789, 17792, 17794, 17797,
17800, 17802, 17804, 17806,
17808, 17810, 17812, 17815,
17817, 17819, 17821, 17823,
17825, 17828, 17830, 17832,
17834, 17836, 17838, 17840,
17842, 17844, 17846, 17848,
17850, 17852, 17854, 17856,
17858, 17860, 17862, 17866,
17868, 17870, 17872, 17874,
17876, 17878, 17880, 17882,
17884, 17886, 17888, 17890,
17893, 17895, 17897, 17900,
17903, 17905, 17907, 17910,
17912, 17914, 17916, 17919,
17921, 17923, 17926, 17928,
17930, 17932, 17934, 17936,
17938, 17940, 17942, 17945,
17949, 17952, 17954, 17956,
17958, 17960, 17962, 17965,
17967, 17968, 17970, 17972,
17974, 17975, 17978, 17979,
17981, 17983, 17985, 17987,
17989, 17991, 17993, 17995,
17997, 18000, 18002, 18004,
18006, 18008, 18010, 18012,
18014, 18016, 18018, 18020,
18022, 18024, 18026, 18028,
18030, 18032, 18034, 18036,
18038, 18040, 18042, 18044,
18046, 18048, 18050, 18052,
18054, 18056, 18058, 18060,
18062, 18064, 18067, 18070,
18073, 18076, 18079, 18083,
18087, 18089, 18091, 18093,
18095, 18097, 18100, 18103,
18106, 18108, 18112, 18115,
18118, 18121, 18123, 18125,
18127, 18130, 18133, 18137,
18141, 18143, 18145, 18147,
18149, 18151, 18153, 18155,
18157, 18160, 18162, 18164,
18166, 18168, 18171, 18174,
18176, 18178, 18181, 18184,
18186, 18188, 18190, 18192,
18195, 18198, 18200, 18202,
18204, 18206, 18208, 18210,
18212, 18215, 18218, 18220,
18222, 18224, 18226, 18229,
18233, 18236, 18239, 18241,
18243, 18245, 18247, 18249,
18251, 18253, 18255, 18258,
18260, 18262, 18264, 18266,
18268, 18270, 18272, 18274,
18276, 18278, 18281, 18283,
18286, 18289, 18291, 18294,
18297, 18299, 18301, 18303,
18305, 18308, 18310, 18312,
18314, 18316, 18318, 18320,
18322, 18324, 18326, 18328,
18330, 18332, 18334, 18336,
18338, 18340, 18342, 18344,
18346, 18348, 18350, 18352,
18354, 18356, 18358, 18360,
18362, 18364, 18366, 18368,
18370, 18372, 18374, 18376,
18378, 18380, 18382, 18384,
18386, 18388, 18390, 18392,
18394, 18396, 18398, 18400,
18402, 18404, 18406, 18408,
18410, 18412, 18414, 18416,
18418, 18420, 18422, 18424,
18426, 18428, 18430, 18432,
18434, 18436, 18438, 18440,
18442, 18444, 18446, 18448,
18450, 18452, 18455, 18458,
18461, 18464, 18466, 18468,
18470, 18473, 18475, 18478,
18480, 18482, 18484, 18487,
18489, 18491, 18493, 18495,
18497, 18500, 18504, 18507,
18509, 18511, 18513, 18516,
18519, 18521, 18523, 18525,
18527, 18530, 18536, 18539,
18543, 18546, 18549, 18552,
18555, 18558, 18561, 18564,
18567, 18570, 18573, 18576,
18579, 18582, 18585, 18588,
18591, 18594, 18597, 18600,
18603, 18606, 18608, 18610,
18612, 18614, 18616, 18619,
18621, 18623, 18625, 18627,
18629, 18631, 18633, 18636,
18639, 18641, 18643, 18645,
18647, 18649, 18651, 18653,
18655, 18657, 18659, 18661,
18663, 18665, 18668, 18671,
18673, 18675, 18677, 18679,
18681, 18684, 18687, 18689,
18691, 18693, 18695, 18697,
18700, 18702, 18704, 18706,
18708, 18710, 18712, 18714,
18717, 18719, 18721, 18723,
18725, 18727, 18729, 18731,
18733, 18735, 18737, 18739,
18741, 18744, 18746, 18748,
18750, 18752, 18754, 18756,
18758, 18760, 18762, 18764,
18766, 18768, 18770, 18772,
18774, 18776, 18778, 18780,
18782, 18784, 18786, 18788,
18791, 18793, 18795, 18797,
18799, 18801, 18803, 18805,
18807, 18809, 18811, 18813,
18815, 18817, 18820, 18823,
18825, 18828, 18831, 18834,
18837, 18839, 18841, 18843,
18845, 18847, 18849, 18851,

18853, 18855, 18857, 18860, 18862, 18864, 18866, 18868, 18870, 18872, 18874, 18876, 18878, 18880, 18956, 18959, 18965, 18968, 18971, 18974, 18976, 18978, 18980, 18982, 18984, 18986, 18988, 18990, 18992, 18995, 18997, 18999, 19002, 19005, 19007, 19009, 19011, 19014, 19016, 19019, 19021, 19025, 19028, 19030, 19032, 19034, 19036, 19038, 19040, 19042, 19045, 19047, 19049, 19052, 19055, 19057, 19059, 19061, 19063, 19065, 19067, 19069, 19071, 19073, 19075, 19077, 19079, 19081, 19083, 19085, 19087, 19089, 19091, 19093, 19096, 19100, 19103, 19105, 19107, 19110, 19112, 19115, 19117, 19119, 19121, 19123, 19126, 19128, 19131, 19134, 19137, 19140, 19142, 19144, 19146, 19148, 19150, 19152, 19154, 19156, 19158, 19160, 19163, 19166, 19168, 19170, 19172, 19174, 19176, 19178, 19180, 19182, 19184, 19187, 19189, 19191, 19193, 19195, 19197, 19226, 19228, 19230, 19231, 19232, 19233, 19234, 19235, 19236, 19237, 19238, 19239, 19241, 19243, 19244, 19245, 19246, 19247, 19248, 19249, 19251, 19253, 19256, 19258, 19260, 19261, 19262, 19263, 19264, 19265, 19266, 19267, 19268, 19269, 19271, 19273, 19275, 19276, 19277, 19278, 19279, 19281, 19282, 19283, 19284, 19286, 19288, 19290, 19291, 19292, 19293, 19294, 19295, 19296, 19297, 19298, 19299, 19301, 19303, 19304, 19305, 19306, 19307, 19308, 19309, 19311, 19313, 19316, 19318, 19320, 19321, 19322, 19323, 19324, 19325, 19326, 19327, 19328, 19329, 19331, 19333, 19335, 19336, 19337, 19338, 19339, 19341, 19342, 19343, 19344, 19450, 19452	14728, 14729, 14730, 14731, 14732, 14733, 14734, 14735, 14736, 15181, 15182, 15183, 15184, 15185, 15186, 15187, 15188, 15189, 15190, 15191, 15192, 15193, 15194, 15195, 15196, 15197, 15198, 15199, 15200, 15201, 15202, 15203, 15204, 15205, 15206, 15207
A	
\ABREVE .	19219, 19290, 19291, 19292, 19293, 19294
\abreve . . .	19213, 19230, 19231, 19232, 19233, 19234
\AccFancyVerbLineautorefname	3368
\Accfootnoteautorefname	3348
\Acctheoremautorefname	3372
\Acht	19167, 20182
\ACIRCUMFLEX	19220, 19295, 19296, 19297, 19298, 19299
\acircumflex	3399, 19214, 19235, 19236, 19237, 19238, 19239
\AcPa	19153, 20176
\Acrobatmenu	2548, 4259, 6198, 9532, 10282, 10822, 11696
\active	1259, 1266, 4751, 4752, 4753, 4754, 4755, 4756, 4759, 4761, 4764, 4772, 14414, 14444
\add@accent	545
\addcontentsline	7590, 7662, 8038, 8043, 8114, 14681
\addtocontents	8083, 8115, 8389, 8441, 14669, 14670
\addtocounter	6934, 6957, 6966, 6977, 6981, 7199, 10139
\addvspace	14669, 14670
\adl@LT@array	7048
\advance	469, 470, 1280, 4900, 5239, 5567, 5613, 6045, 6046, 6049, 6050, 6400, 6408, 6445, 7941, 7951, 7954, 7968, 9282, 9652, 9736, 9774, 9814, 10983, 12144, 12424, 12715, 12758, 12759, 13203, 13247, 13248, 13487, 13544, 13588, 13589, 14199, 14201, 14202, 14208, 14217, 14318, 14534
\AE	14945, 15356, 15869
\ae	15011, 15422, 15871
\afterassignment	1873, 1879, 1885, 5822
\AfterBeginDocument . . .	361, 375
\aftergroup	7477
\ainferior	19592
\alef	19360
\alefhamza	19352
\aleflowerhamza	19356
\alefmadda	19350
\alefmaqsura	19418
\aleph	17589, 19613
\Alph	6494, 6819
\alph	6495, 7170, 7201
\alpha	16411, 19514
\amalg	17833, 19701
\AMSautorefname	8799
\anchor@spot	5178, 5191, 5198, 5204, 5206, 9091, 9593, 9688, 10559, 10631, 11138, 11484, 11487, 12081, 12361
\angle	17857, 19711
\Anglesign	17864, 20344
\Ankh	18508, 19928
\APLdownarrowbox	18293, 19902
\APLinput	18296, 19903
\APLinv	18275, 19895
\APLleftarrowbox	18285, 19899
\APLrightarrowbox	18288, 19900
\APLuparrowbox	18290, 19901
\appendix	6811, 6823
\appendixautorefname	3216, 3234, 3252, 3270, 3288, 3306, 3324, 3356, 3357, 3382, 3400, 8809
\approx	17927, 19742
\approxeq	17929, 19743
\Aquarius	18589, 20412
\aquarius	18587, 19954
\arabic	6491, 6715, 6718, 6721, 6722, 6723, 6725, 6726, 6727, 6728, 6730, 6731, 6732, 6733, 6734, 6735, 6738, 6748, 6749, 6791, 6941, 8123, 8129, 8177, 8191, 8377, 8382, 8384
\Aries	18559, 20402
\aries	18557, 19944
\ast	17845, 19706
\Asterisk	18792, 20034
\AsteriskBold	18769, 20023
\AsteriskCenterOpen	18771, 20024
\AsteriskRoundedEnds	18816, 20046
\asymp	17935, 19746
\AtBeginDocument	362, 6234, 7038, 12453
\AtBeginShipout	6346, 6362, 9571, 10085
\AtBeginShipoutBox	6350, 6353, 9564, 9565, 10086, 10087

\AtBeginShipoutFirst 6358,
 10455, 11893, 12008
 \AtEndDocument 6248
 \AtEndOfPackage 372
 \AtVeryEndDocument 6593,
 13118
 \author 6282, 6292
 \autopageref 4394, 8679
 \autoref 664, 4393, 8698, 12448
 \ayn 19396

B

\b 897, 901, 907, 14711, 14723,
 14735, 15147, 15174, 15201,
 17090, 17092, 17102, 17104,
 17174, 17176, 17182, 17184,
 17210, 17212, 17246, 17248,
 17266, 17268, 17334, 17336,
 17338
 \baa 19362
 \babymgamma 16034, 19481
 \back@none 3151, 3161, 3174
 \back@page 3153, 3166
 \back@section 3152, 3158, 3164,
 3170
 \back@slide 3154, 3163
 \backcite 7856
 \backcong 17933, 19745
 \backepsilon 16490
 \backneg 18250, 19883
 \backprime 17428, 19559
 \backref 7887, 12452
 \backsim 17913, 19736
 \backsimeq 18165, 19847
 \barb 15757, 20228
 \bard 15521, 20220
 \bari 16048, 19482
 \barin 18246, 19881
 \barj 16019, 20259
 \barl 15778, 19467
 \barlambda 15785, 20232
 \barleftharpoon 18941, 20098
 \baro 16094, 19486
 \barp 17056, 19550
 \barrightharpoon 18947, 20100
 \barsci 17054, 19549
 \barscu 17059, 19551
 \baru 16158, 19492
 \barwedge 18148, 19839
 \baselineskip 2551, 6058, 6059,
 6060, 6061, 6062, 6063,
 9707, 11157, 11189, 11876
 \bbbl@cite@choice 7703
 \bbslash 18304, 19905
 \because 17899, 19730
 \BeforeTeXIVht 2990
 \begin 621, 12474, 20453

\belowpdfbookmark 14314
 \beta 16413, 19515
 \betaainferior 19544
 \beth 17591, 19614
 \between 17992, 19773
 \bfseries 595, 7802, 7825, 8572,
 8592, 8609, 8727
 \bgroup 684, 4867, 7464, 7476,
 8998, 10103, 10559, 11178,
 12921, 13013, 13034
 \bibcite 7694, 7700, 7704, 7729,
 7744, 7760, 7770
 \Bicycle 19179, 20188
 \bigcircle 19914
 \bigdoublevee 18991, 20117
 \bigdoublewedge 18989, 20116
 \bigtriangledown 18460, 19908
 \bigtriangleup 18454, 19906
 \binampersand 15240, 20206
 \bindnasrepma 17603, 20334
 \Biohazard 18506, 19927
 \bitsetGetDec 5291, 5424, 5442,
 5456, 5469, 5485, 5517, 5542
 \bitsetGetHex 5292
 \bitsetGetSetBitList 5280
 \bitsetIsEmpty 5421, 5439, 5453,
 5466, 5482, 5514, 5539
 \bitsetReset 5394, 5428, 5447,
 5461, 5474, 5490, 5522
 \bitsetSetValue 5260, 5270
 \blacksmiley 18518, 19932
 \BOOKMARK 14246, 14325
 \booknumberline 14229, 14234
 \bot 18105, 19823
 \bowtie 18154, 19842
 \box 6052, 6353, 9012, 10117,
 11531, 11534
 \boxast 18977, 20110
 \boxbackslash 18282, 19898
 \boxbar 18472, 19913
 \boxbox 18981, 20112
 \boxbslash 18975, 20109
 \boxcircle 18979, 20111
 \boxdot 18094, 19819
 \boxminus 18090, 19817
 \boxplus 18088, 19816
 \boxslash 18973, 20108
 \boxtimes 18092, 19818
 \brokenvert 15289, 20212
 \bullet 8524, 8532, 8542, 8550,
 17849, 19554
 \Bumpeq 17937, 19747
 \bumpeq 17939, 19748

C

\C 15126, 16744, 16747
 \c 898, 902,
 908, 3318, 3326, 3327, 3328,

\catcode 172, 173, 184,
 185, 186, 187, 206, 823, 824,
 959, 1259, 1266, 1984, 1985,
 2118, 2119, 2175, 2176,
 2177, 4610, 4612, 4750,
 4751, 4752, 4753, 4754,

4755, 4756, 4759, 4761,
 4764, 4772, 4782, 4873,
 4874, 8824, 11219, 11220,
 14343, 14345, 14414, 14417,
 14444, 14447
 \ccnc 19188, 20191
 \ccnd 19190
 \ccsa 19192, 20192
 \cdot 20199
 \cdots 18240, 19878
 \cf@encoding 1584
 \chapterautorefname 3217, 3235,
 3253, 3271, 3289, 3307,
 3325, 3354, 3383, 3401, 8810
 \chapternumberline 14231, 14236
 \char 13148, 14347, 14384
 \chardef 275,
 308, 2783, 2784, 2785, 2786,
 3029, 3031, 4535, 4565,
 11479, 11482, 11488
 \check@bm@number 14467,
 14475, 14525, 14533
 \CheckBox 6009
 \CheckCommand 7423
 \checkcommand
 42, 6976, 7537, 7544, 7551,
 7650, 7660, 7754, 7766,
 8114, 8117, 8177, 8606
 \Checkedbox 18486, 19919
 \checklatex . 4, 7536, 7649, 7753,
 8113, 8605
 \Checkmark 18713, 19996
 \checkmark 18715, 20426
 \CheckmarkBold .. 18716, 19997
 \checkpackage ... 9, 6975, 8176
 \chi 16455, 19535
 \chiinferior 19548
 \ChoiceBox 5617
 \ChoiceMenu 6006
 \circ 17847, 19707
 \circeq 17959, 19756
 \circlearrowleft .. 18859, 20064
 \circlearrowright .. 18861, 20065
 \CircledA 19194, 20193
 \circledast 18082, 19814
 \circledbslash 18960, 20429
 \circledcirc 18078, 19813
 \circleddash 18086, 19815
 \CircleShadow 18824, 20049
 \circplus 18996, 20119
 \citation 7799, 7822, 7848
 \citeauthoryear 7914, 7920
 \citeN 7911
 \CJK@char 1262
 \CJK@charx 1263
 \CJK@CJK 1251
 \CJK@eight ... 1462, 1465, 1579
 \CJK@five 1462, 1464, 1579
 \CJK@four ... 1461, 1464, 1578
 \CJK@hundred 1528
 \CJK@hundredmillion 1491
 \CJK@ignorespaces 1261
 \CJK@kern 1249
 \CJK@minus 1453
 \CJK@nine ... 1462, 1466, 1579
 \CJK@null 1555
 \CJK@one ... 1461, 1463, 1578
 \CJK@punctchar 1264
 \CJK@punctcharx 1265
 \CJK@seven ... 1462, 1465, 1579
 \CJK@six ... 1462, 1465, 1579
 \CJK@ten 1463, 1464, 1465, 1466,
 1543
 \CJK@tenthsousand . 1476, 1497
 \CJK@thousand 1513
 \CJK@three ... 1461, 1464, 1578
 \CJK@two ... 1461, 1463, 1578
 \CJK@zero ... 1461, 1479, 1496,
 1500, 1516, 1531, 1553
 \CJKdigits 1338
 \CJKkern 1250
 \CJKnumber 1337
 \clickb 16215, 20312
 \clickc 16210, 20310
 \clickt 16152, 20294
 \clock 18254, 19885
 \Clocklogo 18256, 20380
 \close@pdflink 9085, 9110, 9119,
 9154, 9194, 9230, 9559
 \closedniomega ... 16101, 20282
 \closedrevepsilon .. 16015, 20258
 \closeout 6228, 14334
 \Cloud 18477, 19915
 \ClowerTips 20013
 \clubpenalty 7320, 7322
 \clubsuit .. 18602, 18604, 20417
 \codeof 7878
 \Coffeecup 18490, 19921
 \coloncolonequals . 19031, 20133
 \colonequals 17953, 19753
 \color@begingroup .. 8998, 10103
 \color@endgroup ... 9005, 10110
 \columnwidth 7471
 \comma@entry ... 5608, 5615, 5617
 \comma@parse 5607
 \complement 17803, 19687
 \cong 17922, 19740
 \contentsline .. 6237, 6238, 6250,
 8084, 8088, 8115, 8117
 \copy .. 9008, 9565, 10087, 10113
 \copyright 19457
 \corresponds 17963, 20349
 \count@ . 862, 864, 865, 868, 871,
 874, 877, 1278, 1279, 1280,

\cyrabhdze	16956	\CYRHHK	17008	\CYRMDSC	16916
\CYRABHHA	16839	\cyrrhhk	17010	\cyrmdsc	16918
\cyrabhha	16841	\CYRHRDSN	16583	\CYRN	16556
\CYRAE	16928	\cyrrhdsn .	16649, 16650, 20319	\cyrn ...	3338, 3344, 3345, 3347,
\cyrae	16930	\CYRI	16522, 16545, 16548,	3348, 3350, 3358, 3364,	
\CYRB	16531	16958, 16962	3365, 16623	\CYRNDSC	16827
\cyrb	3352, 16598	\cyri 3338, 3341, 3345, 3351, 3356,	\cyrndsc	16829	
\CYRBYUS	16719	3358, 16612, 16615, 16692,	\CYRNG	16831	
\cyrbyus	16721	16960, 16964	\cyrng	16833	
\CYRC	16574	\CYRIE	16502	\CYRNHK	16908
\cyrc	16641	\cyrie	16672	\cyrnhk	16910
\CYRCH	16576, 16996	\CYRII	16507, 16510	\CYRNJE	16516
\cyrch .	3344, 3345, 3353, 16643,	\cyrii	16677, 16680	\cyrnje	16686
16998		\CYRIOTBYUS	16723	\CYRO	16558, 16966
\CYRCHLDSC	16912	\cyriotbyus	16725	\cyro ...	3341, 3344, 3347, 3348,
\cyrchldsc	16914	\CYRIOTE	16707	3358, 3367, 3368, 3370,	
\CYRCHRDS	16870	\cyriote	16709	3371, 3372, 16625, 16968	
\cyrchrdsc	16872	\CYRIOTLYUS	16715	\CYROMEGA	16699
\CYRCHVCRS	16875	\cyriotlyus	16717	\cyromega	16701
\cyrhvcrs	16878	\CYRISHRT	16547	\CYROMEGARND	16753
\CYRD	16537	\cyrishrt	16614	\cyromegarnd	16755
\cyrd ...	3341, 3344, 3355, 3360,	\CYRISHRTDSC	16771	\CYROMEGATITLO	16757
3361, 16604		\cyrishrtdsc	16773	\cyromegatitlo	16759
\CYRDJE	16498	\CYRIZH	16739, 16744	\CYROT	16761
\cyrdje	16668	\cyrizh	16741, 16747	\cyrot	16763
\CYRDZE	16504	\CYRJE	16512	\CYROTL	16970, 16975
\cyrdze	16674	\cyrje	16682	\cyrotld	16972, 16978
\CYRDZHE	16527	\CYRK	16520, 16550	\CYRP	16560
\cyrdzhe	16697	\cyrk 3347, 3348, 3350, 3364, 3365,	\cyp ...	3341, 3344, 3345, 3349,	
\CYRE	16493, 16496, 16539,	3367, 3368, 3369, 16617,	3350, 3356, 3358, 3362,		
16932		16690	3363, 3364, 3365, 16627		
\cyre 3338, 3344, 3345, 3358, 3370,		\CYRKBEAK	16823		
3371, 3372, 16606, 16663,		\cyrkbeak	16825		
16666, 16934		\CYRKDSC	16809		
\cyreref	16982	\cyrkdsc	16811		
\CYREREV	16590, 16980	\CYRKHCRS	16819		
\cyrerev	16657	\cyrkhcrs	16821		
\CYRERY	16585, 17004	\CYRKHK	16900		
\cyrery 3336, 3338, 16652, 17006		\cyrkhk	16902		
\CYRF	16570	\CYRKOPPA	16765		
\cyrf	16637	\cyrkoppa	16767		
\CYRFITA	16735	\CYRKSI	16727		
\cyrfita	16737	\cyrksi	16729		
\CYRG	16500, 16535	\CYRKVCRS	16814		
\cyrg ...	3354, 16602, 16670	\cyrkvcrs	16817		
\CYRGDSC	17000	\CYRL	16552		
\cyrgdsc	17002	\cylr ...	3352, 3354, 3356, 3358,		
\CYRGHCRS	16787	16619	16619		
\cyrghcrs	16789	\CYRLDSC	16904		
\CYRGHK	16792	\cylrdsc	16906		
\cyrghk	16795	\CYRLJE	16514		
\CYRGUP	16783	\cylrje	16684		
\cyrgup	16785	\CYRLYUS	16711		
\CYRH	16572	\cylryus	16713		
\cyrh	16639	\CYRM	16554		
\CYRHDS	16861	\cylrm ..	3341, 3345, 3371, 3372,		
\cyrhdsc	16863	16621	16621		

\CYRSH 16578
 \cyrsh 16645
 \CYRSHCH 16580
 \cyrshch 16647
 \CYRSHHA 16880
 \cyrshha 16882
 \CYRT 16566
 \cyrt ... 3341, 3344, 3350, 3352,
 3364, 3365, 3366, 3367,
 3368, 3369, 3370, 3371,
 3372, 16633
 \CYRTDSC 16849
 \cyrtdesc 16851
 \CYRTETSE 16865
 \cyrtetse 16867
 \cyrthousands 16769
 \CYRTSHE 16518
 \cyrtshe 16688
 \CYRU ... 16525, 16568, 16984,
 16988, 16992
 \cyru 3348, 3350, 3364, 3365, 3368,
 3372, 16635, 16986, 16990,
 16994
 \CYRUK 16749
 \cyruk 16751
 \CYRUSHRT 16524
 \cyrushrt 16694
 \CYRV 16533
 \cyrv ... 3336, 3338, 16600
 \CYRY 16853
 \cyry 16855
 \CYRYA 16594
 \carya 16661
 \CYRYAT 16703
 \cyryat 16705
 \CYRYHCRS 16857
 \crysphcrs 16859
 \CYRYI 16509
 \cyri 16679
 \CYRYO 16495
 \cyryo 16665
 \CYRYU 16592
 \crysphu 16659
 \CYRZ ... 16543, 16804, 16950
 \cyrz ... 3355, 3360, 3361, 16610,
 16807, 16952
 \CYRZDSC 16803
 \cyrzdsc 16806
 \CYRZH .. 16541, 16896, 16946
 \cyrzh 3338, 3358, 16608, 16898,
 16948
 \CYRZHDSC 16798
 \cyrzhdesc 16801

D

\d 899, 903, 909, 3396, 3400, 3402,
 3403, 3404, 3405, 3406,

3408, 14712, 14724, 14736,
 15130, 15175, 15202, 17086,
 17088, 17098, 17100, 17146,
 17148, 17170, 17172, 17178,
 17180, 17198, 17200, 17206,
 17208, 17242, 17244, 17254,
 17256, 17262, 17264, 17290,
 17292, 17310, 17312, 17330,
 17332, 17348, 17350, 17352,
 17354, 17360, 17362, 17364,
 17366, 17368, 17370, 17376,
 17378, 19226, 19231, 19236,
 19241, 19246, 19251, 19256,
 19261, 19266, 19271, 19276,
 19281, 19286, 19291, 19296,
 19301, 19306, 19311, 19316,
 19321, 19326, 19331, 19336,
 19341
 \dad 19390
 \dag 17406, 20330
 \dagger 19553
 \dal 19376
 \daleth 17595, 19616
 \damma 19430
 \danger 18650, 19972
 \dasheddownarrow 17796, 19684
 \dashedleftarrow 17790, 20339
 \dashedrightarrow 17795, 20340
 \dasheduparrow 17791, 19682
 \dashleftarrow 17788, 19681
 \dashrightarrow 17793, 19683
 \DashV 19099, 20163
 \Dashv 19095, 20162
 \dashV 20161
 \dashv 18099, 19821
 \DavidStar 18740, 20009
 \davidstar 18742, 20427
 \ddag 17410, 20332
 \ddagger ... 14809, 17407, 17409,
 20331
 \ddots 18244, 19880
 \declare@shorthand
 ... 1013, 1014, 1019, 1020,
 1025, 1035, 1036, 1037,
 1042, 1043, 1048, 1049,
 1054, 1059, 1060, 1065,
 1070, 1071, 1072, 1073,
 1074, 1075, 1080, 1081,
 1086, 1087, 1092, 1093
 \DeclareFontEncoding ... 14700,
 15100
 \DeclareFontFamily ... 919, 927
 \DeclareFontShape ... 920, 928
 \DeclareFontSubstitution ... 921,
 929
 \DeclareLocalOptions ... 4219

\DeclareRobustCommand
 ... 4713, 4716, 4725, 4729,
 4864, 4951, 4953, 4955,
 4964, 6003, 6006, 6009,
 6012, 6015, 6018, 6021,
 6146, 6150, 6216, 6220,
 8653, 8679, 8698, 14550
 \DeclareTextAccent 14701, 14702,
 14703, 14704, 14705, 14706,
 14707, 14708, 14709, 14710,
 14711, 14712
 \DeclareVoidOption
 ... 2987, 3001, 3011, 3016,
 3021, 3034, 3044, 3049,
 3054, 3060, 3089, 3106,
 3113, 3118, 3123, 3128,
 3477, 3485, 3493, 3503
 \DefaultHeightofCheckBox 6058,
 12865, 13373, 13742
 \DefaultHeightofChoiceMenu ...
 6060, 12705, 13193, 13534
 \DefaultHeightofReset ... 6056,
 12839, 13346, 13710
 \DefaultHeightofSubmit .. 6054,
 12822, 13324, 13687
 \DefaultHeightofText 6062,
 12681, 13168, 13501
 \DefaultHeightofTextMultiline ..
 6063, 12679, 13166, 13499
 \DefaultOptionsofCheckBox 6068,
 12867, 13375, 13744
 \DefaultOptionsofComboBox ...
 ... 6071
 \DefaultOptionsofListBox .. 6070
 \DefaultOptionsofPopdownBox ..
 ... 6072
 \DefaultOptionsofPushButton ..
 6067, 12797, 13297, 13655
 \DefaultOptionsofRadio ... 6073
 \DefaultOptionsofReset .. 6066,
 12842, 13349, 13713
 \DefaultOptionsofSubmit 6065,
 12825, 13327, 13690
 \DefaultOptionsofText .. 6069,
 12686, 13173, 13506
 \DefaultWidthofCheckBox 6059,
 12864, 13372, 13741
 \DefaultWidthofChoiceMenu ...
 6061, 12704, 13192, 13533
 \DefaultWidthofReset ... 6057,
 12838, 13345, 13709
 \DefaultWidthofSubmit .. 6055,
 12821, 13323, 13686
 \DefaultWidthofText 6064,
 12676, 13163, 13496
 \define@key
 ... 2682, 2684, 2727, 2742,

2745, 2748, 2756, 2759,	\digamma 16480, 20318
2769, 2772, 2775, 2792,	\dimen@ 508, 509, 513, 1880, 1948, 1949, 1952, 1954, 4191, 4192, 4194, 4201, 4202, 5823, 5832, 5835, 5848, 10946, 10947, 10949, 11521, 11536, 11539
2804, 2806, 2809, 2812,	\dimexpr . 520, 2244, 2246, 2254, 2259, 2262, 2264, 2278, 2280, 2283, 2284, 2291, 2294, 2297, 2298, 2299, 2300, 2310, 2315, 2323, 2327, 2332, 2342, 2345, 2350, 2353, 2358, 2359, 5848
2829, 2833, 2836, 2839,	\ding 617, 5890, 5893
2842, 2845, 2848, 2851,	\DingObject 13271
2876, 2932, 2937, 3026,	\discretionary 686
3134, 3145, 3148, 3155,	\div 20197
3184, 3203, 3206, 3443,	\divdot 19000, 20435
3500, 3512, 3527, 3552,	\divide 9278, 10980
3555, 3559, 3587, 3592,	\divideontimes . . . 18152, 19841
3596, 3599, 3606, 3618,	\DJ 3408, 14966, 15513
3625, 3635, 3638, 3641,	\dj 3405, 3406, 15516
3645, 3660, 3669, 3679,	\dlsh 17694, 19644
3686, 3697, 3704, 3721,	\do . 1279, 2699, 2704, 2709, 3667, 3699, 3700, 3701, 3702, 3751, 3752, 3753, 3754, 3755, 3756, 3759, 3760, 3761, 3762, 3763, 3764, 3767, 3768, 3771, 3772, 3773, 3774, 3775, 3778, 3779, 3780, 3781, 3782, 3785, 3786, 3787, 3788, 3789, 3792, 3793, 3794, 3795, 3796, 3799, 3800, 3803, 3804, 3805, 3808, 3809, 3815, 3816, 3817, 3818, 4145, 4146, 4147, 4148, 4149, 4150, 5280, 7181, 7794, 7817, 12709, 12771, 12983, 12990, 13000, 13197, 13260, 13538, 13604, 14413, 14443
5724, 5766, 5769,	\documentclass 2
5772, 5776, 5779, 5783,	\dospecials 14422, 14452
5786, 5790, 5794, 5798,	\Doteq 17946, 20348
5801, 5805, 5808, 5811,	\doteq 17941, 19749
5814, 5817, 5854, 5870,	\doteqdot 17944, 19750
5873, 5876, 5879, 5882,	\dotminus 17906, 19733
5885, 5915, 5918, 5921,	\dotplus 17841, 19704
5924, 5943, 5949, 5964,	\dots 557
5970, 5987, 5992, 5998,	\dottimes 19001, 20121
6606, 6617, 11058, 11064,	\doublebarwedge . . . 19024, 20130
11563, 11565, 11568, 11570,	\doublecap 18179, 20374
11572, 11581, 11589, 11596,	\doublecup 18182, 20375
11598, 11600, 11602, 11604,	\doublesqcap 19012, 20436
11606, 11615, 11625, 11627,	\doublesqcup 19017, 20437
11629, 11630, 11636, 11645,	
11647, 11649, 11651, 11653,	
11655, 11657, 11659, 11661,	
11663, 11665, 11667, 11669,	
11671, 11673, 11675, 11676,	
11677, 11678, 11679, 11680,	
11681, 11682, 11683, 11684,	
11685, 11686	
\Delta 16352, 19504	
\delta 16417, 19517	
\df@tag 8138, 8144	
\DH 14965, 15376	
\dh . . . 15035, 15446, 15447, 20217	
\dhal 19378	
\DiamandSolid 20054	
\diameter 18248, 19882	
\diamond 18465, 19910	
\diamondddots 17450, 19562	
\diamondsuits 18599, 18601, 20416	
	\doublevee 19020, 20129
	\doublewedge 19018, 20128
	\Downarrow 17764, 19670
	\downarrow 19622
	\downdownarrows . . . 17740, 19661
	\downdownharpoons . . . 18935, 20096
	\downharpoonleft . . . 17723, 19654
	\downharpoonright . . . 17720, 19653
	\downmodels 19102, 20164
	\downtherefore 17901, 20345
	\downuparrows 17799, 19685
	\downupharpoons 18953, 20102
	\downvdash 18104, 20361
	\dp 6048, 6051, 7469, 9642, 9722, 9759, 9799, 11522, 11525, 12134, 12409, 13482
	\dsbiological 18644, 19969
	\dschemical 18642, 19968
	\dscommercial 18646, 19970
	\dsjuridical 18640, 19967
	\dsmedical 18638, 19966
	\dsmilitary 18635, 19965
	\dth@counter 7249, 7250, 7280, 7281, 7308
	\dth@everypar 7296
	\dtimes 19004, 20122
	\dvipdfm@setdim 13479, 13521, 13620, 13645, 13676, 13701, 13729, 13758
	\dz 16246, 20316
	E
	\Earth 18537, 20394
	\earth 18535, 19937
	\ECIRCUMFLEX 19221, 19305, 19306, 19307, 19308, 19309
	\ecircumflex 19215, 19245, 19246, 19247, 19248, 19249
	\EdefEscapeHex 842
	\EdefEscapeName 3978, 4022, 9535, 10285, 10823, 11697, 12770, 12773, 13259, 13262, 13600, 13606
	\EdefEscapeString 796, 806
	\EdefUnescapeName 3979
	\EdefUnescapeString 791, 8007
	\egroup 685, 9005, 10110, 10559, 11214, 12930, 13022, 13047
	\EightAsterisk 18822, 20048
	\EightFlowerPetal 18800, 20038
	\EightFlowerPetalRemoved 18819, 20047
	\eighthnote 18617, 20418
	\eightinferior 19585
	\EightStar 18779, 20028
	\EightStarBold 18781, 20029

\EightStarConvex 18775, 20026
 \EightStarTaper 18773, 20025
 \eightsuperior 19569
 \einferior 19593
 \ejective 16198, 20307
 \ell 17560, 19607
 \em 601
 \emgma 16081, 20278
 \emph 580
 \empty 1261, 3562
 \emptyset 17811, 19691
 \enc@html 5682, 5685
 \enc@update 542
 \END 1609, 1610, 1636, 1637,
 1652, 1653, 1670, 1671,
 1688, 1689, 2057, 2063,
 2068, 2170, 2172, 9404,
 9417, 9421, 9428, 9441,
 9445, 9451, 9463, 9467
 \end 622, 20454
 \endeqnarray 7123, 7145, 7152
 \endequation 7077, 7111
 \endForm 5672
 \endinput 64, 2998, 3073, 4390,
 4495, 8566, 11147, 12472,
 14540
 \endlinechar 4749
 \endNoHyper 6180
 \EndPreamble 12475
 \endsubeqnarray 7156, 7167
 \eng 15646, 20224
 \engma 15647, 20225
 \ensuremath 670
 \Envelope 18696, 19988
 \enya 16085, 20280
 \epsdice 619, 20202
 \epsi 16004, 20256
 \epsilon 16419, 19518
 \eqcirc 17957, 19755
 \eqcolon 17909, 19734
 \eqdot 19029, 20132
 \eqnarray 7122, 7124, 7149
 \eqslantgr 19058, 20145
 \eqslantless 19056, 20144
 \equal 7875
 \equalscolon 17955, 19754
 \equalsinferior 19589
 \equalsuperior 19573
 \equation 7076, 7085, 7089, 7098
 \equationautorefname
 3210, 3228, 3246, 3264,
 3282, 3300, 3318, 3336,
 3337, 3376, 3394, 8799, 8803
 \equiv 17969, 19761
 \er 16000, 20255
 \errmessage 3440
 \es@roman 644
 \es@save@dot 1237
 \escapechar 526, 847, 4337, 7174,
 14273, 14454, 14505
 \esh 16139, 19491
 \eta 16423, 19520
 \eTeX 566, 12480
 \etex@unexpanded 1812, 1819
 \eTeXversion 9237, 9239, 9241
 \eth 15447, 20217
 \evensidemargin 8025
 \everypar 7322
 \ExecuteOptions 4206, 4207, 4211
 \exists 17807, 19689
 \ext@figure 8373
 \ext@table 8372
 \extra@b@citeb 7801
 \extrasvietnam 3486
 \extrasvietnamese 3478

F

\fa 19402
 \fallingdoteq 19751
 \fallingdotseq 17948
 \FancyVerbLineautorefname
 3223, 3241, 3259, 3277,
 3295, 3313, 3331, 3366,
 3369, 3389, 3407, 8816
 \farsikaf 19444
 \farsiya 19448
 \fatha 19428
 \fax 17597, 19617
 \fbox 13152, 13155
 \fcdice 620, 20203
 \female 18529, 18532, 20391
 \FemaleFemale 18652, 19973
 \FemaleMale 18656, 19975
 \Field@addtoks 5746, 5777, 5780,
 5965, 5988
 \Field@boolkey 5233, 5321, 5740,
 5770, 5773
 \Field@toks 5744, 5745, 5747,
 12922, 12939, 12950, 12961,
 12971, 12988, 13006, 13014,
 13019, 13035, 13044
 \Field@Width 5657, 5803
 \figureautorefname 3213, 3231,
 3249, 3267, 3285, 3303,
 3321, 3351, 3379, 3397, 8806
 \filename@area 5119
 \filename@base 5119
 \filename@ext 5116, 5117, 5119,
 5120
 \filename@parse 5115
 \find@pdflink 9054, 9108, 9118
 \Finv 17587, 19612
 \Fire 19177, 20187
 \fivedots 19120, 20171
 \FiveFlowerOpen 18798, 20037
 \FiveFlowerPetal 18796, 20036
 \fiveinferior 19582
 \FiveStar 18479, 19916
 \FiveStarCenterOpen 18757,
 20017
 \FiveStarConvex 18765, 20021
 \FiveStarOpen 18481, 19917
 \FiveStarOpenCircled 18755,
 20016
 \FiveStarOpenDotted 18759,
 20018
 \FiveStarOutline 18761, 20019
 \FiveStarOutlineHeavy 18763,
 20020
 \FiveStarShadow 18767, 20022
 \fivesuperior 19566
 \Flag 18632, 19964
 \flap 16127, 20291
 \flapr 16126, 20290
 \flat 18622, 19959
 \Fld@additionalactions 13885,
 13928, 13932
 \Fld@@DingDef 5890, 5893, 5912
 \Fld@additionalactions 13885,
 13974, 14002, 14036, 14070,
 14104, 14138, 14169
 \Fld@align 5661, 5877, 13953,
 14011, 14078
 \Fld@altname 5793, 5795, 13864,
 13866, 13938, 13940
 \Fld@cannotflags 5440, 5442,
 13949, 13980, 14007, 14040,
 14074, 14109, 14144
 \Fld@annotnames 13936, 13950,
 13981, 14008, 14041, 14075,
 14110, 14145
 \Fld@bcolor 5663, 5919, 13964,
 13966, 14027, 14029, 14055,
 14057, 14082, 14094, 14096
 \fld@bcolor 14015
 \Fld@bordercolor 5664, 5922,
 13960, 13962, 13987, 13995,
 13997, 14014, 14023, 14025,
 14051, 14053, 14081, 14090,
 14092, 14116, 14124, 14126,
 14151, 14159, 14161
 \Fld@bordersep 5665, 5871
 \Fld@borderstyle
 5667, 5855, 5856, 5857,
 5867, 13954, 13985, 14012,
 14045, 14079, 14114, 14167
 \Fld@borderwidth
 5666, 5818, 6042, 6045,
 6046, 6049, 6050, 12758,
 12759, 13247, 13248, 13588,

13589, 13954, 13985, 14012,
 14045, 14079, 14114, 14167
`\Fld@calculate@code` 5930, 13898,
 13900
`\Fld@cbsymbol` 5668, 5883, 13968
`\Fld@charsize` 5658, 5659, 5815,
 12757, 13246, 13587, 13970,
 14033, 14061, 14100, 14149
`\Fld@checkedfalse` 5654
`\Fld@checkequals` .. 5758, 12710,
 12772, 12991, 13001, 13198,
 13261, 13539, 13605
`\Fld@choices`
 .. 5547, 5555, 5557, 5561,
 5570, 5578, 5583, 5631,
 5633, 5641, 5642, 14035
`\Fld@color` ... 5662, 5925, 13971,
 14034, 14062, 14101
`\Fld@default` . 5572, 5575, 5577,
 5874, 12674, 12690, 12702,
 12742, 12770, 12862, 12920,
 12938, 12952, 12960, 12967,
 12993, 13003, 13033, 13043,
 13161, 13178, 13190, 13231,
 13259, 13370, 13494, 13511,
 13531, 13572, 13600, 13739,
 14063, 14064, 14065, 14102
`\Fld@DingDef` . 5883, 5886, 5888
`\Fld@disabledfalse` 5655
`\Fld@export` . 5385, 5388, 5395,
 5687
`\Fld@findlength` ... 12970, 12981
`\Fld@flags` 5454, 5456, 5467, 5469,
 5483, 5485, 5515, 5517,
 5540, 5542, 13952, 13983,
 14010, 14043, 14077, 14112,
 14147
`\Fld@format@code` . 5928, 13890,
 13892
`\Fld@getmethodfalse` 5707
`\Fld@getmethodtrue` 5709
`\Fld@height` . 5812, 12677, 12694,
 12705, 12760, 12777, 12789,
 12822, 12839, 12865, 12874,
 13164, 13183, 13193, 13249,
 13276, 13289, 13324, 13346,
 13373, 13384, 13497, 13513,
 13534, 13590, 13602, 13638,
 13687, 13710, 13742, 13750
`\Fld@hiddenfalse` 5343
`\Fld@hiddentreue` 5344
`\Fld@invisiblefalse` 5339
`\Fld@invisibletrue` 5340
`\Fld@keystroke@code` 5931,
 13886, 13888
`\Fld@listcount` ... 12769, 12774,
 12785, 13258, 13263, 13277,
 13283, 13599, 13607, 13611,
 13616, 13627, 13634
`\Fld@loc` 5767
`\Fld@mappingname` . 5797, 5799,
 13868, 13870, 13942, 13944
`\Fld@maxlen` . 5660, 5806, 14105
`\Fld@menglenth` .. 5656, 5809,
 12707, 12711, 12757, 12982,
 12983, 12986, 13195, 13199,
 13246, 13536, 13540, 13587
`\Fld@name` . 5791, 12673, 12701,
 12794, 12861, 12919, 12924,
 12935, 12936, 12947, 12948,
 12957, 12958, 12966, 12987,
 13004, 13012, 13017, 13032,
 13041, 13160, 13189, 13294,
 13369, 13493, 13530, 13652,
 13738, 13863, 13937
`\Fld@norotatefalse` 5356
`\Fld@norotatetru` 5355
`\Fld@noviewfalse` 5359
`\Fld@noviewtrue` 5360
`\Fld@nozoomfalse` 5352
`\Fld@nozoomtrue` 5351
`\Fld@onblur@code` . 5933, 13906,
 13908
`\Fld@onclick@code` . 5927, 5999,
 14001
`\Fld@onenter@code` 5936, 13918,
 13920
`\Fld@onexit@code` . 5937, 13922,
 13924
`\Fld@onfocus@code` 5932, 13902,
 13904
`\Fld@onmousedown@code` 5934,
 13910, 13912
`\Fld@onmouseup@code` .. 5935,
 13914, 13916
`\Fld@printfalse` 5348
`\Fld@printtrue` 5347
`\Fld@radiosymbol` .. 5669, 5886,
 14059
`\Fld@rotation` 5670, 5916, 13956,
 13958, 13986, 13991, 13993,
 14013, 14019, 14021, 14047,
 14049, 14080, 14086, 14088,
 14115, 14120, 14122, 14150,
 14155, 14157
`\Fld@submitflags` ... 5422, 5424,
 14136
`\Fld@temp` .. 5889, 5891, 5894,
 5895, 5904, 5905
`\Fld@validate@code` 5929, 13894,
 13896
`\Fld@value` 5573, 5580, 5582, 5880,
 12675, 12690, 12703, 12741,
 12742, 13162, 13178, 13191,
 13230, 13231, 13495, 13511,
 13532, 13571, 13572, 14103
`\Fld@width` . 5802, 12676, 12689,
 12694, 12704, 12740, 12751,
 12753, 12777, 12789, 12809,
 12821, 12829, 12838, 12852,
 12864, 12870, 12874, 13163,
 13177, 13183, 13192, 13229,
 13240, 13242, 13276, 13289,
 13310, 13323, 13331, 13345,
 13359, 13372, 13379, 13384,
 13496, 13510, 13513, 13533,
 13570, 13581, 13583, 13602,
 13638, 13669, 13686, 13694,
 13709, 13723, 13741, 13748,
 13750
`\float@caption` 7570, 7642
`\float@makebox` 7644, 7645
`\floatingpenalty` 7470
`\flq` 651
`\flqq` 649
`\fmtname` 7
`\fmtversion` 7
`\fontencoding` ... 534, 538, 573,
 13144
`\fontfamily` 574, 13143
`\fontseries` 575, 7214, 7242, 7273,
 13145
`\fontshape` 576, 4676, 13146
`\fontsize` 577
`\Football` .. 18667, 18669, 20422
`\footins` 7464
`\footnote` 5209
`\footnoteautorefname`
 .. 3211, 3229, 3247, 3265,
 3283, 3301, 3319, 3340,
 3343, 3377, 3395, 8800, 8804
`\footnotesep` 7468, 7475
`\footnotesize` 606, 7466
`\footnotetext` 7426
`\footref` 7494, 7495
`\forall` 17801, 19686
`\foreignlanguage` 632
`\Form` 5671
`\Form@action` 5681, 12911, 14134
`\Form@boolkey` 5675
`\Form@htmlfalse` ... 5674, 5693
`\Form@htmtrue` 5686
`\Form@method` 5705, 5713, 12911
`\FourAsterisk` 18743, 20010
`\fourinferior` 19581
`\FourStar` 18751, 20014
`\FourStarOpen` ... 18753, 20015
`\foursuperior` 19565
`\fourth` 17448, 19561
`\frown` 18265, 19890
`\frownie` 18512, 19930

\Frowny	18514, 20387	\Greeknumeral	1101	\ha	19414
\frq	652	\greeknumeral	1100	\Haa	19372
\frqq	650	\grq	648	\Halb	19164, 20448
\fullnote	19159, 20179	\grqq	646	\halfnote	19162, 20180
\futurelet	705, 1603	\gtrapprox	19039, 20137	\halign	667
\FV@SetLineNo	6915	\gtrclosed	18131, 20367	\hamza	19348
\FV@StepLineNo	6914, 6916, 6917	\gtrdot	18187, 19856	\HandCuffLeft	18492, 19922
		\gtreqless	18197, 19860	\HandCuffRight	18494, 19923
		\gtreqqless	19054, 20143	\HandLeft	18496, 19924
		\gtrless	18009, 19781	\HandRight	18499, 19925
		\gtrsim	18005, 19779	\HaPa	19149, 20174
		\guill@spacing	1030	\HAR@checkcitations	7891
		\guillemotleft 1070, 14892, 15074, 15301, 19202		\HAR@citetoaux	7847
		\guillemotright ... 1071, 14923, 15075, 15334, 19203		\HAR@tempa 7892, 7893, 7894, 7895, 7896, 7897	
		\guilsingleft 14823, 15076, 17431, 19204		\hardsign	16650, 20319
		\guilsingright ... 14825, 15077, 17433, 19205		\harvardcite	7841, 7878
				\harvarditem	7866
				\hateq	17961, 19757
				\hausaB	15758, 19464
				\hausab	15976, 20249
				\hausaD	15762, 19465
				\hausad	15990, 20254
				\hausaK	15772, 19466
				\hausak	15776, 20230
				\hbar	15564, 19463
				\hbox .. 1872, 1878, 1884, 2581, 3573, 3579, 5154, 5156, 5803, 6036, 6037, 6038, 6039, 7831, 8020, 8998, 9564, 9643, 9653, 9723, 9737, 9760, 9775, 9800, 9815, 10086, 10103, 11178, 11525, 11539, 12135, 12145, 12410, 12425, 13059, 13512, 13601, 13637, 13667, 13695, 13724, 13749, 14552	
				\hc@currentHref	7581
				\HCode .. 12911, 12913, 12924, 12933, 12945, 12953, 12955, 12986, 12992, 12997, 13002, 13016, 13021, 13025, 13028, 13037	
				\hdotfor	17413, 19555
				\headerps@out .. 6640, 11835, 11846, 11918, 11932, 11985, 11994, 12007, 12021, 12060, 12178, 12296, 12487	
				\heartsuit . 18596, 18598, 20415	
				\Hermaphrodite .. 18658, 19976	
				\hfill .. 6036, 6037, 6038, 6039, 7722, 7755	
				\Hfootnoteautorefname .. 8800	
				\hhyperref	5214
				\hinferior	19597
				\hoffset	8021
				\hookb	15975, 20248

\hookd 15989, 20253
\hookg 16022, 20260
\hookh 16042, 20265
\hookheng 16046, 20267
\hookleftarrow 17680, 19638
\hookrevespsilon 16011, 20257
\hookrightarrow 17682, 19639
\phantom 616
\href {659, 4864, 5208, 5209, 6206}
\href@ 4867, 4870, 4875
\href@split 4875, 4876
\hspace 7471
\hskip 1883, 1961, 2622, 2623,
 4861, 6042, 13059
\hslash 17556, 19605
\hspace 655, 7881, 7882
\hss 8029, 14557
\ht 6044, 6047, 9651, 9726, 9735,
 9742, 9763, 9773, 9780,
 9803, 9813, 9820, 11521,
 12143, 12423, 13480
\htmladdimg 5207
\htmladdnormallink 5208
\htmladdnormallinkfoot 5209
\htmlref 5210
\htrtaild 19552
\Huge 603
\huge 607
\Hurl 4950, 4952, 4954
\hv 15771, 20229
\hv@pdf@char 14342, 14407,
 14408, 14409, 14410
\hvtex@buffer 10865, 10869,
 10877, 10880, 10889, 10893,
 10909
\hvtex@gettoken 10864, 10878,
 10882, 10891, 10895
\hvtex@gettoken@ 10865, 10867
\hvtex@par@dimension 10860,
 10901
\hvtex@par@direction 10861,
 10904
\hvtex@par@duration 10862,
 10896
\hvtex@par@motion 10863, 10898
\hvtex@param@dimension 10873,
 10902, 10920, 10923
\hvtex@param@direction 10874,
 10905, 10931, 10939
\hvtex@param@duration 10875,
 10897, 10944, 10946
\hvtex@param@motion 10876,
 10899, 10920, 10927
\hvtex@parse@trans 10849, 10871
\hvtex@produce@trans 10910,
 10916
\hvtex@token 10868, 10879,
 10885, 10892, 10897, 10900,
 10903, 10905
\hvtex@trans@code 10853, 10854,
 10855, 10856, 10857, 10858,
 10859, 10872, 10918, 10919,
 10921, 10923, 10925, 10927,
 10929, 10931, 10933, 10934,
 10935, 10936, 10937, 10939
\hvtex@trans@effect@Blinds
 10853
\hvtex@trans@effect@Box 10854
\hvtex@trans@effect@Dissolve
 10855
\hvtex@trans@effect@Glitter
 10856
\hvtex@trans@effect@R 10859
\hvtex@trans@effect@Split 10857
\hvtex@trans@effect@Wipe 10858
\hvtex@trans@par 10892, 10896,
 10898, 10901, 10904
\hvtex@trans@params 10886,
 10888, 10912
\Hy@@CleanupFile 5154, 5156
\Hy@@DefNameKey 2724, 2726
\Hy@escapeform 13829, 13842,
 13848
\Hy@SectionAnchor 14547,
 14550
\Hy@temp 3603, 3605, 5939,
 5941
\Hy@VersionCheck 291, 310
\Hy@abspage 6387, 6473, 6589,
 6666
\Hy@Acrobatmenu 4275, 4316,
 9533, 10283, 10824, 11698
\Hy@activeanchorfalse
 4747, 9099, 9595, 9610,
 9689, 9699, 10015, 10544,
 10561, 10632, 10645, 11164,
 12083, 12098, 12363, 12377
\Hy@activeanchortrue
 9095, 9592, 9606, 9687,
 9696, 10011, 10540, 10558,
 10630, 10642, 11154, 12080,
 12094, 12360, 12373
\Hy@ActiveCarriageReturn 4783,
 4786
\Hy@AllowHyphens 4857, 11152,
 11184, 11508
\Hy@AlphNoErr 6812, 6825, 6827
\Hy@AnchorName
 4987, 4989, 4992, 4994,
 5018, 5020, 5024, 5029, 5031
\Hy@appendixstring 6807, 6829
\Hy@AtBeginDocument
 364, 1009, 2860, 2920,
 2994, 3069, 3125, 3515,
 4188, 4231, 4248, 4386,
 4392, 4491, 4644, 4734,
 6114, 6225, 6673, 6921,
 7838, 8645, 8793, 8993,
 9479, 10098, 10613, 12020,
 12058, 13074, 13075
\Hy@AtBeginDocumentHook 365,
 370, 376, 377
\Hy@AtEndOfPackage 367,
 905, 2497, 3479, 3487, 3494,
 4374, 4400, 4406, 4596
\Hy@AtEndOfPackageHook 368,
 371, 373, 374
\Hy@author 6294, 6298
\Hy@babelnormalise 4965, 4967
\Hy@backout 4743, 6165, 6169,
 7677
\Hy@backreffalse 431, 3175, 3197,
 4398
\Hy@backreftrue 3168, 3172, 3194
\Hy@BeginAnnot 10128, 10145,
 10186, 10223, 10255, 10284
\Hy@bibcite 7700, 7704
\Hy@bookmarksdepth 3558,
 3563, 3575, 3581, 14184
\Hy@bookmarksnumberedfalse
 432
\Hy@bookmarksopenfalse 433
\Hy@bookmarkstrue 434
\Hy@bookmarkstype 3593, 3595,
 8051, 14195
\Hy@boolkey 2651, 2743, 2746,
 2749, 2770, 2773, 2776,
 2807, 2810, 2813, 2830,
 2834, 2837, 2840, 2843,
 2846, 2849, 2852, 2933,
 3146, 3149, 3204, 3501,
 3513, 3528, 3553, 3556,
 3597, 3600, 3661, 3821,
 4109, 4112, 4115, 4118,
 4121, 4124, 4127, 4135,
 4156, 4159, 6607
\Hy@BorderArrayPatch 11576,
 11579, 11844, 12294
\Hy@breaklinks@unsupported
 2818, 11130
\Hy@breaklinksfalse 435
\Hy@breaklinksunhbox 11475,
 11529
\Hy@CatcodeWrapper 4605,
 4664, 4708, 4737
\Hy@chapapp 6808, 6829, 6855,
 14578, 14589, 14671
\Hy@chapterstring 6803, 6805,
 6808, 6854

\Hy@CheckOptionValue . 2694,
2731

\Hy@CJKbookmarksfalse . . . 437

\Hy@cjkpu 1272, 1274, 1295

\Hy@CleanupFile . . . 5152, 9160,
10188, 10709, 11770

\Hy@colorlink
. . . 3507, 4668, 4676, 4680,
8994, 9080, 9153, 9193,
9229, 9558, 9593, 9616,
9647, 9660, 9688, 9704,
9729, 9745, 9767, 9784,
9807, 9824, 10099, 10177,
10216, 10248, 10277, 10303,
10631, 10653, 10723, 10749,
10784, 10817, 10836, 11182,
11459, 11461, 12081, 12104,
12139, 12152, 12361, 12383,
12418, 12431

\Hy@colorlinksfalse 3504

\Hy@ColorList 3666, 3667

\Hy@CounterExists . 6701, 6714,
6717

\Hy@currentbookmarklevel 14190,
14200, 14201, 14207, 14214,
14307, 14310, 14315, 14319

\Hy@debugfalse 427

\Hy@debugtrue 426

\Hy@defaultbp 5818, 5820

\Hy@defaultbpAux . 5822, 5827,
5841

\Hy@defaultdriver 4480, 4505,
4515, 4526

\Hy@DefFormAction . 5679, 5681

\Hy@DefNameKey 2723, 3698,
3750, 3758, 3766, 3770,
3777, 3784, 3791, 3798,
3802, 3807, 3814, 4144

\Hy@DEST 11476, 11543

\Hy@DestName 9041, 9048

\Hy@DisableOption 2680, 4268,
4269, 4270, 4272, 4379,
4405, 4542, 4543, 4544,
4545, 4546, 4547, 4548,
4549, 4550, 4551, 4552,
4553, 4554, 4555, 4556,
4557, 4558, 4559, 4604,
4657, 4685, 4686, 4745,
4746, 6118, 6119, 6120,
6121, 6122, 6123, 6124,
6125, 6126, 6127, 6128,
6129, 6130, 6131, 6132,
6133, 6134, 6135, 6136,
6137, 6138, 6139, 6140,
6141, 6318, 6541, 7533,
8220, 8318, 8319, 8918,
9021, 9389, 9390, 9391,

9392, 9393, 9394, 9395,
9396, 9397, 9398, 9528,
9854, 9855, 9856, 9857,
9858, 9859, 9860, 9861,
9862, 9863, 10126, 10346,
10347, 10348, 10349, 10350,
10351, 10352, 10353, 10354,
10355, 10473, 10615, 11082,
11083, 11084, 11085, 11086,
11087, 11088, 11089, 11090,
11091, 11349, 11350, 11351,
11352, 11353, 11354, 11355,
11356, 11357, 11358, 11911,
12204, 12205, 12206, 12207,
12208, 12209, 12210, 12211,
12212, 12213

\Hy@DistillerDestFix 7994,
11095, 11097

\Hy@draftfalse 393

\Hy@drafttrue 394

\Hy@driver . 472, 2823, 2991, 3003,
3013, 3018, 3023, 3036,
3046, 3051, 3056, 3063,
3066, 3092, 3108, 3115,
3120, 3130, 3875, 4408,
4411, 4415, 4418, 4422,
4425, 4427, 4431, 4437,
4441, 4444, 4448, 4453,
4457, 4460, 4464, 4467,
4469, 4473, 4478, 4482,
4485, 4488, 4499, 4502,
4505, 4514, 4515, 4526,
4528, 4534, 4536, 4538

\Hy@dth@currentHref . 7257, 7288,
7313

\Hy@DviErrMsg 2958, 2960,
2963, 2969, 2982

\Hy@DviModetrue 2967, 2972

\Hy@DvipdfmxOutlineOpentru
e 4566, 4573

\Hy@EndAnnot 10134, 10180,
10219, 10251, 10280, 10306

\Hy@endcolorlink
. . . 3508, 4672, 4677, 4681,
9003, 9086, 9593, 9630,
9654, 9662, 9688, 9712,
9733, 9747, 9771, 9786,
9811, 9826, 10108, 10136,
10631, 10704, 10725, 10751,
10786, 10819, 10838, 11209,
11468, 12081, 12120, 12146,
12154, 12361, 12397, 12422,
12433

\Hy@EndWrap 4606, 4608, 4609,
4642

\Hy@Error 263, 279, 285,
299, 2864, 2980, 3005, 3038,

3076, 3083, 3094, 3100,
4300, 4918, 5085, 5380,
5504, 5700, 5732, 5944,
5993, 12800, 12846, 13301,
13353, 13659, 13717

\Hy@escapeform 12693, 12776,
12788, 12812, 12830, 12853,
12873, 13181, 13266, 13287,
13313, 13333, 13360, 13382,
13518, 13610, 13641, 13673,
13697, 13725, 13755, 13823,
13853, 13860

\Hy@escapestring 13820, 13888,
13892, 13896, 13900, 13904,
13908, 13912, 13916, 13920,
13924, 13968, 14001, 14102,
14103, 14134

\Hy@EveryPageAnchor 7993,
8036

\Hy@EveryPageBoxHook
. . . 6344, 6348, 6352, 8035,
10448, 10970, 11270

\Hy@EveryPageHook . 6343, 6347,
6539, 9471

\Hy@ExchangeLeftParenthesis
. . . 8849, 8855

\Hy@ExchangeRightParenthesis
. . . 8859, 8865

\Hy@false 2545, 2661, 3160, 3196,
5729

\Hy@finalfalse 394

\Hy@finaltrue 393

\Hy@FirstPage 4286

\Hy@FirstPageHook
. . . 6345, 6359, 6363, 6364,
6367, 6638, 6639, 11845,
11931, 11993, 12295, 12486

\Hy@FixNotFirstPage . 9562, 9563,
9571

\Hy@float@caption 7571, 7621,
7635

\Hy@float@currentHref 7625,
7628, 7630, 7636, 7638, 7640

\Hy@footnote@currentHref
. . . 6113, 7358, 7363, 7378,
7383, 7386, 7398, 7400,
7439, 7480, 7483

\Hy@FormObjects 13112, 13390,
13444, 13454, 13766, 13816

\Hy@frenchlinksfalse 3506

\Hy@Gin@setfile 8215, 8217

\Hy@GlobalStepCount . 470, 6473,
6885, 6908, 8011, 8429, 8480

\Hy@gtemp 820,
821, 4338, 4344, 4346, 5577,
5578, 5582, 5583, 5594,

5608, 7415, 7420, 8873,
 8875, 13881, 13883
`\Hy@href` 4867, 4869
`\Hy@href@nextactionraw`
 4904, 4927, 4929,
 4930, 4932, 4937, 4941,
 4943, 9149, 9189, 9225,
 9554, 10173, 10212, 10244,
 10273, 10299, 10668, 10738,
 10806, 11795, 11824
`\Hy@href@page` 4882, 4884, 4888,
 4889, 4891, 4898, 4901,
 9185, 10207, 11791
`\Hy@hyperfiguresfalse` 439
`\Hy@hyperfootnotestrue` 441
`\Hy@hyperindextrue` 442
`\Hy@hypertexnamesfalse` 2501
`\Hy@hypertexnamestrue` 443
`\Hy@IfStringEndsWith` 5120,
 5132
`\Hy@implicittrue` 444
`\Hy@Info`
 266, 2669, 4349, 4351, 4354,
 4356, 4359, 4361, 4364,
 4366, 4369, 4371, 4589,
 4595, 4673, 4678, 4682,
 4826, 4853, 5287, 6075,
 6077, 6080, 6082, 6085,
 6087, 6090, 6092, 6095,
 6097, 6100, 6102, 6105,
 6107, 7778, 7839, 8056, 8073
`\Hy@InfoNoLine` 267, 4381, 4383,
 12340
`\Hy@LastPage` 4289
`\Hy@level` 14196, 14198, 14209,
 14214, 14215, 14216, 14247
`\Hy@levelcheck` 14197, 14212
`\Hy@linkcounter` 474,
 476, 6885, 6886, 6908, 6909,
 8159, 8429, 8430, 8434,
 8480, 8481, 8485
`\Hy@linkfileprefix` 3637, 5104,
 9633, 10509, 12124, 12400
`\Hy@LinkMath` 11173, 11175,
 11180, 11212, 11500, 11502,
 11507, 11509, 11515, 11517
`\Hy@linktoc` 2778, 2780, 2788,
 2790, 2800, 8092
`\Hy@linktoc@all` 2786
`\Hy@linktoc@none` 2783
`\Hy@linktoc@page` 2778, 2785,
 2788
`\Hy@linktoc@section` 2780, 2784,
 2790
`\Hy@linktocpagefalse` 445
`\Hy@localanchornamemode` 446
`\Hy@LT@currentHref` 7055, 7066
`\Hy@LT@footnotetext` 7438, 7447
`\Hy@make@anchor` 8133, 8139,
 8145
`\Hy@make@df@tag@@` 8137, 8152
`\Hy@make@df@tag@@@` 8143,
 8153
`\Hy@MakeCurrentHref` 6896,
 6909
`\Hy@MakeCurrentHrefAuto` 6907,
 6989, 8134, 14175, 14562,
 14578, 14589, 14619, 14633,
 14671
`\Hy@MakeRemoteAction` 4887,
 9163, 10191, 11773
`\Hy@maketitle@end` 7510, 7515,
 7517
`\Hy@maketitle@optarg` 7508, 7513
`\Hy@Match` 314,
 316, 3137, 3647, 3707, 3724,
 4083, 4932, 5857
`\Hy@MaybeStopNow` 3059, 4212,
 4215
`\Hy@Message`
 268, 2993, 3068, 4385, 4490,
 4534, 10565, 10569, 10572,
 10575, 10578, 10581, 10584,
 10587, 12670, 12883, 12887,
 12890, 12893, 12896, 12899,
 12902, 12905, 12915, 13052,
 13449
`\Hy@naturalnamesfalse` 448
`\Hy@nestingfalse` 449
`\Hy@newline@author` 6337
`\Hy@newline@title` 6336
`\Hy@next` 6489, 6499, 6504,
 14588, 14597, 14600
`\Hy@nextfalse` 4318, 8230
`\Hy@NextPage` 4280
`\Hy@nexttrue` 4319, 4320, 4321,
 8231, 8232, 8233
`\Hy@number` 4052, 4056, 4064
`\Hy@numberline` 14191, 14228,
 14229, 14230, 14231
`\Hy@ObsoletePaperOption` 2752,
 2760
`\Hy@ocgcolor` 8997, 9011, 10102,
 10116
`\Hy@ocgcolorlinksfalse` 3505, 4652
`\Hy@org@chapter` 14586, 14601
`\Hy@OrgMakeLabel` 12455, 12462
`\Hy@OutlineName` 14466, 14521
`\Hy@OutlineRerunCheck` 14331,
 14430, 14512
`\Hy@PageAnchorSlide` 7953,
 7991, 8004
`\Hy@PageAnchorSlidesPlain` 7940,
 7990, 7999
`\Hy@pageanchortrue` 452
`\Hy@pagecounter` 475, 477, 6947,
 8011, 8013
`\Hy@pageheight` 4202, 11933,
 12022
`\Hy@param` 6853, 6854, 6855,
 6882, 6886
`\Hy@pdfafalse` 468
`\Hy@pdfcenterwindowfalse` 436
`\Hy@pdfdisplaydoctitlefalse` 467
`\Hy@pdfencoding@pdfdoc` 2915
`\Hy@pdfescapeformfalse` 438
`\Hy@pdffitwindowfalse` 440
`\Hy@pdfmarkerrorfalse` 11439
`\Hy@pdfmarkerrortrue` 11609,
 11618
`\Hy@pdfmenubartrue` 447
`\Hy@pdfminorversion`
 8885, 8891, 8894, 8902,
 8907, 8909, 8912, 8916
`\Hy@pdfnewwindowfalse` 451
`\Hy@pdfnewwindowsetfalse` 450,
 4132
`\Hy@pdfnewwindowsettrue` 4134,
 4906
`\Hy@pdfnewwindowtrue` 4907
`\Hy@pdfpagehiddenfalse` 454
`\Hy@pdfpagelabelsfalse` 6374
`\Hy@pdfpagelabelstrue` 453
`\Hy@pdfstringdef` 819, 5552, 5560
`\Hy@pdfstringfalse` 455, 6143
`\Hy@pdfstringtrue` 672, 6115
`\Hy@pdftoolbartrue` 461
`\Hy@pdfusetitlefalse` 464
`\Hy@pdfversion`
 2945, 2956, 5554, 8907,
 8909, 8913, 8916, 13875
`\Hy@pdfwindowuitrue` 466
`\Hy@plainpagesfalse` 456
`\Hy@PrevPage` 4283
`\Hy@ps@CR` 11975, 11982, 11987,
 11988, 12005, 12026, 12027,
 12028, 12034, 12041, 12048,
 12055
`\Hy@psdextrafalse` 460
`\Hy@pstringB` 9305, 9310, 10386,
 10398, 11412, 11428, 12267,
 12283
`\Hy@pstringD` 9162, 9187, 10190,
 10209, 11772, 11793
`\Hy@pstringdef`
 8820, 9040, 9064, 9124,
 9161, 9162, 9199, 9200,
 9305, 9953, 10154, 10189,
 10190, 10224, 10225, 10256,
 10386, 10652, 10730, 10793,
 10794, 11412, 11607, 11616,

11745, 11771, 11772, 11803,
11804, 12267, 13846, 14465,
14481
\Hy@pstringDest . . . 9040, 9041,
9953, 10000, 11607, 11608,
11612, 11616, 11617, 11621
\Hy@pstringF
.. 9159, 9160, 9161, 9181,
9199, 9218, 9223, 10187,
10188, 10189, 10204, 10224,
10237, 10242, 10708, 10709,
10713, 10793, 10800, 10804,
11769, 11770, 11771, 11788,
11803, 11819, 11822
\Hy@pstringName 14465, 14466,
14481, 14495
\Hy@pstringP 9200, 9223, 10225,
10242, 10794, 10804, 11804,
11822
\Hy@pstringURI . . . 9124, 9145,
10256, 10269, 10652, 10664,
10730, 10734, 11745, 11757
\Hy@PutCatalog 6535, 6543, 6655
\Hy@raisedlink 2569, 6796, 6991,
7012, 7013, 7014, 7017,
7067, 7107, 7112, 7115,
7138, 7310, 7361, 7381,
7452, 7478, 7609, 7688,
7712, 7717, 7737, 8135,
8160, 11833, 11916, 12174,
12338, 14176, 14554, 14579,
14590, 14620, 14672
\Hy@raiselinksfalse .. 457, 7840
\Hy@RemoveDurPageAttr 9428,
9441
\Hy@RemoveHidPageAttr 9451,
9463
\Hy@RemovePercentCr .. 4799,
4803, 4808
\Hy@RemoveTransPageAttr 9403,
9417
\Hy@reserved@a 5034, 7125, 7158,
12918, 12968, 13031
\Hy@RestoreCatcodes 205, 4208,
4541
\Hy@RestoreLastskip
.. 2590, 9042, 9596, 9611,
9690, 9700, 10002, 10545,
10562, 10633, 10646, 11145,
11165, 12084, 12099, 12364,
12378
\Hy@RestoreSavedSpaceFactor ..
.. 2565, 9641, 9721, 9758,
9798, 12133, 12408
\Hy@RestoreSpaceFactor
.. 2556, 2582, 2587, 9640,
9648, 9655, 9720, 9730,
9738, 9757, 9768, 9776,
9797, 9808, 9816, 11179,
11215, 11506, 11514, 11541,
12132, 12140, 12147, 12407,
12419, 12426, 12463, 12467
\Hy@ReturnAfterElseFiFiEnd ..
..... 480, 1846
\Hy@ReturnAfterFiFiEnd . 479,
1838, 1852, 1930, 1937
\Hy@ReturnEnd . 478, 479, 480,
1858, 1942
\Hy@safe@activesfalse 481, 4698,
4703, 5048, 8715
\Hy@safe@activesttrue
481, 4327, 4696, 4701, 4779,
4816, 4824, 4852, 4969,
5040, 8621, 8704, 14423,
14453
\Hy@saved@currentHref . 7396,
7399
\Hy@saved@footnotemark 7504,
7519
\Hy@saved@footnotetext . 7505,
7522
\Hy@saved@hook . . . 6322, 6332
\Hy@saved@refstepcounter 6780,
7041
\Hy@SavedSpaceFactor
. 2552, 2554, 2559, 2560,
2566, 12460
\Hy@SaveLastskip
. 2590, 9038, 9584, 9599,
9681, 9693, 9950, 10532,
10548, 10623, 10636, 11135,
11149, 12073, 12087, 12353,
12367
\Hy@SaveSavedSpaceFactor
. 2564, 9639, 9719, 9756,
9796, 12131, 12406
\Hy@SaveSpaceFactor
. 2553, 2573, 2584, 9638,
9650, 9718, 9732, 9755,
9770, 9795, 9810, 11177,
11213, 11498, 11510, 11518,
12130, 12142, 12405, 12421,
12458, 12465
\Hy@scanauthor . . . 6292, 6297
\Hy@scanoptauthor . 6292, 6293
\Hy@scanopttitle . . . 6283, 6284
\Hy@scantitle 6283, 6288
\Hy@secnum@part 14607, 14609,
14612
\Hy@SectionAnchorHref . . . 669,
14545, 14567, 14638
\Hy@SectionHShift 14544, 14553,
14563, 14634
\Hy@seminarslidesfalse .. 8379
\Hy@seminarslidestrue . . . 8376
\Hy@setbreaklinks . . . 2815, 2819,
2831, 8881, 9943
\Hy@SetCatcodes 181, 231, 4210
\Hy@SetNewWindow 4138, 9183,
9220, 10211, 10239, 10801,
11787, 11818
\Hy@setouterhbox . 11474, 11505
\Hy@setpagesizetrue 458
\Hy@setpdfborder
. 3740, 9070, 9129, 9167,
9204, 9538, 10165, 10197,
10231, 10262, 10291, 10672,
10693, 10716, 10742, 10776,
10810, 10829
\Hy@setpdfversiontrue 2944
\Hy@setref@link 8577, 8580
\Hy@SlidesFormatOptionalPage
. 6403, 7939, 7958, 7962
\Hy@SlidesPage 6410, 7972, 7973,
7979, 7981, 7984, 7987
\Hy@slidetitle 8406, 8408, 8415,
8423, 8433, 8457, 8459,
8466, 8474, 8484
\Hy@StartlinkName . 9068, 9082
\Hy@StepCount 469, 6450, 12711,
12774, 12983, 13199, 13263,
13540, 13607, 14311, 14316,
14392
\Hy@stoppedearlyfalse 4217, 6700
\Hy@stoppedearlytrue 4214, 6697
\Hy@StringLocalhost 5150, 5151,
5166
\Hy@tabularx@hook 7408, 7416
\Hy@temp .. 700, 707, 823, 895,
997, 1000, 1008, 1009, 2758,
2763, 2764, 2765, 2766,
2767, 2768, 3602, 3611,
3612, 3613, 3614, 3615,
3616, 3617, 3667, 3668,
3669, 3672, 3674, 3677,
3687, 3690, 3691, 3692,
3693, 3694, 3695, 3705,
3718, 3722, 3737, 3874,
3875, 3915, 3916, 3919,
3922, 3925, 3950, 3958,
3959, 3960, 3961, 3962,
3963, 3964, 3965, 3966,
4130, 4131, 4307, 4311,
4312, 4313, 4314, 4413,
4415, 4420, 4422, 4425,
4439, 4441, 4446, 4448,
4455, 4457, 4462, 4464,
4467, 4527, 4528, 5277,
5281, 5282, 5293, 5377,
5378, 5379, 5381, 5385,
5697, 5698, 5699, 5701,

5705, 5706, 5855, 5867, 14697
 5938, 5954, 5955, 5956, \Hy@tempb .. 6480, 6481, 6520,
 5957, 5958, 5959, 5960, 6521, 14219, 14220, 14248
 5961, 5963, 5969, 5975, \Hy@tempcolor .. 11191, 11193,
 5976, 5977, 5978, 5979, 11206, 11282, 11284, 11296
 5980, 5981, 5982, 5983, \Hy@TempPageAnchor .. 7942,
 5984, 5985, 6430, 6433, 7998, 8008, 8012, 8028
 6442, 6444, 6448, 6452, \Hy@Test@Alph 6842, 6865
 6496, 6498, 6941, 6944, \Hy@Test@alph 6833, 6861
 6947, 6953, 7079, 7085, \Hy@testname
 7206, 7231, 7488, 7494, .. 9056, 9057, 9062, 9064,
 8327, 8328, 9320, 9349, 9065, 9079, 10146, 10147,
 9351, 9873, 9878, 9884, 10152, 10154, 10156, 10172,
 9888, 9891, 9896, 9927, 10680, 10681, 10686, 10690,
 9929, 10358, 10401, 10403, 10763, 10764, 10769, 10773,
 11312, 11315, 11319, 11320, 11287, 11288, 11293, 11304
 11326, 11327, 11333, 11361, \Hy@texhtfalse 459
 11366, 11372, 11376, 11379, \Hy@texhtrue 2988, 4409
 11384, 11417, 11419, 11480, \Hy@TheSlideOptionalPage 7957,
 11481, 11485, 11573, 11574, 7961, 7966, 7975
 11582, 11583, 11687, 11688, \Hy@title 6285, 6289
 12216, 12221, 12227, 12231, \Hy@toclevel .. 8061, 8065, 8078
 12234, 12239, 12272, 12274, \Hy@true 2544, 2657, 2659, 3190,
 13828, 13829, 14463, 14469, 3192, 5726
 14477, 14492, \Hy@typxmlfalse 462
 \Hy@temp@A 732, \Hy@undefinedname 9053, 9060,
 733, 1830, 1832, 1843, 1845, 9062, 10141, 10150, 10152,
 1850, 1851, 1854, 3951, 10649, 10684, 10686, 10767,
 3953, 8249, 8250, 8251, 10769, 11278, 11291, 11293
 8258, 8286, 8287, 8288, 8297, \Hy@unicodefalse 463, 799,
 \Hy@temp@B 1831, 1832 809, 2871, 2872, 2880, 3892,
 \Hy@temp@menu 9535, 9553, 3898, 6943, 8003, 13877
 10285, 10298, 10823, 10826, \Hy@unicodetrue 2872, 6600,
 11697, 11706, 6614
 \Hy@tempa 2652, 2654, 2656, \Hy@useHidKeyfalse 3659
 2657, 2659, 2661, 2663, \Hy@useHidKeytrue 3663
 2666, 2669, 2670, 3156, \Hy@UseMaketitleInfos 6338,
 3157, 3158, 3160, 3161, 9362, 9835, 10318, 11071,
 3163, 3164, 3166, 3170, 11310, 12185
 3174, 3185, 3187, 3189, \Hy@UseMaketitleString 6319,
 3190, 3192, 3196, 4785, 6339, 6340
 4786, 4797, 4801, 4970, \Hy@UserNameKey
 4974, 5039, 5042, 5051, .. 2736, 9327, 9328, 9329,
 5053, 5684, 5685, 5725, 9330, 9331, 9332, 9333,
 5726, 5729, 5733, 6479, 9334, 9353, 9903, 9904,
 6481, 6519, 6521, 6666, 9905, 9906, 9907, 9908,
 6668, 7176, 7178, 7179, 9909, 9910, 9931, 10365,
 7182, 7183, 7184, 7566, 10366, 10367, 10368, 10369,
 7571, 7576, 8050, 8051, 10370, 10371, 10372, 10405,
 8069, 8070, 8076, 8393, 11031, 11032, 11033, 11034,
 8394, 8445, 8446, 9617, 11035, 11036, 11037, 11038,
 9618, 10513, 10661, 10662, 11391, 11392, 11393, 11394,
 12105, 12106, 12384, 12385, 11395, 11396, 11397, 11398,
 14194, 14195, 14218, 14220, 11421, 12246, 12247, 12248,
 14239, 14240, 14248, 14272, 12249, 12250, 12251, 12252,
 14274, 14275, 14277, 14278, 12253, 12276, 14661, 14686, 14691, 14694

\HyC@WarnOptionDisabled 2686,
 2688
\HyC@WarnOptionValue ... 2667,
 2673, 3177, 3199
\HyC@wrapper@babel 4325, 4343
\HyC@WrapperDef
 ... 4335, 9034, 9583, 9598,
 9680, 9692, 9949, 10531,
 10547, 10622, 10635, 11134,
 11148, 12072, 12086, 12352,
 12366
\HyC@writebookmark 2549, 8062,
 8413, 8421, 8431, 8464,
 8472, 8482, 14180, 14322
\HyC@xspace@end
 ... 4229, 4234, 4238, 4243,
 4246, 4251, 4252, 4253,
 4255, 4256, 4257, 4258,
 4259, 6154, 6155, 6157,
 6160, 6162, 6163, 6164,
 6168, 6171, 6174, 6176,
 6177, 6178, 9118, 9153,
 9193, 9229, 9660, 9731,
 9746, 9769, 9785, 9809,
 9825, 10182, 10218, 10250,
 10279, 10305, 10493, 10503,
 10724, 10750, 10785, 10818,
 10837, 11508, 11516, 12141,
 12152, 12420, 12432, 12464
\HyC@@cmd 87, 109, 122
\HyC@check 68, 71, 74
\HyC@checkcommand 50, 57, 59
\HyC@checkFailed 146, 157
\HyC@checkItem . 132, 133, 134,
 135, 138
\HyC@checklong 45, 53
\HyC@checkOk 144, 154
\HyC@checkPackage . 12, 16, 18
\HyC@cmd . 62, 75, 87, 95, 118,
 131
\HyC@date ... 11, 15, 23, 29, 31
\HyC@DeclareRobustCommand
 114
\HyC@def 125
\HyC@defcmd 47, 54, 93
\HyC@doCheck 99, 130
\HyC@edef 125
\HyC@getDate 12, 14
\HyC@meaning 152, 160
\HyC@nc@default 103, 105
\HyC@nc@noopt 88, 91, 103, 112,
 123, 127
\HyC@nc@opt 88, 101, 123
\HyC@newcommand 86
\HyC@next 48, 55, 60, 83
\HyC@noValue 80, 81, 82, 85, 139
\HyC@optcmd 107, 111
\HyC@org@cmd 76
\HyC@org@optcmd 80, 111
\HyC@org@robustcmd .. 81, 120
\HyC@org@robustoptcmd ... 82
\HyC@package 10, 22, 28, 34, 37,
 38
\HyC@param 78, 96, 102
\HyC@robustcmd 115, 120, 121,
 122
\HyC@star 67, 70, 94
\HyC@string . 131, 152, 155, 158
\HyC@Toks . 79, 90, 96, 106, 126
\HyCal@do 497, 501
\HyCal@scan 488, 492, 516
\HyColor@FieldBColor ... 5919,
 5922
\HyColor@FieldColor 5925
\HyColor@HyperrefBorderColor
 3670, 3688
\HyColor@HyperrefColor
 ... 3607, 3626, 3627, 3628,
 3629, 3630, 3631, 3632
\HyColor@UseColor . 4670, 9000,
 9011, 10105, 10116
\HyField@@AddToFields . 13094,
 13098
\HyField@@PDFChoices . 5572,
 5573, 5588
\HyField@@SetFlag . 5267, 5269
\HyField@@UseFlag . 5257, 5259
\HyField@AddToFields .. 13064,
 13093, 13184, 13278, 13291,
 13317, 13341, 13364, 13386
\HyField@AdvanceAnnotCount .
 ... 13486, 13515, 13612,
 13642, 13670, 13698, 13726,
 13752
\HyField@afIELDS . 13061, 13083,
 13084, 13086, 13121
\HyField@AfterAuxOpen . 13074,
 13081, 13099
\HyField@AnnotCount .. 13484,
 13487, 13490
\HyField@AuxAddToFields
 13073, 13078, 13082, 13102
\HyField@FlagsAnnot 5427, 5446,
 5460, 5473, 5489, 5521
\HyField@FlagsCheckBox 5459,
 12869, 13378, 13747
\HyField@FlagsChoice ... 5520,
 12750, 13239, 13580
\HyField@FlagsPushButton 5445,
 12808, 12827, 12851, 13309,
 13329, 13358, 13668, 13692,
 13722
\HyField@FlagsRadioButton ...
 5472, 12746, 13235, 13576
\HyField@FlagsSubmit .. 5393,
 12828, 13330, 13693
\HyField@FlagsText 5488, 12688,
 13176, 13509
\HyField@NeedAppearancesfalse
 5717, 5730
\HyField@NeedAppearancestrue
 ... 5720, 5723, 5727
\HyField@NewBitsetFlag . 5225,
 5228, 5236
\HyField@NewFlag . 5223, 5299,
 5300, 5301, 5302, 5303,
 5304, 5305, 5306, 5307,
 5308, 5309, 5310, 5311,
 5312, 5313, 5314, 5315,
 5316, 5317, 5318, 5323,
 5324, 5325, 5326, 5327,
 5328, 5329, 5330, 5331,
 5364, 5366, 5367, 5369,
 5370, 5372, 5373, 5374, 5375
\HyField@NewFlagOnly . 5227,
 5365, 5368, 5371
\HyField@NewOption 5224, 5230
\HyField@PDFAFlagWarning ..
 ... 5333, 5341, 5345, 5349,
 5353, 5357, 5361
\HyField@PDFChoices ... 5545,
 12787, 13285, 13636
\HyField@PrintFlags
 ... 5274, 5420, 5438, 5452,
 5465, 5481, 5513, 5538
\HyField@SetFlag .. 5266, 5406,
 5412, 5417, 5451, 5479
\HyField@SetKeys . 5649, 12685,
 12717, 12720, 12739, 12796,
 12824, 12841, 12866, 13172,
 13205, 13208, 13227, 13296,
 13326, 13348, 13374, 13505,
 13546, 13549, 13568, 13654,
 13689, 13712, 13743
\HyField@TheAnnotCount 13489,
 13520, 13525, 13617, 13629,
 13644, 13649, 13675, 13681,
 13700, 13705, 13728, 13733,
 13757, 13762
\HyField@UseFlag
 ... 5256, 5397, 5398, 5399,
 5400, 5401, 5402, 5403,
 5404, 5407, 5408, 5409,
 5410, 5413, 5414, 5415,
 5418, 5429, 5430, 5431,
 5432, 5433, 5434, 5435,
 5436, 5437, 5448, 5449,
 5450, 5462, 5463, 5464,
 5475, 5476, 5477, 5478,
 5480, 5491, 5492, 5493,
 5494, 5495, 5496, 5497,

5498, 5509, 5512, 5523,
 5524, 5525, 5526, 5528,
 5530, 5531, 5534, 5537
`\HyInd@@wrindex` . 8245, 8248,
 8279, 8285
`\HyInd@@hyperpage` 8325, 8335
`\HyInd@@wrindex` .. 8240, 8241
`\HyInd@EncapChar` . 3207, 4205,
 8235
`\HyInd@hyperpage` . 8322, 8324,
 8331
`\HyInd@org@wrindex` 8239, 8243,
 8253, 8259, 8261, 8264
`\HyInd@pagelink` ... 8340, 8346,
 8348, 8351
`\HyInd@ParenLeft` .. 8222, 8250,
 8287
`\HyInd@ParenRight` . 8223, 8251,
 8258, 8288, 8297
`\HyInd@removespaces` 8354, 8357,
 8367
`\HyInfo@AddonHandler` .. 3969,
 3972
`\HyInfo@AddonList` . 3996, 3997,
 4031, 4038
`\HyInfo@Addons` ... 4017, 4033,
 9386, 10343, 11342, 11346
`\HyInfo@AddonUnsupportedtrue`
 ... 9833, 11057, 12183
`\HyInfo@do` ... 3971, 3998, 4021
`\HyInfo@GenerateAddons` 4015,
 9363, 10319, 11311
`\HyInfo@Key`
 ... 3979, 3980, 3988, 3993,
 3998, 4001, 4008, 4022, 4026
`\HyInfo@KeyEscaped` 3978, 3979
`\HyInfo@trapped@false` .. 3919,
 3938
`\HyInfo@trapped@true` 3916, 3937
`\HyInfo@trapped@unknown` 3922,
 3939
`\HyInfo@TrappedUnsupported` ..
 3940, 3944, 9836, 11072,
 12186
`\HyInfo@Value` 3992, 3994
`\HyLang@addto` 3411, 3427, 3445,
 3478, 3486
`\HyLang@afrikaans` 3209
`\HyLang@DeclareLang`
 .. 3425, 3454, 3455, 3456,
 3457, 3458, 3459, 3460,
 3461, 3462, 3463, 3464,
 3465, 3466, 3467, 3468,
 3469, 3470, 3471, 3472,
 3473, 3474, 3475, 3476
`\HyLang@english` 3227
`\HyLang@french` 3245
`\HyLang@german` 3263
`\HyLang@italian` 3281
`\HyLang@magyar` 3299
`\HyLang@portuges` 3317
`\HyLang@russian` 3335
`\HyLang@spanish` 3375
`\HyLang@vietnamese` 3393, 3478,
 3486
`\HyLinguex@OrgB` ... 897, 901
`\HyLinguex@OrgC` ... 898, 902
`\HyLinguex@OrgD` ... 899, 903
`\HyLinguex@Restore` .. 900, 913,
 917, 925
`\HyNew@float@makebox` . 7622,
 7645
`\HyOpt@CheckDvi`
 .. 2976, 3012, 3017, 3022,
 3045, 3050, 3055, 3107,
 3114, 3119, 3124, 3129
`\HyOpt@DriverFallback` .. 3133,
 3136, 3137, 3141, 4504, 4509
`\HyOpt@DriverType` 4477, 4479,
 4506, 4516, 4518, 4534
`\HyOrg@addtoreset` . 8165, 8167,
 8194
`\HyOrg@appendix` .. 6811, 6830
`\HyOrg@author` 6282, 6295, 6299
`\HyOrg@float@makebox` .. 7623,
 7644
`\HyOrg@hyperpage` . 8225, 8227,
 8228
`\HyOrg@languageshorthands` 968,
 982, 993, 1003
`\HyOrg@make@df@tag@@` . 8150
`\HyOrg@make@df@tag@@@` 8151
`\HyOrg@maketitle` .. 7502, 7509,
 7514
`\HyOrg@subequations` 7193, 7200
`\HyOrg@title` .. 6281, 6286, 6290
`\HyOrg@TX@endtabularx` . 7407
`\HyOrg@url` 4949
`\HyPat@NonNegativeReal`
 .. 3708, 3709, 3710, 3711,
 3727, 3729, 4074, 4084,
 4085, 4086, 4088, 4089, 4090
`\HyPat@ObjRef` 4933, 4934, 4947,
 8882, 9944, 11131
`\hyper@anchor` 4250, 4959, 4961,
 4992, 4994, 5029, 5031,
 5173, 6155, 6170, 6186,
 7357, 7362, 7377, 7382,
 7450, 7453, 7479, 7607,
 7610, 7627, 7943, 7998,
 8008, 8013, 8412, 8420,
 8430, 8463, 8471, 8481
`\hyper@link` . 4819, 4877, 4982,
 5010, 5034, 7696, 7842,
 7843, 7844, 7892, 7894,
 7896, 8582, 8597, 8700
`\hyper@@normalise` . 4788, 4792,
 4796
`\hyper@anchor` 5200, 6158, 6172,
 6236, 6249, 9090, 9583,
 9680, 10007, 10547, 10622,
 11134, 12072, 12352
`\hyper@anchorend`
 .. 4238, 4246, 4253, 6142,
 6160, 6174, 6189, 6797,
 6993, 7068, 7113, 7115,
 7139, 7165, 7314, 7690,
 7715, 7718, 7738, 7871,
 8135, 8161, 9097, 9608,
 9698, 10014, 10542, 10644,
 11156, 12096, 12375, 14176,
 14323, 14555, 14580, 14591,
 14621, 14673
`\hyper@anchorstart`
 .. 4252, 6142, 6159, 6173,
 6188, 6797, 6992, 7068,
 7107, 7139, 7165, 7311,
 7688, 7713, 7718, 7738,
 7871, 8135, 8161, 9093,
 9598, 9692, 10010, 10531,
 10635, 11148, 12086, 12366,
 14176, 14323, 14555, 14580,
 14591, 14621, 14673
`\hyper@chars`
 .. 4813, 9125, 9588, 9602,
 9622, 9644, 9658, 9672,
 9752, 9792, 10498, 10519,
 10535, 10552, 10627, 10639,
 10731, 11746, 12090, 12110,
 12136, 12150, 12164, 12370,
 12389, 12412, 12429, 12444
`\hyper@currentanchor` ... 11153,
 11162, 11185, 11202
`\hyper@currentlinktype` .. 11186,
 11190, 11194
`\hyper@hash` . 4765, 4766, 4814,
 5096, 5108, 5125, 5128,
 6109, 10492
`\hyper@image` 4955, 4956, 9670,
 10789, 11275, 12162, 12442
`\hyper@last` 6256, 6261
`\hyper@link`
 .. 4251, 5043, 6156, 6157,
 6171, 6181, 6187, 9111,
 9666, 9714, 10181, 10488,
 10755, 11279, 12158, 12438
`\hyper@link@` . 4258, 5035, 5037,
 6154, 6168, 6194
`\hyper@linkend` 4238, 4246, 4255,
 6162, 6176, 6191, 7402,
 7682, 7685, 8096, 8100,

8104, 8106, 9110, 9628,
 9711, 10180, 10182, 10524,
 10702, 11188, 12118, 12395
`\hyper@linkfile` 4257, 5121, 6164,
 6178, 6193, 9157, 9632,
 9790, 10184, 10508, 10706,
 11767, 12122, 12399
`\hyper@linkstart`
 .. 4254, 6161, 6175, 6190,
 7400, 7678, 7685, 8096,
 8100, 8104, 8106, 9101,
 9614, 9702, 10142, 10182,
 10511, 10650, 11167, 12102,
 12381
`\hyper@linkurl`
 .. 4256, 4954, 5096, 5103,
 5124, 5128, 6163, 6177,
 6192, 9122, 9633, 9635,
 9668, 9750, 10253, 10496,
 10509, 10728, 10790, 11276,
 11743, 12123, 12127, 12160,
 12400, 12402, 12440
`\hyper@livelink` 6156, 6181
`\hyper@makecurrent` 6793, 6851,
 7054, 7105, 7136, 7164,
 7256, 7287, 7397, 7583, 7637
`\hyper@n@rmalise` 4780, 4784
`\hyper@nat@current` 7679
`\hyper@natanchorend` 7690
`\hyper@natanchorstart` 7687
`\hyper@natlinkbreak` 7684
`\hyper@natlinkend` 7681
`\hyper@natlinkstart` 7676
`\hyper@normalise` 4206, 4211,
 4757, 4867, 4870, 4951,
 4953, 4955, 4976, 5679
`\hyper@pageduration` 9424, 9473,
 10430, 10450, 10955, 10972,
11242, 11272
`\hyper@pagehidden` . 9448, 9474,
10441, 10451, 10965, 10973,
11259, 11273
`\hyper@pagetransition` 9400, 9472,
10419, 10449, 10844, 10971,
11225, 11271
`\hyper@quote` 6111, 9590, 9604,
 9619, 9624, 9645, 9659,
 9673, 10492, 10502, 10515,
 10538, 10556, 12078, 12092,
 12107, 12113, 12137, 12151,
 12165, 12358, 12371, 12386,
 12391, 12414, 12430, 12445
`\hyper@readexternallink`
 5045, 5061
`\hyper@refstepcounter`
 6771, 6782
`\hyper@tilde` 4774, 4775, 4776,
 6110
`\hyperbaseurl` 3634, 3635, 6205
`\hypercalcbp` 483, 483
`\hypercalcbpdef` 485, 522, 4071,
 4081
`\hyperdef` 4984, 6207
`\HyperDestNameFilter`
 .. 4187, 4853, 9040, 9065,
 9590, 9604, 9624, 9668,
 9953, 10155, 10492, 10502,
 10520, 10538, 10556, 10628,
 10640, 10689, 10772, 11607,
 11616, 12078, 12092, 12113,
 12160, 12358, 12371, 12391,
 12440, 14401, 14465, 14481
`\HyperFirstAtBeginDocument`
 .. 6233, 6235, 6257, 6260
`\hypergetpageref` 6986
`\hypergetref` 6985
`\HyperGlobalCurrentHref` 6871,
 6873, 6881, 6882, 6886,
 6889, 6893, 6899, 6900, 6904
`\hyperimage` 4955, 5207, 8217
`\hyperindexformat` 8224
`\hyperlink` 4818, 6208, 8363,
 8502, 8510, 8525, 8533,
 8543, 8551, 8558
`\hyperlinkfileprefix` 3637, 3638,
 3639, 12344
`\HyperLocalCurrentHref`
 .. 6889, 6891, 6897, 6898,
 6899, 6900, 6902
`\hyperpage` 6214, 8225, 8226,
 8228, 8321
`\HyperRaiseLinkDefault`
 2551, 2578
`\HyperRaiseLinkHook` 2550, 2579
`\HyperRaiseLinkLength` 2577,
 2578, 2581
`\hyperref` 4964, 5214, 5215, 6210,
 8657, 8661, 8671, 8685
`\hypersetup` 2892, 2935, 3463,
 3955, 4207, 6204
`\hypertarget` 4957, 6209
`\HyPL@@CheckThePage` 6500,
 6518
`\HyPL@@CheckThePage`
 6476, 6478
`\HyPL@Alph` 6395
`\HyPL@alph` 6396
`\HyPL@arabic` 6392
`\HyPL@CheckThePage` 6427,
 6475
`\HyPL@Entry` 6668, 6676, 6684,
 6686
`\HyPL@EveryPage` 6415, 6539
`\HyPL@Format` 6491, 6492, 6493,
 6494, 6495, 6507
`\HyPL@found` 6490, 6497, 6501,
 6508, 6518, 6520
`\HyPL@Labels` 6386, 6530, 6531,
 6533, 6535, 6586, 6587,
 6679, 6687, 6688
`\HyPL@LastNumber` 6390, 6446,
 6469
`\HyPL@LastPrefix` 6391, 6440,
 6471
`\HyPL@LastType` 6389, 6431,
 6470
`\HyPL@page` 6409, 6418, 6421,
 6427, 6436
`\HyPL@Prefix`
 .. 6436, 6438, 6440, 6454,
 6457, 6459, 6471, 6485, 6523
`\HyPL@Roman` 6393
`\HyPL@roman` 6394
`\HyPL@SetPageLabels`
6529,
 6594, 6682
`\HyPL@SlidesOptionalPage` 6402,
 6406, 6411
`\HyPL@SlidesSetPage` 6397, 6399,
 6419, 6426
`\HyPL@StorePageLabel` 6454,
 6456, 6526, 6584, 6663
`\HyPL@thisLabel` 6383, 6385,
 6417, 6421, 6422
`\HyPL@Type` 6424, 6431, 6435,
 6453, 6461, 6470, 6484, 6522
`\HyPL@Useless` 6527, 6533
`\HyPsd@@@autoref` 1691, 1693,
1696
`\HyPsd@@@CJKdigits` 1561,
 1564, 1572
`\HyPsd@@@nameref` 1673, 1675,
1678
`\HyPsd@@@pageref` 1655, 1657,
1660
`\HyPsd@@@ref` 1639, 1641, 1644
`\HyPsd@@@UTFviii@four` 2293,
 2296
`\HyPsd@@AppendItalcorr` 1860
`\HyPsd@@autoref` 1688, 1689
`\HyPsd@@autorefname` 1709,
1712
`\HyPsd@@CJKdigits` 1553, 1555,
1558
`\HyPsd@@CJKnumber`
 .. 1454, 1456, 1459, 1512,
 1527, 1540, 1542, 1546
`\HyPsd@@ConvertToUnicode`
 .. 2172
`\HyPsd@@ding` 2431, 2435, 2446

\HyPsd@@GetNextTwoTokens ..		\HyPsd@CharSurrogate ..	2188,	\HyPsd@EscapeTeX ..	798, 808,
.....	<u>2170</u>	2205		2075	
\HyPsd@@GlyphProcessWarning ..		\HyPsd@CharTwoByte ..	2186,	\HyPsd@fi ..	1800, 1806, 1810, 1816
.....	<u>2030, 2033</u>	2193		\HyPsd@GetNextTwoTokens	<u>2170</u>
\HyPsd@@GreekNum ..		\HyPsd@CheckCatcodes ..	718,	\HyPsd@GetOneBye <u>2165</u>
1116, 1125,		1866		\HyPsd@GetTwoBytes ..	<u>2161</u>
1224, 1228, 1232		\HyPsd@CJK@Unicode ..	1336,	\HyPsd@GLYPHERR ..	724, 1585,
\HyPsd@@hspace ..		1340		1599, <u>1606</u>	
1609, <u>1610</u>		\HyPsd@CJKActiveChars ..	1276,	\HyPsd@GlyphProcess ..	726, 2018,
\HyPsd@@LetCommand ..		1291		2031	
1733,		\HyPsd@CJKdigit ..	1565, 1575	\HyPsd@GlyphProcessWarning <u>2025, 2029</u>
1754		\HyPsd@CJKdigits ..	1338, 1551	\HyPsd@GobbleFiFi ..	1590, 1596
\HyPsd@@nameref ..		\HyPsd@CJKhoo ..	671, <u>1247</u> ,	\HyPsd@GreekNum ..	1105, 1108,
1670, <u>1671</u>		1258		1110	
\HyPsd@@pageref ..		\HyPsd@CJKhoo@bookmarks	\HyPsd@Greeknumeral ..	1101,
1652, <u>1653</u>		1253, 1287		1107	
\HyPsd@@ProtectSpacesFi ..		\HyPsd@CJKhoo@unicode ..	1255,	\HyPsd@greeknumeral ..	1100, 1104
1782,		1335		\HyPsd@GreekNumI ..	1128, 1154,
<u>1786, 1804, 1810, 1815</u>		\HyPsd@CJKnumber ..	1337, 1451	1197, <u>1223</u>	
\HyPsd@@ref ..		\HyPsd@CJKnumberFour	\HyPsd@GreekNumII ..	1132, 1176,
1636, <u>1637</u>		. 1469, 1473, 1477, 1490,		1220, <u>1227</u>	
\HyPsd@@RemoveBraces ..		1494, 1498, 1504		\HyPsd@GreekNumIII ..	1135,
1828		\HyPsd@CJKnumberLarge ..	1482,	1199, <u>1231</u>	
\HyPsd@@RemoveBracesFi ..		1489		\HyPsd@GreekNumIV ..	1144, 1222
1828		\HyPsd@CJKnumberThree ..	1510,	\HyPsd@GreekNumV ..	1147, 1226
\HyPsd@@RemoveCmdPrefix ..		1514, 1520		\HyPsd@GreekNumVI ..	1149, 1230
1987, 1990		\HyPsd@CJKnumberTwo ..	1525,	\HyPsd@GreekPatch ..	637, 1097,
\HyPsd@@ReplaceFi ..		1529, 1535		1099	
2057, <u>2063</u> ,		\HyPsd@ConvertToUnicode ..	787,	\HyPsd@HighA ..	1346, 1355
2068		2120		\HyPsd@HighB ..	1356, 1361
\HyPsd@@UTFviii@four ..		\HyPsd@DecimalToOctal ..	1268,	\HyPsd@HighC ..	1362, 1365
2277,		1299		\HyPsd@HighD ..	1358, 1370
<u>2282</u>		\HyPsd@DecimalToOctalFirst	\HyPsd@Href <u>659, 1635</u>
\HyPsd@@add@accent ..		1342, 1378		\HyPsd@Hspace <u>655, 1609</u>
545, <u>1598</u>		\HyPsd@DecimalToOctalSecond 1343, 1352, 1415, 2450,	\HyPsd@Hspacetest ..	1612, 1614,
\HyPsd@@AfterCountRemove ..		2456, 2459		1617	
.....	<u>1873, 1944</u>	\HyPsd@DefCommand ..	701, 702,	\HyPsd@ifnextchar ..	687, 688, 689,
\HyPsd@@AfterDimenRemove ..		703, 704, <u>1722</u>		1759	
.....	<u>1879, 1947</u>	\HyPsd@DieFace ..	618, 619, 620,	\HyPsd@ignorespaces ..	668, <u>958</u>
\HyPsd@@AfterSkipRemove ..		2371, 20202, 20203		\HyPsd@inmathwarn ..	544, <u>1582</u>
1885,		\HyPsd@DieFaceLarge ..	2379, <u>2388</u>	\HyPsd@ITALCORR ..	679, 683,
<u>1890</u>		\HyPsd@ding 617, <u>2421</u>	1606	
\HyPsd@@AppendItalcorr ..		\HyPsd@DisableCommands ..	949,	\HyPsd@langshort@system ..	973,
1844,		951		976	
<u>1851, 1860</u>		\HyPsd@DoConvert ..	2122, <u>2132</u>	\HyPsd@LanguageShorthands
\HyPsd@@autoref ..		\HyPsd@DoEscape <u>2146</u>	969, 974, 986	
664, <u>1688</u>		\HyPsd@doxspace ..	759, <u>2093</u>	\HyPsd@LetCommand ..	705, 706,
\HyPsd@@autorefname ..		\HyPsd@empty ..	744, 746, 750,	1722	
1700, <u>1706</u>		751, 753, 761, 768		\HyPsd@LetUnexpandableSpace
\HyPsd@@babel@danish ..		\HyPsd@End	674, 675, 676, 677, <u>1602</u> ,	
1012		718,		1605	
\HyPsd@@babel@dutch ..		722, 1783, 1786, 1789, 1792,		\HyPsd@LoadStringEnc ..	2896,
1018		1795, 1808, 1818, 1825,		2916, <u>2922, 2924, 6605</u>	
\HyPsd@@babel@finnish ..		1828, 1866, 1874, 1880,		\HyPsd@LoadUnicode ..	<u>922, 2855</u> ,
1024		1886, 1931, 1938, 1944,		2861, 2863, 2870, 6599	
\HyPsd@@babel@frenchb ..		1947, 1959			
1029		\HyPsd@EndWithElse ..	1588, 1597		
\HyPsd@@babel@german ..					
1034					
\HyPsd@@babel@macedonian ..					
1041					
\HyPsd@@babel@ngerman ..					
1047					
\HyPsd@@babel@portuges ..					
1053					
\HyPsd@@babel@russian ..					
1058					
\HyPsd@@babel@slovene ..					
1064					
\HyPsd@@babel@spanish ..					
1069					
\HyPsd@@babel@swedish ..					
1079					
\HyPsd@@babel@cukrainian ..					
1085					
\HyPsd@@babel@usorbian ..					
1091					
\HyPsd@@BabelPatch ..					
640, 967,					
1002					
\HyPsd@@CatcodeWarning ..					
1889,					
1906, <u>1912, 1915, 1971</u>					
\HyPsd@@Char ..					
.....	<u>2174</u>				
\HyPsd@@CharOctByte ..					
2194,					
2196, <u>2199, 2208, 2213</u>					

\HyPsd@MoonPha . . . 2402, 2420, 20204
 \HyPsd@nameref 663, 1670
 \HyPsd@pageref 662, 1652
 \HyPsd@pdfencoding
 788, 2854, 2857, 2879,
 2891, 2894, 2895, 2900,
 2915, 6601, 6603, 6620, 6623
 \HyPsd@pdfencoding@auto 788,
 2885, 2895, 2912, 6603, 6622
 \HyPsd@pdfencoding@pdfdoc
 2878, 2900, 2913
 \HyPsd@pdfencoding@unicode
 2882, 2914, 6601, 6619
 \HyPsd@PrerenderUnicode
 3837, 3853, 3859, 3865,
 3887, 3905, 3911, 3991
 \HyPsd@protected@testopt 690,
 691, 1763
 \HyPsd@ProtectSpaces 711, 1780,
 1801, 1850
 \HyPsd@ref 661, 1636
 \HyPsd@RemoveBraces 713,
 1822, 1839, 1847, 1853
 \HyPsd@RemoveCmdPrefix 1980,
 1986
 \HyPsd@RemoveMask 721, 1789,
 1795, 1808, 1818
 \HyPsd@RemoveSpaceWarning
 1954, 1966, 1992
 \HyPsd@ReplaceSpaceWarning
 1949, 1961, 2005
 \HyPsd@Rest
 1867, 1927, 1935, 1938,
 1945, 1950, 1956, 1962, 1968
 \HyPsd@RussianPatch 639, 1240
 \HyPsd@SanitizeForOutFile
 14240, 14271
 \HyPsd@SanitizeOut@BraceLeft
 14275, 14281, 14290
 \HyPsd@SanitizeOut@BraceRight
 14278, 14293, 14302
 \HyPsd@SPACEOPTI 715, 731,
 732, 734, 736, 738, 739, 778,
 780, 1902, 2104
 \HyPsd@spaceopti 780, 2049
 \HyPsd@SpanishPatch 638, 1234
 \HyPsd@String
 712, 714, 717, 719, 725,
 727, 1833, 1834, 1844, 1896,
 1897, 1901, 1902, 1917,
 1918, 1948, 1960, 2019, 2020
 \HyPsd@StringSubst 728, 730,
 736, 742, 745, 748, 751, 770,
 773, 775, 2072
 \HyPsd@Subst 724, 733,
 737, 743, 749, 753, 757, 762,
 763, 764, 765, 766, 767, 771,
 774, 2056, 2073, 2088, 2089,
 2090
 \HyPsd@temp 791,
 793, 794, 796, 797, 804, 806,
 807, 2877, 2878, 2879, 2882,
 2885, 2891, 2903, 2907,
 6618, 6619, 6620, 6622,
 6623, 6628
 \HyPsd@ToBigChar 848, 849, 858
 \HyPsd@ToBigChars 801, 840
 \HyPsd@tocsection
 1622, 1623, 1624, 1625,
 1626, 1627, 1628, 1630
 \HyPsd@UnescapedString 793,
 842, 843, 849
 \HyPsd@UnexpandableSpace
 1605, 1791, 1815, 1950,
 1962
 \HyPsd@Unichar 2235, 2302,
 2308, 2313
 \HyPsd@Unichar@first@byte 2321,
 2341
 \HyPsd@Unichar@octtwo 2343,
 2351, 2357
 \HyPsd@Unichar@second@byte
 2329, 2349
 \HyPsd@UnicodeReplace-
 mentCharacter 2305, 2340,
 2374, 2404, 2409, 2417,
 2424, 2427, 2437, 2495
 \HyPsd@utf@viii@undeferr 541,
 2363
 \HyPsd@UTFviii 535, 2223, 2228
 \HyPsd@UTFviii@three 2258,
 2267
 \HyPsd@UTFviii@two 2243,
 2249
 \HyPsd@UTFviii@ccxliv@def
 2233, 2239
 \HyPsd@UTFviii@ccxliv@undef
 2232, 2238
 \HyPsd@UTFviii@four 2231, 2276
 \HyPsd@UTFviii@three 2230,
 2257
 \HyPsd@UTFviii@two 2229, 2242
 \HyPsd@Warning 1767, 1972,
 1993, 2006, 2035, 2041
 \HyPsd@XeTeXBigCharsfalse
 815, 829, 834
 \HyPsd@XeTeXBigCharstrue 828,
 837, 3852, 3858, 3864, 3886,
 3904, 3910, 3990, 13880,
 14238
 \HyPsd@XSPACE 681, 758, 1606
 \HyPsd@xspace 756, 758, 759
 \HyRef@StarSetRef 8625, 8630
 \HyRef@autopageref 8682, 8684
 \HyRef@autopagerefname 8681,
 8685, 8687
 \HyRef@autoref 8700, 8702
 \HyRef@autosetref 8705, 8708
 \HyRef@CaseStar 8769, 8775
 \HyRef@currentHtag 8721, 8739,
 8742, 8748, 8755, 8761, 8776
 \HyRef@MakeUppercaseFirstOf-
 Five 8648, 8650
 \HyRef@name 8737, 8738, 8743,
 8750, 8768, 8769, 8770, 8772
 \HyRef@Ref 8654, 8656
 \HyRef@ShowKeysInit 8778,
 8791, 8795
 \HyRef@ShowKeysRef 8709, 8777
 \HyRef@StarSetRef 8619, 8637,
 8640, 8643, 8648
 \HyRef@StripStar 8736, 8767
 \HyRef@testreftype 8714, 8733
 \HyRef@thisref 8711, 8714
 \HyTmp@found 5599, 5609, 5612
 \HyTmp@key 5593, 5594
 \HyTmp@optitem 5549, 5565,
 5592, 5597, 5603, 5624, 5635
 \HyTmp@optlist
 5548, 5563, 5564, 5595,
 5596, 5601, 5602, 5610,
 5611, 5631, 5633, 5640, 5643
 \HyTeX@CheckUnicode 3823,
 3834, 3851, 3857, 3863,
 3885, 3903, 3909, 3989, 6633

I

\i 14860, 15024, 15027, 15030,
 15033, 15264, 15435, 15438,
 15441, 15444, 15573, 15578,
 15583, 15588, 15592, 15828,
 15893, 15899
 \ibar 16050, 20268
 \if 1631, 2538, 6444, 6452, 7182,
 7183, 10918, 10921, 10925,
 10929, 10933, 10935, 10937,
 13928
 \if@eqnstar 7120, 7128
 \if@filesw 2506, 5022, 6226, 6270,
 6664, 6674, 6935, 7725,
 7740, 7756, 7768, 7798,
 7821, 7848, 7853, 7872,
 8273, 13076, 13100, 14241,
 14428, 14510
 \if@hyper@item 6756, 6769
 \if@inlabel 7300
 \if@Localurl 10479, 10525
 \if@mid@expandable 653
 \if@minipage 7595, 7667

\if@nmbrlst 6741
 \if@nobreak 7319
 \if@skiphyperref 6757, 6767
 \if@twocolumn 14675
 \if@twoside 14664
 \ifcase 332, 1161, 1183, 1206, 1300,
 1349, 1371, 1374, 1380,
 1416, 1460, 1576, 2271,
 2403, 2882, 3568, 4537,
 5395, 5500, 5629, 5706,
 6834, 6843, 8092, 8250,
 8287, 8517, 8710, 10991,
 11493, 13986, 14013, 14080,
 14115, 14150, 14348
 \ifcat 1868, 1895, 1900, 1905, 1908,
 1911, 1914, 5184, 5186
 \ifdim . . . 1617, 1948, 1952, 1960,
 1964, 2593, 2612, 4192,
 4563, 9492, 9496, 9501,
 9505, 9512, 9515, 9519,
 9522, 10459, 10460, 10465,
 10466, 10598, 10601, 10605,
 10608, 11522, 11536, 11897,
 11898, 11903, 11904, 12713,
 12751, 12752, 13201, 13240,
 13241, 13542, 13581, 13582
 \ifetex@unexpanded 1774
 \iffalse 835, 5718
 \IfFileExists 232, 6265, 12472
 \ifFld@checked 5652, 13038,
 13973
 \ifFld@comb 5499
 \ifFld@combo 5527, 5532, 12726,
 12755, 13214, 13244, 13555,
 13585
 \ifFld@disabled 5653, 13039
 \ifFld@edit 5533
 \ifFld@fileselect 5502
 \ifFld@hidden 12689, 12740,
 12809, 12829, 12852, 12870,
 12937, 12949, 12959, 13042,
 13177, 13229, 13310, 13331,
 13359, 13379, 13510, 13570,
 13669, 13694, 13723, 13748
 \ifFld@multiline 5500, 12678,
 12944, 13165, 13498
 \ifFld@multiselect 5571
 \ifFld@password 5501, 12925
 \ifFld@popdown 5319, 12727,
 13215, 13556
 \ifFld@radio 12723, 12745, 12974,
 13211, 13234, 13552, 13575
 \ifFld@readonly 12946, 12956,
 13040
 \ifForm@html 5673
 \ifhmode 2554, 2558, 2611, 2620,
 4859, 7207, 7233, 7266,
 7394, 7403, 7553, 7555,
 9035, 9043, 11528, 12457
 \ifHy@activeanchor 383, 5197
 \ifHy@backref 384, 4368, 4740,
 6089, 7849, 7885
 \ifHy@bookmarks 385, 4588
 \ifHy@bookmarksnumbered 386,
 8405, 8456, 14227
 \ifHy@bookmarksopen 387, 4578
 \ifHy@breaklinks 388, 2820,
 11169, 11210, 11504, 11527
 \ifHy@CJKbookmarks 390, 1252
 \ifHy@colorlinks 391, 4659, 6094,
 12059
 \ifHy@draft 392, 4249
 \ifHy@DviMode 2957, 2977, 3135
 \ifHy@DvipdfmxOutlineOpen
 4561, 14483
 \ifHy@frenchlinks 398, 4675
 \ifHy@href@ismap 4915, 9146,
 10270, 10665, 10735, 11758
 \ifHy@hyperfigures 396, 4348,
 6074, 8214
 \ifHy@hyperfootnotes 399, 7326
 \ifHy@hyperindex 400, 4358,
 6084, 8221
 \ifHy@hypertexnames 401, 6857,
 6939, 7996, 8410, 8461
 \ifHy@implicit 402, 4380, 14538
 \ifHy@linktocpage 403, 2777,
 2787
 \ifHy@localanchorname 404,
 6890, 6901
 \ifHy@naturalnames 406, 6869,
 8411, 8462
 \ifHy@nesting 407, 4353, 4958,
 4991, 5028, 5182, 6079,
 7351, 7371, 7449, 7606
 \ifHy@next 1010, 4322, 8238
 \ifHy@ocgcolorlinks
 410, 3518, 4645, 4655,
 6099, 8901, 8919, 8996,
 9004, 10018, 10101, 10109
 \ifHy@pageanchor 411, 6926,
 6938, 6953, 7995
 \ifHy@pdfa 430, 4273, 4647, 5084,
 5332, 5942, 5991, 6104,
 9069, 9141, 9179, 9216,
 9550, 10164, 10196, 10230,
 10261, 10290, 10671, 10692,
 10715, 10741, 10775, 10809,
 10828, 11631, 12647, 12799,
 12845, 13129, 13300, 13352,
 13468, 13658, 13716, 13930,
 13976, 14140
 \ifHy@pdfcenterwindow 389,
 9325, 9901, 10363, 11029,
 11389, 12244
 \ifHy@pdfdisplaydoctitle 429,
 9326, 9902, 10364, 11030,
 11390, 12245
 \ifHy@pdfescapeform 395, 13824,
 13854
 \ifHy@pdffitwindow 397, 9324,
 9900, 10362, 11028, 11388,
 12243
 \ifHy@pdfmarkerror 11436, 11444
 \ifHy@pdfmenubar 405, 9322,
 9898, 10360, 11026, 11386,
 12241
 \ifHy@pdfnewwindow 409, 4141,
 10712
 \ifHy@pdfnewwindowset 408,
 4139
 \ifHy@pdfpagehidden 413, 3662,
 9452, 10444, 10967, 11265
 \ifHy@pdfpagelabels 412, 6371,
 6584, 6662
 \ifHy@pdfstring 414, 934, 6761
 \ifHy@pdftoolbar 422, 9321, 9897,
 10359, 11025, 11385, 12240
 \ifHy@pdfusetitle 424, 6280
 \ifHy@pdfwindowui 428, 9323,
 9899, 10361, 11027, 11387,
 12242
 \ifHy@plainpages 415, 4363, 6940,
 7997
 \ifHy@psdextra 421, 626
 \ifHy@psize 416
 \ifHy@raiselinks 417, 9637, 9717,
 9754, 9794, 12129, 12404
 \ifHy@seminarslides 418
 \ifHy@setpagesize 419, 9480,
 10456, 10595, 11894
 \ifHy@setpdfversion 2936, 8906
 \ifHy@stoppedearly 381
 \ifHy@texht
 420, 4435, 4687, 4735, 5743,
 5775, 5962, 5986, 6142, 8565
 \ifHy@typxml 382, 4373, 4662,
 4706, 6227, 14432, 14514
 \ifHy@unicode 423, 531, 564,
 567, 627, 729, 741, 769, 777,
 786, 1111, 1271, 1974, 1995,
 2008, 2037, 2043, 2303,
 2372, 2422, 2853, 2893,
 3825, 6608, 13876
 \ifHy@useHidKey 3658, 9449,
 10442, 10966, 11260
 \ifHy@verbose 425, 4822, 4838,
 4850, 5275, 8067
 \ifHyField@NeedAppearances
 5716, 5718, 5721, 12649,
 13131, 13470

\ifHyInfo@AddonUnsupported 3967, 3981, 4016
 \IfHyperBoolean 2642
 \IfHyperBooleanExists 2636, 2643
 \ifHyPsd@XeTeXBigChars . . 833, 835, 838, 841
 \ifmeasuring@ 6781, 6794
 \ifmmode 11172, 11499
 \ifnum 244, 865, 868, 871, 874, 877, 987, 1112, 1115, 1126, 1127, 1131, 1139, 1143, 1146, 1156, 1178, 1201, 1341, 1452, 1468, 1472, 1492, 1505, 1508, 1521, 1523, 1536, 1538, 1544, 2182, 2185, 2261, 2304, 2307, 2319, 2373, 2376, 2389, 2423, 2426, 2429, 2433, 2448, 2452, 2455, 2559, 3062, 3065, 3091, 3569, 3570, 4572, 4579, 4892, 5554, 5625, 5636, 6401, 6425, 6446, 6462, 6564, 6813, 6816, 7945, 7955, 8519, 8557, 8902, 8907, 9241, 9248, 9254, 9262, 10130, 10135, 10712, 10842, 10978, 10986, 10988, 10989, 10999, 11002, 11100, 11102, 11222, 11921, 13113, 13277, 13611, 13616, 13627, 13875, 13956, 13986, 13991, 14013, 14019, 14047, 14080, 14086, 14105, 14115, 14120, 14150, 14155, 14184, 14200, 14344, 14414, 14417, 14444, 14447, 14485, 14594, 14612, 14627
 \ifodd 2285, 2290, 8022
 \ifpdf 242, 2959, 3002, 4414, 4481
 \ifpdfstringunicode 536, 539
 \ifportrait 9491
 \ifthenelse 7875
 \iftrue 838, 1781, 1803, 2067, 5721, 14596
 \ifvemode 2570, 2592, 2601
 \ifvoid 7061, 7065, 7304
 \ifvtex 2965, 3061, 3090
 \ifvtexdvi 2966
 \ifvtexhtml 4456, 4487
 \ifvtexpdf 4498
 \ifvtexps 4501
 \ifxetex 792, 825, 2962, 3035, 3824, 3867, 4440, 4484, 4562
 \ignorespaces 668, 7021, 7202, 7485, 7591, 7602, 7605, 7663, 7671, 7733, 7748, 7764, 7773, 7883, 8390, 8442
 \iiint 17885, 19724
 \iinferior 19540
 \iint 17883, 19723
 \IJ 14856, 15594
 \ij 15067, 15596
 \Im 17558, 19606
 \immediate 6228, 6229, 6230, 6232, 6272, 6577, 6667, 6675, 6950, 6978, 7728, 7743, 7759, 7769, 7799, 7822, 7848, 7878, 8921, 8936, 8951, 11105, 11918, 13055, 13077, 13119, 14334, 14400, 14431, 14433, 14513, 14515
 \in 17818, 19694
 \incr@eqnum 7080, 7093
 \indent 7212, 7240
 \index 657
 \indexentry 8276, 8291, 8299, 8303, 8308
 \Info 19196, 20194
 \infty 17855, 19710
 \input 916, 924, 930, 3481, 3489, 3496, 4536, 11836, 11919, 12010, 12179
 \InputIfFileExists 4209, 14424, 14458, 14503, 14505
 \inputlineno 4829, 5189
 \insert 7464
 \int 17881, 19722
 \IntCalcAdd 2211
 \IntCalcDec 1363, 2399
 \intcalcDec 2381
 \IntCalcDiv 1357, 1366, 1371, 1474, 1483, 1495, 1512, 1527, 1542, 2195, 2201, 2207
 \intcalcDiv 1347, 2202, 2209, 2212
 \IntCalcMod 1359, 1368, 1374, 1478, 1484, 1499, 1515, 1530, 1544, 1546, 2197, 2202, 2203, 2209, 2212, 2214
 \intcalcMod 1349
 \intcalcNum 2403, 2431, 2435
 \IntCalcSub 2397, 2450, 2453, 2456, 2459
 \intcalcSub 2189, 2379
 \interfootnotelinepenalty 7467
 \interleave 19109, 20167
 \interlinepenalty 7467
 \inva 15963, 20244
 \invamp 17601
 \invbackneg 18252, 19884
 \inve 15838, 19468
 \invglotstop 16206, 19502
 \invh 16038, 20263
 \invlegr 16112, 20286
 \invvm 16072, 20274
 \invneg 19008, 20124
 \invr 16107, 20284
 \invscr 16134, 19490
 \invscripta 15971, 20246
 \invv 16169, 20298
 \invw 16173, 20300
 \invy 16177, 20302
 \iota 16427, 19522
 \ipagamma 16030, 19480
 \isuperior 19564
 \item 6736, 6739, 7755, 7767, 7870
 \Itemautorefname 8801
 \Itemautorefname 3212, 3230, 3248, 3266, 3284, 3302, 3320, 3349, 3350, 3378, 3396, 8801, 8802, 8805
 \itemindent 7305
 \itshape 597

J

\j 15601, 15858, 15949
 \JackStar 18745, 20011
 \JackStarBold 18747, 20012
 \jarr 19426
 \jeem 19370
 \jeh 19442
 \jinferior 20169
 \jobname 6229, 6265, 6272, 12472, 14333, 14424, 14431, 14458, 14503, 14505, 14513
 \Join 18993, 20118
 \Jupiter 18544, 20397
 \jupiter 18542, 19939

K

\k 14737, 15084, 15086, 15091, 15093, 15138, 15167, 15194, 15209, 15489, 15491, 15535, 15537, 15585, 15587, 15588, 15725, 15727, 15854, 15856, 16847, 16889, 16892
 \kaf 19406
 \kappa 16429, 19523
 \kasra 19432
 \keepPDF@SetupDoc 12063, 12070
 \kern 1877, 1949, 1954, 1966, 7305, 8017, 8018, 8019, 8021, 8022, 8027, 14553
 \kernel@ifnextchar 688
 \Keyboard 18269, 19892
 \kha 19374
 \kinferior 19598
 \KV@href@pdfnewwindow 4913

\KV@href@pdfnewwindow@de-fault 4914
 \KV@Hyp@draft 2751
 \KV@Hyp@nolinks 2751
 \KV@Hyp@pdfnewwindow 4913
 \KV@Hyp@pdfnewwindow@default 4914
 \kv@key 3975, 3978, 3985, 5552, 5555, 5557, 5561, 5565
 \kv@parse 5551
 \kv@parse@normalized 4000, 4007
 \kv@processor@default 4003, 4010
 \kv@set@family@handler 3968
 \kv@value 3973, 5553, 5560, 5561
 \kvsetkeys 2935, 2989, 3109, 3831, 3948, 4274, 4511, 4529, 4646, 5650, 8903, 11443, 12666, 12910, 12923, 12972, 13015, 13036, 13110, 13453

L

\L 14849, 15625
 \l 14862, 15627
 \l@slide 8390, 8500, 8505, 8509, 8516
 \l@subslide 8442, 8505, 8512, 8556
 \labdentalnas 16080, 20277
 \label 656, 8040
 \label@hyperref 4998, 5000
 \label@hyperdef 4984, 5014
 \label@hyperref 4965, 4997, 5211
 \labelsep 7882
 \labelwidth 7881
 \Ladiesroom 19183, 20190
 \lam 19408
 \Lambda 16366, 19506
 \lambda 16431, 19524
 \lambdaabar 15786, 20233
 \lambdadaslash 15787, 20234
 \langle 18271, 19893
 \language@group 635
 \languageshorthands 968, 969, 1003
 \LARGE 604
 \Large 605
 \large 608, 8522, 8530, 8540, 8548
 \lastbox 7303
 \lastpage@putlabel 6921
 \lastskip 2593, 2597, 2604, 2612, 2616, 2623
 \LaTeX 561, 563, 12478, 12479
 \LaTeXe 562, 12479
 \latfric 16062, 20271
 \LayoutCheckField 6030, 12871, 13380, 13753
 \LayoutChoiceField 6027, 12744, 13233, 13574

\LayoutPushButtonField 6033, 12803, 12810, 13304, 13311, 13662, 13671
 \LayoutTextField 6024, 12691, 13179, 13516
 \lbrackdbl 20062
 \lccode 350, 355, 864, 1281, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2226, 5902, 8235, 8236, 14258, 14259, 14260, 14261, 14262, 14263, 14264, 14265, 14266, 14267, 14268
 \lcurvearrowdown 18905, 20085
 \lcurvearrowse 18897, 20082
 \lcurvearrowsw 18900, 20083
 \ldots 556
 \le 17973, 19764
 \leavevmode 665, 2548, 4259, 4276, 4316, 5089, 6198, 7393, 7552, 7789, 8660, 8668, 8699, 9055, 9126, 9164, 9201, 9534, 9636, 9716, 9753, 9793, 10144, 10185, 10222, 10254, 10490, 10499, 10553, 10707, 10732, 10762, 10795, 11171, 11497, 11747, 11774, 11805, 12128, 12403, 12692, 12804, 12811, 12844, 12872, 13180, 13265, 13286, 13305, 13312, 13332, 13351, 13381, 13517, 13609, 13640, 13663, 13672, 13696, 13715, 13754, 14551
 \Leftarrow 17757, 19667
 \leftarrow 19619
 \leftarrowtail 17674, 19635
 \leftbarharpoon 18938, 20097
 \leftharpoondown 17705, 19648
 \leftharpoonup 17702, 19647
 \leftleftarrows 17734, 19658
 \leftleftharpoons 18926, 20093
 \leftModels 19101, 20441
 \leftmodels 19097, 20440
 \leftmoon 18522, 19934
 \leftpointright 18501, 20384
 \Leftrightarrow 17767, 19671
 \leftrightarrow 17647, 19623
 \leftrightarrows 17732, 19657
 \leftrightharpoon 18915, 20089
 \leftrightharpoons 17743, 19662
 \leftslice 19060, 20146
 \leftspoon 18852, 20061
 \leftsquigarrow 17783, 19679
 \lefttherefore 17446, 19560

\leftthreetimes 18161, 19845
 \leftVdash 19094, 20439
 \leftvDash 18101, 20360
 \legm 16077, 20276
 \legr 16119, 20288
 \Leo 18571, 20406
 \leo 18569, 19948
 \leq 17973, 19763
 \leqclosed 18134, 20368
 \leqq 17980, 19767
 \leqlant 19033, 20134
 \lessapprox 19037, 20136
 \lessclosed 18128, 20366
 \lessdot 18185, 19855
 \lesseqtr 18194, 19859
 \lesseqgtr 19051, 20142
 \lessgtr 18007, 19780
 \lessim 18003, 19778
 \LetLtxMacro 6145, 6149, 6215, 6219
 \Letter 18698, 20425
 \lhd 18126, 19831
 \lhooknwarrow 18885, 20077
 \lhooksearrow 18889, 20079
 \Libra 18577, 20408
 \libra 18575, 19950
 \Lightning 17692, 20338
 \lightning 17690, 19643
 \limits 4805
 \linferior 19599
 \listofslides 8491
 \listsldename 8490, 8493, 8495, 8497
 \literalps@out 2546, 11094, 11099, 11151, 11157, 11183, 11189, 11454, 11465, 11494, 11495, 11523, 11525, 11537, 11539, 11834, 11917, 11980, 12177
 \ll 17988, 19771
 \llcorner 18261, 19888
 \Lleftarrow 17779, 19677
 \lll 18189, 19857
 \lnapprox 19046, 20140
 \lneq 19041, 20138
 \lneqq 17984, 19769
 \lnsim 18217, 19869
 \Longleftarrow 18869, 20069
 \longleftarrow 18863, 20066
 \Longleftrightarrow 18873, 20071
 \longleftrightarrow 18867, 20068
 \longlegr 19488
 \Longmapsfrom 18877, 20073
 \Longmapsto 18879, 20074
 \longmapsto 18875, 20072
 \Longrightarrow 18871, 20070
 \longrightarrow 18865, 20067
 \looparrowleft 17684, 19640

\looparrowright ... 17686, 19641
 \lower .. 9643, 9723, 9760, 9800,
 11525, 12135, 12410
 \lowercase 351, 356,
 884, 1282, 2086, 2227, 2653,
 3156, 3186, 3915, 3951,
 5224, 5225, 5228, 5233,
 5257, 5267, 5321, 5377,
 5697, 5770, 5773, 5903,
 8237, 11221, 14269
 \lozenge 18467, 19911
 \lrcorner 18263, 19889
 \lslide@flag .. 8517, 8520, 8538,
 8557, 8561
 \LT@array 7046
 \LT@foot 7061, 7065
 \LT@p@ftn 7425, 7428, 7432, 7442
 \LT@p@ftntext .. 7423, 7430
 \LT@start 7063, 7073
 \ltimes 18156, 19843
 \ltx@backslashchar 318, 319, 320,
 321, 322, 323, 324, 325, 326,
 327, 328, 330
 \ltx@empty 370,
 371, 472, 2958, 3133, 3141,
 3510, 3655, 4038, 4062,
 4069, 4168, 4169, 4172,
 4173, 4174, 4175, 4176,
 4177, 4181, 4182, 4504,
 4514, 4606, 5206, 5422,
 5440, 5454, 5467, 5483,
 5515, 5540, 5547, 5548,
 5889, 5927, 5928, 5929,
 5930, 5931, 5932, 5933,
 5934, 5935, 5936, 5937,
 6343, 6344, 6345, 6348,
 6364, 6369, 6386, 6391,
 6397, 6406, 6426, 7112,
 9576, 10480, 10567, 11175,
 11481, 11502, 11833, 11916,
 12174, 12338, 12345, 12668,
 12674, 12885, 12920, 12967,
 13061, 13158, 13161, 13478,
 13494
 \ltx@firstofone 2978, 6260, 14286,
 14298
 \ltx@firstoftwo 245, 337,
 345, 2390, 2638, 2645, 4721,
 5145, 7352, 7372
 \ltx@GlobalAppendToMacro 952
 \ltx@gobble
 272, 2984, 4235, 4244, 4594,
 6158, 6159, 6170, 6172,
 6173, 6545, 12452, 13073,
 14284, 14296
 \ltx@gobblefour 314
 \ltx@gobblethree 7977
 \ltx@gobbletwo 6161, 6175
 \ltx@ifclassloaded .. 6398, 7938
 \ltx@iffileloaded 6357
 \ltx@ifpackagelater .. 348, 9569
 \ltx@ifpackageloaded 1248
 \ltx@IfUndefined
 239, 278, 284, 313,
 634, 678, 754, 789, 907, 908,
 909, 1011, 1017, 1023, 1028,
 1033, 1040, 1046, 1052,
 1057, 1063, 1068, 1078,
 1084, 1090, 1096, 1235,
 1241, 1618, 1713, 1714,
 2500, 2533, 4230, 4232,
 4319, 4320, 4321, 4720,
 4721, 4917, 6320, 6720,
 6809, 6824, 7154, 7691,
 7956, 8688, 8689, 8734,
 8735, 8737, 8738, 9103,
 9113, 9511, 10597, 10654,
 10757, 11147, 11190, 11281,
 11458, 14585, 14595
 \ltx@ifundefined .. 2447, 2637,
 2638, 2681, 7312, 7972
 \ltx@leftbracechar .. 328, 352
 \ltx@LocalAppendToMacro 365,
 368
 \ltx@one
 244, 6400, 6401, 6408, 7941,
 7945, 7951, 7954, 7955, 7968
 \ltx@ReturnAfterElseFi .. 4787
 \ltx@ReturnAfterFi
 496, 2024, 4791, 4807, 8330,
 8366, 8854, 8864, 13847
 \ltx@rightbracechar .. 329, 357
 \ltx@secondoftwo .. 240, 247, 251,
 334, 2392, 2637, 2638, 2647,
 2649, 4720, 4721, 4723,
 5143, 7354, 7374
 \ltx@space 331, 1769
 \ltx@zero 2080, 2081, 2082, 2083,
 2084, 2085
 \luatexrevision 9285
 \luatexversion 9277, 9282
 \lz 16069, 20273

M

\m@ne .. 4337, 4841, 4900, 5239,
 6966, 7174, 10139, 14505,
 14594, 14609
 \make@df@tag@ .. 8150, 8152
 \make@df@tag@@@ .. 8151, 8153
 \make@stripped@name .. 6786,
 7102, 7133, 7161, 7172
 \makeatletter .. 3, 948, 6264
 \MakeButtonField .. 6040, 12805,
 12813, 12831, 12849, 12854,
 13306, 13315, 13339, 13356,
 13362, 13664, 13667, 13695,
 13720, 13724
 \MakeCheckField .. 6037, 12874,
 13384, 13750
 \MakeChoiceField .. 6039, 12789,
 13289, 13638
 \MakeFieldObject .. 13054, 13141,
 13151, 13154
 \MakeLowercase 625
 \MakeLowercaseUnsupportedIn-
 PdfStrings 625
 \MakeRadioField .. 6036, 12777,
 13276, 13602
 \makeslideheading 8400
 \makeslidesubheading 8452
 \maketag@@@ 8139
 \MakeTextField .. 6038, 12694,
 13183, 13513
 \maketitle 7502, 7503
 \MakeUppercase 624, 8495, 8497,
 8651
 \MakeUppercaseUnsupportedIn-
 PdfStrings 624
 \male 18538, 19938
 \MaleMale 18654, 19974
 \manstar 18648, 19971
 \mapsto 17678, 19637
 \Mars 18541, 20396
 \mars 18540, 20395
 \MathBSuppress .. 10500, 10504
 \mathclose 7115
 \mathdisplay 7083, 7092
 \mathdisplay@push .. 7081, 7090
 \mathdollar 15235, 20205
 \mathellipsis 17417, 20333
 \mathopen 7106, 7137
 \mathparagraph .. 15324, 20215
 \mathsection 15292, 20213
 \mathsterling 15281, 20210
 \mathunderscore .. 15260, 20208
 \mathversion 613
 \maxdimen 3590, 13059
 \MaybeStopEarly 473, 2992, 3067,
 4384, 4489, 6695, 6698
 \mbox .. 666, 7802, 7825, 9006,
 10111
 \mddefault .. 7214, 7242, 7273
 \mdseries 596
 \meaning 62, 153,
 159, 2509, 6304, 6882, 7179,
 14469, 14477, 14492
 \measuredangle .. 17859, 19712
 \measuring@false 6781
 \mediaheight .. 10591, 10593,
 10599, 10606
 \mediawidth .. 10602, 10609
 \meem 19410

\Mercury 18528, 20389
 \mercury 18526, 19936
 \merge 19022, 20438
 \message 8518
 \MessageBreak
 280, 286, 300, 301, 340, 341,
 504, 1980, 2001, 2014, 2037,
 2042, 2044, 2675, 2676,
 2690, 2712, 2715, 2717,
 2795, 2796, 2822, 2823,
 2865, 2866, 2867, 2905,
 2906, 2926, 2940, 2981,
 3006, 3039, 3077, 3084,
 3095, 3101, 3178, 3520,
 3651, 3652, 3714, 3715,
 3733, 3734, 3828, 3870,
 3878, 3928, 3983, 3984,
 4094, 4095, 4197, 4418,
 4419, 4427, 4428, 4444,
 4445, 4460, 4461, 4469,
 4470, 4649, 4894, 4895,
 4919, 4920, 4936, 4937,
 5278, 5283, 5292, 5335,
 5381, 5505, 5618, 5690,
 5701, 5733, 5734, 5753,
 5861, 5862, 5863, 5864,
 6376, 6611, 6626, 6627,
 6929, 8044, 8074, 8075,
 8076, 8077, 8078, 8209,
 9059, 10149, 10683, 10766,
 11060, 11066, 11290, 13067,
 13069, 14205, 14223, 14336
 \MF 571, 12481
 \mho 19610
 \mid 17865, 19714
 \minferior 19600
 \minusdot 18998, 20120
 \minusinferior 19588
 \minussuperior 19572
 \models 18109, 20362
 \MoonPha ... 2406, 2411, 2414,
 2420, 20204
 \Mountain 18676, 19980
 \MP 572, 12482
 \mp 17839, 19703
 \mu 16433
 \mugreek 19525
 \multimap 18144, 19837
 \multimapboth 18983, 20113
 \multimapdotbothA 18140, 19835
 \multimapdotbothB 18142, 19836
 \multiply ... 9281, 10947, 10982
 \Mundus 19173, 20185

N

\n 875
 \nabla 17816, 19693
 \name@of@eq 6754, 6784
 \name@of@slide 6755, 6765
 \nameref 663, 4725, 4729
 \nasb 19422
 \natural 18624, 19960
 \ncong 17925, 19741
 \ne 17966, 19760
 \Narrow 17773, 19674
 \nearrow 17653, 19626
 \neg 20195
 \Neptune 18553, 20400
 \neptune 18551, 19942
 \neq 17966, 19759
 \nequiv 17971, 19762
 \neswarrow 18883, 20076
 \netscape 9679
 \new@ifnextchar 689
 \new@pdflink .. 9034, 9091, 9094
 \new@refstepcounter 7075, 7109
 \newblock 7886
 \newcommand 4, 9,
 42, 2547, 6202, 6206, 7622,
 8177, 14306, 14309, 14314,
 19456, 20201
 \newcount 474,
 475, 2552, 4885, 5656, 6387,
 12785, 13283, 13484, 13634,
 14341
 \newcounter . 6737, 7327, 10017,
 14256
 \newdimen 471, 5657, 5658
 \newif 381, 382, 383, 384,
 385, 386, 387, 388, 389, 390,
 391, 392, 395, 396, 397, 398,
 399, 400, 401, 402, 403, 404,
 405, 406, 407, 408, 409, 410,
 411, 412, 413, 414, 415, 416,
 417, 418, 419, 420, 421, 422,
 423, 424, 425, 428, 429, 430,
 833, 1010, 2936, 2957, 3658,
 3967, 4561, 4915, 5231,
 5319, 5652, 5653, 5673,
 5716, 6756, 6757, 6781,
 7120, 10479, 11436
 \newlabel 2512, 5024, 6242, 6243,
 6251, 6277, 6951, 6979
 \newlabelxx 6244, 6245
 \newlength 14544
 \newline 559, 6325
 \newname 6787, 7103, 7134, 7162,
 7175, 7184
 \newsavebox 9947, 11473
 \newtie ... 14739, 14740, 15177,
 15204, 15222
 \newtoks 90, 5744, 11308, 11548,
 11549
 \newwrite .. 6271, 14429, 14511
 \nexists 17809, 19690
 \next .. 7876, 7877, 7878, 10910,
 10912, 10914
 \nfss@text 8572, 8592, 8609, 8727
 \NG 15643
 \ng .. 15645, 15646, 15647, 20224,
 20225
 \ngeq 18001, 19777
 \ngtr 17996, 19775
 \ngtrclosed 18230, 20379
 \ni 17824, 19697
 \NibRight 18709, 19994
 \NibSolidRight .. 18711, 19995
 \niepsilon 16002, 19475
 \niota 16051, 19483
 \nineinferior 19586
 \ninesuperior 19570
 \ninferior 19601
 \niph 16103, 19487
 \niupsilon 16161, 19493
 \nj 16084, 20279
 \nLeftarrow 17749, 19664
 \nleftarrow 17661, 19629
 \nLeftrightarrow .. 17751, 19665
 \nleftrarrow .. 17688, 19642
 \nleq 17999, 19776
 \nless 17994, 19774
 \nlessclosed 18227, 20378
 \nmid 17867, 19715
 \noboundary 19452
 \nobreak 2594, 2602, 2613, 2621,
 7394, 7553
 \nobreakspace . 677, 8663, 8692,
 8695
 \noexpand .. 22, 93, 95, 108, 116,
 169, 171, 172, 173, 176, 206,
 853, 956, 1295, 1728, 1745,
 1868, 2240, 2600, 2601,
 2602, 2605, 2619, 2620,
 2621, 2624, 3439, 3441,
 3443, 3444, 3445, 3447,
 3463, 3669, 3670, 3672,
 4033, 4339, 4343, 4344,
 4511, 4799, 4972, 5054,
 5184, 5186, 5287, 5834,
 5847, 6500, 6501, 6510,
 6512, 6515, 6640, 6963,
 6964, 6966, 6991, 6992,
 6993, 6994, 6995, 7003,
 7004, 7005, 7178, 7416,
 7426, 7434, 7435, 7436,
 7438, 7562, 7652, 7727,
 7742, 7758, 7943, 8169,
 8171, 8625, 8626, 8743,
 8744, 8749, 8751, 8756,
 8757, 8762, 8763, 9284,
 9885, 11373, 11440, 11977,
 12228, 12719, 12720, 12721,

\textcolor{red}{1372}, \textcolor{red}{1375}, \textcolor{red}{1381}, \textcolor{red}{1382},	\textcolor{red}{\paperheight}	\textcolor{red}{\pdf@ifdraftmode}
\textcolor{red}{1383}, \textcolor{red}{1384}, \textcolor{red}{1385}, \textcolor{red}{1386},	.. \textcolor{red}{4190}, \textcolor{red}{9496}, \textcolor{red}{9498}, \textcolor{red}{9501},	\textcolor{red}{240}, \textcolor{red}{243},
\textcolor{red}{1387}, \textcolor{red}{1388}, \textcolor{red}{1389}, \textcolor{red}{1390},	\textcolor{red}{9503}, \textcolor{red}{9515}, \textcolor{red}{9516}, \textcolor{red}{10460},	\textcolor{red}{251}, \textcolor{red}{6544}, \textcolor{red}{8920}, \textcolor{red}{9361}, \textcolor{red}{9470},
\textcolor{red}{1391}, \textcolor{red}{1392}, \textcolor{red}{1393}, \textcolor{red}{1394},	\textcolor{red}{10461}, \textcolor{red}{10598}, \textcolor{red}{10599}, \textcolor{red}{10601},	\textcolor{red}{13111}, \textcolor{red}{14441}
\textcolor{red}{1395}, \textcolor{red}{1396}, \textcolor{red}{1397}, \textcolor{red}{1398},	\textcolor{red}{11898}, \textcolor{red}{11899}	\textcolor{red}{\pdf@linktype} . . .
\textcolor{red}{1399}, \textcolor{red}{1400}, \textcolor{red}{1401}, \textcolor{red}{1402},	\textcolor{red}{\paperwidth}	\textcolor{red}{11458}, \textcolor{red}{11462},
\textcolor{red}{1403}, \textcolor{red}{1404}, \textcolor{red}{1405}, \textcolor{red}{1406},	.. \textcolor{red}{9492}, \textcolor{red}{9494}, \textcolor{red}{9505}, \textcolor{red}{9507},	\textcolor{red}{11565}, \textcolor{red}{11566}
\textcolor{red}{1407}, \textcolor{red}{1408}, \textcolor{red}{1409}, \textcolor{red}{1410},	\textcolor{red}{9512}, \textcolor{red}{9513}, \textcolor{red}{10459}, \textcolor{red}{10461},	\textcolor{red}{\pdf@rect} . . .
\textcolor{red}{1411}, \textcolor{red}{1412}, \textcolor{red}{1417}, \textcolor{red}{1418},	\textcolor{red}{10602}, \textcolor{red}{11897}, \textcolor{red}{11899}	\textcolor{red}{11450}, \textcolor{red}{11464}, \textcolor{red}{11477}
\textcolor{red}{1419}, \textcolor{red}{1420}, \textcolor{red}{1421}, \textcolor{red}{1422},	\textcolor{red}{\par} \textcolor{red}{7207}, \textcolor{red}{7234}, \textcolor{red}{7267}, \textcolor{red}{7590}, \textcolor{red}{7618},	\textcolor{red}{\PDF@SetupDoc} \textcolor{red}{4183}, \textcolor{red}{4260}, \textcolor{red}{6116},
\textcolor{red}{1423}, \textcolor{red}{1424}, \textcolor{red}{1425}, \textcolor{red}{1426},	\textcolor{red}{7661}, \textcolor{red}{7671}, \textcolor{red}{7869}, \textcolor{red}{7889}	\textcolor{red}{6117}, \textcolor{red}{6195}, \textcolor{red}{9291}, \textcolor{red}{9577},
\textcolor{red}{1427}, \textcolor{red}{1428}, \textcolor{red}{1429}, \textcolor{red}{1430},	\textcolor{red}{\paragraphautorefname}	\textcolor{red}{9865}, \textcolor{red}{10357}, \textcolor{red}{10481}, \textcolor{red}{11007},
\textcolor{red}{1431}, \textcolor{red}{1432}, \textcolor{red}{1433}, \textcolor{red}{1434},	.. \textcolor{red}{3221}, \textcolor{red}{3239}, \textcolor{red}{3257}, \textcolor{red}{3275},	\textcolor{red}{11360}, \textcolor{red}{12065}, \textcolor{red}{12215}, \textcolor{red}{12346}
\textcolor{red}{1435}, \textcolor{red}{1436}, \textcolor{red}{1437}, \textcolor{red}{1438},	\textcolor{red}{3293}, \textcolor{red}{3311}, \textcolor{red}{3329}, \textcolor{red}{3362},	\textcolor{red}{\PDF@SetupDox}
\textcolor{red}{1439}, \textcolor{red}{1440}, \textcolor{red}{1441}, \textcolor{red}{1442},	\textcolor{red}{3364}, \textcolor{red}{3387}, \textcolor{red}{3405}, \textcolor{red}{8814}	\textcolor{red}{9291}
\textcolor{red}{1443}, \textcolor{red}{1444}, \textcolor{red}{1445}, \textcolor{red}{1446},	\textcolor{red}{\parallel}	\textcolor{red}{\pdf@strcmp}
\textcolor{red}{1447}, \textcolor{red}{1448}, \textcolor{red}{1461}, \textcolor{red}{1462},	\textcolor{red}{\parenleftinferior}	\textcolor{red}{987}
\textcolor{red}{1463}, \textcolor{red}{1464}, \textcolor{red}{1465}, \textcolor{red}{1577},	\textcolor{red}{\parenleftsuperior}	\textcolor{red}{\pdf@toks}
\textcolor{red}{1578}, \textcolor{red}{1579}, \textcolor{red}{2405}, \textcolor{red}{2408},	\textcolor{red}{\parenrightinferior}	\textcolor{red}{11440}, \textcolor{red}{11455}, \textcolor{red}{11466},
\textcolor{red}{2410}, \textcolor{red}{2413}, \textcolor{red}{5405}, \textcolor{red}{5411},	\textcolor{red}{\parenrightsuperior}	\textcolor{red}{11548}, \textcolor{red}{11552}, \textcolor{red}{11556}
\textcolor{red}{5416}, \textcolor{red}{5630}, \textcolor{red}{6834}, \textcolor{red}{6835},	\textcolor{red}{\parr}	\textcolor{red}{\pdf@type}
\textcolor{red}{6836}, \textcolor{red}{6837}, \textcolor{red}{6843}, \textcolor{red}{6844},	\textcolor{red}{17604}, \textcolor{red}{20335}	\textcolor{red}{11442}, \textcolor{red}{11446}, \textcolor{red}{11455},
\textcolor{red}{6845}, \textcolor{red}{6846}, \textcolor{red}{8094}, \textcolor{red}{8098},	\textcolor{red}{\partautorefname}	\textcolor{red}{11466}, \textcolor{red}{11543}, \textcolor{red}{11563}
\textcolor{red}{8537}, \textcolor{red}{8546}, \textcolor{red}{10992}, \textcolor{red}{14349},	3215, \textcolor{red}{3233},	\textcolor{red}{\pdfannalink}
\textcolor{red}{14350}, \textcolor{red}{14351}, \textcolor{red}{14352}, \textcolor{red}{14353},	3251, \textcolor{red}{3269}, \textcolor{red}{3287}, \textcolor{red}{3305},	\textcolor{red}{9025}
\textcolor{red}{14354}, \textcolor{red}{14355}, \textcolor{red}{14356}, \textcolor{red}{14357},	3323, \textcolor{red}{3353}, \textcolor{red}{3381}, \textcolor{red}{3399}, \textcolor{red}{8808}	\textcolor{red}{\pdfbookmark} \textcolor{red}{2547}, \textcolor{red}{6201}, \textcolor{red}{6202},
\textcolor{red}{14358}, \textcolor{red}{14359}, \textcolor{red}{14360}, \textcolor{red}{14361},	\textcolor{red}{\partial}	\textcolor{red}{14307}, \textcolor{red}{14312}, \textcolor{red}{14317}, \textcolor{red}{14321}
\textcolor{red}{14362}, \textcolor{red}{14363}, \textcolor{red}{14364}, \textcolor{red}{14365},	\textcolor{red}{\partnumberline}	\textcolor{red}{\pdfcatalog} .. \textcolor{red}{6547}, \textcolor{red}{8957}, \textcolor{red}{9306},
\textcolor{red}{14366}, \textcolor{red}{14367}, \textcolor{red}{14368}, \textcolor{red}{14369},	\textcolor{red}{14230}, \textcolor{red}{14235}	\textcolor{red}{9348}, \textcolor{red}{13138}
\textcolor{red}{14370}, \textcolor{red}{14371}, \textcolor{red}{14372}, \textcolor{red}{14373},	\textcolor{red}{\PassOptionsToPackage} .. \textcolor{red}{3110},	\textcolor{red}{\PDFdefaults}
\textcolor{red}{14374}, \textcolor{red}{14375}, \textcolor{red}{14376}, \textcolor{red}{14377},	\textcolor{red}{3167}, \textcolor{red}{3171}, \textcolor{red}{3193}, \textcolor{red}{4224}, \textcolor{red}{4530}	\textcolor{red}{11559}
\textcolor{red}{14378}, \textcolor{red}{14379}, \textcolor{red}{14380}	\textcolor{red}{\pdf@addtoks} . . .	\textcolor{red}{\pdfdest}
\textcolor{red}{\OrnamentDiamondSolid}	11551, \textcolor{red}{11570},	\textcolor{red}{9049}
\textcolor{red}{\oslash}	11576, \textcolor{red}{11585}, \textcolor{red}{11592}, \textcolor{red}{11596},	\textcolor{red}{\pdfdraftmode}
\textcolor{red}{\otimes}	11598, \textcolor{red}{11600}, \textcolor{red}{11602}, \textcolor{red}{11604},	\textcolor{red}{\pdfendlink}
\textcolor{red}{\overbrace}	11612, \textcolor{red}{11621}, \textcolor{red}{11625}, \textcolor{red}{11627},	\textcolor{red}{9088}, \textcolor{red}{13183}, \textcolor{red}{13276},
\textcolor{red}{\owns}	11629, \textcolor{red}{11632}, \textcolor{red}{11641}, \textcolor{red}{11645},	\textcolor{red}{13290}, \textcolor{red}{13316}, \textcolor{red}{13340}, \textcolor{red}{13363},
	11647, \textcolor{red}{11649}, \textcolor{red}{11651}, \textcolor{red}{11653},	\textcolor{red}{13385}
	11655, \textcolor{red}{11657}, \textcolor{red}{11659}, \textcolor{red}{11661},	\textcolor{red}{\pdfescapestring}
	11663, \textcolor{red}{11665}, \textcolor{red}{11667}, \textcolor{red}{11669},	\textcolor{red}{13855}
	11671, \textcolor{red}{11673}, \textcolor{red}{11675}, \textcolor{red}{11676},	\textcolor{red}{\pdfform}
	11677, \textcolor{red}{11678}, \textcolor{red}{11679}, \textcolor{red}{11680},	\textcolor{red}{9027}
	11681, \textcolor{red}{11682}, \textcolor{red}{11683}, \textcolor{red}{11684},	\textcolor{red}{\PDFForm@@Name} \textcolor{red}{13863}, \textcolor{red}{13866},
	11685, \textcolor{red}{11690}	\textcolor{red}{13870}, \textcolor{red}{13873}
		\textcolor{red}{\PDFForm@Check} \textcolor{red}{12873}, \textcolor{red}{12875},
		\textcolor{red}{13382}, \textcolor{red}{13383}, \textcolor{red}{13755}, \textcolor{red}{13759},
		\textcolor{red}{13947}
		\textcolor{red}{\PDFForm@List}
		\textcolor{red}{12788}, \textcolor{red}{12790},
		\textcolor{red}{13287}, \textcolor{red}{13288}, \textcolor{red}{13641}, \textcolor{red}{13646},
		\textcolor{red}{14005}
		\textcolor{red}{\PDFForm@Name} \textcolor{red}{13175}, \textcolor{red}{13228},
		\textcolor{red}{13299}, \textcolor{red}{13377}, \textcolor{red}{13508}, \textcolor{red}{13569},
		\textcolor{red}{13657}, \textcolor{red}{13746}, \textcolor{red}{13862}
		\textcolor{red}{\PDFForm@Push}
		\textcolor{red}{12812}, \textcolor{red}{12814},
		\textcolor{red}{13313}, \textcolor{red}{13314}, \textcolor{red}{13673}, \textcolor{red}{13677},
		\textcolor{red}{13976}
		\textcolor{red}{\PDFForm@Radio} \textcolor{red}{12776}, \textcolor{red}{12780},
		\textcolor{red}{13266}, \textcolor{red}{13268}, \textcolor{red}{13610}, \textcolor{red}{13622},
		\textcolor{red}{14038}
		\textcolor{red}{\PDFForm@Reset} \textcolor{red}{12853}, \textcolor{red}{12855},
		\textcolor{red}{13360}, \textcolor{red}{13361}, \textcolor{red}{13725}, \textcolor{red}{13730},
		\textcolor{red}{14140}
		\textcolor{red}{\PDFForm@Submit} \textcolor{red}{12830}, \textcolor{red}{12833},
		\textcolor{red}{13333}, \textcolor{red}{13335}, \textcolor{red}{13697}, \textcolor{red}{13702},
		\textcolor{red}{14107}
		\textcolor{red}{\PDFForm@Text}
		\textcolor{red}{12693}, \textcolor{red}{12695},
		\textcolor{red}{13181}, \textcolor{red}{13182}, \textcolor{red}{13518}, \textcolor{red}{13521},
		\textcolor{red}{14072}
		\textcolor{red}{\pdfhorigin}
		\textcolor{red}{9488}
		\textcolor{red}{\pdfinfo}
		\textcolor{red}{9364}

\pdfastform 9028
 \pdfastlink 13095
 \pdfastobj 8935, 8950, 8956,
 13137, 13424, 13433, 13443
 \pdfastxform 9028, 13057, 13059
 \pdfinkmargin 9023, 9026, 9031
 \pdfliteral 9007, 9009, 9014
 \pdfm@box 9947, 13480, 13481,
 13482, 13512, 13524, 13601,
 13626, 13637, 13648, 13667,
 13680, 13695, 13704, 13724,
 13732, 13749, 13761
 \pdfmark 6658, 9885, 9894, 9924,
 11138, 11158, 11197, 11232,
 11249, 11261, 11295, 11332,
 11344, 11373, 11382, 11413,
 11437, 11699, 11714, 11729,
 11741, 11748, 11775, 11806,
 12228, 12237, 12268, 12694,
 12777, 12789, 12813, 12831,
 12854, 12874, 14473
 \pdfmark@ 11437, 11438
 \pdfmatch 332
 \pdfminorversion 8894
 \PDFNextPage 11712
 \PDFNextPage@ 11712, 11713
 \pdfobj 8921, 8936, 8951, 13119,
 13391, 13425, 13434
 \PDFOpen 11740
 \pdfoptionpdfminorversion 8891
 \pdfoutline 14522
 \pdfpageattr 9404, 9408, 9409,
 9419, 9428, 9432, 9433,
 9443, 9451, 9454, 9455, 9465
 \pdfpageheight 9498, 9507, 9516,
 9523
 \pdfpageresources 8984
 \pdfpagesattr 9295, 9297, 9299
 \pdfpagewidth 9494, 9503, 9513,
 9520
 \PDFPreviousPage 11725
 \PDFPreviousPage@ 11726,
 11728
 \pdfrefform 9029
 \pdfrefobj 13114, 13115, 13116
 \pdfrefxform 9029, 13059
 \pdfstartlink
 9024, 9025, 9083, 9127,
 9165, 9202, 9536, 13182,
 13267, 13288, 13314, 13334,
 13361, 13383
 \pdfstringdef 524,
 820, 3854, 3860, 3866, 3888,
 3893, 3899, 3906, 3912,
 3992, 5577, 5582, 5608,
 6328, 6436, 6438, 6944,
 7969, 8005, 13881, 14239
 \pdfstringdefDisableCommands . .
 906, 946, 6199, 6323
 \pdfstringdefPostHook 816, 940
 \pdfstringdefPreHook 673, 940,
 952, 6322, 6332
 \pdfstringdefWarn 558, 559, 667,
 955, 1736, 1741, 1760, 1764
 \pdftexrevision 9251, 9259, 9270
 \pdftexversion 9246, 9248, 9251,
 9254, 9257, 9258, 9262,
 9268, 9269, 13113
 \pdfvorigin 9489
 \pdfxform 9027, 13055
 \Peace 18699, 19989
 \peh 19438
 \penalty 1871, 2574, 4860, 7796,
 7819
 \PencilRight 18705, 19992
 \PencilRightDown 18703, 19991
 \PencilRightUp 18707, 19993
 \perp 18846, 20058
 \phantom 614
 \phantomsection 4185, 6203,
 8046, 14174, 14225, 14613
 \Phi 16386, 19511
 \phi 16453, 19534
 \phiinferior 19547
 \Phone 18483, 19918
 \PhoneHandset 18690, 19985
 \Pi 19508
 \pi 16441, 19528
 \pinferior 19602
 \Pisces 18592, 20413
 \pisces 18590, 19955
 \pitchfork 18183, 19854
 \planck 15568, 20223
 \Plane 18694, 19987
 \Plus 18726, 20002
 \PlusCenterOpen 18730, 20004
 \plusinferior 19587
 \PlusOutline 18724, 20001
 \plussuperior 19571
 \PlusThinCenterOpen 18728,
 20003
 \Pluto 18556, 20401
 \pluto 18554, 19943
 \pm 20198
 \PointingHand 18502, 20385
 \pounds 15282, 20211
 \Preamble 12473
 \prec 18011, 19782
 \precapprox 19080, 20156
 \preccurlyeq 18015, 19784
 \preceq 19064, 20148
 \preceqq 19072, 20152
 \precnapprox 19084, 20157
 \precneq 19068, 20150
 \precneqq 19076, 20154
 \precnsm 18221, 19871
 \precsim 18019, 19786
 \PrerenderUnicode 3845
 \prime 17422, 19556
 \process@me 6302, 6314, 6315,
 9294, 9303
 \ProcessKeyvalOptions 4228
 \prod 17831, 19700
 \proto 17853, 19709
 \protect 1869, 5002, 7591, 7663,
 7727, 7742, 7758, 7874,
 7881, 7882, 8084, 8115,
 8390, 8442, 8571, 8591,
 8597, 8608, 8726, 9587,
 9684, 10551, 10626, 12076,
 12356, 14246, 14546, 14669,
 14670
 \protected@edef 5039, 6402, 6496,
 7034, 7176, 7196, 7957,
 7961, 9056, 10146, 10680,
 10763, 11287
 \protected@write 2511, 5023,
 7854, 8275, 8290, 8298,
 8302, 8307, 14245
 \protected@xdef 7435, 7528
 \providecommand
 2528, 2529, 3545, 3546,
 3549, 3550, 4480, 4693,
 4694, 4813, 4956, 6233,
 6526, 6551, 6676, 6715,
 6718, 6721, 6722, 6723,
 6725, 6726, 6727, 6728,
 6730, 6731, 6732, 6733,
 6734, 6735, 6744, 6745,
 6746, 6747, 6748, 6749,
 7170, 7692, 7693, 7708,
 7786, 8372, 8373, 8377,
 8382, 8383, 8490, 8799,
 8800, 8801, 8802, 8803,
 8804, 8805, 8806, 8807,
 8808, 8809, 8810, 8811,
 8812, 8813, 8814, 8815,
 8816, 8817, 8818, 8880,
 9033, 9051, 9052, 9575,
 9678, 9679, 9942, 10004,
 10005, 10006, 10477, 10596,
 10618, 10619, 10620, 11095,
 11474, 11475, 11832, 11840,
 11841, 11842, 11843, 11915,
 11927, 11928, 11929, 11930,
 11974, 12015, 12016, 12017,
 12018, 12173, 12175, 12176,
 12289, 12290, 12337, 13078
 \psdaliasnames 20201, 20449
 \psdmapshortnames 19456, 20200
 \Psi 16390, 19512

\psi	16457, 19536	\RequirePackage	22, 233, 235, 236, 237, 255, 256, 257, 258, 259, 260, 261, 262, 380, 1246, 1773, 2497, 2917, 2990, 4375, 4376, 4665, 4709, 4741, 4948, 5222, 6185, 6342, 6592, 10478, 12342, 14331	\rotvara	15972, 20247
\PushButton	6012	\rotw	16174, 20301		
\put@me@back	5179, 5192, 5202	\roty	16178, 20303		
\pwedge	16170, 20299	\Rightarrow	17781, 19678		
\pxfonts	19113	\rtaild	19472		
Q					
\qaf	19404	\rtimes	18159, 19844		
\quaternote	18613, 19956	\rule	7475		
\quotedblbase	14831, 15070, 17403, 19198				
\quoteflbase	14841, 15072, 17397, 19200				
R					
\r	878, 14706, 14718, 14730, 14943, 15009, 15119, 15159, 15186, 15216, 15354, 15420, 15717, 15719, 17342, 17344	\RerunFileCheck	14333		
\ra	19380	\Reset	6021		
\Radiation	18505, 20386	\reset@font	7802, 7825, 8572, 8592, 8609, 8727		
\Radioactivity	18503, 19926	\reve	15992, 19473		
\raff	19424	\reveject	16204, 20309		
\Rain	18672, 19978	\revepsilon	16006, 19476		
\raise	2581, 9653, 9737, 9775, 9815, 11539, 12145, 12425	\revglotstop	16202, 19501		
\rangle	18273, 19894	\revtex@checking	7779		
\rbrackdbl	20063	\rhd	18129, 19832		
\rcurvearrowdown	18908, 20086	\rho	16443, 19529		
\rcurvearrowleft	18910, 20087	\rhooinferior	19546		
\rcurvearrowne	18894, 20081	\rhoooknearrow	18887, 20078		
\rcurvearrowright	18913, 20088	\rhoookrevesilon	19477		
\rcurvearrowse	18903, 20084	\rhoookswarrow	18891, 20080		
\Re	17569, 19609	\Rightarrow	8524, 17762, 19669		
\ReadBookmarks	4227, 4264, 4401, 4597, 4737, <u>14405</u> , 14440	\rightarrow	19621		
\real@setref	8568, 8634	\rightarrowarrowtail	17676, 19636		
\realfootnote	7525	\rightarrowbarharpoon	18944, 20099		
\Rectangle	18842, 20056	\rightbarpoondown	17717, 19652		
\RectangleBold	18844, 20057	\rightbarpoonup	17714, 19651		
\RectangleThin	18840, 20055	\rightleftarrows	17726, 19655		
\recycle	18628, 19962	\rightleftharpoon	18917, 20090		
\Ref	8653, 8657, 8662	\rightleftharpoons	17746, 19663		
\ref	661, 4393, 4713, 5219, 6145, 6146, 6215, 6216, 7490, 7497, 8672, 12448	\rightModels	18119, 20365		
\ref@One	4978, 4979	\rightmodels	18110, 20363		
\rEFLiNK	12449, 12450	\rightmoon	18524, 19935		
\refstepcounter	6753, 6760, 6780, 7016, 7039, 7040, 7041, 7050, 7075, 7099, 7109, 7224, 7655	\rightpointleft	18498, 20383		
\rem@ptetc	11222, 11224	\rightrightarrows	17738, 19660		
\renewcommand	2503, 8191, 14321	\rightrightharpoons	18932, 20095		
\Request	18298, 19904	\Rightscissors	18685, 20424		
		\rightslice	19062, 20147		
		\rightsqigarrow	17785, 19680		
		\rightthreetimes	18163, 19846		
		\rightVdash	18113, 20364		
		\rightvdash	18098, 20359		
		\rinferior	19541		
		\riota	17581, 19611		
		\risingdoteq	19752		
		\risingdotseq	17951		
		\rlap	9008, 10113		
		\rm	602		
		\rmfamily	592		
		\Roman	6492		
		\roman	6493		
		\romannumeral	962, 963		
		\rotm	16073, 20275		
		\rotOmega	16163, 20297		
		\rotr	16108, 20285		
S					
\S	15293, 20214				
\sad	19388				
\Sagittarius	18583, 20410				
\sagittarius	18581, 19952				
\Saturn	18547, 20398				
\saturn	18545, 19940				
\sbox	3841, 6041, 9640, 9720, 9757, 9797, 11474, 11513, 12132, 12407, 13054				
\scd	17015, 19538				
\scg	16027, 19479				
\schwa	15995, 19474				
\schwainferior	19596				
\sci	16054, 19484				
\ScissorHollowRight	18688, 19984				
\ScissorRight	18683, 19982				
\ScissorRightBrokenBottom	18680				
\ScissorRightBrokenTop	18686, 19983				
\scn	16090, 19485				
\Scorpio	18580, 20409				
\scorpio	18578, 19951				
\scr	16131, 19489				
\scr@LT@array	7049				
\scripta	15965, 19470				
\scriptg	16024, 19478				
\scriptsize	610				
\scriptstyle	7792				
\scripttv	16165, 19494				
\scrollmode	1788, 1813, 1823, 1836, 1928, 2060				
\scshape	598, 7213, 7241				
\scu	17033, 19539				
\scy	16179, 19498				
\Searrow	17775, 19675				
\searrow	17656, 19627				
\Sech	19169, 20183				
\second	17424, 19557				
\section	8492				
\sectionautorefname	3218, 3236, 3254, 3272, 3290, 3308, 3326, 3355, 3384, 3402, 8811				
\seen	19384				
\selectfont	578, 4676, 13147				
\SePa	19155, 20177				
\set@display@protect	4328				
\setbox	1872, 1878, 1884, 3573, 3579, 5803, 6350, 7303,				

8998, 9564, 10086, 10103,
 13512, 13601, 13637, 13667,
 13695, 13724, 13749
`\setcounter` 4891
`\setkeys` 4866, 4911
`\setlength` 508,
 509, 2578, 5815, 9488, 9489,
 9494, 9498, 9503, 9507,
 9513, 9516, 9520, 9523,
 10599, 10602, 10606, 10609,
 10946, 14563, 14634
`\setminus` 17843, 19705
`\setpdfinkmargin` .. 4040, 4041,
 9023
`\settowidth` 12712, 13200, 13541
`\SetupKeyvalOptions` 2632, 4218
`\seveninferior` 19584
`\sevensuperior` 19568
`\sffamily` 593
`\shadda` 19434
`\sharp` 18626, 19961
`\sheen` 19386
`\shortciteN` 7917
`\shuffle` 18985, 20114
`\Sigma` 16380, 19509
`\sigma` 16447, 19531
`\sim` 17911, 19735
`\simeq` 17920, 19739
`\sinferior` 19603
`\SixFlowerAlternate` 18794, 20035
`\SixFlowerAltPetal` 18804, 20040
`\SixFlowerOpenCenter` .. 18790,
 20033
`\SixFlowerPetalRemoved` . 18787,
 20032
`\sixinferior` 19583
`\SixStar` 18777, 20027
`\sixsuperior` 19567
`\SixteenStarLight` . 18785, 20031
`\sixteenthnote` 18620, 19958
`\SK@` 8785
`\SK@eref` 8785
`\SK@ref` 8782
`\skip@` .. 1886, 1960, 1961, 1964,
 1966, 2597, 2603, 2616, 2622
`\slashc` 15956, 19469
`\slashdiv` 19116, 20170
`\slide` 7980
`\slide@cline` .. 8510, 8523, 8531,
 8541, 8549
`\Slide@contents` 8515
`\slide@contents` 8508
`\slide@heading` 8386
`\slide@subheading` 8439
`\slide@undottedcline` 8501
`\slidenumberline` .. 8502, 8510,
 8524, 8532, 8542, 8550
`\SliTeX` 570
`\slshape` 599
`\small` 611
`\smallin` 17822, 19696
`\smallowns` 17829, 19699
`\smash` 2575
`\smile` 18267, 19891
`\Smiley` 18517, 20388
`\smiley` 18515, 19931
`\Snowflake` 18808, 20042
`\SnowflakeChevron` 18806, 20041
`\SnowflakeChevronBold` .. 18810,
 20043
`\softsign` 16655, 20320
`\spacefactor` .. 2554, 2560, 7394,
 7403, 7553, 7555, 9036, 9044
`\spadesuit` . 18593, 18595, 20414
`\Sparkle` 18812, 20044
`\SparkleBold` 18814, 20045
`\special@paper` 4186
`\SpecialDvipdfmxOutlineOpen` .
 . 3029, 3031, 4565, 4572
`\sphericalangle` ... 17861, 19713
`\splitmaxdepth` 7469
`\splittopskip` 7468
`\sqcap` 18059, 19806
`\sqcup` 18061, 19807
`\sqdoublecap` 19010, 20125
`\sqdoublecup` 19015, 20127
`\sqsubset` 18051, 19802
`\sqsubseteqq` 18055, 19804
`\sqsubsetneq` 18211, 19867
`\sqsupset` 18053, 19803
`\sqsupseteq` 18057, 19805
`\sqsupsetneq` 18214, 19868
`\SquareCastShadowBottomRight`
 18833, 20052
`\SquareCastShadowTopRight` ..
 . 18836, 20053
`\squaredots` 17904, 19732
`\SquareShadowBottomRight` ...
 . 18827, 20050
`\SquareShadowTopRight` . 18830
`\SquareTopRight` 20051
`\SS` 15068, 19185
`\ss` .. 3265, 14997, 15083, 15408
`\sslash` 19111, 20168
`\st@rredfalse` 7082, 7091
`\star` 18150, 19840
`\stepcounter`
 . 6770, 6964, 7033, 7195,
 7395, 7527, 10129, 14242
`\stockheight` .. 4190, 9522, 9523,
 10466, 10467, 10605, 10606,
 11904, 11905
`\stockwidth` .. 9519, 9520, 10465,
 10467, 10608, 10609, 11903,
 11905
`\stop@hyper` 6167
`\StringEncodingConvertTest` 794,
 804
`\strip@period` 2516
`\strip@prefix` 62, 2509, 6304, 6882,
 7179, 14469, 14477, 14492
`\strip@pt` 513,
 520, 4202, 5835, 5848, 9494,
 9498, 9503, 9507, 10949,
 13970, 14033, 14061, 14100,
 14149
`\strip@pt@and@otherjunk` 11157,
 11189, 11224
`\strutbox` 7469
`\sub@label` 2503
`\subeqnarray` 7155, 7157
`\subequations` 7193, 7194
`\subfig@oldlabel` 2505
`\Submit` 6018
`\SubmitObject` 13336
`\SubmitPObj` 13336
`\subparagraphautorefname`
 . 3222, 3240, 3258, 3276,
 3294, 3312, 3330, 3363,
 3365, 3388, 3406, 8815
`\subpdfbookmark` 14309
`\subsection` 12169
`\subsectionautorefname`
 . 3219, 3237, 3255, 3273,
 3291, 3309, 3327, 3360,
 3385, 3403, 8812
`\Subset` 18173, 19850
`\subset` 18027, 19790
`\subsetreq` 18035, 19794
`\subsetreqq` 19088, 20159
`\subsetneq` 18043, 19798
`\subsubsectionautorefname`
 . 3220, 3238, 3256, 3274,
 3292, 3310, 3328, 3361,
 3386, 3404, 8813
`\succ` 18013, 19783
`\succapprox` 19082
`\succcurlyeq` 18017, 19785
`\succeq` 19066, 20149
`\succqq` 19074, 20153
`\succnapprox` 19086, 20158
`\succneq` 19070, 20151
`\succneqq` 19078, 20155
`\succnsim` 18223, 19872
`\succsim` 18021, 19787
`\sukun` 19436
`\sum` 17835, 19702
`\sun` 18520, 19933
`\SunCloud` 19977

\SunCloud 18670
 \SunshineOpenCircled . . . 18802, 20039
 \Supset 18175, 19851
 \supset 18029, 19791
 \supseteq 18037, 19795
 \supseteqq 19090, 20160
 \supsetneq 18045, 19799
 \surd 8532, 19708
 \Swallow 17777, 19676
 \swallow 17659, 19628

T

\T 19364
 \t . . . 14738, 15149, 15176, 15203, 15221
 \T@nameref 4730
 \T@pageref . . . 4700, 4717, 8670
 \T@ref 4695, 4714
 \T@temp 7780, 7783
 \Ta 19392
 \taa 19366
 \tableautorefname . . . 3214, 3232, 3250, 3268, 3286, 3304, 3322, 3352, 3380, 3398, 8807
 \tagform@ 8145
 \taild 15986, 20252
 \tailinvr 16116, 20287
 \taill 16066, 20272
 \tailn 16089, 20281
 \tailr 16122, 20289
 \tails 16138, 20292
 \tailt 16156, 20295
 \tailz 16184, 20304
 \Tape 18692, 19986
 \tatweel 19400
 \tau 16449, 19532
 \Taurus 18562, 20403
 \taurus 18560, 19945
 \tcheh 19440
 \Telefon 18485, 20382
 \temp@online 8071, 8074
 \Tent 18678, 19981
 \tesh 16256, 20317
 \TeX . . . 560, 561, 568, 570, 12476, 12478, 12480
 \texorpdfstring 933, 6200
 \textAcht 19168, 20182
 \textAcPa 19154, 20176
 \textacute . . . 14702, 14714, 14726, 14909, 15155, 15182, 15318
 \textacutedbl 16304
 \textacutemacron . . . 15152, 15179, 15206, 17121, 17124, 17225, 17228
 \textainferior 17511, 19592
 \textaleph 17590, 19613
 \textAlpha . . . 1163, 16330, 16347
 \textalpha . . . 1163, 16401, 16412, 19514
 \textamalg 17834, 19701
 \textampersand 552, 14773, 15239, 15240, 15241, 20206, 20207
 \textangle 17858, 19711
 \textangstrom 17584
 \textAnkh 18509, 19928
 \textaolig 19136, 19138, 20446
 \textAPLdownarrowbox . . . 18294, 19902
 \textAPLinput 18297, 19903
 \textAPLinv 18276, 19895
 \textAPLleftarrowbox . . . 18286, 19899
 \textAPLrightarrowbox . . . 18289, 19900
 \textAPLuparrowbox . . . 18291, 19901
 \textapprox 17928, 19742
 \textapproxeq 17930, 19743
 \textaquarius 18588, 18589, 19954, 20412
 \textaries 18558, 18559, 19944, 20402
 \textasciiaacute 15319
 \textasciibreve 14749, 15163, 15190, 16293
 \textasciicaron 14707, 14719, 14731, 14751, 15160, 15187, 16279
 \textasciicircum 14703, 14715, 14727, 14789, 15156, 15183, 15257
 \textasciidieresis 14705, 14717, 14729, 14886, 15158, 15185, 15295
 \textasciigrave 14701, 14713, 14725, 14794, 15154, 15181, 15262
 \textasciimacron 14710, 14722, 14734, 14899, 15165, 15192, 15308
 \textasciitilde 553, 4776, 14804, 15274
 \textast 17846, 19706
 \textAsterisk 18793, 20034
 \textAsteriskBold 18770, 20023
 \textasteriskcentered 15249
 \textAsteriskCenterOpen 18772, 20024
 \textAsteriskRoundedEnds 18817, 20046
 \textasymp 17936, 19746
 \textbabygamma 16035, 19481
 \textbackcong 17934, 19745
 \textbackepsilon 16491
 \textbackneg 18251, 19883
 \textbackprime 17429, 19559
 \textbacksim 17914, 19736
 \textbacksimeq 18166, 19847
 \textbackslash 548, 728, 2366, 14785, 14787, 15255
 \textbaht 17012
 \textbar 14800, 15269, 15270, 20209
 \textbarb 15756, 20227
 \textbarc 15960, 20243
 \textbard 15520, 20219
 \textbardbl 17390, 17391, 20329
 \textbardotlessj 16017, 16018, 16019, 20259
 \textbarglotstop 16238, 16239
 \textbari 16048, 16049, 16050, 19482, 20268
 \textbarin 18247, 19881
 \textbarl 15778, 15779, 19467
 \textbarleftharpoon 18942, 20098
 \textbaro 16094, 16095, 19486
 \textbarp 17057, 19550
 \textbarrevglotstop 16242, 16243
 \textbarrightharpoon 18948, 20100
 \textbarsci 17055, 19549
 \textbarscu 17060, 19551
 \textbaru 16158, 16159, 16160, 19492, 20296
 \textbarwedge 18149, 19839
 \textbbslash 18305, 18306, 19905, 20381
 \textbecause 17900, 17901, 19730, 20345
 \textbeitl 16060, 16061, 16062, 20271
 \textBeta 1164, 16349
 \textbeta 1164, 15083, 16414, 19515
 \textbetainferior 17044, 19544
 \textbeth 17592, 19614
 \textbetween 17993, 19773
 \textbf 585
 \textBicycle 19180, 20188
 \textbigcircle 15178, 15205, 18475, 19914
 \textbigdoublevee 18992, 20117
 \textbigdoublewedge 18990, 20116
 \textbigtriangledown 18461, 19908
 \textbigtriangleup 18455, 19906
 \textBiohazard 18507, 19927
 \textblacksmiley 18519, 19932

\textblank 18301
\textbot 18106, 19823
\textbowtie 18155, 19842
\textboxast 18978, 20110
\textboxbackslash . 18283, 19898
\textboxbar 18473, 19913
\textboxbox 18982, 20112
\textboxbslash 18976, 20109
\textboxcircle 18980, 20111
\textboxdot 18095, 19819
\textboxminus 18091, 19817
\textboxplus 18089, 19816
\textboxslash 18974, 20108
\textboxtimes 18093, 19818
\textbraceleft 546, 2367, 14798,
15267
\textbraceright 547, 2367, 14802,
15272
\textbrokenbar .. 14882, 15288,
15289, 20212
\textbullet . 14806, 17412, 19554
\textbulletoperator 17850
\textbullseye 16213, 16214,
16215, 16216, 20312, 20313
\textBumpeq 17938, 19747
\textbumpEq 17940, 19748
\textcancer 18567, 18568, 19947,
20405
\textCap .. 18178, 18179, 19852,
20374
\textcap 17878, 19720
\textcapdot 19014, 20126
\textcapricorn ... 18585, 18586,
19953, 20411
\textccnc 19189, 20191
\textccnd 19191
\textccsa 19193, 20192
\textcdj 16227
\textcdot .. 15082, 19210, 20199
\textcdots 18241, 19878
\textcedilla 14709, 14721, 14733,
14917, 15162, 15189, 15328
\textcelcius 15069, 17555
\textcent 14874, 15278
\textcentoldstyle .. 15958, 20242
\textCheckedbox .. 18487, 19919
\textCheckmark .. 18714, 18715,
19996, 20426
\textCheckmarkBold 18717,
19997
\textChi 1213, 16389
\textchi 1213, 16456, 19535
\textchiinferior ... 17052, 19548
\textcirc 17848, 19707
\textcirceq 17960, 19756
\textcirclearrowleft 18860, 20064
\textcirclearrowright 18862,
20065
\textcircled 15151, 15178, 15205,
18308, 18310, 18312, 18314,
18316, 18318, 18320, 18322,
18324, 18326, 18328, 18330,
18332, 18334, 18336, 18338,
18340, 18342, 18344, 18346,
18348, 18350, 18352, 18354,
18356, 18358, 18360, 18362,
18364, 18366, 18368, 18370,
18372, 18374, 18376, 18378,
18380, 18382, 18384, 18386,
18388, 18390, 18392, 18394,
18396, 18398, 18400, 18402,
18404, 18406, 18408, 18410,
18412, 18414, 18416, 18418,
18420, 18422, 18424, 18426,
18428, 18430, 18432, 18434,
18436, 18438, 18440, 18442,
18444, 18446, 18448, 18450,
18452
\textCircledA 19195, 20193
\textcircledast .. 18083, 18084,
18085, 19814, 20357, 20358
\textcircledcirc .. 18079, 18080,
18081, 19813, 20355, 20356
\textcircleddash .. 18087, 19815
\textcircledP 17565
\textCircleShadow . 18825, 20049
\textcircplus 18997, 20119
\textcircumflex 14753
\textcircumlow .. 15171, 15198,
19142
\textclock .. 18255, 18256, 19885,
20380
\textcloseepsilon .. 16220, 16221
\textcloseomega .. 16099, 16100,
16101, 16102, 20282, 20283
\textcloserevepsilon 16013, 16014,
16015, 20258
\textCloud 18478, 19915
\textClowerTips .. 18750, 20013
\textclubsuitblack . 2488, 18603,
18604, 20417
\textclubsuitwhite 18612
\textCoffeecup 18491, 19921
\textcoloncolonequals ... 19032,
20133
\textcolonequals .. 17954, 19753
\textcolonmonetary 17537
\textcolor ... 623, 13109, 13152,
13155, 13452
\textcommatailz .. 15926, 15927
\textcomplement .. 17804, 19687
\textcompwordmark 17384
\textcong 17923, 19740
\textcopyleft 19186, 19187
\textcopyright ... 14888, 15297,
19457
\textcorner 16313, 16314
\textCR 14747, 15228
\textcrb ... 15752, 15753, 15754,
15756, 15757, 20226, 20227,
20228
\textcrd ... 15515, 15517, 15518,
15520, 15521, 20218, 20219,
20220
\textcrg 15844, 20239
\textcrh 15566, 20221
\textcrinvglstop . 15805, 15806
\textcrlambda ... 15782, 15783,
15784, 15785, 15786, 15787,
20231, 20232, 20233, 20234
\textCross 18733, 20005
\textCrossedbox .. 18489, 19920
\textCrossMaltese . 18739, 20008
\textCrossOpenShadow .. 18735,
20006
\textCrossOutline . 18737, 20007
\textcrtwo 15802, 15803
\textctc ... 15981, 15982, 15983,
20251
\textctd 15924, 15925
\textctesh .. 16147, 16148, 16149,
20293
\textctj .. 16228, 16229, 20314
\textctjvar 16229, 20314
\textctn 15944, 15945
\textctt 15946, 15947
\textctyogh 16192, 16193, 16194,
20306
\textctz ... 16185, 16186, 16187,
20305
\textCup .. 18181, 18182, 19853,
20375
\textcup 17880, 19721
\textcupdot 18048, 19800
\textcupplus 18050, 19801
\textcurlyeqprec .. 18200, 19861
\textcurlyeqsucc .. 18202, 19862
\textcurlyvee 18168, 18169,
19848, 20372
\textcurlywedge .. 18171, 18172,
19849, 20373
\textcurrency 14878, 15284
\textcurvearrowleft 17698, 19645
\textcurvearrowright 17700,
19646
\textdagger 14808, 17405, 17406,
19553, 20330
\textdaggerdbl ... 14810, 17408,
17409, 17410, 20331, 20332
\textdaleth 17596, 19616

\textdanger 18651, 19972
 \textdasheddownarrow .. 17797, 19684
 \textdasheduparrow 17792, 19682
 \textdashleftarrow 17789, 17790, 19681, 20339
 \textdashrightarrow 17794, 17795, 19683, 20340
 \textDashV 19100, 19101, 20163, 20441
 \textDashv 19096, 19097, 20162, 20440
 \textdashV 19093, 19094, 20161, 20439
 \textdashv . 18100, 18101, 19821, 20360
 \textDavidStar .. 18741, 18742, 20009, 20427
 \textdblig . 15950, 15952, 20240
 \textdctzlig 16250, 16251
 \textddagger 14811
 \textddots 18245, 19880
 \textdegree 14901, 15069, 15310
 \textDelta .. 1166, 16353, 19504
 \textdelta .. 1166, 16418, 19517
 \textDiamandSolid 18839, 20054
 \textdiameter 18249, 19882
 \textdiamond 18466, 19910
 \textdiamondddots .. 17451, 19562
 \textdiamondsuitblack .. 2489, 18610
 \textdiamondsuitwhite .. 18600, 18601, 20416
 \textDigammagreek 16477
 \textdigammagreek 16479, 16480, 20318
 \textdiscount 17445
 \textdiv ... 15080, 19208, 20197
 \textdivide 15049, 15080, 15461, 19208
 \textdivideontimes 18153, 19841
 \textdivorced 18663
 \textdlsh 17695, 19644
 \textdollar .. 550, 14769, 15234, 15235, 20205
 \textdong 17547
 \textdotaccent .. 14708, 14720, 14732, 14755, 15161, 15188, 16295
 \textdotbelow .. 14712, 14724, 14736, 14779, 15175, 15202, 16320
 \textdotdiv 17908, 20346
 \textdoteq 17942, 19749
 \textdoteqdot .. 17945, 17946, 19750, 20348
 \textdotminus .. 17907, 17908, 19733, 20346
 \textdotplus 17842, 19704
 \textdottimes 19002, 20121
 \textdoublebarpipe 15818, 15819, 15820, 20238
 \textdoublebarpipevar .. 15820, 20238
 \textdoublebarwedge 19025, 20130
 \textdoublegrave .. 15164, 15191, 16316
 \textdoublepipe .. 15814, 15815, 15816, 20237
 \textdoublepipevar 15816, 20237
 \textdoublevee .. 19021, 19022, 20129, 20438
 \textdoublevertline 17391, 20329
 \textdoublewedge .. 19019, 20128
 \textDownarrow .. 17765, 19670
 \textdownarrow .. 17646, 19622
 \textdowndownarrows .. 17741, 19661
 \textdowndownharpoons .. 18936, 20096
 \textdownharpoonleft .. 17724, 19654
 \textdownharpoonright .. 17721, 19653
 \textdownmodels .. 19103, 20164
 \textdownstep 19125, 19126
 \textdownuparrows 17800, 19685
 \textdownupharpoons .. 18954, 20102
 \textdsbiological .. 18645, 19969
 \textdschemical .. 18643, 19968
 \textdscommercial .. 18647, 19970
 \textdsjuridical .. 18641, 19967
 \textdsmedical .. 18639, 19966
 \textdsmilitary .. 18636, 18637, 19965, 20420
 \textdtimes 19005, 20122
 \textdyoghlig .. 16247, 16248
 \textdzlig .. 16244, 16245, 16246, 20316
 \textearth .. 18536, 18537, 19937, 20394
 \textEightAsterisk . 18823, 20048
 \textEightFlowerPetal .. 18801, 20038
 \textEightFlowerPetalRemoved .. 18820, 20047
 \texteightinferior .. 17497, 19585
 \textEightStar .. 18780, 20028
 \textEightStarBold 18782, 20029
 \textEightStarConvex .. 18776, 20026
 \textEightStarTaper 18774, 20025
 \texteightsuperior .. 17465, 19569
 \texteinferior 17513, 19593
 \textell 17561, 19607
 \textellipsis ... 556, 557, 14813, 17416, 17417, 20333
 \textemdash .. 762, 14815, 17388
 \textemptyset ... 17812, 17813, 19691, 20341
 \textendash .. 763, 14817, 17386
 \textEnvelope .. 18697, 18698, 19988, 20425
 \textEpsilon 1167, 16332, 16355
 \textepsilon .. 564, 567, 1167, 16403, 16420, 19518
 \texteqcirc .. 17958, 19755
 \texteqcolon .. 17910, 19734
 \texteqdot .. 19030, 20132
 \texteqslantgr .. 19059, 20145
 \texteqslantless .. 19057, 20144
 \textqualscolon .. 17956, 19754
 \textqualsinferior .. 17505, 19589
 \textqualsuperior .. 17473, 19573
 \textequiv .. 17970, 19761
 \textEreversed 15765
 \textesh .. 16139, 16140, 19491
 \textestimated 17586
 \textEta .. 1170, 16334, 16359
 \texteta .. 1170, 16405, 16424, 19520
 \texteuro 14870, 17549
 \textexclamdown .. 766, 1074, 14872, 15276
 \textexists 17808, 19689
 \textfallingdoteq .. 17949, 19751
 \textfax 17598, 19617
 \textfemale .. 18531, 20390
 \textFemaleFemale 18653, 19973
 \textFemaleMale .. 18657, 19975
 \textfi .. 764, 14845, 19144
 \TextField 6003
 \textFInv .. 17588, 19612
 \textFire .. 19178, 20187
 \textfishhookr .. 16124, 16125, 16126, 16127, 20290, 20291
 \textfivedots .. 19121, 20171
 \textfiveeighths .. 17632
 \textFiveFlowerOpen .. 18799, 20037
 \textFiveFlowerPetal .. 18797, 20036
 \textfiveinferior .. 17491, 19582
 \textfivesixths .. 17626
 \textFiveStar .. 18480, 19916
 \textFiveStarCenterOpen 18758, 20017

\textFiveStarConvex 18766,
20021
\textFiveStarOpen 18482, 19917
\textFiveStarOpenCircled 18756,
20016
\textFiveStarOpenDotted 18760,
20018
\textFiveStarOutline 18762,
20019
\textFiveStarOutlineHeavy 18764,
20020
\textFiveStarShadow 18768,
20022
\textfivesuperior .. 17459, 19566
\textfl 765, 14847, 19146
\textFlag .. 18633, 18634, 19964,
20419
\textflat 18623, 19959
\textflorin 14819, 15768
\textflq 651, 15076, 19204
\textflqq .. 649, 15074, 19202
\textforall 17802, 19686
\textFourAsterisk . 18744, 20010
\textfourfifths 17622
\textfourinferior .. 17489, 19581
\textFourStar 18752, 20014
\textFourStarOpen 18754, 20015
\textfoursuperior .. 17457, 19565
\textfourth 17449, 19561
\textfractionsolidus 14821, 17439
\textfrown 18266, 19890
\textfrownie 18513, 18514, 19930,
20387
\textfrq 652, 15077, 19205
\textfrqq .. 650, 15075, 19203
\textfullnote 19160, 19161, 20179,
20447
\textGame 17600, 19618
\textGamma 1165, 16351, 19503
\textgamma . 1165, 16416, 19516
\textgammainferior 17046, 19545
\textGaPa 19148, 20173
\textge 17979, 19766
\textgemini 18564, 18565, 19946,
20404
\textGentsroom ... 19182, 20189
\textgeq 17978, 19765
\textgeqq 17983, 19768
\textgeqlant 19036, 20135
\textgg 17991, 19772
\textggg 18192, 19858
\textgimel 17594, 19615
\textglobfall 17658, 20337
\textglobrise 17655, 20336
\textglotstop 16196, 16197,
16198, 16199, 19500, 20307,
20308
\textglq 647, 15072, 19200
\textglqq 645, 15070, 19198
\textgnapprox 19049, 20141
\textgneq 19045, 20139
\textgneqq 17987, 19770
\textgnsim 18220, 19870
\textgravedbl 16308
\textgravemacron 15153, 15180,
15207, 17115, 17118, 17219,
17222
\textgreater 14783, 15253
\textgrq 648, 15073, 19201
\textgrqq 646, 15071, 19199
\textGslash 15841
\textgslash 15843, 15844, 20239
\textgrapprox 19040, 20137
\textgrdot 18188, 19856
\textgtreqless .. 18198, 19860
\textgtreqless .. 19055, 20143
\textgtreqless .. 18010, 19781
\textgrsim 18006, 19779
\textguarani 17553
\texthalflength ... 16290, 16291
\texthalfnote .. 19163, 19164,
20180, 20448
\textHandCuffLeft . 18493, 19922
\textHandCuffRight 18495, 19923
\textHandLeft ... 18497, 18498,
19924, 20383
\textHandRight .. 18500, 18501,
18502, 19925, 20384, 20385
\textHaPa 19150, 20174
\texthateq . 17962, 17963, 19757,
20349
\texthausaB 15759, 19464
\texthausaD 15763, 19465
\texthausaK 15773, 19466
\texthbar .. 15565, 15566, 15567,
15568, 19463, 20221, 20222,
20223
\texthdotfor 17414, 19555
\textheartsuitblack . 2490, 18608
\textheartsuitwhite 18597, 18598,
20415
\textheng . 19127, 19129, 20443
\textHermaphrodite 18659, 19976
\texthinferior 17521, 19597
\texthookleftarrow . 17681, 19638
\texthookrightarrow 17683, 19639
\textHslash 15563
\texthslash 17557, 19605
\textHT 14743, 15224
\texthtb .. 15973, 15974, 15975,
15976, 20248, 20249
\texthtbardotlessj . 16142, 16143
\texthtc 15760, 15761
\texthtd .. 15987, 15988, 15989,
15990, 20253, 20254
\texthtg .. 16020, 16021, 16022,
20260
\texthtth .. 16040, 16041, 16042,
16043, 20265, 20266
\texthttheng 16044, 16045, 16046,
20267
\texthtk .. 15774, 15775, 15776,
20230
\texthtp 15792, 15793
\texthtq 16235, 16236
\texthttaild 17064, 17065, 19552
\texthtscg 16223, 16224
\texthtt 15797, 15798
\texthungarumlaut 14757, 15166,
15193, 16303, 16304
\texthvlig . 15769, 15770, 15771,
20229
\textiiint 17886, 19724
\textiinferior 17036, 19540
\textiiint 17884, 19723
\textIm 17559, 19606
\textin 17819, 19694
\textInfo 19197, 20194
\textinfty 17856, 19710
\textint 17882, 19722
\textinterleave 19110, 20167
\textinterrobang 17437
\textinterrobangdown ... 19118,
19119
\textinvamp 17602, 17603, 17604,
20334, 20335
\textinvbackneg ... 18253, 19884
\textinvbreve 15128, 15168,
15195, 15887, 15889, 15896,
15898, 15899, 15905, 15907,
15917, 15919
\textinve 15839, 19468
\textinvglotstop . 16206, 16207,
19502
\textinvneg 19009, 20124
\textinvscr 16134, 16135, 19490
\textIota ... 1185, 16336, 16363,
16397
\textioti ... 1185, 16407, 16428,
16462, 19522
\textIotadieresis .. 16345, 16396
\textipagamma .. 16031, 16032,
19480, 20262
\textisuperior 17455, 19564
\textit 587
\textJackStar 18746, 20011
\textJackStarBold . 18748, 20012
\textjinferior 19115, 20169
\textJoin 18995, 20118

\textjupiter 18543, 18544, 19939,
20397
\textKappa 1186, 16365
\textkappa 1186, 16430, 19523
\textKeyboard 18270, 19892
\textkinferior 17523, 19598
\textKoppagreek 1193, 16482
\textkoppagreek 1193, 16484
\textkra 15607
\textLadiesroom 19184, 20190
\textLambda 1187, 16367, 19506
\textlambda 1187, 16432, 19524
\textlangle 18272, 19893
\textlatin 633, 6870
\textlbrackdbl 18855, 20062
\textlcurvearrowdown 18906,
20085
\textlcurvearrowse 18898, 20082
\textlcurvearrowsw 18901, 20083
\textle 17975, 19764
\textLeftarrow 17758, 19667
\textleftarrow 17640, 19619
\textleftarrowtail 17675, 19635
\textleftbarharpoon 18939, 20097
\textleftharpoondown 17706,
19648
\textleftharpoonup 17703, 19647
\textleftleftarrows 17735, 19658
\textleftleftharpoons 18927,
20093
\textleftmoon 18523, 19934
\textLeftrightarrow 17768, 19671
\textleftrightarrow 2493, 17648,
19623
\textleftrightarrows 17733, 19657
\textleftrightharpoon 18916,
20089
\textleftrightharpoons 17744,
19662
\textleftslice 19061, 20146
\textleftspoon 18853, 20061
\textleftsquigarrow 17784, 19679
\textlefttherefore 17447, 19560
\textleftthreetimes 18162, 19845
\textlengthmark 16287, 16288
\textleo 18570, 18571, 19948,
20406
\textleq 17974, 19763
\textleqq 17981, 19767
\texteqslant 19034, 20134
\textless 14781, 15251
\textlessapprox 19038, 20136
\textlessdot 18186, 19855
\textlesseqgr 18195, 19859
\textlesseqgtr 19052, 20142
\textlessgtr 18008, 19780
\textlessssim 18004, 19778
\textLF 14745, 15226
\textlhd 18127, 18128, 19831,
20366
\textlhookfour 19130, 19132,
20444
\textlhooknarrow 18886, 20077
\textlhooksearrow 18890, 20079
\textlhookt 15795, 15796
\textlhtlongi 16129, 16130
\textlhtlongy 16261, 16262
\textlibra 18576, 18577, 19950,
20408
\textlightning 17691, 17692,
19643, 20338
\textlinferior 17525, 19599
\textlira 17539
\textll 17989, 19771
\textllcorner 18262, 19888
\textLleftarrow 17780, 19677
\textlll 18190, 19857
\textlnapprox 19047, 20140
\textlneq 19042, 20138
\textlneqq 17985, 19769
\textlnot 14895, 15304
\textlnsim 18218, 19869
\textlogicalnot 14894, 15078,
15303, 19206
\textLongleftarrow 18870, 20069
\textlongleftarrow 18864, 20066
\textLongleftrightarrow 18874,
20071
\textlongleftrightarrow 18868,
20068
\textlonglegr 16117, 16118,
16119, 19488, 20288
\textLongmapsfrom 18878, 20073
\textLongmapsto 18880, 20074
\textlongmapsto 18876, 20072
\textLongrightarrow 18872, 20070
\textlongrightarrow 18866, 20067
\textlongs 15751, 17346
\textlooparrowleft 17685, 19640
\textlooparrowright 17687, 19641
\textlozenge 18468, 19911
\textlptr 16273, 16274
\textlquill 17441
\textlrcorner 18264, 19889
\textltailm 16078, 16079, 16080,
16081, 20277, 20278
\textltailn 16082, 16083, 16084,
16085, 20279, 20280
\textltilde 16057, 16058, 16059,
20270
\textltimes 18157, 19843
\textlyoghlig 16067, 16068, 16069,
20273
\textmacronbelow 14711, 14723,
14735, 14792, 15174, 15201,
16322
\textmale 18539, 18540, 18541,
19938, 20395, 20396
\textMaleMale 18655, 19974
\textmanstar 18649, 19971
\textmapsto 17679, 19637
\textmarried 18661
\textmd 586
\textmeasuredangle 17860, 19712
\textmercury 18527, 18528,
19936, 20389
\textmho 17580, 19610
\textmid 17866, 19714
\textminferior 17527, 19600
\textminus 14827, 17838
\textminusdot 18999, 19000,
20120, 20435
\textminusinferior 17503, 19588
\textminussuperior 17471, 19572
\textMountain 18677, 19980
\textmp 17840, 19703
\textMu 1188, 16369
\textmu 1188, 14911, 15321
\textmugreek 16434, 19525
\textmultimap 18145, 19837
\textmultimapboth 18984, 20113
\textmultimapdotbothA 18141,
19835
\textmultimapdotbothB 18143,
19836
\textmultiply 14980, 15079,
15390, 15391, 19207, 20216
\textMundus 19174, 20185
\textmusicalnote 18615, 18616,
18617, 20418
\textnabla 17817, 19693
\textnaira 17541
\textnapostrophe 15641
\textnatural 18625, 19960
\textncong 17926, 19741
\textne 17968, 19760
\textnearrow 17774, 19674
\textnearrow 17654, 17655,
19626, 20336
\textneg 15078, 19206, 20195
\textneptune 18552, 18553,
19942, 20400
\textneq 17967, 19759
\textnequiv 17972, 19762
\textneswarow 18884, 20076
\textnewtie 15177, 15204, 16318
\textexists 17810, 19690
\textngc 18002, 19777
\textngtr 17997, 19775

\textni 17825, 17826, 19697,
20342

\textNibRight 18710, 19994

\textNibSolidRight 18712, 19995

\textniepsilon 16003, 16004,
19475, 20256

\textniota 16052, 16053, 19483,
20269

\textnineinferior 17499, 19586

\textninesuperior 17467, 19570

\textninferior 17529, 19601

\textniph 16104, 19487

\textniupsilon 16162, 16163,
19493, 20297

\textnLeftarrow 17750, 19664

\textnleftarrow 17662, 19629

\textnLeftrightarrow 17752,
19665

\textnleftrightharpoon 17689, 19642

\textnleq 18000, 19776

\textnless 17995, 19774

\textnmid 17868, 19715

\textnormal 581

\textnotbackslash 18281, 19897

\textnotin 17821, 19695

\textnotowner 17828, 19698

\textnotslash 18278, 19896

\textnoway 18675, 19979

\textnparallel 17872, 19717

\textnprec 18024, 19788

\textnpreccurlyeq 18204, 19863

\textnqsubseteq 18208, 19865

\textnqsupseteq 18210, 19866

\textnRightarrow 17755, 19666

\textnrightarrow 17664, 19630

\textnreg 15789, 15791, 20235

\textnsim 17919, 19738

\textnsubset 18032, 19792

\textnsubseteq 18040, 19796

\textnsucc 18026, 19789

\textnsucccurlyeq 18206, 19864

\textnsuperior 17479, 19576

\textnupset 18034, 19793

\textnupseteq 18042, 19797

\textntriangleleft 18226, 18227,
19873, 20378

\textntrianglelefteq 18233, 19875

\textntriangleright 18229, 18230,
19874, 20379

\textntrianglerighteq 18236,
18237, 19876

\textNu 1189, 16371

\textnu 1189, 16436, 19526

\textnumbersign 549, 14767,
15232

\textnumeralsigngreek 1140,
16326

\textnumeralsignlowergreek 1157,
1179, 1202, 16328

\textnumero 17563

\textnVDash 18125, 19830

\textnvDash 18123, 19829

\textnvdash 18121, 19828

\textNwarrow 17772, 19673

\textnwarrow 17652, 19625

\textnwsearrow 18882, 20075

\textobar 18956, 18957, 20103,
20428

\textobot 18965, 18966, 20105,
20432

\textobslash 18959, 18960, 18961,
18962, 20104, 20429, 20430,
20431

\textObullseye 16216, 20313

\textodiv 19007, 20123

\textodot 18076, 18077, 19812,
20354

\textogonek 14759, 15167, 15194,
16299

\textogreaterthan 18971, 18972,
20107, 20434

\textohm 17578

\textoint 17890, 19726

\textoinferior 17515, 19594

\textoint 17888, 19725

\textointclockwise 17893, 19727

\textointctrlclockwise 17895,
19728

\textolessthan 18968, 18969,
20106, 20433

\textOmega 1215, 16342, 16394,
19513

\textomega 1215, 16460, 16471,
19537

\textOmicron 1191, 16338, 16375

\textomicron 1191, 16440, 16466

\textominus 18067, 18068, 19809,
20351

\textoneeighth 17628

\textonefifth 17616

\textonehalf 14927, 15338

\textoneinferior 17483, 19578

\textoneninth 17608

\textonequarter 14925, 15336

\textoneseventh 17606

\textonesixth 17624

\textonesuperior 14919, 15330,
19460

\textonetenth 17610

\textonethird 17612

\texttoo 19140, 20172

\textopenbullet 18470, 19912

\textopencorner 16311, 16312

\textopeno 15978, 15979, 15980,
19471, 20250

\textoplus 18064, 18065, 19808,
20350

\textordfeminine 14890, 15299

\textordmasculine 14921, 15332

\textoslash 18073, 18074, 19811,
20353

\textotimes 18070, 18071, 19810,
20352

\textparagraph 555, 14913,
15323, 15324, 20215

\textparallel 17870, 19716

\textparenleft 770, 771, 14775,
15245

\textparenleftinferior 17507,
19590

\textparenleftsuperior 17475,
19574

\textparenright 14777, 15247

\textparenrightinferior 17509,
19591

\textparenrightsuperior 17477,
19575

\textpartial 17806, 19688

\textPeace 18700, 19989

\textPencilRight 18706, 19992

\textPencilRightDown 18704,
19991

\textPencilRightUp 18708, 19993

\textpercent 551, 14771, 15237

\textperiodcentered 14915, 15082,
15326, 19210

\textperp 18847, 20058

\textpertenthousand 17421

\textperthousand 14829, 17419

\textpeseta 17543

\textpeso 17551

\textPhi 1212, 16387, 19511

\textphi 1212, 16454, 19534

\textphiinferior 17050, 19547

\textPhone 18484, 18485, 19918,
20382

\textPhoneHandset 18691, 19985

\textPi 1192, 16377, 19508

\textpi 1192, 16442, 19528

\textpinferior 17531, 19602

\textpipe 15810, 15811, 15812,
20236

\textpipevar 15812, 20236

\textpisces 18591, 18592, 19955,
20413

\textpitchfork 18184, 19854

\textPlane 18695, 19987

\textPlus 18727, 20002

\textPlusCenterOpen 18731,
20004

\textplusinferior . . 17501, 19587
 \textplusminus . . 14903, 15081,
 15312, 19209
 \textPlusOutline . . 18725, 20001
 \textplussuperior . . 17469, 19571
 \textPlusThinCenterOpen 18729,
 20003
 \textpluto . . 18555, 18556, 19943,
 20401
 \textpm . . 15081, 19209, 20198
 \textprec 18012, 19782
 \textprecapprox . . 19081, 20156
 \textpreccurlyeq . . 18016, 19784
 \textpreceq 19065, 20148
 \textpreceqq 19073, 20152
 \textprecnapprox . . 19085, 20157
 \textprecneq 19069, 20150
 \textprecneqq 19077, 20154
 \textprecnsim 18222, 19871
 \textprecsim 18020, 19786
 \textprime 17423, 19556
 \textprimstress 16281, 16282
 \textprod 17832, 19700
 \textproto 17854, 19709
 \textPsi 1214, 16391, 19512
 \textpsi 1214, 16458, 19536
 \textPUaolig 19137, 19138, 20446
 \textPUDblig 15951, 15952, 20240
 \textPUfemale 18530, 18531,
 18532, 18533, 18534, 20390,
 20391, 20392, 20393
 \textPUheng 19128, 19129, 20443
 \textPULhookfour 19131, 19132,
 20444
 \textPUnreg 15790, 15791, 20235
 \textPUqplig 15954, 15955, 20241
 \textPUrevscr 17031, 17032,
 20324
 \textPURhooka 17062, 17063,
 20325
 \textPURooke 17067, 17068,
 20326
 \textPURhookepsilon 17071,
 17072, 20327
 \textPURhookopeno 17075, 17076,
 20328
 \textPUscf 19134, 19135, 20445
 \textPUsck 17022, 17023, 20321
 \textPUscm 17025, 17026, 20322
 \textPUscp 17028, 17029, 20323
 \textPUuncrfemale 18665, 18666,
 20421
 \textqplig 15953, 15955, 20241
 \textquarternote 18614, 19956
 \textquestiondown 767, 1075,
 14931, 15342
 \textquotedbl 14765, 15230
 \textquotedblleft 14833, 15071,
 17399, 19199
 \textquotedblright 14835, 17401
 \textquotelleft 14837, 15073,
 17393, 19201
 \textquoteright 14839, 17395
 \textquotesingle 15243
 \textRadioactivity 18504, 18505,
 19926, 20386
 \textRain 18673, 19978
 \textraiseglotstop 16270, 16271
 \texttriangle 18274, 19894
 \textrbrackdbl 18857, 20063
 \textrcurvearrowdown 18909,
 20086
 \textrcurvearrowleft 18911, 20087
 \textrcurvearrowne 18895, 20081
 \textrcurvearrowright 18914,
 20088
 \textrcurvearrowse 18904, 20084
 \textRe 17570, 19609
 \textrecipie 17572
 \textRectangle 18843, 20056
 \textRectangleBold 18845, 20057
 \textRectangleThin 18841, 20055
 \textrecycle 18629, 19962
 \textreferencemark 17435
 \textregistered 14897, 15306
 \textRequest 18299, 19904
 \textrevapostrophe 16267, 16268
 \textrevc 17636
 \textrevE 15766
 \textreve 15992, 15993, 19473
 \textrevepsilon 16006, 16007,
 19476
 \textrevglotstop 16202, 16203,
 16204, 19501, 20309
 \textrevscr 17030, 17032, 20324
 \textrevyogh 15800, 15801
 \textrhd 18130, 18131, 19832,
 20367
 \textRho 1208, 16379
 \textrho 1208, 16444, 19529
 \textrhoinferior 17048, 19546
 \textrhooka 17061, 17063, 20325
 \textrooke 17066, 17068, 20326
 \textrhookepsilon 17070, 17072,
 20327
 \textrhooknearrow 18888, 20078
 \textrhookopeno 17074, 17076,
 20328
 \textrhookrevespsilon 16009,
 16010, 16011, 19477, 20257
 \textrhookschwa 15998, 15999,
 16000, 20255
 \textrhookswarrow 18892, 20080
 \textRightarrow 17763, 19669
 \textrightarrow 2492, 17644,
 19621
 \textrightarrowtail 17677, 19636
 \textrightbarharpoon 18945,
 20099
 \textrightbarpoondown 17718,
 19652
 \textrightbarpoonup 17715, 19651
 \textrightleftarrows 17727, 19655
 \textrightleftharpoon 18918,
 20090
 \textrightleftharpoons 17747,
 19663
 \textrightmoon 18525, 19935
 \textrightrightarrows 17739,
 19660
 \textrightrightharpoons 18933,
 20095
 \textrightslice 19063, 20147
 \textrightsquigarrow 17786,
 19680
 \textrightthreetimes 18164, 19846
 \textrinferior 17038, 19541
 \textring 14706, 14718, 14730,
 14761, 15159, 15186, 16297
 \textringlow 15170, 15197, 16306
 \textriota 17582, 19611
 \textrisingdoteq 17952, 19752
 \textrm 582
 \textrptr 16276, 16277
 \textrquill 17443
 \textRightarrow 17782, 19678
 \textrtaild 15984, 15985, 15986,
 19472, 20252
 \textrtaill 16064, 16065, 16066,
 20272
 \textrtailn 16087, 16088, 16089,
 20281
 \textrtailr 16120, 16121, 16122,
 20289
 \textrtails 16136, 16137, 16138,
 20292
 \textrtailt 16154, 16155, 16156,
 20295
 \textrtailz 16182, 16183, 16184,
 20304
 \textrtimes 18160, 19844
 \textsgittarius 18582, 18583,
 19952, 20410
 \textSampigreek 1216, 16486
 \textssampigreek 1216, 16488
 \textsaturn 18546, 18547, 19940,
 20398
 \textsc 588
 \textscfa 17013, 17014
 \textscb 16217, 16218
 \textscd 17016, 19538

\textscce 17017, 17018
 \textscf ... 19133, 19135, 20445
 \textscg ... 16027, 16028, 19479
 \textsch 16225, 16226
 \textschwa . 15995, 15996, 19474
 \textschwainferior . 17519, 19596
 \textsci ... 16054, 16055, 19484
 \textScissorHollowRight . 18689,
 19984
 \textScissorRight . 18684, 18685,
 19982, 20424
 \textScissorRightBrokenBottom
 ... 18681, 18682, 20423
 \textScissorRightBrokenTop ...
 18687, 19983
 \textscj 17019, 17020
 \textscck ... 17021, 17023, 20321
 \textscsl 16233, 16234
 \textscm .. 17024, 17026, 20322
 \textscn ... 16090, 16091, 19485
 \textscloelig 16096, 16097
 \textscorpio 18579, 18580, 19951,
 20409
 \textscp ... 17027, 17029, 20323
 \textscr ... 16131, 16132, 19489
 \textscripta 15965, 15966, 15967,
 19470, 20245
 \textscriptg 16024, 16025, 16026,
 19478, 20261
 \textscriptv 16165, 16166, 19494
 \textscu ... 17033, 17034, 19539
 \textscy ... 16179, 16180, 19498
 \textSearrow 17776, 19675
 \textsearrow 17657, 17658, 19627,
 20337
 \textSech 19170, 20183
 \textsecond 17425, 19557
 \textsecstress 16284, 16285
 \textsection 14884, 15291, 15292,
 15293, 20213, 20214
 \textSePa 19156, 20177
 \textservicemark 17574
 \textsetminus ... 14787, 17844,
 19705
 \textseveneighths 17634
 \textseveninferior . 17495, 19584
 \textsevensuperior . 17463, 19568
 \textsf 583, 13152, 13155
 \textsharp 18627, 19961
 \textshuffle 18986, 20114
 \textSigma . 1209, 16381, 19509
 \textsigma .. 1209, 16448, 19531
 \textsim 17912, 19735
 \textsimeq 17921, 19739
 \textsinferior 17533, 19603
 \textSixFlowerAlternate . 18795,
 20035
 \textSixFlowerAltPetal .. 18805,
 20040
 \textSixFlowerOpenCenter 18791,
 20033
 \textSixFlowerPetalRemoved ...
 ... 18788, 20032
 \textsixinferior ... 17493, 19583
 \textSixStar 18778, 20027
 \textsixsuperior ... 17461, 19567
 \textSixteenStarLight ... 18786,
 20031
 \textsixteenthnote . 18621, 19958
 \textsl 589
 \textslashc . 15957, 15958, 15960,
 19469, 20242, 20243
 \textslashdiv 19117, 20170
 \textsmallin 17823, 19696
 \textmallowns ... 17830, 19699
 \textsmile 18268, 19891
 \textsmiley 18516, 18517, 19931,
 20388
 \textSnowflake ... 18809, 20042
 \textSnowflakeChevron .. 18807,
 20041
 \textSnowflakeChevronBold ...
 ... 18811, 20043
 \textSoccerBall .. 18668, 18669,
 20422
 \textspadesuitblack 2491, 18594,
 18595, 20414
 \textspadesuitwhite 18606
 \textSparkle 18813, 20044
 \textSparkleBold .. 18815, 20045
 \textspphericalangle 17862, 17863,
 17864, 19713, 20343, 20344
 \textsqcap 18060, 19806
 \textsqcup 18062, 19807
 \textsqdoublecap .. 19011, 19012,
 20125, 20436
 \textsqdoublecup .. 19016, 19017,
 20127, 20437
 \textsqsubset 18052, 19802
 \textsqsubseteq ... 18056, 19804
 \textsqsubsetneq .. 18212, 18213,
 19867, 20376
 \textsqsupset 18054, 19803
 \textsqsupseteq ... 18058, 19805
 \textsqsupsetneq .. 18215, 18216,
 19868, 20377
 \textSquareCastShadowBottom-
 Right 18834,
 20052
 \textSquareCastShadowTopRight
 18837, 20053
 \textsquaredots ... 17905, 19732
 \textSquareShadowBottomRight
 18828, 20050
 \textSquareTopRight 18831,
 20051
 \textsslash . 19112, 19113, 20168,
 20442
 \textstar 18151, 19840
 \textsterling 14876, 15280, 15281,
 15282, 20210, 20211
 \textStigmagreek ... 1168, 16473
 \textstigmagreek ... 1168, 16475
 \textstretchc 16208, 16209,
 16210, 16211, 20310, 20311
 \textstretchcvar ... 16211, 20311
 \textsubbreve ... 15143, 15172,
 15199, 17158, 17160
 \textsubcircum ... 15140, 15141,
 15171, 15198, 17110, 17112,
 17126, 17128, 17186, 17188,
 17214, 17216, 17270, 17272,
 17282, 17284
 \textsubring 15133, 15134, 15170,
 15197, 17078, 17080
 \textSubset 18174, 19850
 \textsubset 18028, 19790
 \textsubseteq 18036, 19794
 \textsubseteqq ... 19089, 20159
 \textsubsetneq ... 18044, 19798
 \textsubtilde 15144, 15145,
 15173, 15200, 17130, 17132,
 17162, 17164, 17278, 17280
 \textsubumlaut ... 15131, 15132,
 15169, 15196, 17274, 17276
 \textsucc 18014, 19783
 \textsuccapprox 19083
 \textsucccurlyeq ... 18018, 19785
 \textsucceq 19067, 20149
 \textsuccqq ... 19075, 20153
 \textsuccnapprox .. 19087, 20158
 \textsuccneq 19071, 20151
 \textsuccneqq ... 19079, 20155
 \textsuccnsim ... 18224, 19872
 \textsuccsim 18022, 19787
 \textsum 17836, 19702
 \textsun 18521, 19933
 \textSunCloud 18671, 19977
 \textSunshineOpenCircled 18803,
 20039
 \textSupset 18176, 19851
 \textsupset 18030, 19791
 \textsupseteq 18038, 19795
 \textsupseteqq ... 19091, 20160
 \textsupsetneq ... 18046, 19799
 \textsurd 17852, 19708
 \textSwallow 17778, 19676
 \textswallow 17660, 19628
 \TextSymbolUnavailable .. 14737,
 14738, 14740
 \textTape 18693, 19986

\textTau 1210, 16383
 \texttau 1210, 16450, 19532
 \texttaurus 18561, 18562, 19945, 20403
 \texttctclig 16258, 16259
 \textTent 18679, 19981
 \texttshlig 16254, 16255, 16256, 20317
 \texttherefore 17897, 17898, 19729
 \textTheta 1171, 16361, 19505
 \texttheta 1171, 16426, 19521
 \textthird 17427, 19558
 \textThorn 14995, 15406, 19461
 \textthorn 15064, 15475, 15477, 19462
 \textthreeeighths 17630
 \textthreefifths 17620
 \textthreeinferior 17487, 19580
 \textthreequarters 14929, 15340
 \textthreesuperior 14907, 15316, 19459
 \texttie 15176, 15203, 16324
 \texttilde 4323, 14704, 14716, 14728, 14763, 15157, 15184, 16301
 \texttildelow 15173, 15200, 16310
 \texttimes 15079, 19207, 20196
 \texttinferior 17535, 19604
 \texttop 18103, 18104, 19822, 20361
 \texttrademark 14843, 17576
 \texttriangle 17815, 19692
 \texttriangleeq 17965, 19758
 \texttriangleleft 18464, 19909
 \texttriangleright 18458, 19907
 \texttriplesim 17932, 19744
 \textTslash 15701
 \texttslash 15703
 \texttslig 16252, 16253
 \textttt 584
 \textturna 15961, 15962, 15963, 20244
 \textturnh 16036, 16037, 16038, 16039, 20263, 20264
 \textturnk 16230, 16231, 16232, 20315
 \textturnlonglegr 16110, 16111, 16112, 20286
 \textturnm 16070, 16071, 16072, 16073, 20274, 20275
 \textturnmrleg 16075, 16076, 16077, 20276
 \textturnnr 16105, 16106, 16107, 16108, 20284, 20285
 \textturnrrtail 16114, 16115, 16116, 20287
 \textturnsck 16232, 20315
 \textturnscripta 15969, 15970, 15971, 15972, 20246, 20247
 \textturnt 16150, 16151, 16152, 20294
 \textturnv 16167, 16168, 16169, 16170, 19495, 20298, 20299
 \textturnw 16171, 16172, 16173, 16174, 19496, 20300, 20301
 \textturny 16175, 16176, 16177, 16178, 19497, 20302, 20303
 \textTwelveStar 18784, 20030
 \texttwofifths 17618
 \texttwoheaddownarrow 17673, 19634
 \texttwoheadleftarrow 17666, 19631
 \texttwoheadrightarrow 17671, 19633
 \texttwoheaduparrow 17668, 19632
 \texttwoinferior 17485, 19579
 \texttwonotes 18619, 19957
 \texttwosuperior 14905, 15314, 19458
 \texttwothirds 17614
 \textudots 18243, 19879
 \textuinferior 17040, 19542
 \textulcorner 18258, 19886
 \textuncrfemale 18664, 18666, 20421
 \textunderscore 554, 4770, 4771, 4773, 14791, 15259, 15260, 20208
 \textunlhd 18133, 18134, 18135, 19833, 20368, 20369
 \textunrhd 18137, 18138, 18139, 19834, 20370, 20371
 \textup 590
 \textUparrow 17760, 19668
 \textuparrow 17642, 19620
 \textUpdownarrow 17770, 19672
 \textupdownarrow 2494, 17650, 19624
 \textupdownarrows 17730, 19656
 \textupdownharpoonleftright 18924, 20092
 \textupdownharpoonrightleft 18921, 20091
 \textupdownharpoons 18951, 20101
 \textupharpoonleft 17712, 19650
 \textupharpoonright 17709, 19649
 \textuplus 18988, 20115
 \textupmodels 19105, 20165
 \textUpsilon 1211, 16340, 16385, 16399, 19510
 \textupsilon 1211, 16452, 16464, 16469, 19533
 \textupsilononacute 16410, 16468
 \textupspoon 19107, 20166
 \textupstep 19122, 19123
 \textupuparrows 17737, 19659
 \textupupharpoons 18930, 20094
 \texturarus 18549, 18550, 19941, 20399
 \texturcorner 18260, 19887
 \textvarobar 18957, 20428
 \textvarsigma 16446, 19530
 \textVDash 18118, 18119, 19827, 20365
 \textVdash 18112, 18113, 19825, 20364
 \textvDash 18108, 18109, 18110, 19824, 20362, 20363
 \textvdash 18097, 18098, 19820, 20359
 \textvdotdot 17903, 19731
 \textvdots 18239, 19877
 \textvee 17876, 19719
 \textveebar 18147, 19838
 \textveedot 18849, 20059
 \textveedoublebar 19028, 20131
 \textvertline 15270, 20209
 \textvibyi 16145, 16146
 \textvibyy 16264, 16265
 \textVier 19166, 20181
 \textvinferior 17042, 19543
 \textViPa 19152, 20175
 \textvirgo 18573, 18574, 19949, 20407
 \textvisiblespace 18303
 \textVvdash 18115, 19826
 \textwedge 17874, 19718
 \textwedgedot 18851, 20060
 \textWheelchair 18631, 19963
 \textWomanface 19176, 20186
 \textwon 17545
 \textwp 17568, 19608
 \textwr 17916, 17917, 19737, 20347
 \textWritinghand 18702, 19990
 \textwynn 15807, 15808
 \textXi 1190, 16373, 19507
 \textxi 1190, 16438, 19527
 \textxinferior 17517, 19595
 \textXSolid 18719, 19998
 \textXSolidBold 18721, 19999
 \textXSolidBrush 18723, 20000
 \textxswup 18637, 20420
 \textxyen 14880, 15286
 \textYinyang 18511, 19929

\textyogh . 16189, 16190, 19499
 \textzeroinferior . 17481, 19577
 \textzerosuperior . 17453, 19563
 \textzerothirds 17638
 \textZeta 1169, 16357
 \textzeta 1169, 16422, 19519
 \textZwdr 19172, 20184
 \textZwPa 19158, 20178
 \TH . 14993, 14994, 15404, 15405
 \th . 15062, 15063, 15475, 15476
 \thaa 19368
 \thebookmark@seq@number
 14249
 \theequation . 6786, 7102, 7133,
 7161, 7197
 \thefootnote 7344, 7547
 \theHchapter . 6725, 6726, 6727,
 6728, 6827
 \theHenumi 6744
 \theHenumii 6745
 \theHenumiii 6746
 \theHenumiv 6747
 \theHequation . 6715, 6787, 7103,
 7134, 7162, 7170, 7197, 7201
 \theHfigure 6722, 6726
 \theHHfootnote 6748, 6751
 \theHHmpfootnote 6751
 \theHItem 6738, 6744, 6745,
 6746, 6747
 \theHlisting 3549
 \theHlstlisting 3545
 \theHmpfootnote 6749
 \theHpage 7962
 \theHparagraph 6732, 6733
 \theHparentequation . 7196, 7201
 \theHpart 6718
 \theHsection . 6715, 6721, 6728,
 6730, 6734, 6735, 6825
 \theHslide 8377
 \theHslidesection 8382, 8384,
 8420, 8424
 \theHslidesubsection 8383, 8471,
 8475
 \theHsubequation 7170
 \theH subparagraph 6733
 \theH subsection 6730, 6731
 \theH subsubsection 6731, 6732
 \theH table 6723, 6727
 \theH theorem 6734
 \theH thm 6735
 \theHy@tempcnt 4886, 4894, 4901
 \thelisting 3549
 \theHstlisting 3545
 \thempfn 7333, 7436, 7528, 7540
 \theoremautorefname 3224, 3242,
 3260, 3278, 3296, 3314,
 3332, 3370, 3390, 3408, 8817
 \thepage 2514, 5004, 6377, 6403,
 6418, 6944, 6952, 6979,
 7805, 7828, 7857, 7958,
 8005, 8084, 8115, 8276,
 8293, 8299, 8303, 8310,
 8574, 8594, 8611, 8729
 \therefore 17896, 19729
 \theslideheading 8403
 \theslidesection . 8391, 8398, 8406,
 8412, 8414, 8416, 8422, 8432
 \theslidesubheading . 8404, 8455
 \theslidesubsection
 8443, 8450, 8457, 8463,
 8465, 8467, 8473, 8483
 \Theta 16360, 19505
 \theta 16425, 19521
 \third 17426, 19558
 \This@name . 6764, 6765, 6783,
 6784
 \thispdfpagelabel 6382
 \ThisShouldNotHappen . 13833
 \thm@headfont 7213, 7241
 \thm@headpunct 7215, 7243,
 7274
 \thm@headsep 7216, 7244, 7275
 \thm@indent 7212, 7240
 \thm@notefont . 7214, 7242, 7273
 \thm@postskip . 7220, 7248, 7279
 \thm@preskip . 7219, 7247, 7278
 \thm@space@setup . 7217, 7245,
 7276
 \thm@swap 7211, 7239, 7272
 \thmheadnl 7210, 7238, 7271
 \Thorn 14993, 15404, 19461
 \thorn 15062, 15475, 19462
 \threeinferior 19580
 \threesuperior 19459
 \tildel 16059, 20270
 \times 20196
 \tinferior 19604
 \tiny 612
 \title 6281, 6283
 \TMP@EnsureCode
 4607, 4614, 4615, 4616,
 4617, 4618, 4619, 4620,
 4621, 4622, 4623, 4624,
 4625, 4626, 4627, 4628,
 4629, 4630, 4631, 4632,
 4633, 4634, 4635, 4636,
 4637, 4638, 4639, 4640
 \tocappendix 1624
 \tocchapter 1623
 \toclevel@chapter 3536
 \toclevel@figure 3542
 \toclevel@listing 3550
 \toclevel@lstlisting 3546
 \toclevel@paragraph 3540
 \toclevel@part 3532, 3534
 \toclevel@section 3537
 \toclevel@subfigure 2528
 \toclevel@subparagraph 3541
 \toclevel@subsection 3538
 \toclevel@subsubsection 3539
 \toclevel@subtable 2529
 \toclevel@table 3543
 \tocparagraph 1628
 \tocpart 1622
 \tocsection 1625
 \tocsubsection 1626
 \tocsubsubsection 1627
 \toks 5043, 5045, 5047, 5051, 5056,
 8582, 8583, 8585, 14566,
 14571, 14637, 14642
 \toks@ 171, 208, 487, 490,
 493, 511, 512, 846, 853, 885,
 886, 1260, 1283, 1286, 1288,
 1796, 1797, 3420, 3421,
 3423, 4020, 4024, 4025,
 4033, 4331, 4332, 4509,
 4511, 5158, 5163, 5167,
 5171, 6498, 6500, 6586,
 6588, 6638, 6650, 6961,
 6965, 7001, 7006, 7414,
 7417, 8146, 8147, 8353,
 8358, 8360, 8363, 14565,
 14571, 14636, 14642
 \top 18102, 19822
 \topmargin 8018
 \triangle 17814, 19692
 \triangleeq 17964, 19758
 \triangleleft 18463, 19909
 \trianglelefteq 18135, 20369
 \triangleright 18457, 19907
 \trianglerigheq 18139, 20371
 \triplesim 17931, 19744
 \trivlist 7209, 7237, 7270
 \tryhyper@link 4979, 4981
 \ttfamily 594
 \ttl@b 7012, 7017
 \ttl@gobblecontents 7021
 \ttl@Hy@PatchSaveWrite . 6995,
 6999
 \ttl@Hy@refstepcounter 7011
 \ttl@Hy@saveanchor 6990, 7014
 \ttl@Hy@SavedCurrentHref 6994,
 7005
 \ttl@Hy@steplink 6988
 \ttl@savewrite 7001, 7003
 \turnv 19495
 \turnw 19496
 \turny 19497
 \tw@ 14566, 14571, 14637, 14642
 \TwelveStar 18783, 20030
 \twoheaddownarrow 17672, 19634

\twoheadleftarrow .	17665, 19631	\upshape .	600, 7214, 7242, 7273	\varparallel	19113, 20442				
\twoheadrightarrow .	17670, 19633	\Upsilon	16384, 19510	\varparallelinv	18306, 20381				
\twoheaduparrow . .	17667, 19632	\upsilon	16451, 19533	\varsigma	19530				
\twoinferior	19579	\upspoon	19106, 20166	\varsqsubsetneq	18213, 20376				
\twonotes	18618, 19957	\upuparrows	17736, 19659	\varsqsupsetneq	18216, 20377				
\twosuperior	19458	\upupharpoons	18929, 20094	\vartimes	15391, 20216				
\TX@endtabularx . .	7407, 7414, 7420	\Uranus	18550, 20399	\vbox	6036, 6037, 6038, 6039, 6350, 8016				
\typeout	5, 6, 7, 19, 26, 27, 36, 131, 155, 158, 159, 160, 5188, 14663, 20452	\uranus	18548, 19941	\VDash	18117, 19827				
U									
\U	15113, 16525, 16548, 16615, 16695, 16896, 16898, 16920, 16922, 16932, 16934	\urcorner	18259, 19887	\Vdash	18111, 19825				
\u	15112, 15163, 15190, 15218, 15485, 15487, 15527, 15529, 15547, 15549, 15580, 15582, 15583, 15653, 15655, 15713, 15715	\Url	4950	\vDash	18107, 19824				
\ubar	16160, 20296	\url	4949, 4953	\vdash	18096, 19820				
\udesc	16039, 20264	\url@	4953, 4954	\vdotdot	17902, 19731				
\udots	18242, 19879	\use@file	5119, 5121, 5128	\vdots	18238, 19877				
\UHORN	19224, 19335, 19336, 19337, 19338, 19339	\usefont	579	\vee	17875, 19719				
\uhorn	3394, 3401, 19218, 19275, 19276, 19277, 19278, 19279	\utf@viii@undeferr	541	\veebar	18146, 19838				
\uinferior	19542	\UTFviii@four@octets	2231, 2240	\veedot	18848, 20059				
\ulcorner	18257, 19886	\UTFviii@three@octets	2230	\veedoublebar	19027, 20131				
\UnDef	12449	\UTFviii@two@octets	2229	\Venus	18534, 20393				
\unhbox	7317, 11475, 13524, 13648, 13680, 13704, 13732, 13761	V							
\unhcopy	13626	\v	14707, 14719, 14731, 14853, 14858, 14866, 14868, 15123, 15160, 15187, 15217, 15505, 15507, 15509, 15511, 15539, 15541, 15617, 15619, 15637, 15639, 15673, 15675, 15689, 15691, 15697, 15699, 15747, 15749, 15822, 15824, 15826, 15828, 15829, 15831, 15833, 15835, 15837, 15846, 15848, 15850, 15852, 15858, 15859, 15921, 15923	\vfill	6036, 6037, 6038, 6039				
\unichar	2235	\V@CCfootnotetext	7477	\Vier	19165, 20181				
\Unicode	1336	\V@Cfootnotetext	7463	\vinferior	19543				
\unlhd	18132, 19833	\value	6401, 6813, 6814, 6816, 6817, 7744, 7770, 8022, 8171, 10130, 10135	\ViPa	19151, 20175				
\unrestored@protected@xdef .	7333, 7344, 7490, 7497, 7540, 7547	\vara	15967, 20245	\Virgo	18574, 20407				
\unrhd	18136, 19834	\varangle	17863, 20343	\virgo	18572, 19949				
\unskip	7207, 7234, 7267, 7790, 8660, 8664, 8668, 8673	\varcurlyvee	18169, 20372	\vod	16030, 16032, 20262				
\Uparrow	17759, 19668	\varcurlywedge	18172, 20373	\voffset	8017				
\uparrowarrow	19620	\VarFlag	18634, 20419	\voicedh	16043, 20266				
\Updownarrow	17769, 19672	\varg	16026, 20261	\vpageref	8673				
\updownarrow	17649, 19624	\vari	16053, 20269	\phantom	615				
\updownarrows	17729, 19656	\varnothing	17811, 17813, 20341	\Vr@f	8659				
\updownharpoonleft	18923, 20092	\varoast	18084, 20357	\vr@f	8667				
\updownharpoonright	18920, 20091	\varobslash	18962, 20431	\vref@pagenum	7025				
\updownharpoons	18950, 20101	\varocircle	18081, 20356	\vref@space	8660, 8663, 8668				
\upharpoonleft	17711, 19650	\varodot	18077, 20354	\vskip	2603, 2604				
\upharpoonright	17708, 19649	\varogreaterthan	18972, 20434	\vss	8031				
\uplus	18987, 20115	\varolessthan	18969, 20433	\vtx@trans@special	10917, 10919, 10922, 10926, 10930, 10934, 10936, 10938, 10942, 10948, 10949, 10952				
\upmodels	19104, 20165	\varomega	16102, 20283	\VTeXInitMediaSize	10596, 10613				
		\varominus	18068, 20351	\VTeXOS	10987, 10988, 10989, 10991				
		\varopeno	15980, 20250	\VTeXversion	6553, 6556, 6559, 10979, 10983				
		\varplus	18065, 20350	\Vvdash	18114, 19826				
		\varslash	18074, 20353	W					
		\varotimes	18071, 20352	\waw	19416				
				\wawhamza	19354				
				\wd	9725, 9741, 9762, 9779, 9802, 9819, 13481				
				\wedge	17873, 19718				
				\wedgedot	18850, 20060				
				\Wheelchair	18630, 19963				
				\with	15241, 20207				

\Womanface	19175, 20186		
\wp	17567, 19608		
\wr	17915, 19737		
\wreath	17917, 20347		
\write ..	4841, 6230, 6232, 6667, 6675, 6950, 6978, 7728, 7743, 7759, 7769, 7799, 7822, 7848, 7878, 13077, 13101, 14433, 14515		
\WriteBookmarks ..	4265, 4402, 4576, 4598, 14182, 14426, 14459, 14460, 14502, 14508		
\Writinghand	18701, 19990		
\wwwbrowser ..	9679, 9764, 9781		
X			
\x	21, 25, 92, 98, 168, 169, 176, 178, 206, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 290, 295, 296, 510, 515, 848, 851, 855, 860, 892, 960, 966, 1723, 1751, 2178, 2180, 2598, 2608, 2617, 2627, 2696, 2697, 2702, 2718, 3431, 3434, 3438, 3451, 3561, 3562, 3565, 3566, 3567, 3571, 3574, 3580, 4023, 4029, 4032, 4035, 4190, 4191, 4196, 4197, 4278, 4279, 4280, 4283, 4286, 4289, 4329, 4330, 4332, 4333, 4510, 4513, 4840, 4846, 5041, 5052, 5056, 5059, 5134, 5135, 5136, 5148, 5159, 5160, 5161, 5162, 5165, 5166, 5240, 5254, 5279, 5283, 5286, 5296, 5833, 5837, 5846, 5850, 6303, 6304, 6309, 6962, 6969, 7002, 7009, 7050, 7059, 7061,		
Y			
\y	295, 297, 301, 863, 866, 869, 872, 875, 878, 887, 2698, 2703, 2708, 3567, 3568, 3569, 3570, 4281, 4284, 4287, 4290, 4292, 4298, 5137, 5138, 5139, 5140, 5148, 6304, 6312,		
Z			
\z	296, 297, 302, 2700, 2701, 5140, 5148		
\z@	824, 987, 1139, 1156, 1178, 1452, 1492, 1505, 1536, 1544, 1617, 1878, 1884, 1948, 1960, 1964, 2554, 2593, 2612, 2883, 3031, 3573, 3579, 4572, 6554, 6557, 7304, 7475, 9492, 9501, 9505, 9512, 9519, 9522, 10459, 10465, 10466, 10978, 11222, 11522, 11536, 11898, 11903, 11904, 13196, 13485, 13537, 13986, 13991, 14013, 14047, 14080, 14086, 14115, 14120, 14150, 14260, 14261, 14262, 14264, 14265, 14266, 14268, 14485, 14607		
\z@skip			
\za			
\zay			
\zeroinferior			
\zerosuperior			
\zeta	16421,		
\Zwdr	19171,		
\ZWNJ			
\ZwPa	19157,		